

Toshinobu Yogo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7898088/publications.pdf>

Version: 2024-02-01

130
papers

3,467
citations

218677

26
h-index

155660

55
g-index

132
all docs

132
docs citations

132
times ranked

4247
citing authors

#	ARTICLE	IF	CITATIONS
1	Hybrid Membrane-Type Fuel Cells for Intermediate Temperatures. , 2019, , 329-341.		0
2	Cellulose-based molecularly imprinted red-blood-cell-like microparticles for the selective capture of cortisol. Carbohydrate Polymers, 2018, 193, 173-178.	10.2	11
3	Fabrication of lead-free piezoelectric Li ₂ CO ₃ -added (Ba,Ca)(Ti,Sn)O ₃ ceramics under controlled low oxygen partial pressure and their properties. Japanese Journal of Applied Physics, 2018, 57, 021501.	1.5	5
4	Red blood cell-like particles with the ability to avoid lung and spleen accumulation for the treatment of liver fibrosis. Biomaterials, 2018, 156, 45-55.	11.4	26
5	Synthesis of titania nanoparticle-dispersed hybrid membranes from allyloxytitanium and phosphonic acid derivatives for fuel cell. Journal of Membrane Science, 2018, 563, 221-228.	8.2	4
6	Red Blood Cell-Shaped Microparticles with a Red Blood Cell Membrane Demonstrate Prolonged Circulation Time in Blood. ACS Biomaterials Science and Engineering, 2018, 4, 2729-2732.	5.2	17
7	Synthesis of inorganic-organic hybrid membranes consisting of organotrisiloxane linkages and their fuel cell properties at intermediate temperatures. Polymer, 2017, 120, 264-271.	3.8	4
8	Metallic glass separators for fuel cells at intermediate temperatures. Materials Letters, 2017, 206, 87-90.	2.6	2
9	Synthesis of inorganic-organic hybrid membranes consisting of triazole linkages formed by the azide-alkyne click reaction. Journal of Membrane Science, 2016, 517, 21-29.	8.2	8
10	Smart Ferrofluid with Quick Gel Transformation in Tumors for MRI-Guided Local Magnetic Thermochemotherapy. Advanced Functional Materials, 2016, 26, 1708-1718.	14.9	72
11	Effect of texturing on polarization switching dynamics in ferroelectric ceramics. Applied Physics Letters, 2016, 108, .	3.3	32
12	One-pot synthesis of proton-conductive inorganic-organic hybrid membranes from organoalkoxysilane and phosphonic acid derivatives. Journal of Membrane Science, 2016, 502, 133-140.	8.2	15
13	Proton-conductive inorganic-organic hybrid membranes synthesized from a trimethoxysilylmethylstyrene-fluorophenylvinyl acid copolymer. Journal of Membrane Science, 2015, 488, 166-172.	8.2	12
14	Magnetically Responsive Smart Nanoparticles for Cancer Treatment with a Combination of Magnetic Hyperthermia and Remote-Control Drug Release. Theranostics, 2014, 4, 834-844.	10.0	186
15	In situ synthesis of manganese zinc ferrite nanoparticle/polymer hybrid nanocomposite from metal organics. Journal of Materials Science, 2014, 49, 5093-5099.	3.7	8
16	Transparent and self-standing manganese zinc ferrite nanoparticle/cellulose hybrid films. Materials Letters, 2014, 137, 491-494.	2.6	10
17	In situ synthesis of transparent TiO ₂ nanoparticle/polymer hybrid. Journal of Materials Science, 2013, 48, 7503-7509.	3.7	13
18	One-pot synthesis of magnetic nanoparticles assembled on polysiloxane rod and their response to magnetic field. Colloid and Polymer Science, 2013, 291, 2837-2842.	2.1	5

#	ARTICLE	IF	CITATIONS
19	Properties of flexible, transparent barium titanate nanoparticle/poly(2-hydroxyethyl methacrylate) hybrid. <i>Journal of Materials Science</i> , 2013, 48, 282-287.	3.7	2
20	Fabrication and Characterization of (100),(001)-Oriented Reduction-Resistant Lead-Free Piezoelectric (Ba,Ca)TiO ₃ Ceramics Using Platelike Seed Crystals. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 09KD08.	1.5	23
21	Synthesis and characterization of multiferroic Pb(Zr,Ti)O ₃ /CoFe ₂ O ₄ /Pb(Zr,Ti)O ₃ layered composite thin films by chemical solution deposition. <i>Journal of the Ceramic Society of Japan</i> , 2013, 121, 614-618.	1.1	9
22	Superparamagnetic Nanoparticle Clusters for Cancer Theranostics Combining Magnetic Resonance Imaging and Hyperthermia Treatment. <i>Theranostics</i> , 2013, 3, 366-376.	10.0	291
23	Synthesis and optical properties of ZrO ₂ with incorporated Ti nanoparticle/polymer hybrid. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	1.9	3
24	Synthesis of Er-doped ZnO nanoparticle/organic hybrid from metal-organics. <i>Journal of Materials Science</i> , 2012, 47, 5128-5133.	3.7	4
25	Formation of TiO ₂ Nanostructures by Enzyme-Mediated Self-Assembly for the Destruction of Macrophages. <i>Chemistry of Materials</i> , 2011, 23, 3341-3347.	6.7	11
26	Spin-glass behavior of nanocrystalline multiferroic bismuth ferrite lead titanate. <i>Journal of Materials Chemistry</i> , 2011, 21, 781-788.	6.7	14
27	Field-responsive BaTiO ₃ nanoparticle/organic hybrid synthesized from metal alkoxide. <i>Journal of the Ceramic Society of Japan</i> , 2011, 119, 776-782.	1.1	3
28	In situ synthesis of transparent Eu-doped ZnO particle/organic hybrid. <i>Journal of the Ceramic Society of Japan</i> , 2011, 119, 872-875.	1.1	0
29	Nanomagnetism in nanocrystalline multiferroic bismuth ferrite lead titanate films. <i>Journal of Nanoparticle Research</i> , 2011, 13, 5603-5613.	1.9	6
30	Synthesis and properties of BiScO ₃ -PbTiO ₃ powders and thin films using metal-organic precursor solutions. <i>Journal of the Ceramic Society of Japan</i> , 2010, 118, 631-635.	1.1	4
31	Synthesis and properties of perovskite BiFeO ₃ -K _{0.5} Na _{0.5} NbO ₃ ceramics by solid-state reaction. <i>Journal of the Ceramic Society of Japan</i> , 2010, 118, 701-705.	1.1	9
32	Optical properties of transparent barium titanate nanoparticle/polymer hybrid synthesized from metal alkoxides. <i>Journal of Nanoparticle Research</i> , 2010, 12, 1933-1943.	1.9	14
33	Proton conductive inorganic-organic hybrid membranes functionalized with phosphonic acid for polymer electrolyte fuel cell. <i>Journal of Power Sources</i> , 2010, 195, 5882-5888.	7.8	33
34	Electrosprayed Synthesis of Red-Blood-Cell-Like Particles with Dual Modality for Magnetic Resonance and Fluorescence Imaging. <i>Small</i> , 2010, 6, 2384-2391.	10.0	59
35	Electrosprayed Synthesis of Red-Blood-Cell-Like Particles with Dual Modality for Magnetic Resonance and Fluorescence Imaging. <i>Small</i> , 2010, 6, n/a-n/a.	10.0	1
36	High-Frequency, Magnetic-Field-Responsive Drug Release from Magnetic Nanoparticle/Organic Hybrid Based on Hyperthermic Effect. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 1903-1911.	8.0	230

#	ARTICLE	IF	CITATIONS
37	One-Pot Biofunctionalization of Magnetic Nanoparticles via Thiol-ene Click Reaction for Magnetic Hyperthermia and Magnetic Resonance Imaging. <i>Chemistry of Materials</i> , 2010, 22, 3768-3772.	6.7	81
38	Synthesis and field-responsive properties of SrTiO ₃ nanoparticle/polymer hybrid. <i>Journal of Materials Research</i> , 2009, 24, 2221-2228.	2.6	6
39	Synthesis of proton conductive inorganic-organic hybrid membranes from organoalkoxysilane and hydroxyalkylphosphonic acid. <i>Journal of Membrane Science</i> , 2009, 326, 701-707.	8.2	30
40	Chemoselective Synthesis of Folic Acid-Functionalized Magnetite Nanoparticles via Click Chemistry for Magnetic Hyperthermia. <i>Chemistry of Materials</i> , 2009, 21, 1318-1325.	6.7	98
41	Effects of SrTiO ₃ content and Mn doping on dielectric and magnetic properties of BiFeO ₃ -SrTiO ₃ ceramics. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 939-943.	1.1	24
42	Synthesis of transparent BaTiO ₃ nanoparticle/polymer composite film using DC field. <i>Journal of Nanoparticle Research</i> , 2008, 10, 1203-1208.	1.9	0
43	Proton-conductive sol-gel membranes from phenylvinylphosphonic acid and organoalkoxysilanes with different functionalities. <i>Journal of Membrane Science</i> , 2008, 311, 182-191.	8.2	18
44	Synthesis of spinel iron oxide nanoparticle/organic hybrid for hyperthermia. <i>Journal of Materials Research</i> , 2008, 23, 3415-3424.	2.6	21
45	Synthesis of Highly Transparent Lithium Ferrite Nanoparticle/Polymer Hybrid Self-standing Films Exhibiting Faraday Rotation in the Visible Region. <i>Journal of Physical Chemistry C</i> , 2008, 112, 14255-14261.	3.1	24
46	Synthesis of SrTiO ₃ nanoparticle/polymer composite film using direct current field. <i>Journal of Materials Research</i> , 2008, 23, 127-132.	2.6	3
47	Ferroelectric properties of chemically synthesized perovskite BiFeO ₃ -PbTiO ₃ thin films. <i>Journal of Applied Physics</i> , 2008, 104, .	2.5	64
48	Preparation and Characterization of Perovskite BiFeO ₃ -BaTiO ₃ Ceramics. <i>Applications of Ferroelectrics, IEEE International Symposium on</i> , 2007, .	0.0	0
49	Synthesis of nickel zinc ferrite nanoparticle/organic hybrid from metalorganics. <i>Journal of Materials Research</i> , 2007, 22, 1967-1974.	2.6	7
50	Ferroelectric Properties of Chemically Synthesized Perovskite BiFeO ₃ -PbTiO ₃ Thin Films. <i>Applications of Ferroelectrics, IEEE International Symposium on</i> , 2007, .	0.0	0
51	In situ synthesis of lithium ferrite nanoparticle/polymer hybrid. <i>Journal of Materials Research</i> , 2007, 22, 974-981.	2.6	6
52	Synthesis of organosiloxane-based inorganic/organic hybrid membranes with chemically bound phosphonic acid for proton-conductors. <i>Electrochimica Acta</i> , 2007, 52, 5924-5931.	5.2	39
53	Chemical solution processing and characterization of Ba(Zr,Ti)O ₃ /LaNiO ₃ layered thin films. <i>Journal of Sol-Gel Science and Technology</i> , 2007, 42, 213-220.	2.4	12
54	Synthesis of transparent BaTiO ₃ nanoparticle/polymer hybrid. <i>Journal of Nanoparticle Research</i> , 2007, 9, 225-232.	1.9	17

#	ARTICLE	IF	CITATIONS
55	Synthesis of proton-conductive sol-gel membranes from trimethoxysilylmethylstyrene and phenylvinylphosphonic acid. Journal of Membrane Science, 2007, 303, 43-53.	8.2	25
56	Synthesis and properties of ferroelectric Si-doped (Bi, Nd) ₄ Ti ₃ O ₁₂ thin films by chemical solution deposition. Journal of Electroceramics, 2006, 17, 293-297.	2.0	8
57	Field-assisted synthesis of BaTiO ₃ particle/polyvinylbutyral composite film. Journal of Materials Research, 2006, 21, 1843-1848.	2.6	2
58	In situ synthesis of nano-sized cobalt ferrite particle/organic hybrid. Journal of Materials Research, 2006, 21, 1336-1341.	2.6	4
59	Processing and Piezoelectric Properties of Lead-Free (K,Na) (Nb,Ta) O ₃ Ceramics. Journal of the American Ceramic Society, 2005, 88, 1190-1196.	3.8	436
60	In Situ Synthesis of Field-responsive Nanocrystalline BaTiO ₃ Particles Modified with Functional Organics. Journal of Nanoparticle Research, 2005, 7, 633-640.	1.9	5
61	Synthesis and Catalytic Properties of the Electrochemical NO _x Reduction System. Catalysis Letters, 2005, 103, 271-275.	2.6	0
62	In situ Synthesis of Nickel Ferrite Nanoparticle/organic Hybrid. Journal of Materials Research, 2005, 20, 1590-1596.	2.6	3
63	Synthesis of Fe-doped ZnO Particle/polymer Hybrid from Metalorganics. Journal of Materials Research, 2005, 20, 1470-1475.	2.6	9
64	Synthesis of ZnO particle-polymer hybrid from zinc-organics. Journal of Materials Research, 2004, 19, 651-656.	2.6	7
65	In situ synthesis of nanocrystalline BaTiO ₃ particle-polymer hybrid. Journal of Materials Research, 2004, 19, 3290-3297.	2.6	37
66	Preparation and Properties of V-Doped (Bi,Nd) ₄ Ti ₃ O ₁₂ Ferroelectric Thin Films by Chemical Solution Deposition Method. Integrated Ferroelectrics, 2004, 62, 233-241.	0.7	4
67	Preparation and Properties of Bi _{4-x} Nd _x Ti ₃ O ₁₂ Thin Films by Chemical Solution Deposition. Journal of Electroceramics, 2004, 13, 339-343.	2.0	12
68	In-Situ Processing of Laminated Ceramic Composite for Electrochemical NO _x Reduction System. Journal of the Ceramic Society of Japan, 2004, 112, 82-87.	1.3	4
69	Processing of Novel Strontium Titanate-Based Thin Film Varistors by Chemical Solution Deposition. Journal of the American Ceramic Society, 2003, 86, 99-104.	3.8	12
70	Synthesis of a KNbO ₃ particle/polymer hybrid from metalorganics. Journal of Materials Research, 2003, 18, 1679-1685.	2.6	17
71	Dispersibility of BaTiO ₃ Aqueous Slurries with Poly Ammonium Acrylate Based Dispersant. Journal of the Ceramic Society of Japan, 2003, 111, 811-814.	1.3	14
72	DeNO _x Properties of Barium Hexaaluminogallates.. Journal of the Ceramic Society of Japan, 2002, 110, 1-5.	1.3	1

#	ARTICLE	IF	CITATIONS
73	Chemical Processing and Properties of (Sr,Ca) 2 (Nb,Ta) 2 O 7 Thin Films. Integrated Ferroelectrics, 2002, 45, 49-57.	0.7	2
74	Synthesis and Magneto-mechanical Properties of Ce-TZP/La M-Type Hexaferrite Composite. Journal of the American Ceramic Society, 2002, 85, 2212-2216.	3.8	7
75	Effects of Transitionâ€Metal Substitution on the Catalytic Properties of Barium Hexaaluminogallate. Journal of the American Ceramic Society, 2002, 85, 909-914.	3.8	3
76	Synthesis of Dendrimer-Passivated Noble Metal Nanoparticles in a Polar Medium:Â Comparison of Size between Silver and Gold Particles. Chemistry of Materials, 2001, 13, 1674-1681.	6.7	236
77	Chemical solution processing and properties of tungsten bronze (ba,la)nb2o6thin films. Integrated Ferroelectrics, 2001, 36, 191-200.	0.7	1
78	Chemical solution processing of sr2(nb,ta)2o7 thin films. Integrated Ferroelectrics, 2001, 36, 275-284.	0.7	2
79	Synthesis and Processing of Barium Hexaaluminogallates. Journal of the American Ceramic Society, 2001, 84, 1433-1438.	3.8	6
80	Synthesis of transparent magnetic particle/organic hybrid film using ironâ€organics. Journal of Materials Research, 2000, 15, 2114-2120.	2.6	22
81	Co²⁺â€Substitution Effect in Ceâ€TZP/La Mâ€type Hexaferrite Composites. Journal of the American Ceramic Society, 2000, 83, 281-286.	3.8	9
82	Synthesis of magnetic particle/organic hybrid from metalorganic compounds. Journal of Materials Research, 1999, 14, 2855-2860.	2.6	21
83	Synthesis of Sr2KNb5O15 Thin Films by Chemical Solution Deposition Method. Journal of Materials Research, 1999, 14, 1495-1502.	2.6	1
84	Title is missing!. Journal of Sol-Gel Science and Technology, 1999, 16, 65-75.	2.4	3
85	UV Processing of Oriented KTa0.50Nb0.50O3 Thin Films.. Journal of the Ceramic Society of Japan, 1999, 107, 1032-1036.	1.3	7
86	Synthesis of Al3+-Substituted La M-Type Hexaferrite for In Situ Ceramic Composite Processing.. Journal of the Ceramic Society of Japan, 1999, 107, 215-221.	1.3	7
87	In Situ Processing of Y-TZP/M-Type Hexaferrite Composite.. Journal of the Ceramic Society of Japan, 1999, 107, 796-800.	1.3	10
88	Ultraviolet patterning of KTiOPO4 thin films through metallo-organics. Journal of Materials Research, 1999, 14, 222-227.	2.6	4
89	Synthesis of PbTiO3/organic hybrid from metalorganic compounds. Journal of Materials Research, 1999, 14, 3275-3280.	2.6	23
90	In Situ Formation of Ce-TZP/Ba Hexaaluminate Composites.. Journal of the Ceramic Society of Japan, 1999, 107, 814-819.	1.3	16

#	ARTICLE	IF	CITATIONS
91	Gasâ€Sensing Properties of Spinodally Decomposed (Ti,Sn)O ₂ Thin Films. Journal of the American Ceramic Society, 1999, 82, 225-228.	3.8	18
92	Processing of Oriented K(Ta,Nb)O ₃ Films Using Chemical Solution Deposition. Journal of the American Ceramic Society, 1999, 82, 1463-1466.	3.8	31
93	Synthesis of Oriented Ba ₂ NaNb ₅ O ₁₅ (BNN) Thin Films from an Alkoxyâ€derived Precursor. Journal of the American Ceramic Society, 1999, 82, 2672-2676.	3.8	7
94	Preparation and characterization of K(Sr _{0.5} Ba _{0.5}) ₂ Nb ₅ O ₁₅ thin films by sol-gel method. Integrated Ferroelectrics, 1998, 20, 117-128.	0.7	2
95	Chemical Processing of Potassiumâ€Substituted Strontium Barium Niobate Thin Films through Metalloâ€organics. Journal of the American Ceramic Society, 1998, 81, 2692-2698.	3.8	18
96	Inâ€Situ Formation of Ceâ€TZPâ€Mâ€type Hexaferrite Composites. Journal of the American Ceramic Society, 1998, 81, 2965-2970.	3.8	15
97	Effect of Phosphorus Sources on Synthesis of KTiOPO ₄ Thin Films by Solâ€Gel Method. Chemistry of Materials, 1997, 9, 2174-2178.	6.7	13
98	Phase Separation of Alkoxy-derived (Ti,Sn)O ₂ Oriented Thin Films. Journal of the American Ceramic Society, 1997, 80, 2864-2668.	3.8	14
99	Processing of Î²-BaB ₂ O ₄ Thin Films Through Metal Organics. Journal of Sol-Gel Science and Technology, 1997, 9, 201-209.	2.4	1
100	Processing of Î²-BaB ₂ O ₄ thin films through metal organics. Journal of Sol-Gel Science and Technology, 1997, 9, 201-209.	2.4	9
101	Synthesis of Ba ₂ NaNb ₅ O ₁₅ Powders and Thin Films Using Metal Alkoxides. Journal of the American Ceramic Society, 1997, 80, 1767-1772.	3.8	8
102	Alkoxyâ€Derived KTiOPO ₄ (KTP) Fibers. Journal of the American Ceramic Society, 1997, 80, 2437-2440.	3.8	7
103	Synthesis of Nd:YVO ₄ Thin Films by a Sol-Gel Method. Journal of the American Ceramic Society, 1996, 79, 3041-3044.	3.8	33
104	Synthesis of Lead Barium Niobate Powders and Thin Films by the Sol-Gel Method. Journal of the American Ceramic Society, 1996, 79, 889-894.	3.8	19
105	Synthesis of Strontium Barium Niobate Thin Films through Metal Alkoxide. Journal of the American Ceramic Society, 1996, 79, 2283-2288.	3.8	57
106	Orientation Control and Laser-Beam-Assisted Crystallization of Sol-Gel-Derived, Titanium-Doped LiNbO ₃ Thin Films. Journal of the American Ceramic Society, 1996, 79, 2289-2292.	3.8	20
107	Synthesis of Î±â€Fe ₂ O ₃ particle/oligomer hybrid material. Journal of Materials Research, 1996, 11, 475-482.	2.6	32
108	Synthesis of Highly Oriented K(Ta,Nb)O ₃ (Ta:Nb = 65:35) Film Using Metal Alkoxides. Journal of the American Ceramic Society, 1995, 78, 2175-2179.	3.8	36

#	ARTICLE	IF	CITATIONS
109	Ultraviolet Patterning of Alkoxy-Derived Lithium Niobate Film. Journal of the American Ceramic Society, 1995, 78, 1649-1652.	3.8	36
110	Synthesis of KTiOPO ₄ (KTP) Thin Films Using Metallo-organics. Journal of the American Ceramic Society, 1995, 78, 2956-2960.	3.8	21
111	Synthesis of barium titanate/polymer composites from metal alkoxide. Journal of Sol-Gel Science and Technology, 1994, 2, 175-179.	2.4	27
112	Processing and characterization of Pb(Mg, Nb)O ₃ -PbTiO ₃ thin films from metal alkoxide-derived gels. Journal of Sol-Gel Science and Technology, 1994, 2, 329-334.	2.4	12
113	Hydrothermal Growth of PbSO ₄ (Anglesite) Single Crystal. Journal of the Ceramic Society of Japan, 1994, 102, 1065-1068.	1.3	2
114	Preparation and Phase Separation Behavior of (Co,Fe) ₃ O ₄ Films. Journal of the American Ceramic Society, 1993, 76, 1788-1792.	3.8	29
115	Mechanical and Thermal Properties of SiC-AlN Ceramics with Modulated Texture. Journal of the Ceramic Society of Japan, 1993, 101, 1281-1286.	1.3	17
116	Microstructure and Mechanical Properties of SiC-AlN Ceramics after Phase Separation Treatment. Journal of the Ceramic Society of Japan, 1993, 101, 793-799.	1.3	6
117	Hydrothermal Growth of Calcite Single Crystals in Nitrate Solutions. Journal of the Ceramic Society of Japan, 1993, 101, 113-117.	1.3	9
118	Chemical Processing of Ferroelectric Niobates Epitaxial Films. Materials Research Society Symposia Proceedings, 1992, 271, 331.	0.1	13
119	Synthesis of Carbon/Ferrite Composite by In-Situ Pressure Pyrolysis of Organometallic Polymers. Materials Research Society Symposia Proceedings, 1992, 274, 167.	0.1	0
120	Preparation of Strontium Barium Niobate by Sol-Gel Method. Journal of the American Ceramic Society, 1992, 75, 1697-1700.	3.8	85
121	Preparation of Potassium Tantalate Niobate by Sol-Gel Method. Journal of the American Ceramic Society, 1992, 75, 1701-1704.	3.8	66
122	Synthesis of Highly Oriented Lead Zirconate-Lead Titanate Film Using Metallo-organics. Journal of the American Ceramic Society, 1992, 75, 2785-2789.	3.8	88
123	Preparation of beta-BaB ₂ O ₄ Powders and Thin Films by Sol-Gel Method. Journal of the American Ceramic Society, 1992, 75, 2590-2592.	3.8	25
124	Synthesis of Functional Carbons by Pressure Pyrolysis of Organometallic Compounds.. Review of High Pressure Science and Technology/Koatsuryoku No Kagaku To Gijutsu, 1992, 1, 99-105.	0.0	0
125	Processing of Functional Ceramics by Metallorganic Route. Journal of the Ceramic Society of Japan, 1991, 99, 1026-1035.	1.3	10
126	Synthesis of Cubic Boron Nitride from Boron Nitride Synthesized by Pressure Pyrolysis of Borazine. Journal of the American Ceramic Society, 1990, 73, 2238-2241.	3.8	14

#	ARTICLE	IF	CITATIONS
127	Synthesis of Amorphous Boron Nitride by Pressure Pyrolysis of Borazine. Journal of the American Ceramic Society, 1989, 72, 66-70.	3.8	68
128	Synthesis of Boron Nitride from Triammoniadecaborane and Ammonia. Journal of the Ceramic Association Japan, 1987, 95, 104-108.	0.2	8
129	Formation of CoB by Pyrolysis of $\text{CoB}_{10}\text{H}_{10}$. Journal of the Ceramic Association Japan, 1986, 94, 68-70.	0.2	1
130	Synthesis and properties of cobalt-dispersed carbons by pressure pyrolysis of organocobalt polymers. Journal of Materials Science, 1986, 21, 225-229.	3.7	14