

Kiyohide Fujimoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7902473/publications.pdf>

Version: 2024-02-01

260
papers

3,445
citations

159585

30
h-index

254184

43
g-index

327
all docs

327
docs citations

327
times ranked

4556
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Intravesical Bacillus Calmette-Guerin treatment-induced sleep quality deterioration in patients with non-muscle invasive bladder cancer: functional outcome assessment based on a questionnaire survey and actigraphy. <i>Supportive Care in Cancer</i> , 2022, 30, 887-895. | 2.2 | 4 |
| 2 | Videourodynamic effects of vibegron, a new selective Î²3-adrenoceptor agonist, on antimuscarinic-resistant neurogenic bladder dysfunction in patients with spina bifida. <i>International Journal of Urology</i> , 2022, 29, 76-81. | 1.0 | 8 |
| 3 | Erectile dysfunction and sexual quality of life in patients who underwent low-dose-rate brachytherapy alone for prostate cancer. <i>Andrologia</i> , 2022, 54, e14288. | 2.1 | 1 |
| 4 | Usefulness of clinical factors for diagnosing and differentiating types of testicular malposition in boys: A retrospective study. <i>International Journal of Urology</i> , 2022, 29, 57-64. | 1.0 | 4 |
| 5 | The effects of choreito on a model of nocturnal polyuria using Dahl salt-sensitive rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2022, 14, 122-128. | 1.3 | 3 |
| 6 | Clinical features of detrusor underactivity in elderly men without neurological disorders. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2022, 14, 193-198. | 1.3 | 6 |
| 7 | Clinical and emotional factors for the acceptance or refusal of deceased donor kidney transplantation in patients on waiting lists during the coronavirus disease 2019 pandemic. <i>International Journal of Urology</i> , 2022, 29, 470-472. | 1.0 | 3 |
| 8 | Relevance of the perioperative edema index measured by bioelectrical impedance analysis for prediction of cardiovascular disease in living donor kidney transplantation. <i>International Journal of Urology</i> , 2022, , . | 1.0 | 1 |
| 9 | Impact of carcinoma in situ on the outcome of intravesical Bacillus Calmette-GuÃ©rin therapy for non-muscle-invasive bladder cancer: a comparative analysis of large real-world data. <i>International Journal of Clinical Oncology</i> , 2022, , 1. | 2.2 | 0 |
| 10 | Response to Pembrolizumab After Dose-Reduced Cisplatin Plus Gemcitabine Chemotherapy Is Inferior to That After Carboplatin Plus Gemcitabine Chemotherapy in Cisplatin-Unfit Patients With Advanced Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2022, 20, 196.e1-196.e9. | 1.9 | 9 |
| 11 | Prognostication in Japanese patients with bacillus Calmette-GuÃ©rin-unresponsive non-muscle-invasive bladder cancer undergoing early radical cystectomy. <i>International Journal of Urology</i> , 2022, 29, 242-249. | 1.0 | 5 |
| 12 | Segmental testicular infarction diagnosed using microvascular imaging: a case report. <i>Choonpa Igaku</i> , 2022, 49, 159-164. | 0.0 | 0 |
| 13 | Significant Improvement of Prognosis After the Advent of Immune Checkpoint Inhibitors in Patients with Advanced, Unresectable, or Metastatic Urothelial Carcinoma: A Propensity Score Matching and Inverse Probability of Treatment Weighting Analysis on Real-World Data. <i>Cancer Management and Research</i> . 2022. Volume 14. 623-635. | 1.9 | 8 |
| 14 | Reduction of residual tumors by photodynamic diagnosis-assisted TURBT using 5-aminolevulinic acid for high-risk nonmuscle-invasive bladder cancer (BRIGHT study).. <i>Journal of Clinical Oncology</i> , 2022, 40, 489-489. | 1.6 | 0 |
| 15 | Organ-Specific and Mixed Responses to Pembrolizumab in Patients with Unresectable or Metastatic Urothelial Carcinoma: A Multicenter Retrospective Study. <i>Cancers</i> , 2022, 14, 1735. | 3.7 | 6 |
| 16 | Identification of diagnostic serum biomarkers for Hunner-type interstitial cystitis. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2022, 14, 334-340. | 1.3 | 1 |
| 17 | Bladder cancer prospective cohort study on high-risk non-muscle invasive bladder cancer after photodynamic diagnosis-assisted transurethral resection of the bladder tumor (BRIGHT study). <i>International Journal of Urology</i> , 2022, 29, 632-638. | 1.0 | 10 |
| 18 | Mirabegron Reduces Urinary Frequency and Improves Overactive Bladder Symptoms at 3 Months After 125I-brachytherapy for Prostate Cancer: An Open-Labelled, Randomized, Non-Placebo-Controlled Study. <i>Urology</i> , 2022, 161, 87-92. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Prostate diseases and microbiome in the prostate, gut, and urine. <i>Prostate International</i> , 2022, 10, 96-107. | 2.3 | 25 |
| 20 | 5-Aminolevulinic acid overcomes hypoxia-induced radiation resistance by enhancing mitochondrial reactive oxygen species production in prostate cancer cells. <i>British Journal of Cancer</i> , 2022, 127, 350-363. | 6.4 | 10 |
| 21 | A prospective, single-arm trial of fluorescent ureteroscopy-assisted thulium-holmium:YAG dual laser ablation for upper urinary tract cancer: Study protocol of the FLUAM trial. <i>Contemporary Clinical Trials Communications</i> , 2022, 26, 100902. | 1.1 | 3 |
| 22 | Association between urine 6-sulfatoxy-melatonin level and intravesical Bacillus Calmette-Guerin treatment-induced sleep quality deterioration in patients with non-muscle invasive bladder cancer. <i>Supportive Care in Cancer</i> , 2022, , 1. | 2.2 | 0 |
| 23 | Site-specific Risk Stratification Models for Postoperative Recurrence and Survival Prediction in Patients with Upper Tract Urothelial Carcinoma Undergoing Radical Nephroureterectomy: Better Stratification for Adjuvant Therapy. <i>European Urology Open Science</i> , 2022, 41, 95-104. | 0.4 | 1 |
| 24 | Hypomethylation of CLDN4 Gene Promoter Is Associated with Malignant Phenotype in Urinary Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6516. | 4.1 | 4 |
| 25 | Clinical impact of perioperative body fluid management in kidney transplant recipients. <i>Nihon Toseki Igakkai Zasshi</i> , 2022, 55, 379-385. | 0.1 | 0 |
| 26 | Sodium plays an important role in the absorption of intravesical fluid. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021, 13, 177-182. | 1.3 | 2 |
| 27 | Photodynamic Diagnosis-Assisted En Bloc Transurethral Resection of Bladder Tumor for Nonmuscle Invasive Bladder Cancer: Short-Term Oncologic and Functional Outcomes. <i>Journal of Endourology</i> , 2021, 35, 319-327. | 2.1 | 9 |
| 28 | Rapid multiplex PCR assay for simultaneous detection of <i>Neisseria gonorrhoeae</i> and <i>Chlamydia trachomatis</i> in genitourinary samples: A 30-minute assay. <i>Journal of Microbiological Methods</i> , 2021, 180, 106103. | 1.6 | 4 |
| 29 | Trends in treatment outcomes for retractile testis in Japanese boys: A single-center study. <i>International Journal of Urology</i> , 2021, 28, 327-332. | 1.0 | 5 |
| 30 | Significance of the timing of ureteral ligation on prognosis during radical nephroureterectomy for upper urinary tract urothelial cancer. <i>International Journal of Urology</i> , 2021, 28, 208-214. | 1.0 | 4 |
| 31 | Photodynamic Diagnosis-Assisted Transurethral Resection Using Oral 5-Aminolevulinic Acid Decreases the Risk of Repeated Recurrence in Non-Muscle-Invasive Bladder Cancer: A Cumulative Incidence Analysis by the Person-Time Method. <i>Diagnostics</i> , 2021, 11, 185. | 2.6 | 18 |
| 32 | Optimal timing of ureteroscopic lithotripsy after the initial drainage treatment and risk factors for postoperative febrile urinary tract infection in patients with obstructive pyelonephritis: a retrospective study. <i>BMC Urology</i> , 2021, 21, 10. | 1.4 | 6 |
| 33 | External validation of a genitourinary cancer-specific prognostic scoring system to predict survival for patients with bone metastasis (modified B-FOM scoring model): Comparison with other scoring models in terms of accuracy. <i>Journal of Bone Oncology</i> , 2021, 26, 100344. | 2.4 | 10 |
| 34 | Fluorescent cystoscopy-assisted en bloc transurethral resection versus conventional transurethral resection in patients with non-muscle invasive bladder cancer: study protocol of a prospective, open-label, randomized control trial (the FLEBER study). <i>Trials</i> , 2021, 22, 136. | 1.6 | 7 |
| 35 | Effect of Prolonged Duration of Transrectal Ultrasound-Guided Biopsy of the Prostate and Pre-Procedure Anxiety on Pain in Patients without Anesthesia. <i>Research and Reports in Urology</i> , 2021, Volume 13, 111-120. | 1.0 | 5 |
| 36 | Clinical outcomes after intravesical bacillus Calmette-Guérin for the highest-risk non-muscle-invasive bladder cancer newly defined in the Japanese Urological Association Guidelines 2019. <i>International Journal of Urology</i> , 2021, 28, 720-726. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Impact of Radical Nephrectomy and Partial Nephrectomy on Actual Estimated Overall Survival Compared to Life Expectancy in Patients with Renal Cell Carcinoma. <i>Research and Reports in Urology</i> , 2021, Volume 13, 155-165. | 1.0 | 1 |
| 38 | Non-maintenance intravesical Bacillus Calmette-Guérin induction therapy with eight doses in patients with high- or highest-risk non-muscle invasive bladder cancer: a retrospective non-randomized comparative study. <i>BMC Cancer</i> , 2021, 21, 266. | 2.6 | 18 |
| 39 | Hexylaminolevulinatemediated fluorescent urine cytology with a novel automated detection technology for screening and surveillance of bladder cancer. <i>BJU International</i> , 2021, 128, 244-253. | 2.5 | 7 |
| 40 | Intravesical Bacillus Calmette-Guérin Treatment for T1 High-Grade Non-Muscle Invasive Bladder Cancer with Divergent Differentiation or Variant Morphologies. <i>Cancers</i> , 2021, 13, 2615. | 3.7 | 5 |
| 41 | The sustaining of fluorescence in photodynamic diagnosis after the administration of 5-aminolevulinic acid in carcinogen-induced bladder cancer orthotopic rat model and urothelial cancer cell lines. <i>Photodiagnosis and Photodynamic Therapy</i> , 2021, 34, 102309. | 2.6 | 6 |
| 42 | Factors affecting urinary frequency after low-dose-rate brachytherapy for prostate cancer. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021, , . | 1.3 | 1 |
| 43 | Bacillus Calmette-Guérin-unresponsive non-muscle invasive bladder cancer outcomes in patients without radical cystectomy. <i>International Journal of Clinical Oncology</i> , 2021, 26, 2104-2112. | 2.2 | 3 |
| 44 | Long-term chronological changes in renal function and functional renal volume after nephron-sparing surgery: A prospective observational study. <i>International Journal of Urology</i> , 2021, 28, 1112-1119. | 1.0 | 0 |
| 45 | Comparison of disease-specific quality of life in prostate cancer patients treated with low-dose-rate brachytherapy: A randomized controlled trial of silodosin versus naftopidil. <i>International Journal of Urology</i> , 2021, 28, 1171-1176. | 1.0 | 1 |
| 46 | Trends in risk classification at diagnosis and choice of primary therapy for prostate cancer: An analysis of 10,839 patients from the Nara Urological Research and Treatment Group registry between 2004 and 2015. <i>International Journal of Urology</i> , 2021, 28, 1164-1170. | 1.0 | 5 |
| 47 | Clinical significance of bladder deformity for intravesical recurrence after Bacillus Calmette-Guérin treatment. <i>International Journal of Urology</i> , 2021, 28, 1304-1305. | 1.0 | 0 |
| 48 | Assessment of bladder function for stabilizing urinary volume overnight with recording of brain waves (ABSORB study). <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021, , . | 1.3 | 1 |
| 49 | Intermittent testicular torsion diagnosed by evaluating the rotatability of testis with ultrasonography: a case report. <i>Choonpa Igaku</i> , 2021, 48, 287-291. | 0.0 | 0 |
| 50 | Effects of low-dose insulin or a soluble guanylate cyclase activator on lower urinary tract dysfunction in streptozotocin-induced diabetic rats. <i>Life Sciences</i> , 2021, 286, 120001. | 4.3 | 5 |
| 51 | Clinical Impact of Subclinical Interstitial Fibrosis or Tubular Atrophy in 1-Hour Allograft Biopsy for Remnant Renal Function in Living Kidney Donors: A Prospective Observational Study. <i>Transplantation Proceedings</i> , 2021, 53, 2833-2840. | 0.6 | 1 |
| 52 | Remnant renal volume can predict prognosis of remnant renal function in kidney transplantation donors: a prospective observational study. <i>BMC Nephrology</i> , 2021, 22, 367. | 1.8 | 5 |
| 53 | Impact of neoadjuvant androgen deprivation therapy on postimplant prostate D90 and prostate volume after low-dose-rate brachytherapy for localized prostate cancer. <i>International Journal of Urology</i> , 2021, , . | 1.0 | 2 |
| 54 | Factors contributing to the ceiling effect of the EQ-5D-5L: an analysis of patients with prostate cancer judged "no-problems". <i>Quality of Life Research</i> , 2020, 29, 755-763. | 3.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Prostate-specific antigen bounce after 125I-brachytherapy for prostate cancer is a favorable prognosticator in patients who are biochemical recurrence-free at 4 years and correlates with testosterone. Japanese Journal of Clinical Oncology, 2020, 50, 58-65. | 1.3 | 3 |
| 56 | Low-dose-rate brachytherapy for prostate cancer: A 15-year experience in Japan. International Journal of Urology, 2020, 27, 17-23. | 1.0 | 17 |
| 57 | Cognitive burden and polypharmacy in elderly Japanese patients treated with anticholinergics for an overactive bladder. LUTS: Lower Urinary Tract Symptoms, 2020, 12, 54-61. | 1.3 | 6 |
| 58 | Salvage Radiotherapy Versus Hormone Therapy for Prostate-specific Antigen Failure After Radical Prostatectomy: A Randomised, Multicentre, Open-label, Phase 3 Trial (JCOG0401). European Urology, 2020, 77, 689-698. | 1.9 | 17 |
| 59 | Periprostatic fat thickness quantified by preoperative magnetic resonance imaging is an independent risk factor for upstaging from cT1/2 to pT3 in robot-assisted radical prostatectomy. International Journal of Urology, 2020, 27, 1144-1149. | 1.0 | 3 |
| 60 | Trends in the Treatment Outcomes and Features of Cryptorchidism in Boys: A Single-Institute Experience. Research and Reports in Urology, 2020, Volume 12, 373-381. | 1.0 | 4 |
| 61 | Rationale, design, and methods of electroencephalography-based investigation of the effects of oral desmopressin on improving slow-wave sleep time in nocturnal polyuria patients (the DISTINCT study): protocol for a single-arm, open-label, single-assignment trial. BMC Urology, 2020, 20, 96. | 1.4 | 0 |
| 62 | Comparison of the Safety and Efficacy of Photoselective Vaporization of the Prostate (PVP) and Transurethral Enucleation with a Bipolar System (TUEB): A Single-Center Retrospective Study. Research and Reports in Urology, 2020, Volume 12, 569-575. | 1.0 | 1 |
| 63 | Reply to "Predictors of Recurrence for T3a RCC: A Recurring Conundrum". Diagnostics, 2020, 10, 984. | 2.6 | 0 |
| 64 | Role of Nuclear Claudin-4 in Renal Cell Carcinoma. International Journal of Molecular Sciences, 2020, 21, 8340. | 4.1 | 12 |
| 65 | Biochemical control of the combination of cyclooxygenase-2 inhibitor and 125 I brachytherapy for prostate cancer: Post hoc analysis of an open-label controlled randomized trial. International Journal of Urology, 2020, 27, 755-759. | 1.0 | 2 |
| 66 | Supplementary Oral Anamorelin Mitigates Anorexia and Skeletal Muscle Atrophy Induced by Gemcitabine Plus Cisplatin Systemic Chemotherapy in a Mouse Model. Cancers, 2020, 12, 1942. | 3.7 | 14 |
| 67 | Trends in treatment outcomes of hydrocele in Japanese children: A single-institute experience. International Journal of Urology, 2020, 27, 946-950. | 1.0 | 2 |
| 68 | Coverage of the external prostatic region by the hybrid method compared with the conventional method of prostate low-dose-rate brachytherapy: A randomized controlled study. International Journal of Urology, 2020, 27, 1013-1017. | 1.0 | 2 |
| 69 | Clinical Impact of Tumor-Infiltrating Lymphocytes and PD-L1-Positive Cells as Prognostic and Predictive Biomarkers in Urological Malignancies and Retroperitoneal Sarcoma. Cancers, 2020, 12, 3153. | 3.7 | 15 |
| 70 | Is Endoscopic Transurethral Incision Really Effective for Boys with Refractory Daytime Incontinence? Research and Reports in Urology, 2020, Volume 12, 273-277. | 1.0 | 0 |
| 71 | Effects of a new β 3-adrenoceptor agonist, vibegron, on neurogenic bladder dysfunction and remodeling in mice with spinal cord injury. Neurourology and Urodynamics, 2020, 39, 2120-2127. | 1.5 | 13 |
| 72 | Evaluating the optimal technique of transperineal template-guided saturation biopsy in patients requiring repeat prostate biopsy. International Journal of Urology, 2020, 27, 1157-1158. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Clinical Impact of Sarcopenia and Inflammatory/Nutritional Markers in Patients with Unresectable Metastatic Urothelial Carcinoma Treated with Pembrolizumab. <i>Diagnostics</i> , 2020, 10, 310. | 2.6 | 38 |
| 74 | Daily salt intake is associated with leg edema and nocturnal urinary volume in elderly men. <i>Neurourology and Urodynamics</i> , 2020, 39, 1550-1556. | 1.5 | 3 |
| 75 | Initial experience of complete laparoscopic radical nephroureterectomy combined with transvesical laparoscopic excision of distal ureter in patients with upper urinary tract cancer. <i>World Journal of Surgical Oncology</i> , 2020, 18, 104. | 1.9 | 6 |
| 76 | Inhibition of Heparanase Expression Results in Suppression of Invasion, Migration and Adhesion Abilities of Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3789. | 4.1 | 8 |
| 77 | Clinical Practice Guidelines for Bladder Cancer 2019 update by the Japanese Urological Association: Summary of the revision. <i>International Journal of Urology</i> , 2020, 27, 702-709. | 1.0 | 65 |
| 78 | Clinical Significance of Tumor Size, Pathological Invasion Sites Including Urinary Collecting System and Clinically Detected Renal Vein Thrombus as Predictors for Recurrence in pT3a Localized Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 154. | 2.6 | 9 |
| 79 | Clinical Practice Guidelines for Bladder Cancer 2019 edition by the Japanese Urological Association: Revision working position paper. <i>International Journal of Urology</i> , 2020, 27, 362-368. | 1.0 | 25 |
| 80 | A Japanese man with spina bifida who successfully fathered a child following fertility treatment. <i>IJU Case Reports</i> , 2020, 3, 90-92. | 0.3 | 0 |
| 81 | A prospective study of oral 5-aminolevulinic acid to prevent adverse events in patients with localized prostate cancer undergoing low-dose-rate brachytherapy: Protocol of the AMBER study. <i>Contemporary Clinical Trials Communications</i> , 2020, 19, 100593. | 1.1 | 1 |
| 82 | Down-Grading of Ipsilateral Hydronephrosis by Neoadjuvant Chemotherapy Correlates with Favorable Oncological Outcomes in Patients Undergoing Radical Nephroureterectomy for Ureteral Carcinoma. <i>Diagnostics</i> , 2020, 10, 10. | 2.6 | 10 |
| 83 | The third national Japanese antimicrobial susceptibility pattern surveillance program: Bacterial isolates from complicated urinary tract infection patients. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 418-428. | 1.7 | 16 |
| 84 | Disabled Homolog 2 (DAB2) Protein in Tumor Microenvironment Correlates with Aggressive Phenotype in Human Urothelial Carcinoma of the Bladder. <i>Diagnostics</i> , 2020, 10, 54. | 2.6 | 13 |
| 85 | Development and external validation of a preoperative nomogram for predicting pathological locally advanced disease of clinically localized upper urinary tract carcinoma. <i>Cancer Medicine</i> , 2020, 9, 3733-3741. | 2.8 | 15 |
| 86 | A new risk stratification model for intravesical recurrence, disease progression, and cancer-specific death in patients with non-muscle invasive bladder cancer: the J-NICE risk tables. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1364-1376. | 2.2 | 14 |
| 87 | Appropriate Number of Docetaxel Cycles in Castration-Resistant Prostate Cancer Patients Considering Peripheral Neuropathy and Oncological Control. <i>Chemotherapy</i> , 2020, 65, 1-6. | 1.6 | 2 |
| 88 | Tumor Location Based Segmentation in Upper-Tract Urothelial Carcinoma Impacts on the Urothelial Recurrence-Free Survival: A Multi-Institutional Database Study. <i>Current Urology</i> , 2020, 14, 183-190. | 0.6 | 9 |
| 89 | Arterial reconstruction using the donor's gonadal vein in living renal transplantation with multiple renal arteries: a case report and a literature review. <i>BMC Nephrology</i> , 2020, 21, 190. | 1.8 | 9 |
| 90 | Unexpected presentation and surgical salvage of transplant renal artery dissection caused by vascular clamping: a case report. <i>BMC Nephrology</i> , 2020, 21, 29. | 1.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Î³â€Klotho is correlated with resistance to docetaxel in castrationâ€resistant prostate cancer. <i>Oncology Letters</i> , 2020, 19, 2306-2316. | 1.8 | 6 |
| 92 | Integrative assessment of clinicopathological parameters and the expression of PDâ€L1, PDâ€L2 and PDâ€1 in tumor cells of retroperitoneal sarcoma. <i>Oncology Letters</i> , 2020, 20, 1-1. | 1.8 | 9 |
| 93 | A randomized phase III trial of personalized peptide vaccination for castrationâ€resistant prostate cancer progressing after docetaxel. <i>Oncology Reports</i> , 2020, 45, 159-168. | 2.6 | 17 |
| 94 | Inhibitory Effect of Orally Administered 5-Aminolevulinic Acid on Prostate Carcinogenesis in the FVB-Transgenic Adenocarcinoma of a Mouse Prostate (FVB-TRAMP) Model. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 3743-3749. | 1.2 | 2 |
| 95 | The impact of the definition of biochemical recurrence following salvage radiotherapy on outcomes and prognostication in patients with recurrent prostate cancer after radical prostatectomy: a comparative study of three definitions. <i>Prostate International</i> , 2019, 7, 47-53. | 2.3 | 11 |
| 96 | Significant lack of urine-based biomarkers to replace cystoscopy for the surveillance of non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2019, 8, S332-S334. | 1.4 | 2 |
| 97 | Supplementary granulocyte macrophage colonyâ€stimulating factor to chemotherapy and programmed deathâ€ligand 1 blockade decreases local recurrence after surgery in bladder cancer. <i>Cancer Science</i> , 2019, 110, 3315-3327. | 3.9 | 17 |
| 98 | Urinary nerve growth factor can predict therapeutic efficacy in children with monosymptomatic nocturnal enuresis. <i>Neurourology and Urodynamics</i> , 2019, 38, 2311-2317. | 1.5 | 7 |
| 99 | The Preoperative Predictive Factors for Pathological T3a Upstaging of Clinical T1 Renal Cell Carcinoma. <i>Diagnostics</i> , 2019, 9, 76. | 2.6 | 7 |
| 100 | Efficacy and safety of cytokines versus first-line sunitinib and second-line axitinib for patients with metastatic renal cell carcinoma (ESCAPE study): A study protocol for phase III randomized sequential open-label study. <i>Contemporary Clinical Trials Communications</i> , 2019, 15, 100403. | 1.1 | 4 |
| 101 | Tadalafil, a phosphodiesterase type 5 inhibitor, restores urethra and detrusor function in the initial phase of diabetes in rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, 241-247. | 1.3 | 7 |
| 102 | Clinical Significance of Postoperative Nutritional Status as a Prognostic Factor in Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2019, 51, 1763-1772. | 0.6 | 4 |
| 103 | A Potential Application of Dynamic Contrast-Enhanced Magnetic Resonance Imaging Combined with Photodynamic Diagnosis for the Detection of Bladder Carcinoma in Situ: Toward the Future â€MRI-PDD Fusion TURBTâ€™. <i>Diagnostics</i> , 2019, 9, 112. | 2.6 | 4 |
| 104 | Evaluation of Preoperative Abdominal Adipose Tissueâ€, Inflammation-, Muscle Massâ€, and Nutritional Statusâ€based Prognostic Markers to Assess Renal Dysfunction in Living Kidney Donors. <i>Transplantation Proceedings</i> , 2019, 51, 1706-1716. | 0.6 | 4 |
| 105 | Intravesical treatment of chemotherapeutic agents sensitizes bacillus Calmetteâ€Guerin by the modulation of the tumor immune environment. <i>Oncology Reports</i> , 2019, 41, 1863-1874. | 2.6 | 4 |
| 106 | Localized prostate cancer with pelvic arteriovenous malformation treated with lowâ€doseâ€rate brachytherapy after transcatheter embolization: Two case reports. <i>IJU Case Reports</i> , 2019, 2, 90-94. | 0.3 | 1 |
| 107 | Clinical Impact of the Increase in Immunosuppressive Cell-Related Gene Expression in Urine Sediment during Intravesical Bacillus Calmette-GuÃ©rin. <i>Diseases (Basel, Switzerland)</i> , 2019, 7, 44. | 2.5 | 10 |
| 108 | Evaluation of proâ€ and antiâ€tumor effects induced by three colonyâ€stimulating factors, Gâ€CSF, GMâ€CSF and Mâ€CSF, in bladder cancer cells: Is Gâ€CSF a friend of bladder cancer cells?. <i>International Journal of Oncology</i> , 2019, 54, 2237-2249. | 3.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Docetaxel-based chemotherapy combined with dexamethasone 1Âmg daily oral administration for castration-resistant prostate cancer: Long-term outcomes. <i>International Journal of Urology</i> , 2019, 26, 797-803. | 1.0 | 8 |
| 110 | Health utility and health-related quality of life of Japanese prostate cancer patients according to progression status measured using EQ-5D-5L and FACT-P. <i>Quality of Life Research</i> , 2019, 28, 2383-2391. | 3.1 | 10 |
| 111 | Clinical benefit of early treatment with bone-modifying agents for preventing skeletal-related events in patients with genitourinary cancer with bone metastasis: A multi-institutional retrospective study. <i>International Journal of Urology</i> , 2019, 26, 630-637. | 1.0 | 8 |
| 112 | <i>Mycoplasma genitalium</i> Infection and Chronic Inflammation in Human Prostate Cancer: Detection Using Prostatectomy and Needle Biopsy Specimens. <i>Cells</i> , 2019, 8, 212. | 4.1 | 46 |
| 113 | Second nationwide surveillance of bacterial pathogens in patients with acute uncomplicated cystitis conducted by Japanese Surveillance Committee from 2015 to 2016: antimicrobial susceptibility of <i>Escherichia coli</i> , <i>Klebsiella pneumoniae</i> , and <i>Staphylococcus saprophyticus</i> . <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 413-422. | 1.7 | 16 |
| 114 | Effect of bladder distension on arginine vasopressin secretion in rats. <i>BMC Research Notes</i> , 2019, 12, 72. | 1.4 | 0 |
| 115 | <p>Comparison of cancer detection rates by transrectal prostate biopsy for prostate cancer using two different nomograms based on patient's age and prostate volume</p>. <i>Research and Reports in Urology</i> , 2019, Volume 11, 61-68. | 1.0 | 5 |
| 116 | Amrubicin is effective against small cell carcinoma of the prostate as a second-line chemotherapeutic agent: A case report. <i>IJU Case Reports</i> , 2019, 2, 133-136. | 0.3 | 2 |
| 117 | Prognostic impact of tumor-infiltrating CD276/Foxp3-positive lymphocytes and associated circulating cytokines in patients undergoing radical nephrectomy for localized renal cell carcinoma. <i>Oncology Letters</i> , 2019, 17, 4004-4010. | 1.8 | 5 |
| 118 | Monoclonal Antibody against CXCL1 (HL2401) as a Novel Agent in Suppressing IL6 Expression and Tumoral Growth. <i>Theranostics</i> , 2019, 9, 853-867. | 10.0 | 25 |
| 119 | The diagnostic utility of retroperitoneoscopic tissue biopsy for unresectable retroperitoneal lesions excluding urogenital cancers. <i>World Journal of Surgical Oncology</i> , 2019, 17, 35. | 1.9 | 4 |
| 120 | Analysis of quality of life after randomized controlled trial of alpha-1 adrenoceptor antagonist alone and in combination with cyclooxygenase-2 inhibitor in patients who underwent low-dose-rate brachytherapy for prostate cancer. <i>Journal of Contemporary Brachytherapy</i> , 2019, 11, 409-416. | 0.9 | 5 |
| 121 | Quality of life in patients who underwent 125I brachytherapy, 125I brachytherapy combined with three-dimensional conformal radiation therapy, or intensity-modulated radiation therapy, for prostate cancer. <i>Journal of Radiation Research</i> , 2019, 60, 270-280. | 1.6 | 8 |
| 122 | Changes in lower urinary tract symptoms after iodine-125 brachytherapy for prostate cancer. <i>Clinical and Translational Radiation Oncology</i> , 2019, 14, 51-58. | 1.7 | 12 |
| 123 | Transient liver toxicity as a result of the oral administration of 5-aminolevulinic acid for photodynamic diagnosis in patients with bladder cancer. <i>International Journal of Urology</i> , 2019, 26, 315-317. | 1.0 | 5 |
| 124 | Dual benefit of supplementary oral 5-aminolevulinic acid to pelvic radiotherapy in a syngenic prostate cancer model. <i>Prostate</i> , 2019, 79, 340-351. | 2.3 | 21 |
| 125 | Preoperative predictive factors focused on inflammation-, nutrition-, and muscle-status in patients with upper urinary tract urothelial carcinoma undergoing nephroureterectomy. <i>International Journal of Clinical Oncology</i> , 2019, 24, 533-545. | 2.2 | 33 |
| 126 | Expression of peptide transporter 1 has a positive correlation in protoporphyrin IX accumulation induced by 5-aminolevulinic acid with photodynamic detection of non-small cell lung cancer and metastatic brain tumor specimens originating from non-small cell lung cancer. <i>Photodiagnosis and Photodynamic Therapy</i> , 2019, 25, 309-316. | 2.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Animal model of local tumor recurrence after resection using the murine MBT2 bladder cancer cell line in syngeneic C3H mice. <i>International Journal of Urology</i> , 2019, 26, 300-302. | 1.0 | 2 |
| 128 | Lack of evidence regarding bone metastases of genitourinary cancers: interventions by surgery, radiotherapy, and bone-targeted systemic therapy. <i>Annals of Translational Medicine</i> , 2019, 7, S92-S92. | 1.7 | 1 |
| 129 | A case in which colonic perforation occurred twice 10 years after cadaveric kidney transplantation. <i>Nihon Toseki Igakkai Zasshi</i> , 2019, 52, 551-557. | 0.1 | 0 |
| 130 | Analysis of serum amyloid β microglobulin from hemodialysis patients using liquid chromatography/mass spectrometry. <i>Nihon Toseki Igakkai Zasshi</i> , 2019, 52, 451-455. | 0.1 | 0 |
| 131 | Potential biological and clinical benefit of prostate-directed interventions in patients with metastatic prostate cancer. <i>Annals of Translational Medicine</i> , 2019, 7, S46-S46. | 1.7 | 0 |
| 132 | Photodynamic Technology for Prostate Cancer. <i>Nippon Laser Igakkaishi</i> , 2019, 40, 87-92. | 0.0 | 0 |
| 133 | Personalized peptide vaccination for castration-resistant prostate cancer progressing after docetaxel chemotherapy: A randomized, double-blind, placebo-controlled, phase III trial.. <i>Journal of Clinical Oncology</i> , 2019, 37, 5033-5033. | 1.6 | 2 |
| 134 | Long-term Changes in Renal Function, Blood Electrolyte Levels, and Nutritional Indices after Radical Cystectomy and Ileal Conduit in Patients with Bladder Cancer. <i>Urology Journal</i> , 2019, 16, 145-151. | 0.4 | 7 |
| 135 | Outcomes of subsequent non-muscle-invasive bladder cancer treated with intravesical Bacillus Calmette-Guérin after radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2018, 121, 764-773. | 2.5 | 16 |
| 136 | Unexpected presentation of allograft dysfunction triggered by acute kidney phenomenon immediately after kidney transplantation: a case report. <i>BMC Nephrology</i> , 2018, 19, 59. | 1.8 | 5 |
| 137 | Biological Behavior and Long-Term Outcomes of Carcinoma In Situ in Upper Urinary Tract Managed by Radical Nephroureterectomy. <i>Journal of Urology</i> , 2018, 199, 933-939. | 0.4 | 14 |
| 138 | Clinical utility of bioelectrical impedance analysis in patients with locoregional muscle invasive or metastatic urothelial carcinoma: a subanalysis of changes in body composition during neoadjuvant systemic chemotherapy. <i>Supportive Care in Cancer</i> , 2018, 26, 1077-1086. | 2.2 | 10 |
| 139 | Increased Urine Production Due to Leg Fluid Displacement Reduces Hours of Undisturbed Sleep. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018, 10, 253-258. | 1.3 | 7 |
| 140 | Tadalafil, a phosphodiesterase type 5 inhibitor, improves bladder blood supply and restores the initial phase of lower urinary tract dysfunction in diabetic rats. <i>Neurourology and Urodynamics</i> , 2018, 37, 666-672. | 1.5 | 21 |
| 141 | Successful salvage of allograft dysfunction triggered by transplant renal vein thrombosis immediately after kidney transplantation: a case report. <i>International Journal of Nephrology and Renovascular Disease</i> , 2018, Volume 11, 321-327. | 1.8 | 4 |
| 142 | Pretreatment assessment and perioperative nutritional interventions for patients with bladder cancer undergoing radical cystectomy. <i>Translational Andrology and Urology</i> , 2018, 7, 984-986. | 1.4 | 1 |
| 143 | Risk stratification by means of biological age-related factors better predicts cancer-specific survival than chronological age in patients with upper tract urothelial carcinoma: a multi-institutional database study. <i>Therapeutic Advances in Urology</i> , 2018, 10, 403-410. | 2.0 | 10 |
| 144 | Quality of life worsened the most severely in patients immediately after intensity-modulated radiation therapy for prostate cancer. <i>Research and Reports in Urology</i> , 2018, Volume 10, 169-180. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Emerging biomarkers for the diagnosis and monitoring of urothelial carcinoma. <i>Research and Reports in Urology</i> , 2018, Volume 10, 251-261. | 1.0 | 27 |
| 146 | Colony-stimulating factors detected in tumor cells and voided urine are potential prognostic markers for patients with muscle-invasive bladder cancer undergoing radical cystectomy. <i>Research and Reports in Urology</i> , 2018, Volume 10, 103-111. | 1.0 | 4 |
| 147 | NACC1, as a Target of MicroRNA-331-3p, Regulates Cell Proliferation in Urothelial Carcinoma Cells. <i>Cancers</i> , 2018, 10, 347. | 3.7 | 22 |
| 148 | Correlation of Immune Cells and Cytokines in the Tumor Microenvironment with Elevated Neutrophil-To-Lymphocyte Ratio in Blood: An Analysis of Muscle-Invasive Bladder Cancer. <i>Cancer Investigation</i> , 2018, 36, 395-405. | 1.3 | 28 |
| 149 | Oral 5-aminolevulinic acid-mediated photodynamic diagnosis using fluorescence cystoscopy for non-muscle-invasive bladder cancer: A multicenter phase III study. <i>International Journal of Urology</i> , 2018, 25, 723-729. | 1.0 | 61 |
| 150 | Overactive bladder induces transient hypertension. <i>BMC Research Notes</i> , 2018, 11, 196. | 1.4 | 7 |
| 151 | Spectrophotometric photodynamic diagnosis of prostate cancer cells excreted in voided urine using 5-aminolevulinic acid. <i>Lasers in Medical Science</i> , 2018, 33, 1557-1563. | 2.1 | 5 |
| 152 | Response to flutamide, as second-line therapy after bicalutamide, predicts efficacy of abiraterone, not that of enzalutamide. <i>BMC Research Notes</i> , 2018, 11, 342. | 1.4 | 2 |
| 153 | Aquaporin-2 plays an important role in water transportation through the bladder wall in rats. <i>Neurourology and Urodynamics</i> , 2018, 37, 2434-2440. | 1.5 | 11 |
| 154 | Comparison of chronological changes in urinary function in patients who underwent low-dose-rate brachytherapy for prostate cancer—A randomized controlled trial of alpha-1 adrenoceptor antagonist alone versus combination with cyclooxygenase-2 inhibitor. <i>Brachytherapy</i> , 2018, 17, 537-543. | 0.5 | 8 |
| 155 | Impact of Preoperative Abdominal Visceral Adipose Tissue Area and Nutritional Status on Renal Function After Donor Nephrectomy in Japanese Living Donors for Renal Transplantation. <i>Annals of Transplantation</i> , 2018, 23, 364-376. | 0.9 | 10 |
| 156 | Gamma-Klotho exhibits multiple roles in tumor growth of human bladder cancer. <i>Oncotarget</i> , 2018, 9, 19508-19524. | 1.8 | 21 |
| 157 | A Genitourinary Cancer-specific Scoring System for the Prediction of Survival in Patients with Bone Metastasis: A Retrospective Analysis of Prostate Cancer, Renal Cell Carcinoma, and Urothelial Carcinoma. <i>Anticancer Research</i> , 2018, 38, 3097-3103. | 1.1 | 13 |
| 158 | Clinical efficacy and safety of mirabegron and imidafenacin in women with overactive bladder: A randomized crossover study (the MICRO study). <i>Neurourology and Urodynamics</i> , 2017, 36, 1097-1103. | 1.5 | 11 |
| 159 | Potential biomarkers for the therapeutic efficacy of sorafenib, sunitinib and everolimus. <i>Oncology Reports</i> , 2017, 37, 227-234. | 2.6 | 8 |
| 160 | Urinary Nerve Growth Factor Can Predict Therapeutic Efficacy in Children With Overactive Bladder. <i>Urology</i> , 2017, 103, 214-217. | 1.0 | 8 |
| 161 | Efficacy and safety of sequential use of everolimus in Japanese patients with advanced renal cell carcinoma after failure of first-line treatment with vascular endothelial growth factor receptor tyrosine kinase inhibitor: a multicenter phase II clinical trial. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 551-559. | 1.3 | 4 |
| 162 | The efficacy and safety of docetaxel-based chemotherapy combined with dexamethasone 1 mg daily oral administration: JMTO Pca 10-01 phase II trial. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 247-251. | 1.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Spectrophotometric photodynamic detection involving extracorporeal treatment with hexaminolevulinate for bladder cancer cells in voided urine. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2309-2316. | 2.5 | 14 |
| 164 | Diagnostic and prognostic role of urinary collagens in primary human bladder cancer. <i>Cancer Science</i> , 2017, 108, 2221-2228. | 3.9 | 36 |
| 165 | Integrative Assessment of Pretreatment Inflammation-, Nutrition-, and Muscle-Based Prognostic Markers in Patients with Muscle-Invasive Bladder Cancer Undergoing Radical Cystectomy. <i>Oncology</i> , 2017, 93, 259-269. | 1.9 | 56 |
| 166 | Clinical impact of postoperative loss in psoas major muscle and nutrition index after radical cystectomy for patients with urothelial carcinoma of the bladder. <i>BMC Cancer</i> , 2017, 17, 237. | 2.6 | 68 |
| 167 | Transperineal template-guided saturation biopsy aimed at sampling one core for each milliliter of prostate volume: 103 cases requiring repeat prostate biopsy. <i>BMC Urology</i> , 2017, 17, 28. | 1.4 | 14 |
| 168 | Linkage of Lower Urinary Tract Symptoms to Sleep Quality in Elderly Men with Nocturia: A Community Based Study Using Home Measured Electroencephalogram Data. <i>Journal of Urology</i> , 2017, 197, 204-209. | 0.4 | 15 |
| 169 | A phase III multicenter, randomized, controlled study of combined androgen blockade with versus without zoledronic acid in prostate cancer patients with metastatic bone disease: results of the ZAPCA trial. <i>International Journal of Clinical Oncology</i> , 2017, 22, 166-173. | 2.2 | 45 |
| 170 | Collagen type IV alpha 1 (COL4A1) and collagen type XIII alpha 1 (COL13A1) produced in cancer cells promote tumor budding at the invasion front in human urothelial carcinoma of the bladder. <i>Oncotarget</i> , 2017, 8, 36099-36114. | 1.8 | 76 |
| 171 | Regulatory T Cells and Tumor-Associated Macrophages in the Tumor Microenvironment in Non-Muscle Invasive Bladder Cancer Treated with Intravesical Bacille Calmette-Guérin: A Long-Term Follow-Up Study of a Japanese Cohort. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2186. | 4.1 | 71 |
| 172 | Oncological outcome, complications, lower urinary tract symptoms, and health-related quality of life after low-dose-rate salvage brachytherapy for recurrent prostate cancer following primary radiotherapy: a report of 8 cases. <i>Journal of Contemporary Brachytherapy</i> , 2017, 4, 364-372. | 0.9 | 2 |
| 173 | Topical and systemic immunoreaction triggered by intravesical chemotherapy in an N-butyl-N-(4-hydroxybutyl) nitrosamine induced bladder cancer mouse model. <i>PLoS ONE</i> , 2017, 12, e0175494. | 2.5 | 13 |
| 174 | Comparison of PSA value at last follow-up of patients who underwent low-dose rate brachytherapy and intensity-modulated radiation therapy for prostate cancer. <i>BMC Cancer</i> , 2017, 17, 573. | 2.6 | 18 |
| 175 | Trends in risk classification and primary therapy of Japanese patients with prostate cancer in Nara urological research and treatment group (NURTG) – comparison between 2004–2006, 2007–2009, and 2010–2012. <i>BMC Cancer</i> , 2017, 17, 616. | 2.6 | 12 |
| 176 | Assessment of lower urinary symptom flare with overactive bladder symptom score and International Prostate Symptom Score in patients treated with iodine-125 implant brachytherapy: long-term follow-up experience at a single institute. <i>BMC Urology</i> , 2017, 17, 62. | 1.4 | 15 |
| 177 | Atypical small acinar proliferation and two or more cores of high-grade intraepithelial neoplasia on a previous prostate biopsy are significant predictors of cancer during a transperineal template-guided saturation biopsy aimed at sampling one core for each 1 mL of prostate volume. <i>Research and Reports in Urology</i> , 2017, Volume 9, 187-193. | 1.0 | 8 |
| 178 | Temsirolimus-induced interstitial lung disease as an on-target effect in patients with metastatic renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, e16086-e16086. | 1.6 | 1 |
| 179 | Active surveillance for nonmuscle invasive bladder cancer. <i>Investigative and Clinical Urology</i> , 2016, 57, S4. | 2.0 | 14 |
| 180 | Syndecan-1 up-regulates microRNA-331-3p and mediates epithelial-to-mesenchymal transition in prostate cancer. <i>Molecular Carcinogenesis</i> , 2016, 55, 1378-1386. | 2.7 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Clinical significance of β - and β -Klotho in urothelial carcinoma of the bladder. <i>Oncology Reports</i> , 2016, 36, 2117-2125. | 2.6 | 20 |
| 182 | Orthotopic mouse model of renal pelvic cancer using a human bladder cancer cell line. <i>International Journal of Urology</i> , 2016, 23, 961-962. | 1.0 | 3 |
| 183 | Neutrophil-to-lymphocyte ratio as a detection marker of tumor recurrence in patients with muscle-invasive bladder cancer after radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 257.e11-257.e17. | 1.6 | 44 |
| 184 | CXCL1-Mediated Interaction of Cancer Cells with Tumor-Associated Macrophages and Cancer-Associated Fibroblasts Promotes Tumor Progression in Human Bladder Cancer. <i>Neoplasia</i> , 2016, 18, 636-646. | 5.3 | 161 |
| 185 | Changes in oncological outcomes after radical nephroureterectomy in patients with upper urinary tract urothelial carcinoma treated in the last two decades: a retrospective analysis based on a multicenter collaborative study. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 1148-1155. | 1.3 | 16 |
| 186 | A multiplex urinary immunoassay for bladder cancer detection: analysis of a Japanese cohort. <i>Journal of Translational Medicine</i> , 2016, 14, 287. | 4.4 | 24 |
| 187 | Insignificant role of bacillus Calmette-Guérin maintenance therapy after complete transurethral resection of bladder tumor for intermediate- and high-risk non-muscle-invasive bladder cancer: Results from a randomized trial. <i>International Journal of Urology</i> , 2016, 23, 854-860. | 1.0 | 10 |
| 188 | Extended resection including adjacent organs and Ki-67 labeling index are prognostic factors in patients with retroperitoneal soft tissue sarcomas. <i>World Journal of Surgical Oncology</i> , 2016, 14, 43. | 1.9 | 12 |
| 189 | The best objective response of target lesions and the incidence of treatment-related hypertension are associated with the survival of patients with metastatic renal cell carcinoma treated with sunitinib: a Japanese retrospective study. <i>BMC Research Notes</i> , 2016, 9, 79. | 1.4 | 15 |
| 190 | The clinical trial on the safety and effectiveness of the photodynamic diagnosis of non-muscle-invasive bladder cancer using fluorescent light-guided cystoscopy after oral administration of 5-aminolevulinic acid (5-ALA). <i>Photodiagnosis and Photodynamic Therapy</i> , 2016, 13, 91-96. | 2.6 | 34 |
| 191 | Expression of ferrochelatase has a strong correlation in protoporphyrin IX accumulation with photodynamic detection of bladder cancer. <i>Photodiagnosis and Photodynamic Therapy</i> , 2016, 13, 225-232. | 2.6 | 23 |
| 192 | Non-ischemic, Non-renalorrhaphy Laparoscopic Partial Nephrectomy Using a Microwave Tissue Coagulator for Small Renal Tumors. <i>Journal of Microwave Surgery</i> , 2016, 34, 1-6. | 0.3 | 2 |
| 193 | A peritoneal dialysis patient with a right-sided aortic arch died of bronchial obstruction due to the enlargement of a Kommerell's diverticulum after laparoscopic nephrectomy for renal cell carcinoma. <i>Nihon Toseki Igakkai Zasshi</i> , 2016, 49, 247-252. | 0.1 | 0 |
| 194 | The optimal number of initial prostate biopsy cores in daily practice: a prospective study using the Nara Urological Research and Treatment Group nomogram. <i>BMC Research Notes</i> , 2015, 8, 689. | 1.4 | 9 |
| 195 | microRNA-145 promotes differentiation in human urothelial carcinoma through down-regulation of syndecan-1. <i>BMC Cancer</i> , 2015, 15, 818. | 2.6 | 42 |
| 196 | Exploration of risk factors predicting outcomes for primary T1 high-grade bladder cancer and validation of the Spanish Urological Club for Oncological Treatment scoring model: Long-term follow-up experience at a single institute. <i>International Journal of Urology</i> , 2015, 22, 541-547. | 1.0 | 43 |
| 197 | A Randomized Control Trial Comparing the Efficacy of Antiandrogen Monotherapy: Flutamide vs. Bicalutamide. <i>Hormones and Cancer</i> , 2015, 6, 161-167. | 4.9 | 6 |
| 198 | Oral 5-aminolevulinic acid mediated photodynamic diagnosis using fluorescence cystoscopy for non-muscle-invasive bladder cancer: A randomized, double-blind, multicentre phase II/III study. <i>Photodiagnosis and Photodynamic Therapy</i> , 2015, 12, 193-200. | 2.6 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Clinical significance and therapeutic potential of prostate cancer antigen-1/ALKBH3 in human renal cell carcinoma. <i>Oncology Reports</i> , 2015, 34, 648-654. | 2.6 | 30 |
| 200 | Urethral toxicity after LDR brachytherapy: Experience in Japan. <i>Brachytherapy</i> , 2015, 14, 131-135. | 0.5 | 11 |
| 201 | Protoporphyrin IX induced by 5-aminolevulinic acid in bladder cancer cells in voided urine can be extracorporeally quantified using a spectrophotometer. <i>Photodiagnosis and Photodynamic Therapy</i> , 2015, 12, 282-288. | 2.6 | 22 |
| 202 | ALA-induced fluorescence detection with photoresist-based microfluidic cell sorter for bladder cancer diagnosis. <i>Sensors and Actuators B: Chemical</i> , 2015, 213, 547-557. | 7.8 | 13 |
| 203 | Estimated functional renal parenchymal volume predicts the split renal function following renal surgery. <i>World Journal of Urology</i> , 2015, 33, 1571-1577. | 2.2 | 18 |
| 204 | Risk factors of PSA progression and overall survival in patients with localized and locally advanced prostate cancer treated with primary androgen deprivation therapy. <i>BMC Cancer</i> , 2015, 15, 420. | 2.6 | 4 |
| 205 | Changes in lower urinary tract symptoms and quality of life after salvage radiotherapy for biochemical recurrence of prostate cancer. <i>Radiotherapy and Oncology</i> , 2015, 115, 321-326. | 0.6 | 12 |
| 206 | Pro-chemotherapeutic effects of antibody against extracellular domain of claudin-4 in bladder cancer. <i>Cancer Letters</i> , 2015, 369, 212-221. | 7.2 | 34 |
| 207 | Review by urological pathologists improves the accuracy of Gleason grading by general pathologists. <i>BMC Urology</i> , 2015, 15, 70. | 1.4 | 21 |
| 208 | Syndecan-1 responsive microRNA-126 and 149 regulate cell proliferation in prostate cancer. <i>Biochemical and Biophysical Research Communications</i> , 2015, 456, 183-189. | 2.1 | 42 |
| 209 | A phase III, multicenter, randomized, controlled study of maximum androgen blockade with versus without zoledronic acid in treatment-naïve prostate cancer patients with bone metastases: Results of ZAPCA study. <i>Journal of Clinical Oncology</i> , 2015, 33, 150-150. | 1.6 | 3 |
| 210 | Use of alpha-1 adrenoceptor antagonists in patients who underwent low-dose-rate brachytherapy for prostate cancer - a randomized controlled trial of silodosin versus naftopidil -. <i>Radiation Oncology</i> , 2014, 9, 302. | 2.7 | 20 |
| 211 | Photoresist-based Microfluidic Cell Sorter for Photodynamic Urine Diagnosis. <i>Procedia Engineering</i> , 2014, 87, 62-65. | 1.2 | 0 |
| 212 | Preliminary Experience with Low-dose Desmopressin Treatment and Urinary Arginine Vasopressin Concentration as a Response Predictor for Patients with Nocturia with Nocturnal Polyuria. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2014, 6, 107-112. | 1.3 | 2 |
| 213 | Diagnostic approach for cancer cells in urine sediments by 5-aminolevulinic acid-based photodynamic detection in bladder cancer. <i>Cancer Science</i> , 2014, 105, 616-622. | 3.9 | 28 |
| 214 | Proposed salvage treatment strategy for biochemical failure after radical prostatectomy in patients with prostate cancer: a retrospective study. <i>Radiation Oncology</i> , 2014, 9, 208. | 2.7 | 14 |
| 215 | Reply. <i>Urology</i> , 2014, 84, 896-897. | 1.0 | 0 |
| 216 | Photodynamic diagnosis of shed prostate cancer cells in voided urine treated with 5-aminolevulinic acid. <i>BMC Urology</i> , 2014, 14, 59. | 1.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | The biochemical recurrence-free rate in patients who underwent prostate low-dose-rate brachytherapy, using two different definitions. <i>Radiation Oncology</i> , 2014, 9, 107. | 2.7 | 21 |
| 218 | The Impact of Obstructive Sleep Apnea Syndrome on Nocturnal Urine Production in Older Men With Nocturia. <i>Urology</i> , 2014, 84, 892-897. | 1.0 | 17 |
| 219 | The Efficacy of Bulbar Urethral Mobilization for Anastomotic Anterior Urethroplasty in a Case With Recurrent Anterior Urethral Stricture. <i>Urology Case Reports</i> , 2014, 2, 105-107. | 0.3 | 0 |
| 220 | Isoflavones in Japanese and Caucasian men with prostate cancer in Hawaii.. <i>Journal of Clinical Oncology</i> , 2014, 32, 241-241. | 1.6 | 1 |
| 221 | Multicenter phase II clinical trial of everolimus in Japanese patients with unresectable or metastatic renal cell carcinoma (mRCC) after failure of treatment with first-line tyrosine kinase inhibitor (TKI) therapy.. <i>Journal of Clinical Oncology</i> , 2014, 32, 455-455. | 1.6 | 0 |
| 222 | Periodical assessment of genitourinary and gastrointestinal toxicity in patients who underwent prostate low-dose-rate brachytherapy. <i>Radiation Oncology</i> , 2013, 8, 25. | 2.7 | 31 |
| 223 | Diagnostic markers of urothelial cancer based on DNA methylation analysis. <i>BMC Cancer</i> , 2013, 13, 275. | 2.6 | 39 |
| 224 | <scp>ALKBH</scp>2, a novel <scp>A</scp>lk<scp>B</scp> homologue, contributes to human bladder cancer progression by regulating <scp>MUC</scp>1 expression. <i>Cancer Science</i> , 2013, 104, 321-327. | 3.9 | 41 |
| 225 | Trends of risk classification and primary therapy for Japanese patients with prostate cancer in Nara Uro-Oncological Research Group (NUORG)â€”a comparison between 2004-2006 and 2007-2009. <i>BMC Cancer</i> , 2013, 13, 588. | 2.6 | 10 |
| 226 | Immunohistochemical Analysis of Inflammatory Cells in Benign and Precancerous Lesions and Carcinoma of the Prostate. <i>Pathobiology</i> , 2013, 80, 119-126. | 3.8 | 43 |
| 227 | Syndecanâ€1 (<scp>CD138</scp>) contributes to prostate cancer progression by stabilizing tumourâ€initiating cells. <i>Journal of Pathology</i> , 2013, 231, 495-504. | 4.5 | 48 |
| 228 | The Effects of Chlormadinone Acetate on Lower Urinary Tract Symptoms and Erectile Functions of Patients with Benign Prostatic Hyperplasia: A Prospective Multicenter Clinical Study. <i>Advances in Urology</i> , 2013, 2013, 1-8. | 1.3 | 6 |
| 229 | Calculated Tumor Volume Is an Independent Predictor of Biochemical Recurrence in Patients Who Underwent Retropubic Radical Prostatectomy. <i>Advances in Urology</i> , 2012, 2012, 1-7. | 1.3 | 7 |
| 230 | 5-fluorouracil enhances the antitumor effect of sorafenib and sunitinib in a xenograft model of human renal cell carcinoma. <i>Oncology Letters</i> , 2012, 3, 1195-1202. | 1.8 | 25 |
| 231 | Successful double filtration plasmapheresis treatment in an Rh(E)-incompatible pregnancy. <i>Nihon Toseki Igakkai Zasshi</i> , 2012, 45, 363-366. | 0.1 | 0 |
| 232 | Relationship Between Nocturnal Urine Volume, Leg Edema, and Urinary Antidiuretic Hormone in Older Men. <i>Urology</i> , 2011, 77, 1426-1431. | 1.0 | 33 |
| 233 | Heme oxygenase-1 promotes angiogenesis in urothelial carcinoma of the urinary bladder. <i>Oncology Reports</i> , 2011, 25, 653-60. | 2.6 | 64 |
| 234 | Risk-stratified survival rates and predictors of biochemical recurrence after radical prostatectomy in a Nara, Japan, cohort study. <i>International Journal of Clinical Oncology</i> , 2011, 16, 553-559. | 2.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Evaluation of metastatic potential of prostate cancer. <i>Oncology Reviews</i> , 2011, 5, 103-107. | 1.8 | 0 |
| 236 | The primary therapy chosen for patients with localized prostate cancer between the university hospital and its affiliated hospitals in Nara Uro-oncological research group registration. <i>BMC Urology</i> , 2011, 11, 6. | 1.4 | 10 |
| 237 | Role of syndecan-1 (CD138) in cell survival of human urothelial carcinoma. <i>Cancer Science</i> , 2010, 101, 155-160. | 3.9 | 47 |
| 238 | Trends of the Primary Therapy for Patients with Prostate Cancer in Nara Uro-oncological Research Group (NUORG): A Comparison Between the CaPSURE Data and the NUORG Data. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 588-592. | 1.3 | 28 |
| 239 | Clinical Significance of Heme Oxygenase-1 Expression in Non-Muscle-Invasive Bladder Cancer. <i>Urologia Internationalis</i> , 2010, 85, 355-363. | 1.3 | 33 |
| 240 | The surgical outcomes of non-ischemic partial nephrectomy using a microwave tissue coagulator for stage T1 renal cell carcinoma. <i>Journal of Microwave Surgery</i> , 2010, 28, 69-74. | 0.3 | 0 |
| 241 | Long-term effects of diabetes mellitus on voiding function in a new model of type 2 diabetes mellitus, the Spontaneously Diabetic Torii (SDT) rat. <i>Biomedical Research</i> , 2009, 30, 331-335. | 0.9 | 16 |
| 242 | siRNA-mediated Knockdown of the Heme Synthesis and Degradation Pathways: Modulation of Treatment Effect of 5-aminolevulinic Acid-based Photodynamic Therapy in Urothelial Cancer Cell Lines. <i>Photochemistry and Photobiology</i> , 2009, 85, 1020-1027. | 2.5 | 69 |
| 243 | Variations in International Prostate Symptom Scores, Uroflowmetric Parameters, and Prostate Volume After 125I Permanent Brachytherapy for Localized Prostate Cancer. <i>Urology</i> , 2009, 74, 407-411. | 1.0 | 29 |
| 244 | The Relationship Between Nocturnal Polyuria and the Distribution of Body Fluid: Assessment by Bioelectric Impedance Analysis. <i>Journal of Urology</i> , 2009, 181, 219-224. | 0.4 | 45 |
| 245 | WS1-4-3 Circadian Variation of Body Water Distribution in Patients with Nocturnal Polyuria : Assessment by Bioelectric Impedance Analysis (BIA)(Urodynamic, Prostate and Urethra). <i>Japanese Journal of Urology</i> , 2008, 99, 151. | 0.1 | 0 |
| 246 | Tissue levels of pyrimidine nucleoside phosphorylase activity in human and rodent bladder cancer and normal bladder tissue. <i>International Journal of Urology</i> , 2007, 14, 754-759. | 1.0 | 1 |
| 247 | Prostatic volume and volume-adjusted prostate-specific antigen as predictive parameters for T1c prostate cancer. <i>Acta Urologica Japonica</i> , 2007, 53, 459-65. | 0.1 | 5 |
| 248 | Prostate-specific antigen changes as a result of chlormadinone acetate administration to patients with benign prostatic hyperplasia: A retrospective multi-institutional study. <i>International Journal of Urology</i> , 2006, 13, 543-549. | 1.0 | 6 |
| 249 | S14-2 Risk factors and prediction of recurrence in superficial bladder cancer(Symposium) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 0.1 | 0 |
| 250 | Extreme effect of parathyroidectomy for tumoral calsinosis with secondary hyperparathyroidism in 3 cases. <i>Nihon Toseki Igakkai Zasshi</i> , 2006, 39, 1415-1420. | 0.1 | 0 |
| 251 | A clinicopathological review of 35 with hemodialysis patients renal cell carcinomas. <i>Nihon Toseki Igakkai Zasshi</i> , 2005, 38, 1589-1594. | 0.1 | 2 |
| 252 | Urinary schistosomiasis in a Japanese man. <i>International Journal of Urology</i> , 2004, 11, 563-566. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Successful treatment of arteriovenous fistula-related venous hypertension: stenting of metal stents at central vein stenosis. Nihon Toseki Igakkai Zasshi, 2004, 37, 1535-1540. | 0.1 | 1 |
| 254 | Chromophobe cell renal carcinoma with acquired cystic disease of the kidney in a long-term hemodialysis patient. International Journal of Urology, 2003, 10, 99-102. | 1.0 | 5 |
| 255 | Variations of transition zone volume and transition zone index after transurethral needle ablation for symptomatic benign prostatic hyperplasia. International Journal of Urology, 2003, 10, 392-397. | 1.0 | 3 |
| 256 | Effects of hemodialysis on free/total prostate specific antigen.. Nihon Toseki Igakkai Zasshi, 1999, 32, 357-361. | 0.1 | 0 |
| 257 | Basic Fibroblast Growth Factor as a Candidate Tumor Marker for Renal Cell Carcinoma. Japanese Journal of Cancer Research, 1995, 86, 182-186. | 1.7 | 46 |
| 258 | Efficacy of pembrolizumab rechallenge for metastatic urothelial carcinoma. IJU Case Reports, 0, , . | 0.3 | 2 |
| 259 | Efficacy of medical expulsive therapy using the traditional <scp>Japanese</scp> medicine (kampo) choreito for the spontaneous passage of proximal ureteric stones: A retrospective analysis. Traditional & Kampo Medicine, 0, , . | 0.6 | 0 |
| 260 | Urodynamics findings preâ€•and postâ€•untethering surgery in children with filum lipoma: A singleâ€•institution experience. International Journal of Urology, 0, , . | 1.0 | 1 |