

Hans Eiskjaer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7908726/publications.pdf>

Version: 2024-02-01

79
papers

3,335
citations

186265

28
h-index

149698

56
g-index

79
all docs

79
docs citations

79
times ranked

4555
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of multimorbidity and socioeconomic factors on long-term cross-sectional health care service utilization in heart transplant recipients: A Danish cohort study. <i>Journal of Heart and Lung Transplantation</i> , 2022, 41, 527-537.	0.6	5
2	Effect of implantable cardioverter-defibrillators in patients with non-ischaemic systolic heart failure and concurrent coronary atherosclerosis. <i>ESC Heart Failure</i> , 2022, 9, 1287-1293.	3.1	1
3	Long-Term Follow-Up of DANISH (The Danish Study to Assess the Efficacy of ICDs in Patients With) Tj ETQq1 1 0.784314 rgBT /Overlo	1.6	28
4	Abnormal mitochondrial function and morphology in heart transplanted patients with cardiac allograft vasculopathy. <i>Journal of Heart and Lung Transplantation</i> , 2022, 41, 732-741.	0.6	4
5	Periodic Repolarization Dynamics Identifies ICD Responders in Nonischemic Cardiomyopathy: A DANISH Substudy. <i>Circulation</i> , 2022, 145, 754-764.	1.6	5
6	High Oxygenation During Normothermic Regional Perfusion After Circulatory Death Is Beneficial on Donor Cardiac Function in a Porcine Model. <i>Transplantation</i> , 2022, Publish Ahead of Print, .	1.0	3
7	Micro- and macrovascular cardiac allograft vasculopathy in relation to 91 cardiovascular biomarkers in heart transplant recipients: An exploratory study. <i>Clinical Transplantation</i> , 2021, 35, e14133.	1.6	6
8	A systematic approach to weaning from extracorporeal membrane oxygenation in patients with refractory cardiac failure. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 936-943.	1.6	6
9	Right ventricular hemodynamics and performance in relation to perfusion during first year after heart transplantation. <i>ESC Heart Failure</i> , 2021, 8, 4018-4025.	3.1	5
10	Association of Left Ventricular Systolic Dysfunction Among Carriers of Truncating Variants in Filamin C With Frequent Ventricular Arrhythmia and End-stage Heart Failure. <i>JAMA Cardiology</i> , 2021, 6, 891.	6.1	36
11	Development of a human heart-sized perfusion system for metabolic imaging studies using hyperpolarized [¹³ C]pyruvate MRI. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 3510-3521.	3.0	3
12	Cholesterol lowering with EVOLocumab to prevent cardiac allograft Vasculopathy in De novo heart transplant recipients: Design of the randomized controlled EVOLVD trial. <i>Clinical Transplantation</i> , 2020, 34, e13984.	1.6	15
13	Heart failure etiology and risk of right heart failure in adult left ventricular assist device support: the European Registry for Patients with Mechanical Circulatory Support (EUROMACS). <i>Scandinavian Cardiovascular Journal</i> , 2020, 54, 306-314.	1.2	16
14	Mild acute cellular rejection and development of cardiac allograft vasculopathy assessed by intravascular ultrasound and coronary angiography in heart transplant recipients: a SCHEDULE trial substudy. <i>Transplant International</i> , 2020, 33, 517-528.	1.6	4
15	Prognostic value of exercise myocardial deformation and haemodynamics in long-term heart-transplanted patients. <i>ESC Heart Failure</i> , 2019, 6, 629-639.	3.1	4
16	Cardiovascular Effects of Treatment With the Ketone Body 3-Hydroxybutyrate in Chronic Heart Failure Patients. <i>Circulation</i> , 2019, 139, 2129-2141.	1.6	289
17	Heart transplantation in arrhythmogenic right ventricular cardiomyopathy: Experience from the Nordic ARVC Registry. <i>International Journal of Cardiology</i> , 2018, 250, 201-206.	1.7	25
18	The clinical outcome of LMNA missense mutations can be associated with the amount of mutated protein in the nuclear envelope. <i>European Journal of Heart Failure</i> , 2018, 20, 1404-1412.	7.1	12

#	ARTICLE	IF	CITATIONS
19	Survival, graft function, and incidence of allograft vasculopathy in heart transplant patients receiving adverse risk profile donor hearts. <i>Clinical Transplantation</i> , 2018, 32, e13343.	1.6	3
20	Left ventricular global longitudinal strain predicts major adverse cardiac events and all-cause mortality in heart transplant patients. <i>Journal of Heart and Lung Transplantation</i> , 2017, 36, 567-576.	0.6	44
21	Donor-specific antibodies are associated with micro- and macrovascular coronary disease, restrictive myocardial damage, and poor outcome in heart-transplanted patients. <i>Clinical Transplantation</i> , 2017, 31, e13033.	1.6	16
22	Layered Fibrotic Plaques Are the Predominant Component in Cardiac Allograft Vasculopathy. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 773-784.	5.3	55
23	Extracorporeal cardiopulmonary resuscitation after out-of-hospital cardiac arrest in a Danish health region. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 176-185.	1.6	36
24	Inotropic myocardial reserve deficiency is the predominant feature of exercise haemodynamics in cardiac amyloidosis. <i>European Journal of Heart Failure</i> , 2017, 19, 1457-1465.	7.1	29
25	Effect of everolimus vs calcineurin inhibitors on quality of life in heart transplant recipients during a 3-year follow-up: Results of a randomized controlled trial (SCHEDULE). <i>Clinical Transplantation</i> , 2017, 31, e13038.	1.6	2
26	The Impella CP device for acute mechanical circulatory support in refractory cardiac arrest. <i>Resuscitation</i> , 2017, 112, 70-74.	3.0	42
27	Long-term outcomes of thoracic transplant recipients following conversion to everolimus with reduced calcineurin inhibitor in a multicenter, open-label, randomized trial. <i>Transplant International</i> , 2016, 29, 819-829.	1.6	39
28	Echocardiographic assessment of right heart function in heart transplant recipients and the relation to exercise hemodynamics. <i>Transplant International</i> , 2016, 29, 909-920.	1.6	22
29	Everolimus Initiation With Early Calcineurin Inhibitor Withdrawal in De Novo Heart Transplant Recipients: Three-Year Results From the Randomized SCHEDULE Study. <i>American Journal of Transplantation</i> , 2016, 16, 1238-1247.	4.7	97
30	Clinical features, exercise hemodynamics, and determinants of left ventricular elevated filling pressure in heart-transplanted patients. <i>Transplant International</i> , 2016, 29, 196-206.	1.6	13
31	Noninvasive Detection of Cardiac Allograft Vasculopathy by Stress Exercise Echocardiographic Assessment of Myocardial Deformation. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 480-490.	2.8	29
32	Wound complications and surgical events in de novo heart transplant patients treated with everolimus: Post-hoc analysis of the SCHEDULE trial. <i>International Journal of Cardiology</i> , 2016, 210, 80-84.	1.7	10
33	Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). <i>American Heart Journal</i> , 2016, 179, 136-141.	2.7	29
34	Coronary Flow Reserve Predicts Longitudinal Myocardial Deformation Capacity in Heart-transplanted Patients. <i>Echocardiography</i> , 2016, 33, 562-571.	0.9	11
35	Perforation of the Anterior Mitral Leaflet After Impella LP 5.0 Therapy in Cardiogenic Shock. <i>American Journal of Cardiology</i> , 2016, 117, 1539-1541.	1.6	15
36	Outcome in patients treated with isolated liver transplantation for familial transthyretin amyloidosis to prevent cardiomyopathy. <i>Clinical Transplantation</i> , 2015, 29, 1098-1104.	1.6	6

#	ARTICLE	IF	CITATIONS
37	Evaluation of longitudinal myocardial deformation by 2-dimensional speckle-tracking echocardiography in heart transplant recipients: Relation to coronary allograft vasculopathy. <i>Journal of Heart and Lung Transplantation</i> , 2015, 34, 195-203.	0.6	49
38	The Effect of Everolimus Initiation and Calcineurin Inhibitor Elimination on Cardiac Allograft Vasculopathy in De Novo Recipients: One-Year Results of a Scandinavian Randomized Trial. <i>American Journal of Transplantation</i> , 2015, 15, 1967-1975.	4.7	50
39	Changes in Longitudinal Myocardial Deformation during Acute Cardiac Rejection: The Clinical Role of Two-Dimensional Speckle-Tracking Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 330-339.	2.8	55
40	The long-term influence of repetitive cellular cardiac rejections on left ventricular longitudinal myocardial deformation in heart transplant recipients. <i>Transplant International</i> , 2015, 28, 475-484.	1.6	25
41	Atlas of the clinical genetics of human dilated cardiomyopathy. <i>European Heart Journal</i> , 2015, 36, 1123-1135.	2.2	456
42	Everolimus Initiation and Early Calcineurin Inhibitor Withdrawal in Heart Transplant Recipients: A Randomized Trial. <i>American Journal of Transplantation</i> , 2014, 14, 1828-1838.	4.7	121
43	Three decades of heart transplantation in Scandinavia: long-term follow-up. <i>European Journal of Heart Failure</i> , 2013, 15, 308-315.	7.1	38
44	Twenty years'™ experience at the Heart Transplant Center, Aarhus University Hospital, Skejby, Denmark. <i>Scandinavian Cardiovascular Journal</i> , 2013, 47, 322-328.	1.2	8
45	Virtual Histology Assessment of Cardiac Allograft Vasculopathy Following Introduction of Everolimus™ Results of a Multicenter Trial. <i>American Journal of Transplantation</i> , 2012, 12, 2700-2709.	4.7	30
46	Improvement in renal function after everolimus introduction and calcineurin inhibitor reduction in maintenance thoracic transplant recipients: The significance of baseline glomerular filtration rate. <i>Journal of Heart and Lung Transplantation</i> , 2012, 31, 259-265.	0.6	54
47	Long-term follow-up of lung and heart transplant recipients with pre-transplant malignancies. <i>Journal of Heart and Lung Transplantation</i> , 2012, 31, 1276-1280.	0.6	33
48	Pharmacokinetics in stable heart transplant recipients after conversion from twice-daily to once-daily tacrolimus formulations. <i>Journal of Heart and Lung Transplantation</i> , 2011, 30, 1003-1010.	0.6	24
49	Effect of Everolimus Introduction on Cardiac Allograft Vasculopathy™ Results of a Randomized, Multicenter Trial. <i>Transplantation</i> , 2011, 92, 235-243.	1.0	73
50	Microalbuminuria is associated with high adverse event rate following cardiac surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2011, 39, 932-938.	1.4	9
51	Everolimus With Reduced Calcineurin Inhibitor in Thoracic Transplant Recipients With Renal Dysfunction: A Multicenter, Randomized Trial. <i>Transplantation</i> , 2010, 89, 864-872.	1.0	126
52	Two-Year Outcomes in Thoracic Transplant Recipients After Conversion to Everolimus With Reduced Calcineurin Inhibitor Within a Multicenter, Open-Label, Randomized Trial. <i>Transplantation</i> , 2010, 90, 1581-1589.	1.0	64
53	Cardiovascular and metabolic effects of 48-h glucagon-like peptide-1 infusion in compensated chronic patients with heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H1096-H1102.	3.2	141
54	Surface electrocardiogram to predict outcome in candidates for cardiac resynchronization therapy: a sub-analysis of the CAREâ€HF trial. <i>European Journal of Heart Failure</i> , 2009, 11, 699-705.	7.1	202

#	ARTICLE	IF	CITATIONS
55	Microalbuminuria and short-term prognosis in patients undergoing cardiac surgery†. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2009, 9, 484-490.	1.1	7
56	Cyclosporine C2 Levels Have Impact on Incidence of Rejection in De Novo Lung but Not Heart Transplant Recipients: The NOCTURNE Study. <i>Journal of Heart and Lung Transplantation</i> , 2009, 28, 919-926.	0.6	10
57	Pulse Pressure Lowering Effect of Dual Blockade With Candesartan and Lisinopril vs. High-dose ACE Inhibition in Hypertensive Type 2 Diabetic Subjects: A CALM II Study Post-hoc Analysis. <i>American Journal of Hypertension</i> , 2008, 21, 172-176.	2.0	16
58	Treatment of Young Subjects at High Familial Risk of Future Hypertension With an Angiotensin-Receptor Blocker. <i>Hypertension</i> , 2007, 50, 89-95.	2.7	47
59	Effects of blood pressure lowering and metabolic control on systolic left ventricular function in Type II diabetes mellitus. <i>Clinical Science</i> , 2006, 111, 53-59.	4.3	13
60	Effect of Cardiac Resynchronization on the Incidence of Atrial Fibrillation in Patients With Severe Heart Failure. <i>Circulation</i> , 2006, 114, 18-25.	1.6	225
61	Long-Term Dual Blockade With Candesartan and Lisinopril in Hypertensive Patients With Diabetes: The CALM II study. <i>Diabetes Care</i> , 2005, 28, 273-277.	8.6	95
62	Is an additional post-myocardial infarction ß ₂ -blocker trial required in the era of early revascularization?. <i>European Heart Journal</i> , 2004, 25, 96-97.	2.2	9
63	Dual blockade with candesartan cilexetil and lisinopril in hypertensive patients with diabetes mellitus: rationale and design. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2003, 4, 96-99.	1.7	10
64	Evaluation of myocardial iron by magnetic resonance imaging during iron chelation therapy with deferoxamine: indication of close relation between myocardial iron content and chelatable iron pool. <i>Blood</i> , 2003, 101, 4632-4639.	1.4	170
65	Parvovirus B19 Infection Associated with Myocarditis Following Adult Cardiac Transplantation. <i>Scandinavian Journal of Infectious Diseases</i> , 1998, 30, 607-609.	1.5	34
66	Effects of High Dose Atrial Natriuretic Peptide on Renal Haemodynamics, Sodium Handling and Hormones in Cirrhotic Patients with and Without Ascites. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1995, 55, 273-287.	1.2	11
67	Endothelin in Renovascular and Essential Hypertension. <i>Blood Pressure</i> , 1994, 3, 364-369.	1.5	15
68	Pressure-dependent, enhanced natriuretic response to low-dose, atrial natriuretic peptide infusion in essential hypertension. <i>Journal of Internal Medicine</i> , 1994, 236, 665-674.	6.0	4
69	Enhanced renal production of cyclic GMP and reduced free water clearance during sodium nitroprusside infusion in healthy man. <i>European Journal of Clinical Investigation</i> , 1993, 23, 375-381.	3.4	11
70	Elevated level of erythropoietin in congestive heart failure Relationship to renal perfusion and plasma renin. <i>Journal of Internal Medicine</i> , 1993, 233, 125-130.	6.0	36
71	Effect of intravenous glucagon infusion on renal haemodynamics and renal tubular handling of sodium in healthy humans. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1993, 53, 25-34.	1.2	8
72	Enhanced urinary excretion of albumin in congestive heart failure: effect of ACE-inhibition. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1992, 52, 193-199.	1.2	26

#	ARTICLE	IF	CITATIONS
73	Superiority of sandwich ELISA over competitive RIA for the estimation of ANP-270, an analogue of human atrial natriuretic factor. <i>Journal of Immunological Methods</i> , 1992, 149, 237-246.	1.4	8
74	Attenuated renal excretory response to atrial natriuretic peptide in congestive heart failure in man. <i>International Journal of Cardiology</i> , 1991, 33, 61-74.	1.7	27
75	Renal and hormonal effects and tolerance of an ANP analogue in healthy man. <i>European Journal of Clinical Pharmacology</i> , 1991, 41, 547-554.	1.9	7
76	Abnormal structure and increased stiffness of the femoral arterial wall in young patients with sustained essential hypertension. <i>Journal of Internal Medicine</i> , 1989, 226, 235-239.	6.0	5
77	Sustained release verapamil in renal hypertension. <i>European Journal of Clinical Pharmacology</i> , 1988, 33, 549-555.	1.9	7
78	Disturbed relationship between urinary prostaglandin E ₂ excretion, plasma arginine vasopressin and renal water excretion after oral water loading in early hepatic cirrhosis. <i>European Journal of Clinical Investigation</i> , 1988, 18, 202-206.	3.4	11
79	Urinary Prostaglandin E ₂ and F ₂ ± Excretion in Nephrotic Syndrome during Basal Conditions, after Water Loading, and after Remission of the Syndrome. <i>Acta Medica Scandinavica</i> , 1988, 224, 69-77.	0.0	0