

Ana MarÃ-a CameÃ;n FernÃ;ndez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7910898/publications.pdf>

Version: 2024-02-01

176
papers

6,471
citations

44069

48
h-index

91884

69
g-index

183
all docs

183
docs citations

183
times ranked

6349
citing authors

#	ARTICLE	IF	CITATIONS
1	Antioxidant enzyme activity and lipid peroxidation in liver and kidney of rats exposed to microcystin-LR administered intraperitoneally. <i>Toxicol</i> , 2005, 45, 395-402.	1.6	233
2	Toxic cyanobacterial cells containing microcystins induce oxidative stress in exposed tilapia fish (<i>Oreochromis</i> sp.) under laboratory conditions. <i>Aquatic Toxicology</i> , 2005, 72, 261-271.	4.0	200
3	Toxicological evaluation of clay minerals and derived nanocomposites: A review. <i>Environmental Research</i> , 2015, 138, 233-254.	7.5	177
4	Differential oxidative stress responses to microcystins LR and RR in intraperitoneally exposed tilapia fish (<i>Oreochromis</i> sp.). <i>Aquatic Toxicology</i> , 2006, 77, 314-321.	4.0	159
5	Acid and alkaline phosphatase activities and pathological changes induced in Tilapia fish (<i>Oreochromis</i> sp.) exposed subchronically to microcystins from toxic cyanobacterial blooms under laboratory conditions. <i>Toxicol</i> , 2005, 46, 725-735.	1.6	129
6	Time-dependent oxidative stress responses after acute exposure to toxic cyanobacterial cells containing microcystins in tilapia fish (<i>Oreochromis niloticus</i>) under laboratory conditions. <i>Aquatic Toxicology</i> , 2007, 84, 337-345.	4.0	114
7	Cytotoxicity and morphological effects induced by carvacrol and thymol on the human cell line Caco-2. <i>Food and Chemical Toxicology</i> , 2014, 64, 281-290.	3.6	114
8	Ecotoxicological evaluation of carbamazepine using six different model systems with eighteen endpoints. <i>Toxicology in Vitro</i> , 2003, 17, 525-532.	2.4	109
9	In vitro toxicological evaluation of essential oils and their main compounds used in active food packaging: A review. <i>Food and Chemical Toxicology</i> , 2015, 81, 9-27.	3.6	109
10	In vitro pro-oxidant/antioxidant role of carvacrol, thymol and their mixture in the intestinal Caco-2 cell line. <i>Toxicology in Vitro</i> , 2015, 29, 647-656.	2.4	104
11	Dose-dependent antioxidant responses and pathological changes in tenca (<i>Tinca tinca</i>) after acute oral exposure to <i>Microcystis</i> under laboratory conditions. <i>Toxicol</i> , 2008, 52, 1-12.	1.6	102
12	Occurrence and toxicity of microcystin congeners other than MC-LR and MC-RR: A review. <i>Food and Chemical Toxicology</i> , 2019, 125, 106-132.	3.6	101
13	Effects of dietary selenium on the oxidative stress and pathological changes in tilapia (<i>Oreochromis</i>) Tj ETQq1 1 0.784314 rgBT /Over 1.6 91	1.6	91
14	Presence and bioaccumulation of microcystins and cylindrospermopsin in food and the effectiveness of some cooking techniques at decreasing their concentrations: A review. <i>Food and Chemical Toxicology</i> , 2013, 53, 139-152.	3.6	89
15	Cytotoxicity of carboxylic acid functionalized single wall carbon nanotubes on the human intestinal cell line Caco-2. <i>Toxicology in Vitro</i> , 2009, 23, 1491-1496.	2.4	86
16	In vitro evaluation of cytotoxicity and genotoxicity of a commercial titanium alloy for dental implantology. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010, 702, 17-23.	1.7	85
17	Effects on growth and oxidative stress status of rice plants (<i>Oryza sativa</i>) exposed to two extracts of toxin-producing cyanobacteria (<i>Aphanizomenon ovalisporum</i> and <i>Microcystis aeruginosa</i>). <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 1973-1980.	6.0	82
18	Neurotoxicity induced by microcystins and cylindrospermopsin: A review. <i>Science of the Total Environment</i> , 2019, 668, 547-565.	8.0	82

#	ARTICLE	IF	CITATIONS
19	New advances in active packaging incorporated with essential oils or their main components for food preservation. <i>Food Reviews International</i> , 2017, 33, 447-515.	8.4	75
20	In Vitro Toxicological Assessment of Cylindrospermopsin: A Review. <i>Toxins</i> , 2017, 9, 402.	3.4	71
21	Differentiation of two Canary DO red wines according to their metal content from inductively coupled plasma optical emission spectrometry and graphite furnace atomic absorption spectrometry by using Probabilistic Neural Networks. <i>Talanta</i> , 2007, 72, 263-268.	5.5	66
22	Differential protein expression in two bivalve species; <i>Mytilus galloprovincialis</i> and <i>Corbicula fluminea</i> ; exposed to <i>Cylindrospermopsis raciborskii</i> cells. <i>Aquatic Toxicology</i> , 2011, 101, 109-116.	4.0	65
23	Cyanobacterium producing cylindrospermopsin cause oxidative stress at environmentally relevant concentrations in sub-chronically exposed tilapia (<i>Oreochromis niloticus</i>). <i>Chemosphere</i> , 2013, 90, 1184-1194.	8.2	64
24	Toxicological effects of the lipid regulator gemfibrozil in four aquatic systems. <i>Aquatic Toxicology</i> , 2007, 81, 106-115.	4.0	63
25	Protective role of vitamin E on the microcystin-induced oxidative stress in tilapia fish (<i>Oreochromis niloticus</i>). <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 1152-1159.	4.3	63
26	Multivariate characterization of wine vinegars from the south of Spain according to their metallic content. <i>Talanta</i> , 1997, 45, 379-386.	5.5	62
27	Oxidative stress responses to carboxylic acid functionalized single wall carbon nanotubes on the human intestinal cell line Caco-2. <i>Toxicology in Vitro</i> , 2012, 26, 672-677.	2.4	62
28	Biochemical and pathological toxic effects induced by the cyanotoxin Cylindrospermopsin on the human cell line Caco-2. <i>Water Research</i> , 2012, 46, 1566-1575.	11.3	62
29	Differentiation of sparkling wines (cava and champagne) according to their mineral content. <i>Talanta</i> , 2004, 63, 377-382.	5.5	61
30	Characterisation and evaluation of PLA films containing an extract of <i>Allium</i> spp. to be used in the packaging of ready-to-eat salads under controlled atmospheres. <i>LWT - Food Science and Technology</i> , 2015, 64, 1354-1361.	5.2	61
31	Differential oxidative stress responses to pure Microcystin-LR and Microcystin-containing and non-containing cyanobacterial crude extracts on Caco-2 cells. <i>Toxicon</i> , 2010, 55, 514-522.	1.6	60
32	Toxic effects of a modified montmorillonite clay on the human intestinal cell line Caco-2. <i>Journal of Applied Toxicology</i> , 2014, 34, 714-725.	2.8	60
33	Microcystin-RR: Occurrence, content in water and food and toxicological studies. A review. <i>Environmental Research</i> , 2019, 168, 467-489.	7.5	60
34	Determination of Al, Ba, Ca, Cu, Fe, K, Mg, Mn, Na, Sr and Zn in red wine samples by inductively coupled plasma optical emission spectroscopy: Evaluation of preliminary sample treatments. <i>Microchemical Journal</i> , 2008, 88, 56-61.	4.5	59
35	Acute Effects of Microcystins MC-LR and MC-RR on Acid and Alkaline Phosphatase Activities and Pathological Changes in Intraperitoneally Exposed Tilapia Fish (<i>Oreochromis sp.</i>). <i>Toxicologic Pathology</i> , 2008, 36, 449-458.	1.8	59
36	Toxicity and glutathione implication in the effects observed by exposure of the liver fish cell line PLHC-1 to pure cylindrospermopsin. <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 1567-1572.	6.0	59

#	ARTICLE	IF	CITATIONS
37	Comparison of the toxicity induced by microcystin-RR and microcystin-YR in differentiated and undifferentiated Caco-2 cells. <i>Toxicol</i> , 2009, 54, 161-169.	1.6	58
38	Influence of carboxylic acid functionalization on the cytotoxic effects induced by single wall carbon nanotubes on human endothelial cells (HUVEC). <i>Toxicology in Vitro</i> , 2011, 25, 1883-1888.	2.4	58
39	Toxic cyanobacteria strains isolated from blooms in the Guadiana River (southwestern Spain). <i>Biological Research</i> , 2004, 37, 405-17.	3.4	55
40	Differentiation of two Andalusian DO wines according to their metal content from ICP-OES by using supervised pattern recognition methods. <i>Microchemical Journal</i> , 2007, 87, 72-76.	4.5	54
41	In vivo determination of aluminum, cobalt, chromium, copper, nickel, titanium and vanadium in oral mucosa cells from orthodontic patients with mini-implants by Inductively coupled plasma-mass spectrometry (ICP-MS). <i>Journal of Trace Elements in Medicine and Biology</i> , 2015, 32, 13-20.	3.0	54
42	Acute and subacute toxic effects produced by microcystin-YR on the fish cell lines RTG-2 and PLHC-1. <i>Toxicology in Vitro</i> , 2007, 21, 1460-1467.	2.4	52
43	Oxidative stress responses in tilapia (<i>Oreochromis niloticus</i>) exposed to a single dose of pure cylindrospermopsin under laboratory conditions: Influence of exposure route and time of sacrifice. <i>Aquatic Toxicology</i> , 2011, 105, 100-106.	4.0	51
44	Differentiation of Spanish brandies according to their metal content. <i>Talanta</i> , 2001, 54, 53-59.	5.5	50
45	Study of mineral profile of Montilla-Moriles wines using inductively coupled plasma atomic emission spectrometry methods. <i>Journal of Food Composition and Analysis</i> , 2007, 20, 391-395.	3.9	50
46	Exposure of <i>Lycopersicon Esculentum</i> to Microcystin-LR: Effects in the Leaf Proteome and Toxin Translocation from Water to Leaves and Fruits. <i>Toxins</i> , 2014, 6, 1837-1854.	3.4	50
47	The use of the fish cell lines RTG-2 and PLHC-1 to compare the toxic effects produced by microcystins LR and RR. <i>Toxicology in Vitro</i> , 2005, 19, 865-873.	2.4	49
48	L-Carnitine attenuates oxidative stress in hypertensive rats. <i>Journal of Nutritional Biochemistry</i> , 2007, 18, 533-540.	4.2	49
49	Acute effects of pure cylindrospermopsin on the activity and transcription of antioxidant enzymes in tilapia (<i>Oreochromis niloticus</i>) exposed by gavage. <i>Ecotoxicology</i> , 2011, 20, 1852-1860.	2.4	49
50	Evaluation of the mutagenicity and genotoxic potential of carvacrol and thymol using the Ames Salmonella test and alkaline, Endo III- and FPG-modified comet assays with the human cell line Caco-2. <i>Food and Chemical Toxicology</i> , 2014, 72, 122-128.	3.6	49
51	Time-dependent histopathological changes induced in Tilapia (<i>Oreochromis niloticus</i>) after acute exposure to pure cylindrospermopsin by oral and intraperitoneal route. <i>Ecotoxicology and Environmental Safety</i> , 2012, 76, 102-113.	6.0	48
52	Development and validation of an inductively coupled plasma mass spectrometry (ICP-MS) method for the determination of cobalt, chromium, copper and nickel in oral mucosa cells. <i>Microchemical Journal</i> , 2014, 114, 73-79.	4.5	48
53	Determination of microcystins in fish by solvent extraction and liquid chromatography. <i>Journal of Chromatography A</i> , 2005, 1080, 199-203.	3.7	47
54	Cytotoxicity and mutagenicity studies on migration extracts from nanocomposites with potential use in food packaging. <i>Food and Chemical Toxicology</i> , 2014, 66, 366-372.	3.6	47

#	ARTICLE	IF	CITATIONS
55	In vitro and in vivo evidence of the cytotoxic and genotoxic effects of metal ions released by orthodontic appliances: A review. <i>Environmental Toxicology and Pharmacology</i> , 2015, 40, 86-113.	4.0	46
56	Influence of Microcystin-LR on the activity of membrane enzymes in rat intestinal mucosa. <i>Journal of Physiology and Biochemistry</i> , 2003, 59, 293-299.	3.0	45
57	Cylindrospermopsin determination in water by LC-MS/MS: Optimization and validation of the method and application to real samples. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 2233-2238.	4.3	45
58	Cylindrospermopsin induces neurotoxicity in tilapia fish (<i>Oreochromis niloticus</i>) exposed to <i>Aphanizomenon ovalisporum</i> . <i>Aquatic Toxicology</i> , 2015, 161, 17-24.	4.0	45
59	Determination of microcystins in natural blooms and cyanobacterial strain cultures by matrix solid-phase dispersion and liquid chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 380, 537-544.	3.7	41
60	Tribromophenol induces the differentiation of SH-SY5Y human neuroblastoma cells in vitro. <i>Toxicology in Vitro</i> , 2003, 17, 635-641.	2.4	40
61	Acute toxicological studies of the main organosulfur compound derived from <i>Allium</i> sp. intended to be used in active food packaging. <i>Food and Chemical Toxicology</i> , 2015, 82, 1-11.	3.6	39
62	New Method for Simultaneous Determination of Microcystins and Cylindrospermopsin in Vegetable Matrices by SPE-UPLC-MS/MS. <i>Toxins</i> , 2018, 10, 406.	3.4	38
63	Subchronic effects of cyanobacterial cells on the transcription of antioxidant enzyme genes in tilapia (<i>Oreochromis niloticus</i>). <i>Ecotoxicology</i> , 2011, 20, 479-490.	2.4	37
64	A subchronic 90-day oral toxicity study of <i>Origanum vulgare</i> essential oil in rats. <i>Food and Chemical Toxicology</i> , 2017, 101, 36-47.	3.6	37
65	Ecotoxicological evaluation of the additive butylated hydroxyanisole using a battery with six model systems and eighteen endpoints. <i>Aquatic Toxicology</i> , 2005, 71, 183-192.	4.0	36
66	Time-dependent protective efficacy of Trolox (vitamin E analog) against microcystin-induced toxicity in tilapia (<i>Oreochromis niloticus</i>). <i>Environmental Toxicology</i> , 2009, 24, 563-579.	4.0	36
67	Effects of dietary N-acetylcysteine on the oxidative stress induced in tilapia (<i>Oreochromis</i>) Tj ETQq1 1 0.784314 rgBT/Ov <i>Toxicology and Chemistry</i> , 2009, 28, 1679-1686.	4.3	34
68	Alterations observed in the endothelial HUVEC cell line exposed to pure Cylindrospermopsin. <i>Chemosphere</i> , 2012, 89, 1151-1160.	8.2	34
69	Mutagenic and genotoxic potential of pure Cylindrospermopsin by a battery of in vitro tests. <i>Food and Chemical Toxicology</i> , 2018, 121, 413-422.	3.6	34
70	Acute exposure to pure cylindrospermopsin results in oxidative stress and pathological alterations in tilapia (<i>Oreochromis niloticus</i>). <i>Environmental Toxicology</i> , 2014, 29, 371-385.	4.0	33
71	Cadmium in the diet of the local population of Seville (Spain). <i>Bulletin of Environmental Contamination and Toxicology</i> , 1993, 50, 417-24.	2.7	32
72	The antioxidant glutathione in the fish cell lines EPC and BCF-2: Response to model pro-oxidants as measured by three different fluorescent dyes. <i>Toxicology in Vitro</i> , 2009, 23, 546-553.	2.4	32

#	ARTICLE	IF	CITATIONS
73	InÂvitro toxicological assessment of an organosulfur compound from Allium extract: Cytotoxicity, mutagenicity and genotoxicity studies. Food and Chemical Toxicology, 2017, 99, 231-240.	3.6	32
74	Genotoxic potential of the binary mixture of cyanotoxins microcystin-LR and cylindrospermopsin. Chemosphere, 2017, 189, 319-329.	8.2	32
75	Preconcentration of Heavy Metals in Urine and Quantification by Inductively Coupled Plasma Atomic Emission Spectrometry. Journal of Analytical Toxicology, 1993, 17, 18-22.	2.8	31
76	Determination of total arsenic, inorganic and organic arsenic species in wine. Food Additives and Contaminants, 2002, 19, 542-546.	2.0	31
77	Analysis of MC-LR and MC-RR in tissue from freshwater fish (<i>Tinca tinca</i>) and crayfish (<i>Procambarus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock and Chemical Toxicology, 2013, 57, 170-178.	3.6	31
78	Intestinal transport of Cylindrospermopsin using the Caco-2 cell line. Toxicology in Vitro, 2017, 38, 142-149.	2.4	31
79	Oxidative stress induced by microcystinâ€“LR on PLHC-1 fish cell line. Toxicology in Vitro, 2009, 23, 1445-1449.	2.4	30
80	The protective role of l-carnitine against cylindrospermopsin-induced oxidative stress in tilapia (<i>Oreochromis niloticus</i>). Aquatic Toxicology, 2013, 132-133, 141-150.	4.0	30
81	In vitro genotoxicity testing of carvacrol and thymol using the micronucleus and mouse lymphoma assays. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2015, 784-785, 37-44.	1.7	30
82	Determination of microcystins in biological samples by matrix solid-phase dispersion and liquid chromatographyâ€“mass spectrometry. Journal of Chromatography A, 2005, 1073, 257-262.	3.7	29
83	Toxicological assessment of indium nitrate on aquatic organisms and investigation of the effects on the PLHC-1 fish cell line. Science of the Total Environment, 2007, 387, 155-165.	8.0	28
84	Development of PLA films containing oregano essential oil (<i>Origanum vulgare</i> L. <i>virens</i>) intended for use in food packaging. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 33, 1-13.	2.3	28
85	Decomposition of Microcystin-LR, Microcystin-RR, and Microcystin-YR in Water Samples Submitted to in Vitro Dissolution Tests. Journal of Agricultural and Food Chemistry, 2004, 52, 5933-5938.	5.2	27
86	Biomonitorization of chromium, copper, iron, manganese and nickel in scalp hair from orthodontic patients by atomic absorption spectrometry. Environmental Toxicology and Pharmacology, 2014, 37, 759-771.	4.0	27
87	Neurotoxic assessment of Microcystin-LR, cylindrospermopsin and their combination on the human neuroblastoma SH-SY5Y cell line. Chemosphere, 2019, 224, 751-764.	8.2	27
88	CYN determination in tissues from freshwater fish by LCâ€“MS/MS: Validation and application in tissues from subchronically exposed tilapia (<i>Oreochromis niloticus</i>). Talanta, 2015, 131, 452-459.	5.5	26
89	Dietary l-carnitine prevents histopathological changes in tilapia (<i>Oreochromis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 4.0 26	4.0	26
90	Determination of Nine Elements in Sherry Wine by Inductively Coupled Plasma-Atomic Emission Spectrometry. Journal of AOAC INTERNATIONAL, 1996, 79, 1191-1197.	1.5	25

#	ARTICLE	IF	CITATIONS
91	Effects of thermal treatments during cooking, microwave oven and boiling, on the unconjugated microcystin concentration in muscle of fish (<i>Oreochromis niloticus</i>). <i>Food and Chemical Toxicology</i> , 2011, 49, 2060-2067.	3.6	25
92	Analysis of the Use of Cylindrospermopsin and/or Microcystin-Contaminated Water in the Growth, Mineral Content, and Contamination of <i>Spinacia oleracea</i> and <i>Lactuca sativa</i> . <i>Toxins</i> , 2019, 11, 624.	3.4	25
93	Differentiation between microcystin contaminated and uncontaminated fish by determination of unconjugated MCs using an ELISA anti- ϵ -adda test based on receiver operating characteristic curves threshold values: Application to <i>Tinca tinca</i> from natural ponds. <i>Environmental Toxicology</i> , 2011, 26, 45-56.	4.0	24
94	Development and optimization of a method for the determination of Cylindrospermopsin from strains of <i>Aphanizomenon</i> cultures: Intra-laboratory assessment of its accuracy by using validation standards. <i>Talanta</i> , 2012, 100, 356-363.	5.5	24
95	Protein extraction and two-dimensional gel electrophoresis of proteins in the marine mussel <i>Mytilus galloprovincialis</i> : an important tool for protein expression studies, food quality and safety assessment. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 1779-1787.	3.5	24
96	Cytotoxic and mutagenic in vitro assessment of two organosulfur compounds derived from onion to be used in the food industry. <i>Food Chemistry</i> , 2015, 166, 423-431.	8.2	24
97	Genotoxicity evaluation of carvacrol in rats using a combined micronucleus and comet assay. <i>Food and Chemical Toxicology</i> , 2016, 98, 240-250.	3.6	24
98	Characterisation and antimicrobial activity of active polypropylene films containing oregano essential oil and <i>Allium</i> extract to be used in packaging for meat products. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018, 35, 783-792.	2.3	24
99	Effects of depuration on oxidative biomarkers in tilapia (<i>Oreochromis niloticus</i>) after subchronic exposure to cyanobacterium producing cylindrospermopsin. <i>Aquatic Toxicology</i> , 2014, 149, 40-49.	4.0	22
100	Presence and distribution of arsenical species in beers. <i>Food Additives and Contaminants</i> , 1999, 16, 267-271.	2.0	21
101	Cyanobacteria and microcystins occurrence in the Guadiana River (SW Spain). <i>International Journal of Environmental Analytical Chemistry</i> , 2005, 85, 461-474.	3.3	21
102	Ecotoxicological evaluation of sodium fluoroacetate on aquatic organisms and investigation of the effects on two fish cell lines. <i>Chemosphere</i> , 2007, 67, 1-12.	8.2	21
103	Genotoxicity assessment of propyl thiosulfinate oxide, an organosulfur compound from <i>Allium</i> extract, intended to food active packaging. <i>Food and Chemical Toxicology</i> , 2015, 86, 365-373.	3.6	21
104	In vivo genotoxicity evaluation of cylindrospermopsin in rats using a combined micronucleus and comet assay. <i>Food and Chemical Toxicology</i> , 2019, 132, 110664.	3.6	21
105	Cytotoxic and morphological effects of microcystin-LR, cylindrospermopsin, and their combinations on the human hepatic cell line HepG2. <i>Environmental Toxicology</i> , 2019, 34, 240-251.	4.0	21
106	Cylindrospermopsin-Microcystin-LR Combinations May Induce Genotoxic and Histopathological Damage in Rats. <i>Toxins</i> , 2020, 12, 348.	3.4	21
107	Validation of a method to quantify titanium, vanadium and zirconium in oral mucosa cells by inductively coupled plasma-mass spectrometry (ICP-MS). <i>Talanta</i> , 2014, 118, 238-244.	5.5	20
108	Changes on cylindrospermopsin concentration and characterization of decomposition products in fish muscle (<i>Oreochromis niloticus</i>) by boiling and steaming. <i>Food Control</i> , 2017, 77, 210-220.	5.5	20

#	ARTICLE	IF	CITATIONS
109	Microcystin-LR induces toxic effects in differentiated and undifferentiated Caco-2 cells. Archives of Toxicology, 2010, 84, 405-410.	4.2	19
110	Immunotoxic Effects Induced by Microcystins and Cylindrospermopsin: A Review. Toxins, 2021, 13, 711.	3.4	19
111	Toxicological evaluation of an Allium-based commercial product in a 90-day feeding study in Sprague-Dawley rats. Food and Chemical Toxicology, 2016, 90, 18-29.	3.6	18
112	Ecotoxicological evaluation of diethanolamine using a battery of microbiotests. Toxicology in Vitro, 2005, 19, 879-886.	2.4	17
113	Genotoxicity of a thiosulfonate compound derived from Allium sp. intended to be used in active food packaging: In vivo comet assay and micronucleus test. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2016, 800-801, 1-11.	1.7	17
114	Safety assessment of propyl-propane-thiosulfonate (PTSO): 90-days oral subchronic toxicity study in rats. Food and Chemical Toxicology, 2020, 144, 111612.	3.6	16
115	Cyanobacterium producing cylindrospermopsin cause histopathological changes at environmentally relevant concentrations in subchronically exposed tilapia (<i>Oreochromis niloticus</i>). Environmental Toxicology, 2015, 30, 261-277.	4.0	15
116	Beneficial effects of vitamin E supplementation against the oxidative stress on Cylindrospermopsin-exposed tilapia (<i>Oreochromis niloticus</i>). Toxicon, 2015, 104, 34-42.	1.6	15
117	Pyrolysis-gas chromatography-isotope ratio mass spectrometry for monitoring natural additives in polylactic acid active food packages. Journal of Chromatography A, 2017, 1525, 145-151.	3.7	15
118	Dietary N-Acetylcysteine (NAC) prevents histopathological changes in tilapias (<i>Oreochromis niloticus</i>) exposed to a microcystin-producing cyanobacterial water bloom. Aquaculture, 2010, 306, 35-48.	3.5	14
119	Protective role of dietary N-acetylcysteine on the oxidative stress induced by cylindrospermopsin in tilapia (<i>Oreochromis niloticus</i>). Environmental Toxicology and Chemistry, 2012, 31, 1548-1555.	4.3	14
120	Comparison of <i>Microcystis aeruginosa</i> (PCC7820 and PCC7806) growth and intracellular microcystins content determined by liquid chromatography-mass spectrometry, enzyme-linked immunosorbent assay anti-Adda and phosphatase bioassay. Journal of Water and Health, 2014, 12, 69-80.	2.6	14
121	Genotoxic and cytotoxic effects and gene expression changes induced by fixed orthodontic appliances in oral mucosa cells of patients: a systematic review. Toxicology Mechanisms and Methods, 2015, 25, 440-447.	2.7	14
122	In Vitro Mutagenic and Genotoxic Assessment of a Mixture of the Cyanotoxins Microcystin-LR and Cylindrospermopsin. Toxins, 2019, 11, 318.	3.4	14
123	Genotoxic Effects of Cylindrospermopsin, Microcystin-LR and Their Binary Mixture in Human Hepatocellular Carcinoma (HepG2) Cell Line. Toxins, 2020, 12, 778.	3.4	14
124	Study of the mineral profile of Catalonian brut cava using atomic spectrometric methods. European Food Research and Technology, 2004, 218, 448-451.	3.3	13
125	A new method for the simultaneous determination of cyanotoxins (Microcystins and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 102	7.5	13
126	Hazard characterization of graphene nanomaterials in the frame of their food risk assessment: A review. Food and Chemical Toxicology, 2022, 164, 113014.	3.6	13

#	ARTICLE	IF	CITATIONS
127	Pyrolytic behaviour of microcystins and microcystin-spiked algal blooms. <i>Journal of Analytical and Applied Pyrolysis</i> , 2005, 74, 19-25.	5.5	12
128	Toxic Effects Produced by Microcystins from a Natural Cyanobacterial Bloom and a <i>Microcystis aeruginosa</i> Isolated Strain on the Fish Cell Lines RTG-2 and PLHC-1. <i>Archives of Environmental Contamination and Toxicology</i> , 2006, 51, 86-96.	4.1	12
129	Molecular characterisation of a bio-based active packaging containing <i>Origanum vulgare</i> L. essential oil using pyrolysis gas chromatography-mass spectrometry. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 3207-3212.	3.5	12
130	Characterisation of a bio-based packaging containing a natural additive from <i>Allium</i> spp. using analytical pyrolysis and carbon stable isotopes. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 120, 334-340.	5.5	12
131	Use of micronucleus and comet assay to evaluate evaluate the genotoxicity of oregano essential oil (<i>Origanum vulgare</i> L. <i>Virens</i>) in rats orally exposed for 90 days.. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2018, 81, 525-533.	2.3	12
132	Metallic profiles of Sherry brandies. <i>Sciences Des Aliments</i> , 2000, 20, 433-440.	0.2	12
133	Mineral profile of wine wines using inductively coupled plasma optical emission spectrometry methods. <i>Food Chemistry</i> , 2012, 135, 309-313.	8.2	11
134	Influence of Two Depuration Periods on the Activity and Transcription of Antioxidant Enzymes in Tilapia Exposed to Repeated Doses of Cylindrospermopsin under Laboratory Conditions. <i>Toxins</i> , 2014, 6, 1062-1079.	3.4	11
135	Vitamin E pretreatment prevents histopathological effects in tilapia (<i>Oreochromis niloticus</i>) acutely exposed to cylindrospermopsin. <i>Environmental Toxicology</i> , 2016, 31, 1469-1485.	4.0	11
136	Bioaccessibility of Cylindrospermopsin from cooked fish muscle after the application of an in vitro digestion model and its bioavailability. <i>Food and Chemical Toxicology</i> , 2017, 110, 360-370.	3.6	11
137	Influence of Cooking (Microwaving and Broiling) on Cylindrospermopsin Concentration in Muscle of Nile Tilapia (<i>Oreochromis niloticus</i>) and Characterization of Decomposition Products. <i>Toxins</i> , 2017, 9, 177.	3.4	11
138	Bioaccessibility and decomposition of cylindrospermopsin in vegetables matrices after the application of an in vitro digestion model. <i>Food and Chemical Toxicology</i> , 2018, 120, 164-171.	3.6	11
139	Validation of a Method for Cylindrospermopsin Determination in Vegetables: Application to Real Samples Such as Lettuce (<i>Lactuca sativa</i> L.). <i>Toxins</i> , 2018, 10, 63.	3.4	11
140	Unequivocal Identification of Several Common Adulterants and Diluents in Street Samples of Cocaine by Infrared Spectroscopy. <i>Journal of Forensic Sciences</i> , 1995, 40, 602-610.	1.6	11
141	Differentiation of mangoes (<i>Mangifera indica</i> L.) conventional and organically cultivated according to their mineral content by using support vector machines. <i>Talanta</i> , 2012, 97, 325-330.	5.5	10
142	Influence of the exposure way and the time of sacrifice on the effects induced by a single dose of pure Cylindrospermopsin on the activity and transcription of glutathione peroxidase and glutathione-S-transferase enzymes in Tilapia (<i>Oreochromis niloticus</i>). <i>Chemosphere</i> , 2013, 90, 986-992.	8.2	10
143	Detection of cylindrospermopsin toxin markers in cyanobacterial algal blooms using analytical pyrolysis (Py-GC/MS) and thermally-assisted hydrolysis and methylation (TCh-GC/MS). <i>Chemosphere</i> , 2014, 108, 175-182.	8.2	10
144	Effects of <i>Chrysosporum</i> (<i>Aphanizomenon</i>) <i>ovalisporum</i> extracts containing cylindrospermopsin on growth, photosynthetic capacity, and mineral content of carrots (<i>Daucus carota</i>). <i>Ecotoxicology</i> , 2017, 26, 22-31.	2.4	10

#	ARTICLE	IF	CITATIONS
145	In Vivo Evaluation of Activities and Expression of Antioxidant Enzymes in Wistar Rats Exposed for 90 Days to a Modified Clay. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014, 77, 456-466.	2.3	9
146	Histopathological and immunohistochemical analysis of Tilapia (<i>Oreochromis niloticus</i>) exposed to cylindrospermopsin and the effectiveness of N-Acetylcysteine to prevent its toxic effects. <i>Toxicol</i> , 2014, 78, 18-34.	1.6	9
147	Cadmium concentrations in human renal cortex tissue (Necropsies). <i>Bulletin of Environmental Contamination and Toxicology</i> , 1995, 54, 841-7.	2.7	8
148	Toxicity of Cyanobacteria Isolated from the Guadiana River. <i>Aquatic Ecosystem Health and Management</i> , 2003, 6, 409-413.	0.6	8
149	Immunohistochemical Approach to Study Cylindrospermopsin Distribution in Tilapia (<i>Oreochromis</i>) Tj ETQq1 1 0.784314 rgBJ /Overlo	3.4	8
150	Genotoxicity Evaluation of Propyl-Propane-Thiosulfinate (PTS) from <i>Allium</i> genus Essential Oils by a Combination of Micronucleus and Comet Assays in Rats. <i>Foods</i> , 2021, 10, 989.	4.3	8
151	Effects of depuration on histopathological changes in tilapia (<i>Oreochromis niloticus</i>) after exposure to cylindrospermopsin. <i>Environmental Toxicology</i> , 2017, 32, 1318-1332.	4.0	7
152	Detection of cylindrospermopsin and its decomposition products in raw and cooked fish (<i>Oreochromis niloticus</i>) by analytical pyrolysis (Py-GC/MS). <i>Chemosphere</i> , 2020, 244, 125469.	8.2	7
153	In vitro assessment of cyanotoxins bioaccessibility in raw and cooked mussels. <i>Food and Chemical Toxicology</i> , 2020, 140, 111391.	3.6	7
154	Immunomodulatory Effects of Pure Cylindrospermopsin in Rats Orally Exposed for 28 Days. <i>Toxins</i> , 2022, 14, 144.	3.4	7
155	Aquatic Toxicity Assessment of the Additive 6-Methylcoumarine Using Four Experimental Systems. <i>Archives of Environmental Contamination and Toxicology</i> , 2009, 56, 52-59.	4.1	6
156	Effects of the subchronic exposure to an organomodified clay mineral for food packaging applications on Wistar rats. <i>Applied Clay Science</i> , 2014, 95, 37-40.	5.2	6
157	Toxicological assessment of two silane-modified clay minerals with potential use as food contact materials in human hepatoma cells and <i>Salmonella typhimurium</i> strains. <i>Applied Clay Science</i> , 2017, 150, 98-105.	5.2	6
158	Potential Use of Chemoprotectants against the Toxic Effects of Cyanotoxins: A Review. <i>Toxins</i> , 2017, 9, 175.	3.4	6
159	Metallic profiles of Sherry wines using inductively coupled plasma atomic emission spectrometry methods (ICP-AES). <i>Sciences Des Aliments</i> , 2007, 27, 83-92.	0.2	6
160	Evaluation of toxic effects induced by repeated exposure to Cylindrospermopsin in rats using a 28-day feeding study. <i>Food and Chemical Toxicology</i> , 2021, 151, 112108.	3.6	5
161	In Vitro Toxicity Evaluation of Cyanotoxins Cylindrospermopsin and Microcystin-LR on Human Kidney HEK293 Cells. <i>Toxins</i> , 2022, 14, 429.	3.4	5
162	Effects of two organomodified clays intended to food contact materials on the genomic instability and gene expression of hepatoma cells. <i>Food and Chemical Toxicology</i> , 2016, 88, 57-64.	3.6	4

#	ARTICLE	IF	CITATIONS
163	Freshwater Algal Toxins: Monitoring and Toxicity Profile. <i>Toxins</i> , 2020, 12, 653.	3.4	4
164	Physiological and Metabolic Responses of Marine Mussels Exposed to Toxic Cyanobacteria <i>Microcystis aeruginosa</i> and <i>Chrysochloris ovalisporum</i> . <i>Toxins</i> , 2020, 12, 196.	3.4	4
165	Cytotoxicity and Effects on the Synapsis Induced by Pure <i>Cylindrospermopsin</i> in an E17 Embryonic Murine Primary Neuronal Culture in a Concentration- and Time-Dependent Manner. <i>Toxins</i> , 2022, 14, 175.	3.4	4
166	p-nitrophenylhydrazones of pyridinealdehydes. Spectroscopy studies.. <i>Journal of Molecular Structure</i> , 1986, 143, 557-560.	3.6	3
167	Spectrophotometric Evaluation of Acidity Constants of Diprotic Acids: Errors Involved as a Consequence of an Erroneous Choice of the Limit Absorbances. <i>Analytical Letters</i> , 1986, 19, 1867-1880.	1.8	3
168	Alterations in Mediterranean mussel (<i>Mytilus galloprovincialis</i>) composition exposed to cyanotoxins as revealed by analytical pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2020, 152, 104970.	5.5	3
169	Acute and subchronic 90-days toxicity assessment of propyl-propane-thiosulfinate (PTS) in rats. <i>Food and Chemical Toxicology</i> , 2022, 161, 112827.	3.6	3
170	6-Methylpyridine-2-aldehyde p-nitrophenylhydrazone as an indicator for colorimetric pH measurements. <i>Microchemical Journal</i> , 1982, 27, 1-5.	4.5	2
171	Spectrophotometric Evaluation of Acidity Constants of Biacetylmonoxime Nicotinylhydrazone. <i>Analytical Letters</i> , 1987, 20, 895-898.	1.8	2
172	Microcystin-RR induced toxic effects in cell line Caco-2. <i>Toxicology Letters</i> , 2008, 180, S112.	0.8	2
173	Determination of microcystins in biological samples from freshwater fish. <i>International Journal of Environmental Analytical Chemistry</i> , 2010, 90, 1000-1013.	3.3	2
174	Preliminary study of genotoxicity evaluation of orthodontic miniscrews on mucosa oral cells by the alkaline comet assay. <i>Toxicology Mechanisms and Methods</i> , 2015, 25, 487-493.	2.7	2
175	Influence of refrigeration and freezing in <i>Microcystins</i> and <i>Cylindrospermopsin</i> concentrations on fish muscle of tilapia (<i>Oreochromis niloticus</i>) and tench (<i>Tinca tinca</i>). <i>Food and Chemical Toxicology</i> , 2021, 158, 112673.	3.6	1
176	Cloisite@Na+ and Clay2 induce changes in the gene expression in human hepatoma HepG2 cells. <i>Toxicology Letters</i> , 2016, 258, S161.	0.8	0