

Laszlo Nagy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/791104/publications.pdf>

Version: 2024-02-01

177
papers

18,788
citations

30070

54
h-index

11939

134
g-index

185
all docs

185
docs citations

185
times ranked

20247
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxidized LDL Regulates Macrophage Gene Expression through Ligand Activation of PPAR β . <i>Cell</i> , 1998, 93, 229-240.	28.9	1,726
2	PPAR β Promotes Monocyte/Macrophage Differentiation and Uptake of Oxidized LDL. <i>Cell</i> , 1998, 93, 241-252.	28.9	1,689
3	Nuclear Receptor Coactivator ACTR Is a Novel Histone Acetyltransferase and Forms a Multimeric Activation Complex with P/CAF and CBP/p300. <i>Cell</i> , 1997, 90, 569-580.	28.9	1,400
4	A PPAR β -LXR-ABCA1 Pathway in Macrophages Is Involved in Cholesterol Efflux and Atherogenesis. <i>Molecular Cell</i> , 2001, 7, 161-171.	9.7	1,240
5	Nuclear Receptor Repression Mediated by a Complex Containing SMRT, mSin3A, and Histone Deacetylase. <i>Cell</i> , 1997, 89, 373-380.	28.9	1,206
6	Role of the histone deacetylase complex in acute promyelocytic leukaemia. <i>Nature</i> , 1998, 391, 811-814.	27.8	1,063
7	PPAR β dependent and independent effects on macrophage-gene expression in lipid metabolism and inflammation. <i>Nature Medicine</i> , 2001, 7, 48-52.	30.7	1,014
8	PPARs are a unique set of fatty acid regulated transcription factors controlling both lipid metabolism and inflammation. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 1007-1022.	3.8	693
9	Structural basis for the activation of PPAR β by oxidized fatty acids. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 924-931.	8.2	380
10	STAT6 Transcription Factor Is a Facilitator of the Nuclear Receptor PPAR β -Regulated Gene Expression in Macrophages and Dendritic Cells. <i>Immunity</i> , 2010, 33, 699-712.	14.3	352
11	Mechanism of the nuclear receptor molecular switch. <i>Trends in Biochemical Sciences</i> , 2004, 29, 317-324.	7.5	349
12	Role for Peroxisome Proliferator-Activated Receptor β in Oxidized Phospholipid-Induced Synthesis of Monocyte Chemotactic Protein-1 and Interleukin-8 by Endothelial Cells. <i>Circulation Research</i> , 2000, 87, 516-521.	4.5	284
13	Retinoid X receptors: X-ploring their (patho)physiological functions. <i>Cell Death and Differentiation</i> , 2004, 11, S126-S143.	11.2	237
14	1,25-Dihydroxyvitamin D3 Is an Autonomous Regulator of the Transcriptional Changes Leading to a Tolerogenic Dendritic Cell Phenotype. <i>Journal of Immunology</i> , 2009, 182, 2074-2083.	0.8	209
15	Nuclear Hormone Receptors Enable Macrophages and Dendritic Cells to Sense Their Lipid Environment and Shape Their Immune Response. <i>Physiological Reviews</i> , 2012, 92, 739-789.	28.8	195
16	The Transcription Factor STAT6 Mediates Direct Repression of Inflammatory Enhancers and Limits Activation of Alternatively Polarized Macrophages. <i>Immunity</i> , 2018, 48, 75-90.e6.	14.3	185
17	PPAR β controls CD1d expression by turning on retinoic acid synthesis in developing human dendritic cells. <i>Journal of Experimental Medicine</i> , 2006, 203, 2351-2362.	8.5	176
18	Transcriptional regulation of macrophage cholesterol efflux and atherogenesis by a long noncoding RNA. <i>Nature Medicine</i> , 2018, 24, 304-312.	30.7	171

#	ARTICLE	IF	CITATIONS
19	Non-DNA binding, dominant-negative, human PPAR β mutations cause lipodystrophic insulin resistance. <i>Cell Metabolism</i> , 2006, 4, 303-311.	16.2	164
20	Peroxisome Proliferator-activated Receptor β -regulated ABCG2 Expression Confers Cytoprotection to Human Dendritic Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 23812-23823.	3.4	164
21	Structural basis for the assembly of the SMRT/NCOR core transcriptional repression machinery. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 177-184.	8.2	156
22	Activation of PPAR β Specifies a Dendritic Cell Subtype Capable of Enhanced Induction of iNKT Cell Expansion. <i>Immunity</i> , 2004, 21, 95-106.	14.3	150
23	<i>Mycobacterium bovis</i> Bacillus Calmette-Guèrin Infection Induces TLR2-Dependent Peroxisome Proliferator-Activated Receptor β Expression and Activation: Functions in Inflammation, Lipid Metabolism, and Pathogenesis. <i>Journal of Immunology</i> , 2009, 183, 1337-1345.	0.8	148
24	Highly Dynamic Transcriptional Signature of Distinct Macrophage Subsets during Sterile Inflammation, Resolution, and Tissue Repair. <i>Journal of Immunology</i> , 2016, 196, 4771-4782.	0.8	147
25	The many faces of PPAR β : Anti-inflammatory by any means?. <i>Immunobiology</i> , 2008, 213, 789-803.	1.9	140
26	PPAR β in immunity and inflammation: cell types and diseases. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 1014-1030.	2.4	138
27	The role of lipid-activated nuclear receptors in shaping macrophage and dendritic cell function: From physiology to pathology. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 264-286.	2.9	136
28	Macrophage PPAR β , a Lipid Activated Transcription Factor Controls the Growth Factor GDF3 and Skeletal Muscle Regeneration. <i>Immunity</i> , 2016, 45, 1038-1051.	14.3	134
29	The Nuclear Receptor PPAR β Controls Progressive Macrophage Polarization as a Ligand-Insensitive Epigenomic Ratchet of Transcriptional Memory. <i>Immunity</i> , 2018, 49, 615-626.e6.	14.3	128
30	Endocannabinoids enhance lipid synthesis and apoptosis of human sebocytes via cannabinoid receptor α -mediated signaling. <i>FASEB Journal</i> , 2008, 22, 3685-3695.	0.5	125
31	PPAR β regulates the function of human dendritic cells primarily by altering lipid metabolism. <i>Blood</i> , 2007, 110, 3271-3280.	1.4	122
32	Differentiation of CD1a ^{hi} and CD1a ⁺ monocyte-derived dendritic cells is biased by lipid environment and PPAR β . <i>Blood</i> , 2007, 109, 643-652.	1.4	121
33	Essential Roles of Retinoic Acid Signaling in Interdigital Apoptosis and Control of BMP-7 Expression in Mouse Autopods. <i>Developmental Biology</i> , 1999, 208, 30-43.	2.0	118
34	Identification and Characterization of a Versatile Retinoid Response Element (Retinoic Acid Receptor) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Promoter. <i>Journal of Biological Chemistry</i> , 1996, 271, 4355-4365.	3.4	115
35	Retinoid-induced apoptosis in normal and neoplastic tissues. <i>Cell Death and Differentiation</i> , 1998, 5, 11-19.	11.2	112
36	Transcriptional Regulation of Human CYP27 Integrates Retinoid, Peroxisome Proliferator-Activated Receptor, and Liver X Receptor Signaling in Macrophages. <i>Molecular and Cellular Biology</i> , 2004, 24, 8154-8166.	2.3	108

#	ARTICLE	IF	CITATIONS
37	Dynamic changes to lipid mediators support transitions among macrophage subtypes during muscle regeneration. <i>Nature Immunology</i> , 2019, 20, 626-636.	14.5	108
38	Differential Effects of Rexinoids and Thiazolidinediones on Metabolic Gene Expression in Diabetic Rodents. <i>Molecular Pharmacology</i> , 2001, 59, 765-773.	2.3	107
39	Identification of factor XIII-A as a marker of alternative macrophage activation. <i>Cellular and Molecular Life Sciences</i> , 2005, 62, 2132-2139.	5.4	103
40	Peripheral blood gene expression patterns discriminate among chronic inflammatory diseases and healthy controls and identify novel targets. <i>BMC Medical Genomics</i> , 2010, 3, 15.	1.5	100
41	9-cis-13,14-Dihydroretinoic Acid Is an Endogenous Retinoid Acting as RXR Ligand in Mice. <i>PLoS Genetics</i> , 2015, 11, e1005213.	3.5	98
42	A Versatile Method to Design Stem-Loop Primer-Based Quantitative PCR Assays for Detecting Small Regulatory RNA Molecules. <i>PLoS ONE</i> , 2013, 8, e55168.	2.5	96
43	Hepatocyte-Macrophage Acetoacetate Shuttle Protects against Tissue Fibrosis. <i>Cell Metabolism</i> , 2019, 29, 383-398.e7.	16.2	87
44	The active enhancer network operated by liganded RXR supports angiogenic activity in macrophages. <i>Genes and Development</i> , 2014, 28, 1562-1577.	5.9	85
45	Tissue LyC6 ⁺ Macrophages Are Generated in the Absence of Circulating LyC6 ⁺ Monocytes and Nur77 in a Model of Muscle Regeneration. <i>Journal of Immunology</i> , 2013, 191, 5695-5701.	0.8	80
46	Nuclear receptor signalling in dendritic cells connects lipids, the genome and immune function. <i>EMBO Journal</i> , 2008, 27, 2353-2362.	7.8	78
47	PPAR ³ -Mediated and Arachidonic Acid-Dependent Signaling Is Involved in Differentiation and Lipid Production of Human Sebocytes. <i>Journal of Investigative Dermatology</i> , 2014, 134, 910-920.	0.7	77
48	Transient Receptor Potential Vanilloid-1 Signaling as a Regulator of Human Sebocyte Biology. <i>Journal of Investigative Dermatology</i> , 2009, 129, 329-339.	0.7	76
49	Oxysterol signaling links cholesterol metabolism and inflammation via the liver X receptor in macrophages. <i>Molecular Aspects of Medicine</i> , 2009, 30, 134-152.	6.4	69
50	Research Resource: Transcriptome Profiling of Genes Regulated by RXR and Its Permissive and Nonpermissive Partners in Differentiating Monocyte-Derived Dendritic Cells. <i>Molecular Endocrinology</i> , 2010, 24, 2218-2231.	3.7	67
51	OCT4 Acts as an Integrator of Pluripotency and Signal-Induced Differentiation. <i>Molecular Cell</i> , 2016, 63, 647-661.	9.7	66
52	The Structural Basis for the Specificity of Retinoid-X Receptor-selective Agonists: New Insights Into the Role of Helix H12. <i>Journal of Biological Chemistry</i> , 2002, 277, 11385-11391.	3.4	65
53	Activation of Liver X Receptor Sensitizes Human Dendritic Cells to Inflammatory Stimuli. <i>Journal of Immunology</i> , 2010, 184, 5456-5465.	0.8	65
54	PPAR ¹ , a Lipid-Activated Transcription Factor as a Regulator of Dendritic Cell Function. <i>Annals of the New York Academy of Sciences</i> , 2006, 1088, 207-218.	3.8	58

#	ARTICLE	IF	CITATIONS
55	Nuclear receptors, transcription factors linking lipid metabolism and immunity: the case of peroxisome proliferator-activated receptor gamma. <i>European Journal of Clinical Investigation</i> , 2008, 38, 695-707.	3.4	55
56	The promoter of the mouse tissue transglutaminase gene directs tissue-specific, retinoid-regulated and apoptosis-linked expression. <i>Cell Death and Differentiation</i> , 1997, 4, 534-547.	11.2	54
57	Regulation of macrophage gene expression by peroxisome-proliferator-activated receptor γ . <i>Current Opinion in Lipidology</i> , 1999, 10, 485-490.	2.7	54
58	Arginine Methylation Provides Epigenetic Transcription Memory for Retinoid-Induced Differentiation in Myeloid Cells. <i>Molecular and Cellular Biology</i> , 2005, 25, 5648-5663.	2.3	54
59	MSTO 1 is a cytoplasmic pro-mitochondrial fusion protein, whose mutation induces myopathy and ataxia in humans. <i>EMBO Molecular Medicine</i> , 2017, 9, 967-984.	6.9	53
60	Gene expression profiles in peripheral blood for the diagnosis of autoimmune diseases. <i>Trends in Molecular Medicine</i> , 2011, 17, 223-233.	6.7	50
61	Retinoids Potentiate Peroxisome Proliferator-Activated Receptor γ Action in Differentiation, Gene Expression, and Lipid Metabolic Processes in Developing Myeloid Cells. <i>Molecular Pharmacology</i> , 2005, 67, 1935-1943.	2.3	49
62	PRMT1 and PRMT8 Regulate Retinoic Acid-Dependent Neuronal Differentiation with Implications to Neuropathology. <i>Stem Cells</i> , 2015, 33, 726-741.	3.2	47
63	The IL-4/STAT6/PPAR γ signaling axis is driving the expansion of the RXR heterodimer cistrome, providing complex ligand responsiveness in macrophages. <i>Nucleic Acids Research</i> , 2018, 46, 4425-4439.	14.5	47
64	SLAM/SLAM interactions inhibit CD40-induced production of inflammatory cytokines in monocyte-derived dendritic cells. <i>Blood</i> , 2006, 107, 2821-2829.	1.4	46
65	Chronic Obstructive Pulmonary Disease-Specific Gene Expression Signatures of Alveolar Macrophages as well as Peripheral Blood Monocytes Overlap and Correlate with Lung Function. <i>Respiration</i> , 2011, 81, 499-510.	2.6	46
66	Retinoid-regulated expression of BCL-2 and tissue transglutaminase during the differentiation and apoptosis of human myeloid leukemia (HL-60) cells. <i>Leukemia Research</i> , 1996, 20, 499-505.	0.8	45
67	Live-cell fluorescence correlation spectroscopy dissects the role of coregulator exchange and chromatin binding in retinoic acid receptor mobility. <i>Journal of Cell Science</i> , 2011, 124, 3631-3642.	2.0	41
68	Identification of novel markers of alternative activation and potential endogenous PPAR γ ligand production mechanisms in human IL-4 stimulated differentiating macrophages. <i>Immunobiology</i> , 2012, 217, 1301-1314.	1.9	41
69	Peripheral blood derived gene panels predict response to infliximab in rheumatoid arthritis and Crohn's disease. <i>Genome Medicine</i> , 2013, 5, 59.	8.2	38
70	The transcription factor EGR2 is the molecular linchpin connecting STAT6 activation to the late, stable epigenomic program of alternative macrophage polarization. <i>Genes and Development</i> , 2020, 34, 1474-1492.	5.9	38
71	<i>In situ</i> macrophage phenotypic transition is affected by altered cellular composition prior to acute sterile muscle injury. <i>Journal of Physiology</i> , 2017, 595, 5815-5842.	2.9	37
72	Highly efficient differentiation of embryonic stem cells into adipocytes by ascorbic acid. <i>Stem Cell Research</i> , 2014, 13, 88-97.	0.7	36

#	ARTICLE	IF	CITATIONS
73	The IL-4/STAT6 signaling axis establishes a conserved microRNA signature in human and mouse macrophages regulating cell survival via miR-342-3p. <i>Genome Medicine</i> , 2016, 8, 63.	8.2	35
74	Myeloid ALX/FPR2 regulates vascularization following tissue injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 14354-14364.	7.1	35
75	Signal Integration of IFN-I and IFN-II With TLR4 Involves Sequential Recruitment of STAT1-Complexes and NF- κ B to Enhance Pro-inflammatory Transcription. <i>Frontiers in Immunology</i> , 2019, 10, 1253.	4.8	34
76	Pro-inflammatory cytokines negatively regulate PPAR γ mediated gene expression in both human and murine macrophages via multiple mechanisms. <i>Immunobiology</i> , 2013, 218, 1336-1344.	1.9	33
77	Ligand Binding Shifts Highly Mobile Retinoid X Receptor to the Chromatin-Bound State in a Coactivator-Dependent Manner, as Revealed by Single-Cell Imaging. <i>Molecular and Cellular Biology</i> , 2014, 34, 1234-1245.	2.3	33
78	Activation of retinoic acid receptor signaling coordinates lineage commitment of spontaneously differentiating mouse embryonic stem cells in embryoid bodies. <i>FEBS Letters</i> , 2010, 584, 3123-3130.	2.8	32
79	Factor XIII-A is involved in the regulation of gene expression in alternatively activated human macrophages. <i>Thrombosis and Haemostasis</i> , 2010, 104, 709-717.	3.4	32
80	Leukocyte Overexpression of Intracellular NAMPT Attenuates Atherosclerosis by Regulating PPAR γ -Dependent Monocyte Differentiation and Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1157-1167.	2.4	31
81	Arginine Methyltransferase PRMT8 Provides Cellular Stress Tolerance in Aging Motoneurons. <i>Journal of Neuroscience</i> , 2018, 38, 7683-7700.	3.6	31
82	A growth factor-expressing macrophage subpopulation orchestrates regenerative inflammation via GDF-15. <i>Journal of Experimental Medicine</i> , 2022, 219, .	8.5	31
83	Liver X Receptor Nuclear Receptors Are Transcriptional Regulators of Dendritic Cell Chemotaxis. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	30
84	A Pharmacogenetic Approach to the Treatment of Patients With PPAR γ Mutations. <i>Diabetes</i> , 2018, 67, 1086-1092.	0.6	30
85	Molecular Determinants of the Balance between Co-repressor and Co-activator Recruitment to the Retinoic Acid Receptor. <i>Journal of Biological Chemistry</i> , 2003, 278, 43797-43806.	3.4	28
86	In vivo GDF3 administration abrogates aging related muscle regeneration delay following acute sterile injury. <i>Aging Cell</i> , 2018, 17, e12815.	6.7	28
87	Identification and characterization of a novel anti-inflammatory lipid isolated from <i>Mycobacterium vaccae</i> , a soil-derived bacterium with immunoregulatory and stress resilience properties. <i>Psychopharmacology</i> , 2019, 236, 1653-1670.	3.1	28
88	Functional ABCG1 expression induces apoptosis in macrophages and other cell types. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008, 1778, 2378-2387.	2.6	27
89	RDH10, RALDH2, and CRABP2 are required components of PPAR γ -directed ATRA synthesis and signaling in human dendritic cells. <i>Journal of Lipid Research</i> , 2013, 54, 2458-2474.	4.2	26
90	Peripheral Blood Gene Expression and IgG Glycosylation Profiles as Markers of Tocilizumab Treatment in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2012, 39, 916-928.	2.0	25

#	ARTICLE	IF	CITATIONS
91	Motif oriented high-resolution analysis of ChIP-seq data reveals the topological order of CTCF and cohesin proteins on DNA. <i>BMC Genomics</i> , 2016, 17, 637.	2.8	25
92	Interactions of retinoids with the ABC transporters P-glycoprotein and Breast Cancer Resistance Protein. <i>Scientific Reports</i> , 2017, 7, 41376.	3.3	24
93	Retinoid X receptor suppresses a metastasis-promoting transcriptional program in myeloid cells via a ligand-insensitive mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10725-10730.	7.1	24
94	Agonist binding directs dynamic competition among nuclear receptors for heterodimerization with retinoid X receptor. <i>Journal of Biological Chemistry</i> , 2020, 295, 10045-10061.	3.4	24
95	Retinoic acid induction of the tissue transglutaminase promoter is mediated by a novel response element. <i>Molecular and Cellular Endocrinology</i> , 1996, 120, 203-212.	3.2	23
96	Analyses of association between PPAR gamma and EPHX1 polymorphisms and susceptibility to COPD in a Hungarian cohort, a case-control study. <i>BMC Medical Genetics</i> , 2010, 11, 152.	2.1	23
97	Nuclear receptor mediated mechanisms of macrophage cholesterol metabolism. <i>Molecular and Cellular Endocrinology</i> , 2013, 368, 85-98.	3.2	23
98	Causes and Pathophysiology of Heart Failure with Preserved Ejection Fraction. <i>Heart Failure Clinics</i> , 2014, 10, 389-398.	2.1	23
99	Coagulation factor XIII-A. A flow cytometric intracellular marker in the classification of acute myeloid leukemias. <i>Thrombosis and Haemostasis</i> , 2005, 94, 454-9.	3.4	22
100	Ribonucleoprotein-masked nicks at 50-kbp intervals in the eukaryotic genomic DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14964-14969.	7.1	22
101	Pharmacogenetics and pharmacogenomics in rheumatology. <i>Immunologic Research</i> , 2013, 56, 325-333.	2.9	22
102	The BACH1-HMOX1 Regulatory Axis Is Indispensable for Proper Macrophage Subtype Specification and Skeletal Muscle Regeneration. <i>Journal of Immunology</i> , 2019, 203, 1532-1547.	0.8	22
103	Peroxisome Proliferator-Activated Receptor β -Regulated Cathepsin D Is Required for Lipid Antigen Presentation by Dendritic Cells. <i>Journal of Immunology</i> , 2011, 187, 240-247.	0.8	21
104	The intriguing complexities of mammalian gene regulation: How to link enhancers to regulated genes. Are we there yet?. <i>FEBS Letters</i> , 2014, 588, 2379-2391.	2.8	21
105	RXR heterodimers orchestrate transcriptional control of neurogenesis and cell fate specification. <i>Molecular and Cellular Endocrinology</i> , 2018, 471, 51-62.	3.2	21
106	Monoclonal antibody proteomics: Discovery and prevalidation of chronic obstructive pulmonary disease biomarkers in a single step. <i>Electrophoresis</i> , 2007, 28, 4401-4406.	2.4	19
107	Inotropes and Inodilators for Acute Heart Failure. <i>Journal of Cardiovascular Pharmacology</i> , 2014, 64, 199-208.	1.9	19
108	Glucocorticoids counteract hypertrophic effects of myostatin inhibition in dystrophic muscle. <i>JCI Insight</i> , 2020, 5, .	5.0	19

#	ARTICLE	IF	CITATIONS
109	Carboxypeptidase-M is regulated by lipids and CSFs in macrophages and dendritic cells and expressed selectively in tissue granulomas and foam cells. <i>Laboratory Investigation</i> , 2012, 92, 345-361.	3.7	18
110	A novel method to predict regulatory regions based on histone mark landscapes in macrophages. <i>Immunobiology</i> , 2013, 218, 1416-1427.	1.9	18
111	Reprogramming of lysosomal gene expression by interleukin-4 and Stat6. <i>BMC Genomics</i> , 2013, 14, 853.	2.8	18
112	Mapping the Genomic Binding Sites of the Activated Retinoid X Receptor in Murine Bone Marrow-Derived Macrophages Using Chromatin Immunoprecipitation Sequencing. <i>Methods in Molecular Biology</i> , 2014, 1204, 15-24.	0.9	18
113	Decreased peroxisome proliferator-activated receptor β level and signalling in sebaceous glands of patients with acne vulgaris. <i>Clinical and Experimental Dermatology</i> , 2016, 41, 547-551.	1.3	17
114	Oxidation of Hemoglobin Drives a Proatherogenic Polarization of Macrophages in Human Atherosclerosis. <i>Antioxidants and Redox Signaling</i> , 2021, 35, 917-950.	5.4	16
115	Nucleosome stability measured in situ by automated quantitative imaging. <i>Scientific Reports</i> , 2017, 7, 12734.	3.3	15
116	Omecamtiv mecarbil evokes diastolic dysfunction and leads to periodic electromechanical alternans. <i>Basic Research in Cardiology</i> , 2021, 116, 24.	5.9	15
117	Is the Mouse a Good Model of Human PPAR β -Related Metabolic Diseases?. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1236.	4.1	14
118	Extensive and functional overlap of the STAT6 and RXR cistromes in the active enhancer repertoire of human CD14+ monocyte derived differentiating macrophages. <i>Molecular and Cellular Endocrinology</i> , 2018, 471, 63-74.	3.2	14
119	Labelled regulatory elements are pervasive features of the macrophage genome and are dynamically utilized by classical and alternative polarization signals. <i>Nucleic Acids Research</i> , 2019, 47, 2778-2792.	14.5	14
120	Association of peroxisome proliferator-activated receptor gamma polymorphisms with inflammatory bowel disease in a Hungarian cohort. <i>Inflammatory Bowel Diseases</i> , 2012, 18, 472-479.	1.9	13
121	PPAR β activation but not PPAR β haploinsufficiency affects proangiogenic potential of endothelial cells and bone marrow-derived progenitors. <i>Cardiovascular Diabetology</i> , 2014, 13, 150.	6.8	13
122	Retinoic acid receptor transcripts in human umbilical vein endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 1991, 179, 32-38.	2.1	12
123	Combination of IgG <i>glycomics</i> and corresponding transcriptomics data to identify anti-TNF α treatment responders in inflammatory diseases. <i>Electrophoresis</i> , 2015, 36, 1330-1335.	2.4	12
124	Investigation of de novo mutations in a schizophrenia case-parent trio by induced pluripotent stem cell-based in vitro disease modeling: convergence of schizophrenia- and autism-related cellular phenotypes. <i>Stem Cell Research and Therapy</i> , 2020, 11, 504.	5.5	12
125	Motif grammar: The basis of the language of gene expression. <i>Computational and Structural Biotechnology Journal</i> , 2020, 18, 2026-2032.	4.1	12
126	Accelerated recovery of 5-fluorouracil-damaged bone marrow after rosiglitazone treatment. <i>European Journal of Pharmacology</i> , 2005, 522, 122-129.	3.5	11

#	ARTICLE	IF	CITATIONS
127	Genome-wide localization of histone 4 arginine 3 methylation in a differentiation primed myeloid leukemia cell line. <i>Immunobiology</i> , 2005, 210, 141-152.	1.9	11
128	Chip-on-beads: Flow-cytometric evaluation of chromatin immunoprecipitation. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2006, 69A, 1086-1091.	1.5	11
129	Genomewide effects of peroxisome proliferator-activated receptor gamma in macrophages and dendritic cells "revealing complexity through systems biology. <i>European Journal of Clinical Investigation</i> , 2015, 45, 964-975.	3.4	11
130	Titin isoforms are increasingly protected against oxidative modifications in developing rat cardiomyocytes. <i>Free Radical Biology and Medicine</i> , 2017, 113, 224-235.	2.9	11
131	PPAR γ activation but not PPAR γ haplodeficiency affects proangiogenic potential of endothelial cells and bone marrow-derived progenitors. <i>Cardiovascular Diabetology</i> , 2014, 13, 150.	6.8	11
132	Lack of Induction of Tissue Transglutaminase But Activation of the Preexisting Enzyme in c-Myc-Induced Apoptosis of CHO Cells. <i>Biochemical and Biophysical Research Communications</i> , 1997, 236, 280-284.	2.1	10
133	Roles for lipid-activated transcription factors in atherosclerosis. <i>Molecular Nutrition and Food Research</i> , 2005, 49, 1072-1074.	3.3	10
134	Ethanol increases phosphate-mediated mineralization and osteoblastic transformation of vascular smooth muscle cells. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 2219-2226.	3.6	10
135	Hmgb1 can facilitate activation of the matrilin-1 gene promoter by Sox9 and L-Sox5/Sox6 in early steps of chondrogenesis. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013, 1829, 1075-1091.	1.9	10
136	Genome Wide Mapping Reveals PDE4B as an IL-2 Induced STAT5 Target Gene in Activated Human PBMCs and Lymphoid Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e57326.	2.5	10
137	Myeloid cell diversification during regenerative inflammation: Lessons from skeletal muscle. <i>Seminars in Cell and Developmental Biology</i> , 2021, 119, 89-100.	5.0	10
138	Diet-dependent natriuretic peptide receptor C expression in adipose tissue is mediated by PPAR β via long-range distal enhancers. <i>Journal of Biological Chemistry</i> , 2021, 297, 100941.	3.4	10
139	Dynamic transcriptional control of macrophage miRNA signature via inflammation responsive enhancers revealed using a combination of next generation sequencing-based approaches. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018, 1861, 14-28.	1.9	8
140	Gene expression analysis of vascular pathophysiology related to anti-TNF treatment in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 94.	3.5	8
141	Simultaneous Mapping of Molecular Proximity and Comobility Reveals Agonist-Enhanced Dimerization and DNA Binding of Nuclear Receptors. <i>Analytical Chemistry</i> , 2020, 92, 2207-2215.	6.5	8
142	Transcriptional repression shapes the identity and function of tissue macrophages. <i>FEBS Open Bio</i> , 2021, 11, 3218-3229.	2.3	8
143	A transgenic mouse model for the study of apoptosis during limb development. <i>Cell Death and Differentiation</i> , 1998, 5, 126-126.	11.2	7
144	Would eating carrots protect your liver? A new role involving NKT cells for retinoic acid in hepatitis. <i>European Journal of Immunology</i> , 2012, 42, 1677-1680.	2.9	7

#	ARTICLE	IF	CITATIONS
145	Nuclear receptors as regulators of stem cell and cancer stem cell metabolism. <i>Seminars in Cell and Developmental Biology</i> , 2013, 24, 716-723.	5.0	7
146	Measuring Expression Levels of Small Regulatory RNA Molecules from Body Fluids and Formalin-Fixed, Paraffin-Embedded Samples. <i>Methods in Molecular Biology</i> , 2014, 1182, 105-119.	0.9	7
147	Evidence of islet CADM1-mediated immune cell interactions during human type 1 diabetes. <i>JCI Insight</i> , 2022, 7, .	5.0	7
148	Twenty years of nuclear receptors. <i>EMBO Reports</i> , 2006, 7, 579-584.	4.5	6
149	The triad of success in personalised medicine: pharmacogenomics, biotechnology and regulatory issues from a Central European perspective. <i>New Biotechnology</i> , 2012, 29, 741-750.	4.4	5
150	ORM-3819 promotes cardiac contractility through Ca ²⁺ sensitization in combination with selective PDE III inhibition, a novel approach to inotropy. <i>European Journal of Pharmacology</i> , 2016, 775, 120-129.	3.5	5
151	Consumption of conjugated linoleic acid (CLA)-supplemented diet during colitis development ameliorates gut inflammation without causing steatosis in mice. <i>Journal of Nutritional Biochemistry</i> , 2018, 57, 238-245.	4.2	5
152	Intracardiac Fibrinolysis and Endothelium Activation Related to Atrial Fibrillation Ablation with Different Techniques. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-8.	1.1	5
153	Unraveling the Hierarchy of <i>cis</i> and <i>trans</i> Factors That Determine the DNA Binding by Peroxisome Proliferator-Activated Receptor β . <i>Molecular and Cellular Biology</i> , 2020, 40, .	2.3	5
154	Heme cytotoxicity is the consequence of endoplasmic reticulum stress in atherosclerotic plaque progression. <i>Scientific Reports</i> , 2021, 11, 10435.	3.3	5
155	Prediction and Validation of Gene Regulatory Elements Activated During Retinoic Acid Induced Embryonic Stem Cell Differentiation. <i>Journal of Visualized Experiments</i> , 2016, , .	0.3	3
156	Unorthodox Transcriptional Mechanisms of Lipid-Sensing Nuclear Receptors in Macrophages: Are We Opening a New Chapter?. <i>Frontiers in Endocrinology</i> , 2020, 11, 609099.	3.5	3
157	Global Run-on Sequencing (GRO-Seq). <i>Methods in Molecular Biology</i> , 2021, 2351, 25-39.	0.9	3
158	Atherosclerosis and Lipid Peroxidation. <i>Molecular Nutrition and Food Research</i> , 2005, 49, 989-991.	3.3	2
159	Of Vitruvian mice and men. <i>FEBS Letters</i> , 2008, 582, 1-1.	2.8	2
160	Potential Therapeutic Use of PPAR β -Programmed Human Monocyte-Derived Dendritic Cells in Cancer Vaccination Therapy. <i>PPAR Research</i> , 2008, 2008, 1-10.	2.4	2
161	Differentiation of Adipocytes in Monolayer from Mouse Embryonic Stem Cells. <i>Methods in Molecular Biology</i> , 2015, 1341, 407-415.	0.9	2
162	Uninterrupted Dabigatran Administration Provides Greater Inhibition against Intracardiac Activation of Hemostasis as Compared to Vitamin K Antagonists during Cryoballoon Catheter Ablation of Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3050.	2.4	2

#	ARTICLE	IF	CITATIONS
163	Association between Foramen Size and Febrile Seizure Status in the Pediatric Population: A Two-Center Retrospective Analysis. <i>Journal of Neurosciences in Rural Practice</i> , 2020, 11, 430-435.	0.8	2
164	Sympathetic activation in heart failure with reduced and mildly reduced ejection fraction: the role of aetiology. <i>ESC Heart Failure</i> , 2021, 8, 5112-5120.	3.1	2
165	PPAR β controls CD1d expression by turning on retinoic acid synthesis in developing human dendritic cells. <i>Journal of Cell Biology</i> , 2006, 175, i1-i1.	5.2	2
166	Three-Dimensional Echocardiographic Method for the Visualization and Assessment of Specific Parameters of the Pulmonary Veins. <i>Journal of Visualized Experiments</i> , 2020, , .	0.3	2
167	Bacteria may be in the liver, but the jury is still out. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	2
168	Retinoid Signaling is a Context-Dependent Regulator of Embryonic Stem Cells. , 0, , .		1
169	Nuclear hormone receptors are powerful regulators of stem cell maintenance, differentiation, metabolism and function. <i>Seminars in Cell and Developmental Biology</i> , 2013, 24, 669.	5.0	1
170	PPAR β needs a helping hand to make fat. <i>Cell Death and Differentiation</i> , 2013, 20, 1599-1600.	11.2	1
171	A7.20â€¦Response to Infliximab Therapy can be Predicted using Distinct, Non-Overlapping Gene Panels of Peripheral Blood Gene Expression in Rheumatoid Arthritis and Crohnâ€™s Disease. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A55.1-A55.	0.9	1
172	Spotlight onâ€¦ Laszlo Nagy. <i>FEBS Letters</i> , 2005, 579, 6009-6009.	2.8	0
173	Nuclear Receptors in Immune Function. , 2016, , 146-156.		0
174	Commentaries on Viewpoint: Loopomics: a new functional approach to life. <i>Journal of Applied Physiology</i> , 2017, 123, 1014-1015.	2.5	0
175	Immunity meets metabolism and then they start talking. <i>FEBS Letters</i> , 2017, 591, 2957-2958.	2.8	0
176	An open chat withâ€¦ Laszlo Nagy. <i>FEBS Open Bio</i> , 2022, , .	2.3	0
177	The Feasibility of Baroreflex Sensitivity Measurements in Heart Failure Subjects: The Role of Slowâ€¦patterned Breathing. <i>Clinical Physiology and Functional Imaging</i> , 2022, , .	1.2	0