

Miroslav Slouf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7912860/publications.pdf>

Version: 2024-02-01

311
papers

6,869
citations

76326

40
h-index

128289

60
g-index

315
all docs

315
docs citations

315
times ranked

8567
citing authors

#	ARTICLE	IF	CITATIONS
1	Biodegradation of LDPE_TPS blends under controlled composting conditions. <i>Polymer Bulletin</i> , 2023, 80, 3331-3357.	3.3	3
2	In-situ generation of Au nanoparticles in poly(methyl methacrylate) films via MeV proton irradiation. <i>Materials Chemistry and Physics</i> , 2022, 275, 125205.	4.0	1
3	Biodegradable Thermoplastic Starch/Polycaprolactone Blends with Co-Continuous Morphology Suitable for Local Release of Antibiotics. <i>Materials</i> , 2022, 15, 1101.	2.9	7
4	Nanocrystalline chloroxine possesses broad-spectrum antimicrobial activities and excellent skin tolerability in mice. <i>Nanomedicine</i> , 2022, 17, 137-149.	3.3	0
5	Laser-Promoted Immobilization of Ag Nanoparticles: Effect of Surface Morphology of Poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overl	4.1	4
6	Fluorinated Ferrocene Moieties as a Platform for Redox-Responsive Polymer ¹⁹ F MRI Theranostics. <i>Macromolecules</i> , 2022, 55, 658-671.	4.8	6
7	Morphological Transformation in Polymer Composite Materials Filled with Carbon Nanoparticles: Part 1 SEM and XRD Investigations. <i>Materials</i> , 2022, 15, 3531.	2.9	2
8	Biocompatible hydrogels based on chitosan, cellulose/starch, PVA and PEDOT:PSS with high flexibility and high mechanical strength. <i>Cellulose</i> , 2022, 29, 6697-6717.	4.9	14
9	Anionically Functionalized Glycogen Encapsulates Melittin by Multivalent Interaction. <i>Biomacromolecules</i> , 2022, 23, 3371-3382.	5.4	3
10	Comparison of macro-, micro- and nanomechanical properties of clinically-relevant UHMWPE formulations. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 120, 104205.	3.1	14
11	Communicating macropores in PHEMA-based hydrogels for cell seeding: Probabilistic open pore simulation and direct micro-CT proof. <i>Materials and Design</i> , 2021, 198, 109312.	7.0	7
12	Ultra-extensible solvent-free elastomers based on nanocomposite poly(2-methoxyethylacrylate)/clay xerogels. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49836.	2.6	2
13	Colloidally Stable P(DMA-AGME)-Ale-Coated Gd(Tb)F ₃ :Tb ³⁺ (Gd ³⁺),Yb ³⁺ ,Nd ³⁺ Nanoparticles as a Multimodal Contrast Agent for Down- and Upconversion Luminescence, Magnetic Resonance Imaging, and Computed Tomography. <i>Nanomaterials</i> , 2021, 11, 230.	4.1	16
14	Polyacrylamide brushes with varied morphologies as a tool for control of the intermolecular interactions within EPDM/MVQ blends. <i>Polymer</i> , 2021, 215, 123387.	3.8	4
15	Magnetic cobalt oxide nanosheets: green synthesis and in vitro cytotoxicity. <i>Bioprocess and Biosystems Engineering</i> , 2021, 44, 1423-1432.	3.4	23
16	Thermo- and ROS-Responsive Self-Assembled Polymer Nanoparticle Tracers for ¹⁹ F MRI Theranostics. <i>Biomacromolecules</i> , 2021, 22, 2325-2337.	5.4	24
17	Tough and flexible conductive triple network hydrogels based on agarose/polyacrylamide/polyvinyl alcohol and poly(3,4-ethylenedioxythiophene):polystyrene sulfonate. <i>Polymer International</i> , 2021, 70, 1523-1533.	3.1	8
18	Powder Nano-Beam Diffraction in Scanning Electron Microscope: Fast and Simple Method for Analysis of Nanoparticle Crystal Structure. <i>Nanomaterials</i> , 2021, 11, 962.	4.1	8

#	ARTICLE	IF	CITATIONS
19	Macromechanical and micromechanical properties of polymers with reduced density of entanglements. <i>Polymer Engineering and Science</i> , 2021, 61, 1773-1790.	3.1	9
20	High-strength nanocomposite self-regenerating hydrogels reinforced by additional crosslinking with trivalent metal cations. <i>Journal of Polymer Research</i> , 2021, 28, 1.	2.4	4
21	Starch-based biodegradable film with poly(butylene adipate-co-terephthalate): preparation, morphology, thermal and biodegradation properties. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2021, 58, 610-621.	2.2	13
22	A versatile β -cyclodextrin and N-heterocyclic palladium complex bi-functionalized iron oxide nanoadsorbent for water treatment. <i>Environmental Science and Pollution Research</i> , 2021, 28, 55419-55432.	5.3	6
23	Magnetic Superporous Poly(2-hydroxyethyl methacrylate) Hydrogel Scaffolds for Bone Tissue Engineering. <i>Polymers</i> , 2021, 13, 1871.	4.5	5
24	Effect of micropores on CO ₂ capture in ordered mesoporous CMK-3 carbon at atmospheric pressure. <i>Adsorption</i> , 2021, 27, 1221-1236.	3.0	16
25	Surface Texturing of Polyethylene Terephthalate Induced by Excimer Laser in Silver Nanoparticle Colloids. <i>Materials</i> , 2021, 14, 3263.	2.9	4
26	In vitro cellular activity of maghemite/cerium oxide magnetic nanoparticles with antioxidant properties. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 204, 111824.	5.0	10
27	Pro-oxidant activity of biocompatible catechin stabilizer during photooxidation of polyolefins. <i>Polymer Degradation and Stability</i> , 2021, 193, 109735.	5.8	2
28	Reversible multilayered vesicle-like structures with fluid hydrophobic and interpolyelectrolyte layers. <i>Journal of Colloid and Interface Science</i> , 2021, 599, 313-325.	9.4	5
29	Optomechanical Processing of Silver Colloids: New Generation of Nanoparticle-Polymer Composites with Bactericidal Effect. <i>International Journal of Molecular Sciences</i> , 2021, 22, 312.	4.1	9
30	Monolithic nanocomposite hydrogels with fast dual T- and pH- stimuli responsiveness combined with high mechanical properties. <i>Journal of Materials Research and Technology</i> , 2021, 15, 6079-6097.	5.8	6
31	Green synthesis of bimetallic Zn-CuO nanoparticles and their cytotoxicity properties. <i>Scientific Reports</i> , 2021, 11, 23479.	3.3	88
32	High Resolution Powder Electron Diffraction in Scanning Electron Microscopy. <i>Materials</i> , 2021, 14, 7550.	2.9	5
33	Spermine amides of selected triterpenoid acids: dynamic supramolecular system formation influences the cytotoxicity of the drugs. <i>Journal of Materials Chemistry B</i> , 2020, 8, 484-491.	5.8	22
34	Revealing the True Morphological Structure of Macroporous Soft Hydrogels for Tissue Engineering. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 6672.	2.5	17
35	The effect of short polystyrene brushes grafted from graphene oxide on the behavior of miscible PMMA/SAN blends. <i>Polymer</i> , 2020, 211, 123088.	3.8	9
36	Highly colloidally stable trimodal ¹²⁵ I-radiolabeled PEG-neridronate-coated upconversion/magnetic bioimaging nanoprobe. <i>Scientific Reports</i> , 2020, 10, 20016.	3.3	12

#	ARTICLE	IF	CITATIONS
37	Low-Temperature-Meltable Elastomers Based on Linear Polydimethylsiloxane Chains Alpha, Omega-Terminated with Mesogenic Groups as Physical Crosslinker: A Passive Smart Material with Potential as Viscoelastic Coupling. Part II: Viscoelastic and Rheological Properties. <i>Polymers</i> , 2020, 12, 2840.	4.5	1
38	Editorial: Biodegradable Matrices and Composites. <i>Frontiers in Materials</i> , 2020, 7, .	2.4	2
39	Low-Temperature Meltable Elastomers Based on Linear Polydimethylsiloxane Chains Alpha, Omega-Terminated with Mesogenic Groups as Physical Crosslinkers: A Passive Smart Material with Potential as Viscoelastic Coupling. Part I: Synthesis and Phase Behavior. <i>Polymers</i> , 2020, 12, 2476.	4.5	3
40	Macro-, Micro- and Nanomechanical Characterization of Crosslinked Polymers with Very Broad Range of Mechanical Properties. <i>Polymers</i> , 2020, 12, 2951.	4.5	14
41	Meltable copolymeric elastomers based on polydimethylsiloxane with multiplets of pendant liquid-crystalline groups as physical crosslinker: A self-healing structural material with a potential for smart applications. <i>European Polymer Journal</i> , 2020, 137, 109962.	5.4	5
42	One-step synthesis of polyaniline-silver cryogels. <i>Journal of Materials Science</i> , 2020, 55, 10427-10434.	3.7	3
43	Analysis and removal of air pollutants from scorched wood. <i>Journal of Wood Chemistry and Technology</i> , 2020, 40, 248-257.	1.7	0
44	Wide-Cone Angle Phase-Contrast X-Ray Computed Tomography of Synthetic Polymer Materials. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020, 69, 8910-8918.	4.7	4
45	Monodisperse Core-Shell NaYF ₄ :Yb ³⁺ /Er ³⁺ @NaYF ₄ :Nd ³⁺ -PEG-CGGRCDSGGY-NH ₂ Nanoparticles Excitable at 808 and 980 nm: Design, Surface Engineering, and Application in Life Sciences. <i>Frontiers in Chemistry</i> , 2020, 8, 497.	3.6	18
46	Structure Characterization and Biodegradation Rate of Poly(μ -caprolactone)/Starch Blends. <i>Frontiers in Materials</i> , 2020, 7, .	2.4	49
47	Thermoplastic Starch Composites With Titanium Dioxide and Vancomycin Antibiotic: Preparation, Morphology, Thermomechanical Properties, and Antimicrobial Susceptibility Testing. <i>Frontiers in Materials</i> , 2020, 7, .	2.4	10
48	Microscopic Structure of Swollen Hydrogels by Scanning Electron and Light Microscopies: Artifacts and Reality. <i>Polymers</i> , 2020, 12, 578.	4.5	62
49	ϵ -Butyrolactone Copolymerization with the Well-Documented Polymer Drug Carrier Poly(ethylene) Tj ETQq1 1 0.784314 rgBT / Overlock 10 TF 2020, 20, 1900408.	4.1	5
50	Polyethylenimine based magnetic nanoparticles mediated non-viral CRISPR/Cas9 system for genome editing. <i>Scientific Reports</i> , 2020, 10, 4619.	3.3	64
51	Monitoring of Morphology and Properties During Preparation of PCL/PLA Microfibrillar Composites With Organophilic Montmorillonite. <i>Frontiers in Materials</i> , 2020, 7, .	2.4	6
52	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq0 0 0 rgBT / Overlock 10 TF 1.9	1.9	7
53	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq1 1 0.784314 rgBT / Overlock 10 TF 1.9	1.9	8
54	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq0 0 0 rgBT / Overlock 10 TF 1485-1501.	1.9	3

#	ARTICLE	IF	CITATIONS
55	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq1 1 0,784314 rgBT /Overld	1.9	0
56	Properties of water steam-treated maple wood (<i>Acer pseudoplatanus</i> L.).. Wood Research, 2020, 65, 865-876.	0.6	0
57	Evolution of Structure in a Comb Copolymerâ€“Surfactant Coacervate. Macromolecules, 2019, 52, 6303-6310.	4.8	4
58	Controlled Tuning of the Size of Ag-Hydrosol Nanoparticles by Nonstabilized THF and Detection of Peroxides in THF. Langmuir, 2019, 35, 9831-9840.	3.5	3
59	Surface protolytic property characterization of hydroxyapatite and titanium dioxide nanoparticles. RSC Advances, 2019, 9, 21989-21995.	3.6	12
60	Controlled biodegradability of functionalized thermoplastic starch based materials. Polymer Degradation and Stability, 2019, 170, 108995.	5.8	18
61	Transport Properties of Poly(lactic acid)/Clay Nanocomposites. Polymer Engineering and Science, 2019, 59, 2498-2501.	3.1	13
62	Phase Structure, Compatibility, and Toughness of PLA/PCL Blends: A Review. Frontiers in Materials, 2019, 6, .	2.4	114
63	Porous hybrid poly(N-isopropylacrylamide) hydrogels with very fast volume response to temperature and pH. European Polymer Journal, 2019, 120, 109213.	5.4	12
64	Monolithic intercalated PNIPAm/starch hydrogels with very fast and extensive one-way volume and swelling responses to temperature and pH: prospective actuators and drug release systems. Soft Matter, 2019, 15, 752-769.	2.7	26
65	Prooxidant activity of phenolic stabilizers in polyolefins during accelerated photooxidation. Polymer Degradation and Stability, 2019, 166, 307-324.	5.8	10
66	A Multifunctional Graphene Oxide Platform for Targeting Cancer. Cancers, 2019, 11, 753.	3.7	17
67	Morphological, electrical, mechanical and thermal properties of high-density polyethylene/multiwall carbon nanotube nanocomposites: effect of aspect ratio. Materials Research Express, 2019, 6, 095079.	1.6	8
68	Synthesis of amphiphilic copolymers based on dendritic polyethylene grafted by polyhydroxyethylmethacrylate and polyhydroxypropylmethacrylate and their use for construction of nanoparticles. European Polymer Journal, 2019, 115, 193-200.	5.4	15
69	Quantitative STEM imaging of electron beam induced mass loss of epoxy resin sections. Ultramicroscopy, 2019, 202, 44-50.	1.9	11
70	Thermoplastic Starch Composites Filled With Isometric and Elongated TiO ₂ -Based Nanoparticles. Frontiers in Materials, 2019, 6, .	2.4	6
71	Biodegradability of blends based on aliphatic polyester and thermoplastic starch. Chemical Papers, 2019, 73, 1121-1134.	2.2	15
72	Fluorine-containing block/branched polyamphiphiles forming bioinspired complexes with biopolymers. Colloids and Surfaces B: Biointerfaces, 2019, 174, 393-400.	5.0	12

#	ARTICLE	IF	CITATIONS
73	Structure evolution during order→disorder transitions in aliphatic polycarbonate based polyurethanes. Self-healing polymer. Chemical Engineering Journal, 2019, 357, 611-624.	12.7	23
74	Well→dispersed polyurethane/cellulose nanocrystal nanocomposites synthesized by a solvent→free procedure in bulk. Polymer Composites, 2019, 40, E456.	4.6	21
75	Porous Heat-Treated Polyacrylonitrile Scaffolds for Bone Tissue Engineering. ACS Applied Materials & Interfaces, 2018, 10, 8496-8506.	8.0	20
76	Advanced two-step cryopolymerization to form superporous thermosensitive PNIPA/clay gels with unique mechanical properties and ultrafast swelling-deswelling kinetics. Colloid and Polymer Science, 2018, 296, 753-769.	2.1	13
77	Enamel apatite crystallinity significantly contributes to mammalian dental adaptations. Scientific Reports, 2018, 8, 5544.	3.3	9
78	Strong synergistic improvement of mechanical properties in HDPE/COC blends with fibrillar morphology. Polymer Engineering and Science, 2018, 58, 1955-1964.	3.1	13
79	β-Cyclodextrin-epichlorohydrin polymer/graphene oxide nanocomposite: preparation and characterization. Chemical Papers, 2018, 72, 1299-1313.	2.2	30
80	On the key role of SiO ₂ @POSS hybrid filler in tailoring networking and interfaces in rubber nanocomposites. Polymer Testing, 2018, 65, 429-439.	4.8	18
81	Relations between morphology and micromechanical properties of alpha, beta and gamma phases of iPP. Polymer Testing, 2018, 67, 522-532.	4.8	34
82	Tungsten (VI) based →molecular puzzle→photoluminescent nanoparticles easily covered with biocompatible natural polysaccharides via direct chelation. Journal of Colloid and Interface Science, 2018, 512, 308-317.	9.4	4
83	IO8→...Nanoparticle based CRSIPR/CAS gene editing system to treat huntington→™s disease. , 2018, , ,		0
84	Micromechanical Properties of UHMWPE→™S with Different Molecular Weights. Key Engineering Materials, 2018, 784, 33-37.	0.4	0
85	UV degradation of styrene-butadiene rubber versus high density poly(ethylene) in marine conditions studied by infrared spectroscopy, micro indentation, and electron spin resonance imaging. Polymer Degradation and Stability, 2018, 156, 132-143.	5.8	15
86	Prediction of compatibility of organomodified clay with various polymers using rheological measurements. Polymer Testing, 2018, 69, 359-365.	4.8	13
87	One-pot preparation of surface-functionalized barium titanate nanoparticles for high-K polystyrene composite films prepared via floating method. Journal of Materials Science, 2018, 53, 11343-11354.	3.7	13
88	Nanostructure of hyaluronan acyl-derivatives in the solid state. Carbohydrate Polymers, 2018, 195, 468-475.	10.2	2
89	PLA based bionanocomposites and their transport properties. AIP Conference Proceedings, 2018, , ,	0.4	0
90	Self-Assembled Thermoresponsive Polymeric Nanogels for ¹⁹ F MR Imaging. Biomacromolecules, 2018, 19, 3515-3524.	5.4	49

#	ARTICLE	IF	CITATIONS
91	Formation of core/corona nanoparticles with interpolyelectrolyte complex cores in aqueous solution: insight into chain dynamics in the complex from fluorescence quenching. <i>Soft Matter</i> , 2018, 14, 7578-7585.	2.7	6
92	Self-assembled chitosan-alginate polyplex nanoparticles containing temoporfin. <i>Colloid and Polymer Science</i> , 2017, 295, 1259-1270.	2.1	14
93	Stabilization of aqueous dispersions of poly(methacrylic acid)-coated iron oxide nanoparticles by double hydrophilic block polyelectrolyte poly(ethylene oxide)-block-poly(N-methyl-2-vinylpyridinium) Tj ETQq1 1 0.7874314 rg33 /Over	7.8	34
94	Synthesis of conductive doubly filled poly(N-isopropylacrylamide)-polyaniline-SiO ₂ hydrogels. <i>Sensors and Actuators B: Chemical</i> , 2017, 244, 616-634.	7.8	34
95	The effect of ionizing radiation on biocompatible polymers: From sterilization to radiolysis and hydrogel formation. <i>Polymer Degradation and Stability</i> , 2017, 137, 1-10.	5.8	25
96	Strong synergistic effects in PLA/PCL blends: Impact of PLA matrix viscosity. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 69, 229-241.	3.1	87
97	Impact of particle morphology on structure, crystallization kinetics, and properties of PCL composites with TiO ₂ -based particles. <i>Polymer Bulletin</i> , 2017, 74, 445-464.	3.3	13
98	Pro-oxidant activity of Î±-tocopherol during photooxidative degradation of polyolefins. ESRI and IR microspectroscopy studies. <i>Polymer Degradation and Stability</i> , 2017, 138, 55-71.	5.8	19
99	Poly(N-isopropylacrylamide)-SiO ₂ nanocomposites interpenetrated by starch: Stimuli-responsive hydrogels with attractive tensile properties. <i>European Polymer Journal</i> , 2017, 88, 349-372.	5.4	32
100	Physico-chemical characteristics, biocompatibility, and MRI applicability of novel monodisperse PEG-modified magnetic Fe ₃ O ₄ & SiO ₂ core-shell nanoparticles. <i>RSC Advances</i> , 2017, 7, 8786-8797.	3.6	44
101	Arrays of Ag and Au Nanoparticles with Terpyridine- and Thiophene-Based Ligands: Morphology and Optical Responses. <i>Langmuir</i> , 2017, 33, 4146-4156.	3.5	12
102	Properties of natural rubber composites with structurally different clay intercalable surfactants. <i>Journal of Polymer Research</i> , 2017, 24, 1.	2.4	7
103	Tremendous reinforcing, pore-stabilizing and response-accelerating effect of <i>in situ</i> generated nanosilica in thermoresponsive poly(<i>N</i> -isopropylacrylamide) cryogels. <i>Polymer International</i> , 2017, 66, 1510-1521.	3.1	15
104	Thermoplastic starch composites with TiO ₂ particles: Preparation, morphology, rheology and mechanical properties. <i>International Journal of Biological Macromolecules</i> , 2017, 101, 273-282.	7.5	31
105	Insight into the cryopolymerization to form a poly(N-isopropylacrylamide)/clay macroporous gel: structure and phase evolution. <i>Soft Matter</i> , 2017, 13, 1244-1256.	2.7	19
106	Poly(3-hexylthiophene)/gold nanoparticle nanocomposites: relationship between morphology and electrical conductivity. <i>Chemical Papers</i> , 2017, 71, 401-408.	2.2	3
107	Biodistribution of upconversion/magnetic silica-coated NaGdF ₄ :Yb ³⁺ /Er ³⁺ nanoparticles in mouse models. <i>RSC Advances</i> , 2017, 7, 45997-46006.	3.6	21
108	Polymer imaging in SEM charge, damage and coating free. <i>Microscopy and Microanalysis</i> , 2017, 23, 1816-1817.	0.4	2

#	ARTICLE	IF	CITATIONS
109	Surface enhanced infrared absorption spectroscopy for graphene functionalization on copper. Carbon, 2017, 124, 250-255.	10.3	9
110	Spectral and microscopic study of self-assembly of novel cationic spermine amides of betulinic acid. Steroids, 2017, 117, 90-96.	1.8	18
111	Improved enzyme-mediated synthesis and supramolecular self-assembly of naturally occurring conjugates of β -sitosterol. Steroids, 2017, 117, 38-43.	1.8	9
112	Mammalian enamel maturation: Crystallographic changes prior to tooth eruption. PLoS ONE, 2017, 12, e0171424.	2.5	12
113	Preparation and characterization of Metal Complex Hydrogels Crosslinked with Hyperbranched Polyester. Egyptian Journal of Chemistry, 2017, .	0.2	0
114	Nanocomposite of CeO ₂ and High-Coercivity Magnetic Carrier with Large Specific Surface Area. Journal of Nanomaterials, 2016, 2016, 1-13.	2.7	0
115	Improved biocompatibility and efficient labeling of neural stem cells with poly(L-lysine)-coated maghemite nanoparticles. Beilstein Journal of Nanotechnology, 2016, 7, 926-936.	2.8	29
116	Changes in the fine structure of the polymeric nanocomposites according to the shape of nanoparticles. AIP Conference Proceedings, 2016, , .	0.4	1
117	Anisotropy in CNT composite fabricated by combining directional freezing and gamma irradiation of acrylic acid. Materials and Design, 2016, 97, 300-306.	7.0	6
118	The effect of gamma irradiation in air and inert atmosphere on structure and properties of unfilled or glass fibre-reinforced polyamide 6. Polymer Bulletin, 2016, 73, 1775-1794.	3.3	9
119	NaYF ₄ :Yb ³⁺ /Er ³⁺ Upconversion Nanoparticles for Infrared Photodynamic Therapy of Tumors. Biophysical Journal, 2016, 110, 652a.	0.5	0
120	Superparamagnetic Fe ₃ O ₄ Nanoparticles: Synthesis by Thermal Decomposition of Iron(III) Glucuronate and Application in Magnetic Resonance Imaging. ACS Applied Materials & Interfaces, 2016, 8, 7238-7247.	8.0	114
121	Influence of Corona Structure on Binding of an Ionic Surfactant in Oppositely Charged Amphiphilic Polyelectrolyte Micelles. Langmuir, 2016, 32, 4059-4065.	3.5	10
122	Composite particles formed by complexation of poly(methacrylic acid) " stabilized magnetic fluid with chitosan: Magnetic material for bioapplications. Materials Science and Engineering C, 2016, 67, 486-492.	7.3	9
123	Study of ²²³ Ra uptake mechanism by Fe ₃ O ₄ nanoparticles: towards new prospective theranostic SPIONs. Journal of Nanoparticle Research, 2016, 18, 1.	1.9	55
124	Modified glycogen as construction material for functional biomimetic microfibers. Carbohydrate Polymers, 2016, 152, 271-279.	10.2	10
125	Temoporfin-loaded 1-tetradecanol-based thermoresponsive solid lipid nanoparticles for photodynamic therapy. Journal of Controlled Release, 2016, 241, 34-44.	9.9	33
126	RGDS- and TAT-Conjugated Upconversion of NaYF ₄ :Yb ³⁺ /Er ³⁺ & SiO ₂ Nanoparticles: In Vitro Human Epithelioid Cervix Carcinoma Cellular Uptake, Imaging, and Targeting. ACS Applied Materials & Interfaces, 2016, 8, 20422-20431.	8.0	36

#	ARTICLE	IF	CITATIONS
127	The effect of UV irradiation on the electrospun PCL/TiO ₂ composites fibers. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	12
128	Fluorescent boronate-based polymer nanoparticles with reactive oxygen species (ROS)-triggered cargo release for drug-delivery applications. <i>Nanoscale</i> , 2016, 8, 6958-6963.	5.6	54
129	Visualization of carbon nanotubes dispersion in composite by using confocal laser scanning microscopy. <i>European Polymer Journal</i> , 2016, 79, 187-197.	5.4	19
130	Cyclic olefin copolymer-silica nanocomposites foams. <i>Journal of Materials Science</i> , 2016, 51, 3907-3916.	3.7	14
131	Nucleation of Polypropylene Crystallization with Gold Nanoparticles. Part 2: Relation between Particle Morphology and Nucleation Activity. <i>Journal of Macromolecular Science - Physics</i> , 2016, 55, 393-410.	1.0	9
132	Characterisation of morphological, antimicrobial and leaching properties of in situ prepared polyurethane nanofibres doped with silver behenate. <i>RSC Advances</i> , 2016, 6, 23816-23826.	3.6	4
133	Effect of the dimethylsilyloxy co-monomer on the chemistry of polysiloxane pyrolysis to SiOC. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 117, 30-45.	5.5	11
134	Mechanical behaviour of cyclic olefin copolymer/exfoliated graphite nanoplatelets nanocomposites foamed through supercritical carbon dioxide. <i>EXPRESS Polymer Letters</i> , 2016, 10, 977-989.	2.1	16
135	Preparation of conducting polysiloxane/polyaniline composites. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	2.6	6
136	Self-assembled anchor layers/polysaccharide coatings on titanium surfaces: a study of functionalization and stability. <i>Beilstein Journal of Nanotechnology</i> , 2015, 6, 617-631.	2.8	37
137	Silica-coated upconversion lanthanide nanoparticles: The effect of crystal design on morphology, structure and optical properties. <i>Beilstein Journal of Nanotechnology</i> , 2015, 6, 2290-2299.	2.8	11
138	In situ Observation of Nucleated Polymer Crystallization in Polyoxymethylene Sandwich Composites. <i>Frontiers in Materials</i> , 2015, 2, .	2.4	6
139	Evaluation of poly(ethylene glycol)-coated monodispersed magnetic poly(2-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 68, 687-696.	5.4	11
140	Micromechanical properties of one-step and sequentially crosslinked UHMWPEs for total joint replacements. <i>Polymer Testing</i> , 2015, 41, 191-197.	4.8	35
141	Morphological analysis of polymer systems with broad particle size distribution. <i>Polymer Testing</i> , 2015, 42, 8-16.	4.8	14
142	Reactivity of the tin homolog of POSS, butylstannoxane dodecamer, in oxygen-induced crosslinking reactions with an organic polymer matrix: Study of long-time behavior. <i>Polymer Degradation and Stability</i> , 2015, 118, 147-166.	5.8	14
143	Spinning, drawing and physical properties of polypropylene nanocomposite fibers with fumed nanosilica. <i>EXPRESS Polymer Letters</i> , 2015, 9, 277-290.	2.1	37
144	Aggregation of superparamagnetic iron oxide nanoparticles in dilute aqueous dispersions: Effect of coating by double-hydrophilic block polyelectrolyte. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 483, 1-7.	4.7	11

#	ARTICLE	IF	CITATIONS
145	Long-term accelerated weathering of HAS stabilized PE and PP plaques: Compliance of ESRI, IR, and microhardness data characterizing heterogeneity of photooxidation. <i>Polymer Degradation and Stability</i> , 2015, 120, 114-121.	5.8	21
146	Phase structure evolution during mixing and processing of poly(lactic acid)/polycaprolactone (PLA/PCL) blends. <i>Polymer Bulletin</i> , 2015, 72, 2931-2947.	3.3	20
147	Preparation of finely macroporous SiOC foams with high mechanical properties and with hierarchical porosity via pyrolysis of a siloxane/epoxide composite. <i>Ceramics International</i> , 2015, 41, 8402-8410.	4.8	17
148	Kinetics and mechanism of the biodegradation of PLA/clay nanocomposites during thermophilic phase of composting process. <i>Waste Management</i> , 2015, 42, 31-40.	7.4	81
149	Preparation of silicon oxynitrocarbide (SiONC) and of its ceramic-fibre-composites via hydrosilylation/radical polymerization/pyrolysis. <i>Journal of Non-Crystalline Solids</i> , 2015, 423-424, 9-17.	3.1	2
150	Investigation of beech wood modified by radio-frequency discharge plasma. <i>Vacuum</i> , 2015, 119, 88-94.	3.5	12
151	The orientation-enhancing effect of diphenyl aluminium phosphate nanorods in a liquid-crystalline epoxy matrix ordered by magnetic field. <i>European Polymer Journal</i> , 2015, 72, 238-255.	5.4	22
152	Silica-modified monodisperse hexagonal lanthanide nanocrystals: synthesis and biological properties. <i>Nanoscale</i> , 2015, 7, 18096-18104.	5.6	34
153	Macroporous Biodegradable Cryogels of Synthetic Poly(α -amino acids). <i>Biomacromolecules</i> , 2015, 16, 3455-3465.	5.4	26
154	Influence of ethylene- α -propylene- α -diene terpolymer addition on processing parameters, phase structure and thermal behaviour of polypropylene/low-density polyethylene blends. <i>Journal of Elastomers and Plastics</i> , 2015, 47, 502-514.	1.5	2
155	Foaming of polysiloxane resins with ethanol: A new route to pyrolytic macrocellular SiOC foams. <i>Ceramics International</i> , 2015, 41, 13561-13571.	4.8	10
156	Synergistic effects in mechanical properties of PLA/PCL blends with optimized composition, processing, and morphology. <i>RSC Advances</i> , 2015, 5, 98971-98982.	3.6	128
157	Support for the initial attachment, growth and differentiation of MG-63 cells: a comparison between nano-size hydroxyapatite and micro-size hydroxyapatite in composites. <i>International Journal of Nanomedicine</i> , 2014, 9, 3687.	6.7	27
158	Super-porous nanocomposite PNIPAm hydrogels reinforced with titania nanoparticles, displaying a very fast temperature response as well as pH-sensitivity. <i>European Polymer Journal</i> , 2014, 59, 341-352.	5.4	41
159	Synthesis of Photoactuating Acrylic Thermoplastic Elastomers Containing Diblock Copolymer-Grafted Carbon Nanotubes. <i>ACS Macro Letters</i> , 2014, 3, 999-1003.	4.8	37
160	Comparison of Regeneration Efficiency of Strong Base Anion Exchangers Fouled by Iron and Humic Acids. <i>Separation Science and Technology</i> , 2014, 49, 2352-2357.	2.5	4
161	<i>In Situ</i> WetSTEM Observation of Gold Nanorod Self-Assembly Dynamics in a Drying Colloidal Droplet. <i>Microscopy and Microanalysis</i> , 2014, 20, 385-393.	0.4	11
162	6. Polymer surface morphology: Characterization by electron microscopies. , 2014, , 169-206.		1

#	ARTICLE	IF	CITATIONS
163	Nanocomposites of polypropylene/titanate nanotubes: morphology, nucleation effects of nanoparticles and properties. <i>Polymer Bulletin</i> , 2014, 71, 795-818.	3.3	20
164	Simultaneous detection of multiple targets for ultrastructural immunocytochemistry. <i>Histochemistry and Cell Biology</i> , 2014, 141, 229-239.	1.7	14
165	Heterogeneity of accelerated photooxidation in commodity polymers stabilized by HAS: ESRI, IR, and MH study. <i>Polymer Degradation and Stability</i> , 2014, 103, 11-25.	5.8	24
166	Viscoelastic and photo-actuation studies of composites based on polystyrene-grafted carbon nanotubes and styrene-b-isoprene-b-styrene block copolymer. <i>Polymer</i> , 2014, 55, 211-218.	3.8	42
167	Macroporous 2-hydroxyethyl methacrylate hydrogels of dual porosity for cell cultivation: morphology, swelling, permeability, and mechanical behavior. <i>Journal of Polymer Research</i> , 2014, 21, 1.	2.4	24
168	Poly(N-isopropyl acrylamide)-block-poly(n-butyl acrylate) thermoresponsive amphiphilic copolymers: Synthesis, characterization and self-assembly behavior in aqueous solutions. <i>European Polymer Journal</i> , 2014, 61, 124-132.	5.4	29
169	Thermoplastic polybutadiene-based polyurethane/carbon nanofiber composites. <i>Composites Part B: Engineering</i> , 2014, 67, 434-440.	12.0	22
170	Tin-based "super-POSS" building blocks in epoxy nanocomposites with highly improved oxidation resistance. <i>Polymer</i> , 2014, 55, 3498-3515.	3.8	14
171	Quantification of structural changes of UHMWPE components in total joint replacements. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 109.	1.9	15
172	Dynamic Mechanical and Dielectric Properties of Ethylene Vinyl Acetate/Carbon Nanotube Composites. <i>Journal of Macromolecular Science - Physics</i> , 2014, 53, 496-512.	1.0	13
173	Structure of polymeric nanoparticles in surfactant-stabilized aqueous dispersions of high-molar-mass hydrophobic graft copolymers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 456, 10-17.	4.7	3
174	Self-assembly of POSS-containing block copolymers: Fixing the hierarchical structure in networks. <i>Polymer</i> , 2014, 55, 126-136.	3.8	22
175	Effect of network mesh size on the thermo-mechanical properties of epoxy nanocomposites with the heavier homologue of POSS, the inorganic butylstannoxane cages. <i>European Polymer Journal</i> , 2014, 57, 169-181.	5.4	9
176	Comparison of one-step and sequentially irradiated ultrahigh-molecular-weight polyethylene for total joint replacements. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2013, 101B, 414-422.	3.4	9
177	Properties of organo-clay/natural rubber nanocomposites: Effects of organophilic modifiers. <i>Journal of Applied Polymer Science</i> , 2013, 127, 3447-3455.	2.6	18
178	Biopolymer-based degradable nanofibres from renewable resources produced by freeze-drying. <i>RSC Advances</i> , 2013, 3, 15282.	3.6	15
179	Adhesive properties of polyester treated by cold plasma in oxygen and nitrogen atmospheres. <i>Surface and Coatings Technology</i> , 2013, 235, 407-416.	4.8	22
180	Polymer/clay nanocomposites and their gas barrier properties. <i>Polymer Composites</i> , 2013, 34, 1418-1424.	4.6	57

#	ARTICLE	IF	CITATIONS
181	Rheology and porosity control of poly(2-hydroxyethyl methacrylate) hydrogels. <i>Polymer</i> , 2013, 54, 661-672.	3.8	25
182	Morphology evolution during cooling of quiescent immiscible polymer blends: matrix crystallization effect on the dispersed phase coalescence. <i>Polymer Bulletin</i> , 2013, 70, 263-275.	3.3	6
183	Surface modification of polyethylene by diffuse barrier discharge plasma. <i>Polymer Engineering and Science</i> , 2013, 53, 516-523.	3.1	19
184	Polyelectrolyte-Surfactant Complexes of Poly[3,5-bis(dimethylaminomethyl)-4-hydroxystyrene]-block-poly(ethylene oxide) and Sodium Dodecyl Sulfate: Anomalous Self-Assembly Behavior. <i>Langmuir</i> , 2013, 29, 5443-5449.	3.5	15
185	Polystyrene Nanofiber Materials Modified with an Externally Bound Porphyrin Photosensitizer. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 3776-3783.	8.0	64
186	The characterization of PEEK, PET and PI implanted with Co ions to high fluences. <i>Applied Surface Science</i> , 2013, 275, 311-315.	6.1	18
187	Is it possible to measure diameters of metal nanoparticles using BSE imaging in FESEM?. <i>Micron</i> , 2013, 44, 159-166.	2.2	5
188	Fire retardation of polystyrene/clay nanocomposites. <i>Journal of Thermoplastic Composite Materials</i> , 2013, 26, 1278-1286.	4.2	8
189	Composítos de Poliestireno e Argila Aniônica Funcionalizada com Cinamato com Propriedade de Absorção de UV. <i>Polimeros</i> , 2013, 23, 778-783.	0.7	0
190	Photo-actuating materials based on elastomers and modified carbon nanotubes. <i>Journal of Nanophotonics</i> , 2012, 6, 063522.	1.0	30
191	HDPE/COC blends with fibrous morphology and their properties. <i>European Polymer Journal</i> , 2012, 48, 2031-2039.	5.4	18
192	Fast temperature-responsive nanocomposite PNIPAM hydrogels with controlled pore wall thickness: Force and rate of T-response. <i>European Polymer Journal</i> , 2012, 48, 1997-2007.	5.4	42
193	Association of Poly(4-hydroxystyrene)-block-Poly(Ethylene oxide) in Aqueous Solutions: Block Copolymer Nanoparticles with Intermixed Blocks. <i>Langmuir</i> , 2012, 28, 307-313.	3.5	23
194	Preparation of Novel, Nanocomposite Stannoxane-Based Organic-Inorganic Epoxy Polymers containing Ionic bonds. <i>Macromolecules</i> , 2012, 45, 221-237.	4.8	23
195	A new route for chitosan immobilization onto polyethylene surface. <i>Carbohydrate Polymers</i> , 2012, 90, 1501-1508.	10.2	47
196	Preparation of stable Pd nanocubes and their use in biological labeling. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 100, 205-208.	5.0	6
197	Activation of cellulose by 1,4-dioxane for dissolution in N,N-dimethylacetamide/LiCl. <i>Cellulose</i> , 2012, 19, 1893-1906.	4.9	17
198	Optimization of sol-gel/pyrolysis routes to silicon oxycarbide glasses. <i>Journal of Non-Crystalline Solids</i> , 2012, 358, 2771-2782.	3.1	24

#	ARTICLE	IF	CITATIONS
199	Properties of rubber filled with montmorillonite with various surface modifications. <i>Polymers for Advanced Technologies</i> , 2012, 23, 1414-1421.	3.2	7
200	Nucleated crystallization of isotactic polypropylene in multilayered sandwich nanocomposites with gold particles. <i>Journal of Applied Polymer Science</i> , 2012, 125, 4338-4346.	2.6	3
201	Simple colorimetric methods for determination of sub-milligram amounts of ultra-high molecular weight polyethylene wear particles. <i>Acta Biomaterialia</i> , 2012, 8, 1935-1938.	8.3	0
202	Properties of polyimide, polyetheretherketone and polyethyleneterephthalate implanted by Ni ions to high fluences. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2012, 272, 396-399.	1.4	26
203	Ternary PC/ABS/PMMA blends – morphology and mechanical properties under quasi-static loading conditions. <i>Polimery</i> , 2012, 57, 87-94.	0.7	6
204	Polyelectrolyte–Surfactant Complexes Formed by Poly[3,5-bis(trimethylammoniummethyl)4-hydroxystyrene iodide]- <i>block</i> -poly(ethylene oxide) and Sodium Dodecyl Sulfate in Aqueous Solutions. <i>Langmuir</i> , 2011, 27, 5275-5281.	3.5	35
205	The multifunctional role of ionic liquids in the formation of epoxy-silica nanocomposites. <i>Journal of Materials Chemistry</i> , 2011, 21, 13801.	6.7	44
206	Preparation of stable Pd nanoparticles with tunable size for multiple immunolabeling in biomedicine. <i>Materials Letters</i> , 2011, 65, 1197-1200.	2.6	15
207	The effect of anisometry of dispersed droplets on their coalescence during annealing of polymer blends. <i>Colloid and Polymer Science</i> , 2011, 289, 1895-1903.	2.1	5
208	The role of organic modification of layered nanosilicates on mechanical and surface properties of organic–inorganic coatings. <i>Journal of Coatings Technology Research</i> , 2011, 8, 311-328.	2.5	14
209	Cellulose–based graft copolymers with controlled architecture prepared in a homogeneous phase. <i>Journal of Polymer Science Part A</i> , 2011, 49, 4353-4367.	2.3	25
210	Cycloolefin copolymer/fumed silica nanocomposites. <i>Journal of Applied Polymer Science</i> , 2011, 119, 3393-3402.	2.6	29
211	Processing-improved properties and morphology of PP/COC blends. <i>Journal of Applied Polymer Science</i> , 2011, 122, 1168-1175.	2.6	11
212	Novel polycarbonate-based polyurethane elastomers: Composition–property relationship. <i>European Polymer Journal</i> , 2011, 47, 959-972.	5.4	134
213	Imaging of block copolymer vesicles in solvated state by wet scanning transmission electron microscopy. <i>European Polymer Journal</i> , 2011, 47, 1273-1278.	5.4	8
214	Electrical and thermomechanical properties of epoxy-POSS nanocomposites. <i>European Polymer Journal</i> , 2011, 47, 861-872.	5.4	57
215	Coalescence during annealing of quiescent immiscible polymer blends. <i>E-Polymers</i> , 2011, 11, .	3.0	7
216	Application of Colloidal Palladium Nanoparticles for Labeling in Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2011, 17, 810-816.	0.4	6

#	ARTICLE	IF	CITATIONS
217	Linear low density polyethylene/cycloolefin copolymer blends. EXPRESS Polymer Letters, 2011, 5, 23-37.	2.1	41
218	The influence of nanoadditives on surface, permeability and mechanical properties of self-organized organic-inorganic nanocomposite coatings. Journal of Coatings Technology Research, 2010, 7, 219-228.	2.5	8
219	Preparation of gram quantities of high-quality titanate nanotubes and their composites with polyamide 6. Materials Chemistry and Physics, 2010, 124, 652-657.	4.0	23
220	The relationship of polyethylene wear to particle size, distribution, and number: A possible factor explaining the risk of osteolysis after hip arthroplasty. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2010, 94B, 171-177.	3.4	36
221	Morphology of undeformed and deformed polyethylene lamellar crystals. Polymer, 2010, 51, 5780-5787.	3.8	37
222	Distribution of polyethylene wear particles and bone fragments in periprosthetic tissue around total hip joint replacements. Acta Biomaterialia, 2010, 6, 3595-3600.	8.3	19
223	Nucleation of isotactic polypropylene crystallization by gold nanoparticles. Journal of Polymer Science, Part B: Polymer Physics, 2010, 48, 469-478.	2.1	16
224	Nucleation of Polypropylene with Gold Nanoparticles. Part 1: Introduction of Sandwich Method for Evaluation of Very Weak Nucleation Activity. Journal of Macromolecular Science - Physics, 2010, 49, 392-404.	1.0	4
225	macroporous hydrogels based on 2-hydroxyethyl methacrylate. Part 7: Methods of preparation and comparison of resulting physical properties. E-Polymers, 2010, 10, .	3.0	4
226	The Effect of processing on the PVC-Clay Nanocomposites Structure. , 2010, , .		2
227	Porphyrim-layered double hydroxide/polymer composites as novel ecological photoactive surfaces. Journal of Materials Chemistry, 2010, 20, 9423.	6.7	46
228	Self-Assembly of Poly(4-methylstyrene)- <i>g</i> -poly(methacrylic acid) Graft Copolymer in Selective Solvents for Grafts: Scattering and Molecular Dynamics Simulation Study. Langmuir, 2010, 26, 9289-9296.	3.5	12
229	Structural and Surface Properties of Novel Polyurethane Films. Materials and Manufacturing Processes, 2009, 24, 1185-1189.	4.7	24
230	Structure and Pervaporation Properties of Poly(phenylene- <i>iso</i> -phthalamide) Membranes Modified by Fullerene C ₆₀ . Macromolecular Materials and Engineering, 2009, 294, 432-440.	3.6	34
231	Polymer-clay nanocomposites prepared via in situ emulsion polymerization. Polymer Bulletin, 2009, 63, 365-384.	3.3	42
232	Modification of carbon nanotubes and its effect on properties of carbon nanotube/epoxy nanocomposites. Polymer Composites, 2009, 30, 1378-1387.	4.6	67
233	Magnetic poly(glycidyl methacrylate) particles prepared in the presence of surface-modified Fe ₂ O ₃ . Journal of Polymer Science Part A, 2009, 47, 4982-4994.	2.3	11
234	Nanometer size wear debris generated from ultra high molecular weight polyethylene in vivo. Wear, 2009, 266, 349-355.	3.1	41

#	ARTICLE	IF	CITATIONS
235	Surface-enhanced Raman scattering from a single molecularly bridged silver nanoparticle aggregate. <i>Journal of Molecular Structure</i> , 2009, 924-926, 567-570.	3.6	28
236	Dilute solutions and phase behavior of polydisperse A-b-(A-co-B) diblock copolymers. <i>Polymer</i> , 2009, 50, 2451-2459.	3.8	20
237	Polyamide Membranes Modified by Carbon Nanotubes: Application for Pervaporation. <i>Separation Science and Technology</i> , 2009, 45, 35-41.	2.5	33
238	Impact of Dose-Rate on Rheology, Structure and Wear of Irradiated UHMWPE. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 587-603.	1.0	20
239	Phase structure and tensile creep of recycled poly(ethylene terephthalate)/short glass fibers/impact modifier ternary composites. <i>EXPRESS Polymer Letters</i> , 2009, 3, 235-244.	2.1	15
240	Poly(HEMA) hydrogels with controlled pore architecture for tissue regeneration applications. <i>Journal of Materials Science: Materials in Medicine</i> , 2008, 19, 615-621.	3.6	34
241	Recycled poly(ethylene terephthalate) reinforced with basalt fibres: Rheology, structure, and utility properties. <i>Polymer Composites</i> , 2008, 29, 437-442.	4.6	28
242	Effect of glass fibers on rheology, thermal and mechanical properties of recycled PET. <i>Polymer Composites</i> , 2008, 29, 915-921.	4.6	30
243	Structural changes of UHMWPE after e-beam irradiation and thermal treatment. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008, 85B, 240-251.	3.4	68
244	Effect of the molecular structure of ethene-propene and styrene-butadiene copolymers on their compatibilization efficiency in low-density polyethylene/polystyrene blends. <i>Journal of Applied Polymer Science</i> , 2008, 107, 174-186.	2.6	10
245	Increasing recyclability of PC, ABS and PMMA: Morphology and fracture behavior of binary and ternary blends. <i>Journal of Applied Polymer Science</i> , 2008, 109, 3210-3223.	2.6	24
246	Deformation and fracture behavior of polyamide nanocomposites: The effect of clay dispersion. <i>Journal of Applied Polymer Science</i> , 2008, 110, 3752-3757.	2.6	10
247	Superporous poly(2-hydroxyethyl methacrylate) based scaffolds: Preparation and characterization. <i>Polymer</i> , 2008, 49, 2046-2054.	3.8	64
248	Single-molecule surface-enhanced Raman spectroscopy from a molecularly-bridged silver nanoparticle dimer. <i>Chemical Physics Letters</i> , 2008, 455, 131-134.	2.6	58
249	Quantification of UHMWPE wear in periprosthetic tissues of hip arthroplasty: Description of a new method based on IR and comparison with radiographic appearance. <i>Wear</i> , 2008, 265, 674-684.	3.1	24
250	Can centrifugation affect the morphology of polyethylene wear debris?. <i>Wear</i> , 2008, 265, 1914-1917.	3.1	15
251	A view from inside onto the surface of self-assembled nanocomposite coatings. <i>Progress in Organic Coatings</i> , 2008, 61, 145-155.	3.9	28
252	New and Simple Staining Method for Visualizing UHMWPE Lamellar Structure in TEM. <i>Journal of Macromolecular Science - Physics</i> , 2008, 47, 1148-1160.	1.0	6

#	ARTICLE	IF	CITATIONS
253	Gold Micrometer Crystals Modified with Carboranethiol Derivatives. <i>Journal of Physical Chemistry C</i> , 2008, 112, 14446-14455.	3.1	48
254	Self-Assembly of Gold Nanoparticles as Colloidal Crystals Induced by Polymerization of Amphiphilic Monomers. <i>Macromolecules</i> , 2008, 41, 4895-4903.	4.8	36
255	Nanocomposites With Strong Optical Resonances: Silver Nanoparticles-Organic Molecules Systems. , 2008, , .		0
256	Morphology and Properties of SEBS Block Copolymer Compatibilized PS/HDPE Blends. <i>Journal of Elastomers and Plastics</i> , 2008, 40, 237-251.	1.5	26
257	Crystalline Character and Microhardness of Gamma-irradiated and Thermally Treated UHMWPE. <i>Journal of Macromolecular Science - Physics</i> , 2007, 46, 521-531.	1.0	33
258	Effect of citrate ions on laser ablation of Ag foil in aqueous medium. <i>Journal of Physics: Conference Series</i> , 2007, 59, 202-205.	0.4	3
259	Combined effect of specific nucleation and rubber dispersion on morphology and mechanical behavior of isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2007, 103, 3539-3546.	2.6	19
260	Thermoresponsive Self-Assembly of Short Elastin-Like Polypentapeptides and Their Poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4	4.1	40
261	RBS, XPS, and TEM study of metal and polymer interface modified by plasma treatment. <i>Vacuum</i> , 2007, 82, 307-310.	3.5	26
262	Isolation, characterization and quantification of polyethylene wear debris from periprosthetic tissues around total joint replacements. <i>Wear</i> , 2007, 262, 1171-1181.	3.1	31
263	Surface patterns of block copolymers in thin layers after vapor treatment. <i>European Polymer Journal</i> , 2007, 43, 1144-1153.	5.4	9
264	Single molecule SERS: Perspectives of analytical applications. <i>Journal of Molecular Structure</i> , 2007, 834-836, 42-47.	3.6	38
265	Formation of nanostructured epoxy networks containing polyhedral oligomeric silsesquioxane (POSS) blocks. <i>Polymer</i> , 2007, 48, 3041-3058.	3.8	94
266	Rubber-toughened polypropylene/acrylonitrile-co-butadiene-co-styrene blends: Morphology and mechanical properties. <i>Polymer Engineering and Science</i> , 2007, 47, 582-592.	3.1	31
267	Super porous organic-inorganic poly(N-isopropylacrylamide)-based hydrogel with a very fast temperature response. <i>Polymer</i> , 2007, 48, 1471-1482.	3.8	84
268	Interaction of high-power laser pulses with monodisperse gold particles. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007, 140, 138-146.	3.5	5
269	Probing strong optical fields in compact aggregates of silver nanoparticles by SERRS of protoporphyrin IX. <i>Faraday Discussions</i> , 2006, 132, 121-134.	3.2	20
270	Effect of aN,N-disubstituted phenylenediamine stabilizer and SB/EPDM compatibilizer on toughness and morphology of blends of pre-aged polyethylene with high-impact polystyrene. <i>Journal of Vinyl and Additive Technology</i> , 2006, 12, 58-65.	3.4	4

#	ARTICLE	IF	CITATIONS
271	Thermosensitive PNIPA-Based Organic-Inorganic Hydrogels. <i>Polymer Journal</i> , 2006, 38, 527-541.	2.7	30
272	Interfacial activity of styrene-butadiene block copolymers in low-density polyethylene/polystyrene blends. <i>Composite Interfaces</i> , 2006, 13, 783-799.	2.3	9
273	Structure and mechanical properties of poly(l-lactide)/layered silicate nanocomposites. <i>European Polymer Journal</i> , 2006, 42, 888-899.	5.4	24
274	Macroporous hydrogels based on 2-hydroxyethyl methacrylate. Part 5: Hydrolytically degradable materials. <i>Journal of Materials Science: Materials in Medicine</i> , 2006, 17, 1357-1364.	3.6	26
275	Compatibilized iPP/aPS blends: The effect of the viscosity ratio of the components on the blends morphology. <i>Journal of Applied Polymer Science</i> , 2006, 101, 2236-2249.	2.6	17
276	The effect of the architecture and concentration of styrene-butadiene compatibilizers on the morphology of polystyrene/low-density polyethylene blends. <i>Journal of Applied Polymer Science</i> , 2006, 100, 2803-2816.	2.6	26
277	Submicrometer characterization of surfaces of epoxy-based organic-inorganic nanocomposite coatings. A comparison of AFM study with currently used testing techniques. <i>Journal of Applied Polymer Science</i> , 2006, 102, 5763-5774.	2.6	18
278	Functional polymer hydrogels for embryonic stem cell support. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2006, 76B, 315-325.	3.4	33
279	Electronic structure and bonding in hydroxocobalamin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2005, 61, 1647-1652.	3.9	18
280	Mechanism of reactive compatibilisation of a blend of recycled LDPE/HIPS using an EPDM/SB/aromatic diamine co-additive system. <i>Polymer Degradation and Stability</i> , 2005, 90, 244-249.	5.8	10
281	Preparation and properties of compatibilized LDPE/organo-modified montmorillonite nanocomposites. <i>European Polymer Journal</i> , 2005, 41, 1115-1122.	5.4	238
282	Heterogeneous polyamide 66/syndiotactic polystyrene blends: Phase structure and thermal and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2005, 96, 673-684.	2.6	16
283	Macroporous hydrogels based on 2-hydroxyethyl methacrylate. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 767-773.	3.6	30
284	Macroporous hydrogels based on 2-hydroxyethyl methacrylate. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 783-786.	3.6	14
285	High-density polyethylene/cycloolefin copolymer blends. Part 1: Phase structure, dynamic mechanical, tensile, and impact properties. <i>Polymer Engineering and Science</i> , 2005, 45, 817-826.	3.1	34
286	Preparation and surface characterisation of novel epoxy-based organic-inorganic nano-composite coatings. <i>Surface Coatings International Part B: Coatings Transactions</i> , 2005, 88, 237-242.	0.3	9
287	Epoxy Networks Reinforced with Polyhedral Oligomeric Silsesquioxanes (POSS). Structure and Morphology. <i>Macromolecules</i> , 2004, 37, 9449-9456.	4.8	198
288	New fast method for determination of number of UHMWPE wear particles. <i>Journal of Materials Science: Materials in Medicine</i> , 2004, 15, 1267-1278.	3.6	19

#	ARTICLE	IF	CITATIONS
289	In-situ study of Ag nanoparticle hydrosol optical spectra evolution during laser ablation/fragmentation. <i>Applied Physics A: Materials Science and Processing</i> , 2004, 79, 1307-1309.	2.3	12
290	Phase morphology of PP/COC blends. <i>Journal of Applied Polymer Science</i> , 2004, 91, 253-259.	2.6	28
291	Poly(2-hydroxyethyl methacrylate)-based slabs as a mouse embryonic stem cell support. <i>Biomaterials</i> , 2004, 25, 5249-5260.	11.4	50
292	Influence of compatibilizer type, polypropylene molecular weight and blending sequence on montmorillonite exfoliation in nanocomposites. <i>Polimery</i> , 2004, 49, 52-55.	0.7	5
293	Poly(2-hydroxyethyl methacrylate-co-ethylene dimethacrylate) as a mouse embryonic stem cells support. <i>Journal of Applied Polymer Science</i> , 2003, 87, 425-432.	2.6	14
294	Characterization and surface-enhanced Raman spectral probing of silver hydrosols prepared by two-wavelength laser ablation and fragmentation. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2003, 59, 2321-2329.	3.9	15
295	Macroporous Hydrogels Based on 2-Hydroxyethyl Methacrylate. Part 1. Copolymers of 2-Hydroxyethyl Methacrylate with Methacrylic Acid. <i>Collection of Czechoslovak Chemical Communications</i> , 2003, 68, 812-822.	1.0	40
296	<title>Preparation of Ag nanoparticles by two-wavelength laser ablation and fragmentation</title>. , 2003, , .		8
297	Charge density study of hydrogen [(2,4-diaminopyrimidin-1-yl)methyl]phosphonate monohydrate. <i>Acta Crystallographica Section B: Structural Science</i> , 2002, 58, 519-529.	1.8	17
298	Determination of net atomic charges in anthraquinone by means of 5-h X-ray diffraction experiment. <i>Journal of Molecular Structure</i> , 2002, 611, 139-146.	3.6	10
299	Preparation and solid-state characterization of nickel(II) complexes with 1 [−] -(diphenylphosphino)ferrocenecarboxylic acid. <i>New Journal of Chemistry</i> , 2001, 25, 1215-1220.	2.8	15
300	(Acridine-N)trichlorogold(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 248-249.	0.4	3
301	3-Carboxypyridinium chloride. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, o61-o62.	0.2	3
302	Bis(2-carboxyanilinium) sulfate monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, e353-e353.	0.4	1
303	Bis(acridine-N)(nitrate-O ₂)silver(I). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 1312-1313.	0.4	7
304	Sterically Crowded Hexaalkyl Benzene-1,2,3,4,5,6-hexakis[1-(alkoxycarbonyl)propanoates]. Synthesis and Conformation Analysis. <i>Collection of Czechoslovak Chemical Communications</i> , 2000, 65, 673-694.	1.0	4
305	Similarities and Differences between Cobalamins and Cobaloximes. Accurate Structural Determination of Methylcobalamin and of LiCl- and KCl-Containing Cyanocobalamins by Synchrotron Radiation. <i>Inorganic Chemistry</i> , 2000, 39, 3403-3413.	4.0	134
306	Infrared microscopy and surface-enhanced Raman scattering of Ag colloid-2,2'-bipyridine film. <i>Journal of Molecular Structure</i> , 1999, 482-483, 213-216.	3.6	13

#	ARTICLE	IF	CITATIONS
307	Solution and Solid State Structure of a Canted, Side-to-Face, Bis(porphyrin) Adduct. <i>Inorganic Chemistry</i> , 1999, 38, 869-875.	4.0	39
308	Porphyrin "Flying-Saucers" Solid State and Solution Structure of a Novel Pentameric Array of Axially-Ligated Canted Porphyrins. <i>Inorganic Chemistry</i> , 1999, 38, 2527-2529.	4.0	42
309	Crystal Chemistry of Cobalamins. Structural Characterization of the Co-S Bond in Cobalamins. <i>Inorganic Chemistry</i> , 1999, 38, 4087-4092.	4.0	42
310	Preparation and X-ray Analysis of Crystals of Azido- and Chlorocobalamin Containing LiCl: A Structural Model for the Interactions of the Corrin Ring with Ionic Species. <i>Inorganic Chemistry</i> , 1998, 37, 5390-5393.	4.0	36
311	Polyhedral oligomeric silsesquioxane (POSS)-based epoxy nanocomposite involving a reversible Diels-Alder-type network as a self-healing material. <i>Journal of Adhesion Science and Technology</i> , 0, , 1-22.	2.6	3