

Gerald I Shulman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7913235/publications.pdf>

Version: 2024-02-01

521
papers

110,792
citations

107

164
h-index

198

315
g-index

534
all docs

534
docs citations

534
times ranked

75593
citing authors

#	ARTICLE	IF	CITATIONS
1	Cellular mechanisms of insulin resistance. Journal of Clinical Investigation, 2000, 106, 171-176.	8.2	2,199
2	Inflammasome-mediated dysbiosis regulates progression of NAFLD and obesity. Nature, 2012, 482, 179-185.	27.8	2,026
3	Impaired Mitochondrial Activity in the Insulin-Resistant Offspring of Patients with Type 2 Diabetes. New England Journal of Medicine, 2004, 350, 664-671.	27.0	1,969
4	Mitochondrial Dysfunction in the Elderly: Possible Role in Insulin Resistance. Science, 2003, 300, 1140-1142.	12.6	1,848
5	Mitochondrial Dysfunction and Type 2 Diabetes. Science, 2005, 307, 384-387.	12.6	1,802
6	Mechanisms for Insulin Resistance: Common Threads and Missing Links. Cell, 2012, 148, 852-871.	28.9	1,681
7	Insulin Resistance and a Diabetes Mellitus-Like Syndrome in Mice Lacking the Protein Kinase Akt2 (PKBbeta). Science, 2001, 292, 1728-1731.	12.6	1,652
8	Disruption of IRS-2 causes type 2 diabetes in mice. Nature, 1998, 391, 900-904.	27.8	1,607
9	Mechanisms of Insulin Action and Insulin Resistance. Physiological Reviews, 2018, 98, 2133-2223.	28.8	1,502
10	Type 2 diabetes mellitus. Nature Reviews Disease Primers, 2015, 1, 15019.	30.5	1,308
11	Mechanism by Which Fatty Acids Inhibit Insulin Activation of Insulin Receptor Substrate-1 (IRS-1)-associated Phosphatidylinositol 3-Kinase Activity in Muscle. Journal of Biological Chemistry, 2002, 277, 50230-50236.	3.4	1,254
12	Mechanism of free fatty acid-induced insulin resistance in humans.. Journal of Clinical Investigation, 1996, 97, 2859-2865.	8.2	1,244
13	Quantitation of Muscle Glycogen Synthesis in Normal Subjects and Subjects with Non-Insulin-Dependent Diabetes by ¹³ C Nuclear Magnetic Resonance Spectroscopy. New England Journal of Medicine, 1990, 322, 223-228.	27.0	1,181
14	Increased Energy Expenditure, Decreased Adiposity, and Tissue-Specific Insulin Sensitivity in Protein-Tyrosine Phosphatase 1B-Deficient Mice. Molecular and Cellular Biology, 2000, 20, 5479-5489.	2.3	1,150
15	Intramyoellular lipid concentrations are correlated with insulin sensitivity in humans: a ¹ H NMR spectroscopy study. Diabetologia, 1999, 42, 113-116.	6.3	1,118
16	Obesity-associated improvements in metabolic profile through expansion of adipose tissue. Journal of Clinical Investigation, 2007, 117, 2621-2637.	8.2	1,104
17	Free fatty acid-induced insulin resistance is associated with activation of protein kinase C theta and alterations in the insulin signaling cascade.. Diabetes, 1999, 48, 1270-1274.	0.6	1,080
18	Loss of Insulin Signaling in Hepatocytes Leads to Severe Insulin Resistance and Progressive Hepatic Dysfunction. Molecular Cell, 2000, 6, 87-97.	9.7	1,077

#	ARTICLE	IF	CITATIONS
19	Defects in Adaptive Energy Metabolism with CNS-Linked Hyperactivity in PGC-1 β Null Mice. <i>Cell</i> , 2004, 119, 121-135.	28.9	1,074
20	Mechanism of Hepatic Insulin Resistance in Non-alcoholic Fatty Liver Disease. <i>Journal of Biological Chemistry</i> , 2004, 279, 32345-32353.	3.4	1,069
21	Effects of free fatty acids on glucose transport and IRS-1-associated phosphatidylinositol 3-kinase activity. <i>Journal of Clinical Investigation</i> , 1999, 103, 253-259.	8.2	1,063
22	Adipose-selective targeting of the GLUT4 gene impairs insulin action in muscle and liver. <i>Nature</i> , 2001, 409, 729-733.	27.8	1,058
23	Acetate mediates a microbiome-brain β -cell axis to promote metabolic syndrome. <i>Nature</i> , 2016, 534, 213-217.	27.8	990
24	Metformin suppresses gluconeogenesis by inhibiting mitochondrial glycerophosphate dehydrogenase. <i>Nature</i> , 2014, 510, 542-546.	27.8	989
25	Lipid-induced insulin resistance: unravelling the mechanism. <i>Lancet</i> , The, 2010, 375, 2267-2277.	13.7	944
26	The pathogenesis of insulin resistance: integrating signaling pathways and substrate flux. <i>Journal of Clinical Investigation</i> , 2016, 126, 12-22.	8.2	924
27	Mechanism by which metformin reduces glucose production in type 2 diabetes. <i>Diabetes</i> , 2000, 49, 2063-2069.	0.6	910
28	The role of hepatic lipids in hepatic insulin resistance and type 2 diabetes. <i>Nature</i> , 2014, 510, 84-91.	27.8	898
29	AMP kinase is required for mitochondrial biogenesis in skeletal muscle in response to chronic energy deprivation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 15983-15987.	7.1	895
30	Disordered Lipid Metabolism and the Pathogenesis of Insulin Resistance. <i>Physiological Reviews</i> , 2007, 87, 507-520.	28.8	873
31	Uncoupling Protein-2 Negatively Regulates Insulin Secretion and Is a Major Link between Obesity, β Cell Dysfunction, and Type 2 Diabetes. <i>Cell</i> , 2001, 105, 745-755.	28.9	867
32	Ectopic Fat in Insulin Resistance, Dyslipidemia, and Cardiometabolic Disease. <i>New England Journal of Medicine</i> , 2014, 371, 1131-1141.	27.0	803
33	Regulation of mitochondrial biogenesis. <i>Essays in Biochemistry</i> , 2010, 47, 69-84.	4.7	789
34	Reversal of Nonalcoholic Hepatic Steatosis, Hepatic Insulin Resistance, and Hyperglycemia by Moderate Weight Reduction in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2005, 54, 603-608.	0.6	769
35	Mechanisms and disease consequences of nonalcoholic fatty liver disease. <i>Cell</i> , 2021, 184, 2537-2564.	28.9	757
36	Efficacy and Metabolic Effects of Metformin and Troglitazone in Type II Diabetes Mellitus. <i>New England Journal of Medicine</i> , 1998, 338, 867-873.	27.0	737

#	ARTICLE	IF	CITATIONS
37	Molecular Mechanisms of Insulin Resistance in Humans and Their Potential Links With Mitochondrial Dysfunction. <i>Diabetes</i> , 2006, 55, S9-S15.	0.6	730
38	Correction of hyperglycemia with phlorizin normalizes tissue sensitivity to insulin in diabetic rats.. <i>Journal of Clinical Investigation</i> , 1987, 79, 1510-1515.	8.2	722
39	Ablation of PRDM16 and Beige Adipose Causes Metabolic Dysfunction and a Subcutaneous to Visceral Fat Switch. <i>Cell</i> , 2014, 156, 304-316.	28.9	719
40	Regulation of hepatic glucose metabolism in health and disease. <i>Nature Reviews Endocrinology</i> , 2017, 13, 572-587.	9.6	718
41	Reduced mitochondrial density and increased IRS-1 serine phosphorylation in muscle of insulin-resistant offspring of type 2 diabetic parents. <i>Journal of Clinical Investigation</i> , 2005, 115, 3587-3593.	8.2	689
42	A guide to analysis of mouse energy metabolism. <i>Nature Methods</i> , 2012, 9, 57-63.	19.0	655
43	Etiology of Insulin Resistance. <i>American Journal of Medicine</i> , 2006, 119, S10-S16.	1.5	646
44	Increased rate of gluconeogenesis in type II diabetes mellitus. A ¹³ C nuclear magnetic resonance study.. <i>Journal of Clinical Investigation</i> , 1992, 90, 1323-1327.	8.2	636
45	UCP2 mediates ghrelin's action on NPY/AgRP neurons by lowering free radicals. <i>Nature</i> , 2008, 454, 846-851.	27.8	633
46	Tissue-specific overexpression of lipoprotein lipase causes tissue-specific insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 7522-7527.	7.1	628
47	The integrative biology of type 2 diabetes. <i>Nature</i> , 2019, 576, 51-60.	27.8	621
48	Standard operating procedures for describing and performing metabolic tests of glucose homeostasis in mice. <i>DMM Disease Models and Mechanisms</i> , 2010, 3, 525-534.	2.4	606
49	The Effects of Rosiglitazone on Insulin Sensitivity, Lipolysis, and Hepatic and Skeletal Muscle Triglyceride Content in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2002, 51, 797-802.	0.6	602
50	The role of skeletal muscle insulin resistance in the pathogenesis of the metabolic syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12587-12594.	7.1	599
51	Prevention of fat-induced insulin resistance by salicylate. <i>Journal of Clinical Investigation</i> , 2001, 108, 437-446.	8.2	597
52	Increased Glucose Transport—Phosphorylation and Muscle Glycogen Synthesis after Exercise Training in Insulin-Resistant Subjects. <i>New England Journal of Medicine</i> , 1996, 335, 1357-1362.	27.0	585
53	Nonalcoholic fatty liver disease, hepatic insulin resistance, and type 2 Diabetes. <i>Hepatology</i> , 2014, 59, 713-723.	7.3	567
54	Impaired Glucose Transport as a Cause of Decreased Insulin-Stimulated Muscle Glycogen Synthesis in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 1999, 341, 240-246.	27.0	562

#	ARTICLE	IF	CITATIONS
55	Surgical implantation of adipose tissue reverses diabetes in lipoatrophic mice. Journal of Clinical Investigation, 2000, 105, 271-278.	8.2	554
56	Leptin reverses insulin resistance and hepatic steatosis in patients with severe lipodystrophy. Journal of Clinical Investigation, 2002, 109, 1345-1350.	8.2	552
57	Hepatic Acetyl CoA Links Adipose Tissue Inflammation to Hepatic Insulin Resistance and Type 2 Diabetes. Cell, 2015, 160, 745-758.	28.9	547
58	Insulin/IGF-1 and TNF- α stimulate phosphorylation of IRS-1 at inhibitory Ser307 via distinct pathways. Journal of Clinical Investigation, 2001, 107, 181-189.	8.2	508
59	FGF19 as a Postprandial, Insulin-Independent Activator of Hepatic Protein and Glycogen Synthesis. Science, 2011, 331, 1621-1624.	12.6	504
60	Quantitation of hepatic glycogenolysis and gluconeogenesis in fasting humans with ^{13}C NMR. Science, 1991, 254, 573-576.	12.6	497
61	Nonalcoholic Fatty Liver Disease as a Nexus of Metabolic and Hepatic Diseases. Cell Metabolism, 2018, 27, 22-41.	16.2	496
62	Antidiabetic actions of a non-agonist PPAR α ligand blocking Cdk5-mediated phosphorylation. Nature, 2011, 477, 477-481.	27.8	484
63	Mechanism by which high-dose aspirin improves glucose metabolism in type 2 diabetes. Journal of Clinical Investigation, 2002, 109, 1321-1326.	8.2	480
64	Cellular mechanism of insulin resistance in nonalcoholic fatty liver disease. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 16381-16385.	7.1	475
65	Aging-Associated Reductions in AMP-Activated Protein Kinase Activity and Mitochondrial Biogenesis. Cell Metabolism, 2007, 5, 151-156.	16.2	458
66	Chronic activation of AMP kinase results in NRF-1 activation and mitochondrial biogenesis. American Journal of Physiology - Endocrinology and Metabolism, 2001, 281, E1340-E1346.	3.5	449
67	Prediabetes in obese youth: a syndrome of impaired glucose tolerance, severe insulin resistance, and altered myocellular and abdominal fat partitioning. Lancet, The, 2003, 362, 951-957.	13.7	441
68	Assessment of Skeletal Muscle Triglyceride Content by ^1H Nuclear Magnetic Resonance Spectroscopy in Lean and Obese Adolescents. Diabetes, 2002, 51, 1022-1027.	0.6	440
69	Desnutrin/ATGL Is Regulated by AMPK and Is Required for a Brown Adipose Phenotype. Cell Metabolism, 2011, 13, 739-748.	16.2	440
70	Determination of the rate of the glutamate/glutamine cycle in the human brain by ^{13}C NMR. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 8235-8240.	7.1	432
71	Inhibition of protein kinase C μ prevents hepatic insulin resistance in nonalcoholic fatty liver disease. Journal of Clinical Investigation, 2007, 117, 739-745.	8.2	427
72	Hepatic expression of malonyl-CoA decarboxylase reverses muscle, liver and whole-animal insulin resistance. Nature Medicine, 2004, 10, 268-274.	30.7	414

#	ARTICLE	IF	CITATIONS
73	Impaired Mitochondrial Substrate Oxidation in Muscle of Insulin-Resistant Offspring of Type 2 Diabetic Patients. <i>Diabetes</i> , 2007, 56, 1376-1381.	0.6	391
74	Diacylglycerol-mediated insulin resistance. <i>Nature Medicine</i> , 2010, 16, 400-402.	30.7	385
75	Apolipoprotein C3 Gene Variants in Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , 2010, 362, 1082-1089.	27.0	384
76	Mechanism of Insulin Resistance in A-ZIP/F-1 Fatless Mice. <i>Journal of Biological Chemistry</i> , 2000, 275, 8456-8460.	3.4	379
77	Reversal of diet-induced hepatic steatosis and hepatic insulin resistance by antisense oligonucleotide inhibitors of acetyl-CoA carboxylases 1 and 2. <i>Journal of Clinical Investigation</i> , 2006, 116, 817-824.	8.2	377
78	Translocation of myocardial GLUT-4 and increased glucose uptake through activation of AMPK by AICAR. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 277, H643-H649.	3.2	374
79	Anorectic estrogen mimics leptin's effect on the rewiring of melanocortin cells and Stat3 signaling in obese animals. <i>Nature Medicine</i> , 2007, 13, 89-94.	30.7	373
80	Leptin reverses insulin resistance and hepatic steatosis in patients with severe lipodystrophy. <i>Journal of Clinical Investigation</i> , 2002, 109, 1345-1350.	8.2	373
81	PKC- δ knockout mice are protected from fat-induced insulin resistance. <i>Journal of Clinical Investigation</i> , 2004, 114, 823-827.	8.2	371
82	Synaptic Glutamate Release by Ventromedial Hypothalamic Neurons Is Part of the Neurocircuitry that Prevents Hypoglycemia. <i>Cell Metabolism</i> , 2007, 5, 383-393.	16.2	358
83	Increased prevalence of insulin resistance and nonalcoholic fatty liver disease in Asian-Indian men. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18273-18277.	7.1	354
84	Astroglial Contribution to Brain Energy Metabolism in Humans Revealed by ^{13}C Nuclear Magnetic Resonance Spectroscopy: Elucidation of the Dominant Pathway for Neurotransmitter Glutamate Repletion and Measurement of Astrocytic Oxidative Metabolism. <i>Journal of Neuroscience</i> , 2002, 22, 1523-1531.	3.6	351
85	Disruption of neural signal transducer and activator of transcription 3 causes obesity, diabetes, infertility, and thermal dysregulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 4661-4666.	7.1	341
86	Local ventromedial hypothalamus glucose perfusion blocks counterregulation during systemic hypoglycemia in awake rats.. <i>Journal of Clinical Investigation</i> , 1997, 99, 361-365.	8.2	335
87	A Cluster of Metabolic Defects Caused by Mutation in a Mitochondrial tRNA. <i>Science</i> , 2004, 306, 1190-1194.	12.6	328
88	Role of diacylglycerol activation of PKC δ in lipid-induced muscle insulin resistance in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9597-9602.	7.1	326
89	Functional inactivation of the IGF-I and insulin receptors in skeletal muscle causes type 2 diabetes. <i>Genes and Development</i> , 2001, 15, 1926-1934.	5.9	323
90	Suppression of Diacylglycerol Acyltransferase-2 (DGAT2), but Not DGAT1, with Antisense Oligonucleotides Reverses Diet-induced Hepatic Steatosis and Insulin Resistance. <i>Journal of Biological Chemistry</i> , 2007, 282, 22678-22688.	3.4	319

#	ARTICLE	IF	CITATIONS
91	Effect of chronic hyperglycemia on in vivo insulin secretion in partially pancreatectomized rats.. Journal of Clinical Investigation, 1987, 80, 1037-1044.	8.2	312
92	The role of AMP-activated protein kinase in mitochondrial biogenesis. Journal of Physiology, 2006, 574, 33-39.	2.9	310
93	Decreased muscle glucose transport/phosphorylation is an early defect in the pathogenesis of non-insulin-dependent diabetes mellitus.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 983-987.	7.1	305
94	Mechanism by which high-dose aspirin improves glucose metabolism in type 2 diabetes. Journal of Clinical Investigation, 2002, 109, 1321-1326.	8.2	304
95	Abnormal glucose homeostasis in skeletal muscle- specific PGC-1 α knockout mice reveals skeletal muscle-pancreatic β cell crosstalk. Journal of Clinical Investigation, 2007, 117, 3463-3474.	8.2	302
96	STAT3 inhibition of gluconeogenesis is downregulated by SirT1. Nature Cell Biology, 2009, 11, 492-500.	10.3	301
97	Pathogenesis of skeletal muscle insulin resistance in type 2 diabetes mellitus. American Journal of Cardiology, 2002, 90, 11-18.	1.6	297
98	³¹ P nuclear magnetic resonance measurements of muscle glucose-6-phosphate. Evidence for reduced insulin-dependent muscle glucose transport or phosphorylation activity in non-insulin-dependent diabetes mellitus.. Journal of Clinical Investigation, 1992, 89, 1069-1075.	8.2	289
99	Dual role of proapoptotic BAD in insulin secretion and beta cell survival. Nature Medicine, 2008, 14, 144-153.	30.7	285
100	Hepatic Hdac3 promotes gluconeogenesis by repressing lipid synthesis and sequestration. Nature Medicine, 2012, 18, 934-942.	30.7	285
101	Redistribution of substrates to adipose tissue promotes obesity in mice with selective insulin resistance in muscle. Journal of Clinical Investigation, 2000, 105, 1791-1797.	8.2	283
102	Skeletal muscle lipid metabolism with obesity. American Journal of Physiology - Endocrinology and Metabolism, 2003, 284, E741-E747.	3.5	280
103	Decreased Insulin-Stimulated ATP Synthesis and Phosphate Transport in Muscle of Insulin-Resistant Offspring of Type 2 Diabetic Parents. PLoS Medicine, 2005, 2, e233.	8.4	279
104	The Contribution of Blood Lactate to Brain Energy Metabolism in Humans Measured by Dynamic ¹³ C Nuclear Magnetic Resonance Spectroscopy. Journal of Neuroscience, 2010, 30, 13983-13991.	3.6	279
105	Cellular and Molecular Mechanisms of Metformin Action. Endocrine Reviews, 2021, 42, 77-96.	20.1	279
106	Continuous fat oxidation in acetyl-CoA carboxylase 2 knockout mice increases total energy expenditure, reduces fat mass, and improves insulin sensitivity. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 16480-16485.	7.1	277
107	Targeted Expression of Catalase to Mitochondria Prevents Age-Associated Reductions in Mitochondrial Function and Insulin Resistance. Cell Metabolism, 2010, 12, 668-674.	16.2	274
108	Alterations in Postprandial Hepatic Glycogen Metabolism in Type 2 Diabetes. Diabetes, 2004, 53, 3048-3056.	0.6	267

#	ARTICLE	IF	CITATIONS
109	Regulation of myocardial glucose uptake and transport during ischemia and energetic stress. American Journal of Cardiology, 1999, 83, 25-30.	1.6	264
110	Effect of 5-Aminoimidazole-4-Carboxamide-1- β -D-Ribofuranoside Infusion on In Vivo Glucose and Lipid Metabolism in Lean and Obese Zucker Rats. Diabetes, 2001, 50, 1076-1082.	0.6	261
111	Sirt1 Regulates Adipose Tissue Inflammation. Diabetes, 2011, 60, 3235-3245.	0.6	261
112	Metabolic Effects of Troglitazone Monotherapy in Type 2 Diabetes Mellitus. Annals of Internal Medicine, 1998, 128, 176.	3.9	260
113	Paradoxical effects of increased expression of PGC-1 α on muscle mitochondrial function and insulin-stimulated muscle glucose metabolism. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 19926-19931.	7.1	257
114	Fish Oil Regulates Adiponectin Secretion by a Peroxisome Proliferator-Activated Receptor- γ -Dependent Mechanism in Mice. Diabetes, 2006, 55, 924-928.	0.6	254
115	An ERK/Cdk5 axis controls the diabetogenic actions of PPAR γ . Nature, 2015, 517, 391-395.	27.8	251
116	Roles of Diacylglycerols and Ceramides in Hepatic Insulin Resistance. Trends in Pharmacological Sciences, 2017, 38, 649-665.	8.7	251
117	Development of insulin resistance in mice lacking PGC-1 α in adipose tissues. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9635-9640.	7.1	248
118	Contrasting Effects of IRS-1 Versus IRS-2 Gene Disruption on Carbohydrate and Lipid Metabolism in Vivo. Journal of Biological Chemistry, 2000, 275, 38990-38994.	3.4	247
119	Diacylglycerol Activation of Protein Kinase C α and Hepatic Insulin Resistance. Cell Metabolism, 2012, 15, 574-584.	16.2	247
120	The Deacetylase Sirt6 Activates the Acetyltransferase GCN5 and Suppresses Hepatic Gluconeogenesis. Molecular Cell, 2012, 48, 900-913.	9.7	246
121	Effects of free fatty acid elevation on postabsorptive endogenous glucose production and gluconeogenesis in humans. Diabetes, 2000, 49, 701-707.	0.6	243
122	Ventromedial hypothalamic lesions in rats suppress counterregulatory responses to hypoglycemia.. Journal of Clinical Investigation, 1994, 93, 1677-1682.	8.2	241
123	Mitochondrial dysfunction due to long-chain Acyl-CoA dehydrogenase deficiency causes hepatic steatosis and hepatic insulin resistance. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 17075-17080.	7.1	241
124	Akt2 Is Required for Hepatic Lipid Accumulation in Models of Insulin Resistance. Cell Metabolism, 2009, 10, 405-418.	16.2	241
125	Prevention of hepatic steatosis and hepatic insulin resistance in mitochondrial acyl-CoA:glycerol-sn-3-phosphate acyltransferase 1 knockout mice. Cell Metabolism, 2005, 2, 55-65.	16.2	235
126	AdPLA ablation increases lipolysis and prevents obesity induced by high-fat feeding or leptin deficiency. Nature Medicine, 2009, 15, 159-168.	30.7	234

#	ARTICLE	IF	CITATIONS
127	Mechanisms of Insulin Resistance in Humans and Possible Links With Inflammation. Hypertension, 2005, 45, 828-833.	2.7	231
128	Niclosamide ethanolamine-induced mild mitochondrial uncoupling improves diabetic symptoms in mice. Nature Medicine, 2014, 20, 1263-1269.	30.7	230
129	Localized ¹³ C NMR Spectroscopy in the Human Brain of Amino Acid Labeling from [¹³ C]Glucose. Journal of Neurochemistry, 1994, 63, 1377-1385.	3.9	229
130	Controlled-release mitochondrial protonophore reverses diabetes and steatohepatitis in rats. Science, 2015, 347, 1253-1256.	12.6	229
131	Phosphoinositide profiling in complex lipid mixtures using electrospray ionization mass spectrometry. Nature Biotechnology, 2003, 21, 813-817.	17.5	226
132	PKC- δ knockout mice are protected from fat-induced insulin resistance. Journal of Clinical Investigation, 2004, 114, 823-827.	8.2	226
133	Altered Brain Mitochondrial Metabolism in Healthy Aging as Assessed by <i>in vivo</i> Magnetic Resonance Spectroscopy. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 211-221.	4.3	223
134	The H19/let-7 double-negative feedback loop contributes to glucose metabolism in muscle cells. Nucleic Acids Research, 2014, 42, 13799-13811.	14.5	218
135	Direct assessment of liver glycogen storage by ¹³ C nuclear magnetic resonance spectroscopy and regulation of glucose homeostasis after a mixed meal in normal subjects.. Journal of Clinical Investigation, 1996, 97, 126-132.	8.2	218
136	Regulation of adipose tissue inflammation by interleukin 6. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 2751-2760.	7.1	216
137	Effects of a Novel Glycogen Synthase Kinase-3 Inhibitor on Insulin-Stimulated Glucose Metabolism in Zucker Diabetic Fatty (fa/fa) Rats. Diabetes, 2002, 51, 2903-2910.	0.6	214
138	Direct measurement of brain glucose concentrations in humans by ¹³ C NMR spectroscopy.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 1109-1112.	7.1	212
139	n-3 Fatty Acids Preserve Insulin Sensitivity In Vivo in a Peroxisome Proliferator-Activated Receptor- α -Dependent Manner. Diabetes, 2007, 56, 1034-1041.	0.6	212
140	Metformin inhibits gluconeogenesis via a redox-dependent mechanism in vivo. Nature Medicine, 2018, 24, 1384-1394.	30.7	200
141	Cyclin D1-Cdk4 controls glucose metabolism independently of cell cycle progression. Nature, 2014, 510, 547-551.	27.8	198
142	Mice lacking MAP kinase phosphatase-1 have enhanced MAP kinase activity and resistance to diet-induced obesity. Cell Metabolism, 2006, 4, 61-73.	16.2	197
143	SGLT2 Deletion Improves Glucose Homeostasis and Preserves Pancreatic β -Cell Function. Diabetes, 2011, 60, 890-898.	0.6	197
144	A common variant in the patatin-like phospholipase 3 gene (PNPLA3) is associated with fatty liver disease in obese children and adolescents. Hepatology, 2010, 52, 1281-1290.	7.3	195

#	ARTICLE	IF	CITATIONS
145	Inactivation of fatty acid transport protein 1 prevents fat-induced insulin resistance in skeletal muscle. <i>Journal of Clinical Investigation</i> , 2004, 113, 756-763.	8.2	195
146	Mechanism by which glucose and insulin inhibit net hepatic glycogenolysis in humans.. <i>Journal of Clinical Investigation</i> , 1998, 101, 1203-1209.	8.2	195
147	Deletion of the Mammalian INDY Homolog Mimics Aspects of Dietary Restriction and Protects against Adiposity and Insulin Resistance in Mice. <i>Cell Metabolism</i> , 2011, 14, 184-195.	16.2	193
148	Effect of AMPK activation on muscle glucose metabolism in conscious rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E938-E944.	3.5	191
149	Glucose plus insulin regulate fat oxidation by controlling the rate of fatty acid entry into the mitochondria.. <i>Journal of Clinical Investigation</i> , 1996, 98, 2244-2250.	8.2	191
150	Reversal of Hypertriglyceridemia, Fatty Liver Disease, and Insulin Resistance by a Liver-Targeted Mitochondrial Uncoupler. <i>Cell Metabolism</i> , 2013, 18, 740-748.	16.2	190
151	Myosteatosis in the Context of Skeletal Muscle Function Deficit: An Interdisciplinary Workshop at the National Institute on Aging. <i>Frontiers in Physiology</i> , 2020, 11, 963.	2.8	190
152	Genetic Modulation of PPAR β Phosphorylation Regulates Insulin Sensitivity. <i>Developmental Cell</i> , 2003, 5, 657-663.	7.0	189
153	Comparative MR study of hepatic fat quantification using single-voxel proton spectroscopy, two-point dixon and three-point IDEAL. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 521-527.	3.0	188
154	Liver-specific Loss of Long Chain Acyl-CoA Synthetase-1 Decreases Triacylglycerol Synthesis and β^2 -Oxidation and Alters Phospholipid Fatty Acid Composition. <i>Journal of Biological Chemistry</i> , 2009, 284, 27816-27826.	3.4	188
155	Low-Flow Ischemia Leads to Translocation of Canine Heart GLUT-4 and GLUT-1 Glucose Transporters to the Sarcolemma In Vivo. <i>Circulation</i> , 1997, 95, 415-422.	1.6	186
156	Cellular Mechanisms by Which FGF21 Improves Insulin Sensitivity in Male Mice. <i>Endocrinology</i> , 2013, 154, 3099-3109.	2.8	184
157	Impaired hepatic glycogen synthesis in glucokinase-deficient (MODY-2) subjects.. <i>Journal of Clinical Investigation</i> , 1996, 98, 1755-1761.	8.2	183
158	The Role of Peroxisome Proliferator-Activated Receptor β Coactivator-1 β^2 in the Pathogenesis of Fructose-Induced Insulin Resistance. <i>Cell Metabolism</i> , 2009, 9, 252-264.	16.2	179
159	Leptin reverses diabetes by suppression of the hypothalamic-pituitary-adrenal axis. <i>Nature Medicine</i> , 2014, 20, 759-763.	30.7	178
160	Insulin-independent regulation of hepatic triglyceride synthesis by fatty acids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1143-1148.	7.1	176
161	Ectopic Fat in Insulin Resistance, Dyslipidemia, and Cardiometabolic Disease. <i>New England Journal of Medicine</i> , 2014, 371, 2236-2238.	27.0	175
162	A high-fat, ketogenic diet causes hepatic insulin resistance in mice, despite increasing energy expenditure and preventing weight gain. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E808-E815.	3.5	174

#	ARTICLE	IF	CITATIONS
163	Insulin receptor Thr1160 phosphorylation mediates lipid-induced hepatic insulin resistance. Journal of Clinical Investigation, 2016, 126, 4361-4371.	8.2	173
164	Low Adiponectin Levels in Adolescent Obesity: A Marker of Increased Intramyocellular Lipid Accumulation. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 2014-2018.	3.6	172
165	Acetyl-CoA Carboxylase Inhibition Reverses NAFLD and Hepatic Insulin Resistance but Promotes Hypertriglyceridemia in Rodents. Hepatology, 2018, 68, 2197-2211.	7.3	172
166	Sirt1 knockdown in liver decreases basal hepatic glucose production and increases hepatic insulin responsiveness in diabetic rats. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 11288-11293.	7.1	169
167	Inhibition of Notch signaling ameliorates insulin resistance in a FoxO1-dependent manner. Nature Medicine, 2011, 17, 961-967.	30.7	165
168	Effect of a Sustained Reduction in Plasma Free Fatty Acid Concentration on Intramuscular Long-Chain Fatty Acyl-CoAs and Insulin Action in Type 2 Diabetic Patients. Diabetes, 2005, 54, 3148-3153.	0.6	162
169	Hypomorphic mutation of PGC-1 β causes mitochondrial dysfunction and liver insulin resistance. Cell Metabolism, 2006, 4, 453-464.	16.2	162
170	Lactal junction zippering protects against diet-induced obesity. Science, 2018, 361, 599-603.	12.6	162
171	Glucose toxicity and the development of diabetes in mice with muscle-specific inactivation of GLUT4. Journal of Clinical Investigation, 2001, 108, 153-160.	8.2	162
172	Overexpression of uncoupling protein 3 in skeletal muscle protects against fat-induced insulin resistance. Journal of Clinical Investigation, 2007, 117, 1995-2003.	8.2	162
173	Targeting Foxo1 in Mice Using Antisense Oligonucleotide Improves Hepatic and Peripheral Insulin Action. Diabetes, 2006, 55, 2042-2050.	0.6	160
174	Adipose Overexpression of Desnutrin Promotes Fatty Acid Use and Attenuates Diet-Induced Obesity. Diabetes, 2009, 58, 855-866.	0.6	160
175	Impaired net hepatic glycogen synthesis in insulin-dependent diabetic subjects during mixed meal ingestion. A ^{13}C nuclear magnetic resonance spectroscopy study. Journal of Clinical Investigation, 1995, 95, 783-787.	8.2	157
176	Mouse Cardiac Acyl Coenzyme A Synthetase 1 Deficiency Impairs Fatty Acid Oxidation and Induces Cardiac Hypertrophy. Molecular and Cellular Biology, 2011, 31, 1252-1262.	2.3	156
177	Normalization of blood glucose in diabetic rats with phlorizin treatment reverses insulin-resistant glucose transport in adipose cells without restoring glucose transporter gene expression. Journal of Clinical Investigation, 1991, 87, 561-570.	8.2	155
178	Cellular Mechanism by Which Estradiol Protects Female Ovariectomized Mice From High-Fat Diet-Induced Hepatic and Muscle Insulin Resistance. Endocrinology, 2013, 154, 1021-1028.	2.8	154
179	Selective Chemical Inhibition of PGC-1 β Gluconeogenic Activity Ameliorates Type 2 Diabetes. Cell, 2017, 169, 148-160.e15.	28.9	153
180	The "Obese Insulin-Sensitive" Adolescent: Importance of Adiponectin and Lipid Partitioning. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 3731-3737.	3.6	152

#	ARTICLE	IF	CITATIONS
181	Overexpression of Glut4 protein in muscle increases basal and insulin-stimulated whole body glucose disposal in conscious mice.. Journal of Clinical Investigation, 1995, 95, 429-432.	8.2	152
182	Intramuscular Glycogen and Intramyocellular Lipid Utilization during Prolonged Exercise and Recovery in Man: A ¹³ C and ¹ H Nuclear Magnetic Resonance Spectroscopy Study1. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 748-754.	3.6	150
183	Physiological role of AMP-activated protein kinase in the heart: graded activation during exercise. American Journal of Physiology - Endocrinology and Metabolism, 2003, 285, E629-E636.	3.5	150
184	Reversal of muscle insulin resistance with exercise reduces postprandial hepatic de novo lipogenesis in insulin resistant individuals. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 13705-13709.	7.1	150
185	Preliminary Evidence of Low Cortical GABA Levels in Localized ¹ H-MR Spectra of Alcohol-Dependent and Hepatic Encephalopathy Patients. American Journal of Psychiatry, 1999, 156, 952-954.	7.2	146
186	Cellular mechanisms of insulin resistance in humans. American Journal of Cardiology, 1999, 84, 3-10.	1.6	144
187	Transgenic Overexpression of Protein-tyrosine Phosphatase 1B in Muscle Causes Insulin Resistance, but Overexpression with Leukocyte Antigen-related Phosphatase Does Not Additively Impair Insulin Action. Journal of Biological Chemistry, 2004, 279, 24844-24851.	3.4	144
188	Mitochondrial GTP Regulates Glucose-Stimulated Insulin Secretion. Cell Metabolism, 2007, 5, 253-264.	16.2	143
189	N-acylphosphatidylethanolamine, a Gut- Derived Circulating Factor Induced by Fat Ingestion, Inhibits Food Intake. Cell, 2008, 135, 813-824.	28.9	143
190	Loss of astrocyte cholesterol synthesis disrupts neuronal function and alters whole-body metabolism. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 1189-1194.	7.1	143
191	The SHP-1 protein tyrosine phosphatase negatively modulates glucose homeostasis. Nature Medicine, 2006, 12, 549-556.	30.7	141
192	Muscle-specific knockout of PKC- δ impairs glucose transport and induces metabolic and diabetic syndromes. Journal of Clinical Investigation, 2007, 117, 2289-2301.	8.2	140
193	Human muscle glycogen resynthesis after exercise: insulin-dependent and -independent phases. Journal of Applied Physiology, 1994, 76, 104-111.	2.5	139
194	Fasting hyperglycemia is not associated with increased expression of PEPCK or G6Pc in patients with Type 2 Diabetes. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 12121-12126.	7.1	139
195	Hepatic insulin resistance in mice with hepatic overexpression of diacylglycerol acyltransferase 2. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5748-5752.	7.1	139
196	CGI-58 knockdown sequesters diacylglycerols in lipid droplets/ER-preventing diacylglycerol-mediated hepatic insulin resistance. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1869-1874.	7.1	137
197	Effect of a ketogenic diet on hepatic steatosis and hepatic mitochondrial metabolism in nonalcoholic fatty liver disease. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 7347-7354.	7.1	137
198	PPAR δ -induced cardioplipotoxicity in mice is ameliorated by PPAR δ deficiency despite increases in fatty acid oxidation. Journal of Clinical Investigation, 2010, 120, 3443-3454.	8.2	137

#	ARTICLE	IF	CITATIONS
199	Sensitivity of Lipid Metabolism and Insulin Signaling to Genetic Alterations in Hepatic Peroxisome Proliferator-Activated Receptor- β Coactivator-1 α Expression. <i>Diabetes</i> , 2009, 58, 1499-1508.	0.6	135
200	Effect of triiodothyronine on mitochondrial energy coupling in human skeletal muscle. <i>Journal of Clinical Investigation</i> , 2001, 108, 733-737.	8.2	135
201	The roles of insulin and glucagon in the regulation of hepatic glycogen synthesis and turnover in humans.. <i>Journal of Clinical Investigation</i> , 1996, 97, 642-648.	8.2	133
202	Contrasting effects of fish oil and safflower oil on hepatic peroxisomal and tissue lipid content. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E395-E401.	3.5	132
203	Dissociation of Inositol-requiring Enzyme (IRE1 α)-mediated c-Jun N-terminal Kinase Activation from Hepatic Insulin Resistance in Conditional X-box-binding Protein-1 (XBP1) Knock-out Mice. <i>Journal of Biological Chemistry</i> , 2012, 287, 2558-2567.	3.4	132
204	Intramuscular Glycogen and Intramyocellular Lipid Utilization during Prolonged Exercise and Recovery in Man: A ^{13}C and ^1H Nuclear Magnetic Resonance Spectroscopy Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 748-754.	3.6	132
205	Effect of Weight Loss on Insulin Sensitivity and Intramuscular Long-Chain Fatty Acyl-CoAs in Morbidly Obese Subjects. <i>Diabetes</i> , 2002, 51, 2959-2963.	0.6	131
206	Deletion of the α -Arrestin Protein Txnip in Mice Promotes Adiposity and Adipogenesis While Preserving Insulin Sensitivity. <i>Diabetes</i> , 2010, 59, 1424-1434.	0.6	131
207	Mechanism of troglitazone action in type 2 diabetes. <i>Diabetes</i> , 2000, 49, 827-831.	0.6	130
208	Anti-myostatin antibody increases muscle mass and strength and improves insulin sensitivity in old mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 2212-2217.	7.1	129
209	CGI-58 knockdown in mice causes hepatic steatosis but prevents diet-induced obesity and glucose intolerance. <i>Journal of Lipid Research</i> , 2010, 51, 3306-3315.	4.2	128
210	Phosphoenolpyruvate Cycling via Mitochondrial Phosphoenolpyruvate Carboxykinase Links Anaplerosis and Mitochondrial GTP with Insulin Secretion. <i>Journal of Biological Chemistry</i> , 2009, 284, 26578-26590.	3.4	126
211	Skeletal Muscle Insulin Resistance Promotes Increased Hepatic De Novo Lipogenesis, Hyperlipidemia, and Hepatic Steatosis in the Elderly. <i>Diabetes</i> , 2012, 61, 2711-2717.	0.6	126
212	Leptin Mediates a Glucose-Fatty Acid Cycle to Maintain Glucose Homeostasis in Starvation. <i>Cell</i> , 2018, 172, 234-248.e17.	28.9	125
213	In Vivo Effects of Uncoupling Protein-3 Gene Disruption on Mitochondrial Energy Metabolism. <i>Journal of Biological Chemistry</i> , 2001, 276, 20240-20244.	3.4	124
214	Interethnic Differences in Muscle, Liver and Abdominal Fat Partitioning in Obese Adolescents. <i>PLoS ONE</i> , 2007, 2, e569.	2.5	124
215	Mechanisms of Insulin Resistance in Primary and Secondary Nonalcoholic Fatty Liver. <i>Diabetes</i> , 2017, 66, 2241-2253.	0.6	124
216	Mechanism of liver glycogen repletion in vivo by nuclear magnetic resonance spectroscopy.. <i>Journal of Clinical Investigation</i> , 1985, 76, 1229-1236.	8.2	124

#	ARTICLE	IF	CITATIONS
217	Stimulating Effects of Low-Dose Fructose on Insulin-Stimulated Hepatic Glycogen Synthesis in Humans. <i>Diabetes</i> , 2001, 50, 1263-1268.	0.6	123
218	Cytosolic and Mitochondrial Malic Enzyme Isoforms Differentially Control Insulin Secretion. <i>Journal of Biological Chemistry</i> , 2007, 282, 200-207.	3.4	123
219	Unraveling the Cellular Mechanism of Insulin Resistance in Humans: New Insights from Magnetic Resonance Spectroscopy. <i>Physiology</i> , 2004, 19, 183-190.	3.1	120
220	Increased Brain Monocarboxylic Acid Transport and Utilization in Type 1 Diabetes. <i>Diabetes</i> , 2006, 55, 929-934.	0.6	117
221	Cellularity and Adipogenic Profile of the Abdominal Subcutaneous Adipose Tissue From Obese Adolescents: Association With Insulin Resistance and Hepatic Steatosis. <i>Diabetes</i> , 2010, 59, 2288-2296.	0.6	117
222	Hepatic Diacylglycerol-Associated Protein Kinase C α Translocation Links Hepatic Steatosis to Hepatic Insulin Resistance in Humans. <i>Cell Reports</i> , 2017, 19, 1997-2004.	6.4	117
223	Validation of ^{13}C nmr measurement of human skeletal muscle glycogen by direct biochemical assay of needle biopsy samples. <i>Magnetic Resonance in Medicine</i> , 1992, 27, 13-20.	3.0	116
224	PGC-1 α negatively regulates hepatic FGF21 expression by modulating the heme/Rev-Erb α axis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 22510-22515.	7.1	114
225	Apolipoprotein CIII overexpressing mice are predisposed to diet-induced hepatic steatosis and hepatic insulin resistance. <i>Hepatology</i> , 2011, 54, 1650-1660.	7.3	114
226	Local Lactate Perfusion of the Ventromedial Hypothalamus Suppresses Hypoglycemic Counterregulation. <i>Diabetes</i> , 2003, 52, 663-666.	0.6	113
227	^{13}C NMR Isotopomer Analysis of Anaplerotic Pathways in INS-1 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 44370-44375.	3.4	113
228	Regulation of hypothalamic malonyl-CoA by central glucose and leptin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19285-19290.	7.1	113
229	Glucose Disposal during Insulinopenia in Somatostatin-Treated Dogs. <i>Journal of Clinical Investigation</i> , 1978, 62, 487-491.	8.2	113
230	Overexpression of the LAR (leukocyte antigen-related) protein-tyrosine phosphatase in muscle causes insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 5187-5192.	7.1	111
231	Glucagon stimulates gluconeogenesis by INSP3R1-mediated hepatic lipolysis. <i>Nature</i> , 2020, 579, 279-283.	27.8	110
232	Transgenic mice deficient in the LAR protein-tyrosine phosphatase exhibit profound defects in glucose homeostasis. <i>Diabetes</i> , 1998, 47, 493-497.	0.6	109
233	Sources of carbon for hepatic glycogen synthesis in the conscious dog. <i>Journal of Clinical Investigation</i> , 1991, 88, 578-587.	8.2	109
234	Hepatic Overexpression of Glycerol-sn-3-phosphate Acyltransferase 1 in Rats Causes Insulin Resistance. <i>Journal of Biological Chemistry</i> , 2007, 282, 14807-14815.	3.4	108

#	ARTICLE	IF	CITATIONS
235	Targeting Pyruvate Carboxylase Reduces Gluconeogenesis and Adiposity and Improves Insulin Resistance. <i>Diabetes</i> , 2013, 62, 2183-2194.	0.6	107
236	FGF1 and FGF19 reverse diabetes by suppression of the hypothalamicâ€“pituitaryâ€“adrenal axis. <i>Nature Communications</i> , 2015, 6, 6980.	12.8	106
237	The Role of Muscle Insulin Resistance in the Pathogenesis of Atherogenic Dyslipidemia and Nonalcoholic Fatty Liver Disease Associated with the Metabolic Syndrome. <i>Annual Review of Nutrition</i> , 2010, 30, 273-290.	10.1	105
238	Early Life Exposure to Maternal Insulin Resistance Has Persistent Effects on Hepatic NAFLD in Juvenile Nonhuman Primates. <i>Diabetes</i> , 2014, 63, 2702-2713.	0.6	105
239	Effect of metformin treatment on insulin action in diabetic rats: In vivo and in vitro correlations. <i>Metabolism: Clinical and Experimental</i> , 1990, 39, 425-435.	3.4	104
240	¹³ C/ ³¹ P NMR studies on the mechanism of insulin resistance in obesity. <i>Diabetes</i> , 1998, 47, 381-386.	0.6	103
241	Assessment of mitochondrial energy coupling in vivo by ¹³ C/ ³¹ P NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 6880-6884.	7.1	103
242	Lipid metabolism and adipokine levels in fatty acid-binding protein null and transgenic mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E814-E823.	3.5	103
243	Absence of Carbohydrate Response Element Binding Protein in Adipocytes Causes Systemic Insulin Resistance and Impairs Glucose Transport. <i>Cell Reports</i> , 2017, 21, 1021-1035.	6.4	103
244	Muscle-Specific IRS-1 Serâ†“Ala Transgenic Mice Are Protected From Fat-Induced Insulin Resistance in Skeletal Muscle. <i>Diabetes</i> , 2008, 57, 2644-2651.	0.6	102
245	Mechanisms Underlying the Onset of Oral Lipidâ€“Induced Skeletal Muscle Insulin Resistance in Humans. <i>Diabetes</i> , 2013, 62, 2240-2248.	0.6	102
246	Adipsin preserves beta cells in diabetic mice and associates with protection from type 2 diabetes in humans. <i>Nature Medicine</i> , 2019, 25, 1739-1747.	30.7	100
247	Differential effects of safflower oil versus fish oil feeding on insulin-stimulated glycogen synthesis, glycolysis, and pyruvate dehydrogenase flux in skeletal muscle: a ¹³ C nuclear magnetic resonance study.. <i>Diabetes</i> , 1999, 48, 134-140.	0.6	99
248	¹³ C-nuclear magnetic resonance spectroscopy studies of hepatic glucose metabolism in normal subjects and subjects with insulin-dependent diabetes mellitus.. <i>Journal of Clinical Investigation</i> , 1994, 94, 2369-2376.	8.2	99
249	Inactivation of fatty acid transport protein 1 prevents fat-induced insulin resistance in skeletal muscle. <i>Journal of Clinical Investigation</i> , 2004, 113, 756-763.	8.2	99
250	Chylomicron- and VLDL-derived Lipids Enter the Heart through Different Pathways. <i>Journal of Biological Chemistry</i> , 2010, 285, 37976-37986.	3.4	98
251	Syntaxin 4 heterozygous knockout mice develop muscle insulin resistance. <i>Journal of Clinical Investigation</i> , 2001, 107, 1311-1318.	8.2	98
252	Substrate cycling between gluconeogenesis and glycolysis in euthyroid, hypothyroid, and hyperthyroid man.. <i>Journal of Clinical Investigation</i> , 1985, 76, 757-764.	8.2	97

#	ARTICLE	IF	CITATIONS
253	Nuclear Magnetic Resonance Studies of Hepatic Glucose Metabolism in Humans. <i>Endocrine Reviews</i> , 2001, 56, 219-238.	6.7	97
254	Mitochondrial Dysfunction, Insulin Resistance, and Potential Genetic Implications. <i>Endocrinology</i> , 2020, 161, .	2.8	96
255	Increased substrate oxidation and mitochondrial uncoupling in skeletal muscle of endurance-trained individuals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16701-16706.	7.1	94
256	Skeletal Muscle-Specific Deletion of Lipoprotein Lipase Enhances Insulin Signaling in Skeletal Muscle but Causes Insulin Resistance in Liver and Other Tissues. <i>Diabetes</i> , 2009, 58, 116-124.	0.6	94
257	Genetic Ablation of miR-33 Increases Food Intake, Enhances Adipose Tissue Expansion, and Promotes Obesity and Insulin Resistance. <i>Cell Reports</i> , 2018, 22, 2133-2145.	6.4	94
258	Effects of Caffeine on Muscle Glycogen Utilization and the Neuroendocrine Axis during Exercise. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2170-2175.	3.6	93
259	Gene knockout of <i>Acc2</i> has little effect on body weight, fat mass, or food intake. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 7598-7603.	7.1	93
260	Decreased Transcription of ChREBP- β Isoforms in Abdominal Subcutaneous Adipose Tissue of Obese Adolescents With Prediabetes or Early Type 2 Diabetes. <i>Diabetes</i> , 2013, 62, 837-844.	0.6	93
261	The circulating metabolome of human starvation. <i>JCI Insight</i> , 2018, 3, .	5.0	92
262	Mitochondrial Glycerol-3-phosphate Acyltransferase-1 Is Essential in Liver for the Metabolism of Excess Acyl-CoAs. <i>Journal of Biological Chemistry</i> , 2005, 280, 25629-25636.	3.4	91
263	Prevention of Hepatic Steatosis and Hepatic Insulin Resistance by Knockdown of cAMP Response Element-Binding Protein. <i>Cell Metabolism</i> , 2009, 10, 499-506.	16.2	91
264	17 β -Estradiol Alleviates Age-related Metabolic and Inflammatory Dysfunction in Male Mice Without Inducing Feminization. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 3-15.	3.6	91
265	Absence of ANGPTL4 in adipose tissue improves glucose tolerance and attenuates atherogenesis. <i>JCI Insight</i> , 2018, 3, .	5.0	91
266	GS-0976 (Firsocostat): an investigational liver-directed acetyl-CoA carboxylase (ACC) inhibitor for the treatment of non-alcoholic steatohepatitis (NASH). <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 135-141.	4.1	91
267	Liver fatty acid-binding protein is required for high rates of hepatic fatty acid oxidation but not for the action of PPAR α in fasting mice. <i>FASEB Journal</i> , 2004, 18, 1-18.	0.5	90
268	Resistance to thyroid hormone is associated with raised energy expenditure, muscle mitochondrial uncoupling, and hyperphagia. <i>Journal of Clinical Investigation</i> , 2010, 120, 1345-1354.	8.2	90
269	Deciphering the Role of Lipid Droplets in Cardiovascular Disease. <i>Circulation</i> , 2018, 138, 305-315.	1.6	89
270	Effect of glucose, independent of changes in insulin and glucagon secretion, on alanine metabolism in the conscious dog. <i>Journal of Clinical Investigation</i> , 1980, 65, 496-505.	8.2	89

#	ARTICLE	IF	CITATIONS
271	Sirtuin-1 regulation of mammalian metabolism. Trends in Molecular Medicine, 2011, 17, 8-13.	6.7	88
272	Differential Effects of Rosiglitazone on Skeletal Muscle and Liver Insulin Resistance in A-ZIP/F-1 Fatless Mice. Diabetes, 2003, 52, 1311-1318.	0.6	87
273	A Role for Mitochondrial Phosphoenolpyruvate Carboxykinase (PEPCK-M) in the Regulation of Hepatic Gluconeogenesis. Journal of Biological Chemistry, 2014, 289, 7257-7263.	3.4	87
274	Mechanism by Which Caloric Restriction Improves Insulin Sensitivity in Sedentary Obese Adults. Diabetes, 2016, 65, 74-84.	0.6	86
275	Regulation of Metabolic Responses by Adipocyte/ Macrophage Fatty Acid-Binding Proteins in Leptin-Deficient Mice. Diabetes, 2006, 55, 1915-1922.	0.6	85
276	Saturated and unsaturated fat induce hepatic insulin resistance independently of TLR-4 signaling and ceramide synthesis in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 12780-12785.	7.1	85
277	Effect of a Low-Fat Vegan Diet on Body Weight, Insulin Sensitivity, Postprandial Metabolism, and Intramyocellular and Hepatocellular Lipid Levels in Overweight Adults. JAMA Network Open, 2020, 3, e2025454.	5.9	85
278	Quantitative analysis of glycogen repletion by nuclear magnetic resonance spectroscopy in the conscious rat.. Journal of Clinical Investigation, 1987, 80, 387-393.	8.2	85
279	New Insights into the Pathogenesis of Insulin Resistance in Humans Using Magnetic Resonance Spectroscopy. Obesity, 2006, 14, 34S-40S.	3.0	84
280	Activation of the farnesoid X receptor improves lipid metabolism in combined hyperlipidemic hamsters. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E716-E722.	3.5	84
281	Thyroid hormone receptor- β agonists prevent hepatic steatosis in fat-fed rats but impair insulin sensitivity via discrete pathways. American Journal of Physiology - Endocrinology and Metabolism, 2013, 305, E89-E100.	3.5	84
282	A Role of the Inflammasome in the Low Storage Capacity of the Abdominal Subcutaneous Adipose Tissue in Obese Adolescents. Diabetes, 2016, 65, 610-618.	0.6	84
283	[2,4- $^{13}\text{C}_2$]- β -Hydroxybutyrate Metabolism in Human Brain. Journal of Cerebral Blood Flow and Metabolism, 2002, 22, 890-898.	4.3	83
284	A Membrane-Bound Diacylglycerol Species Induces PKC β -Mediated Hepatic Insulin Resistance. Cell Metabolism, 2020, 32, 654-664.e5.	16.2	83
285	Measurements of the anaplerotic rate in the human cerebral cortex using ^{13}C magnetic resonance spectroscopy and [1- ^{13}C] and [2- ^{13}C] glucose. Journal of Neurochemistry, 2007, 100, 73-86.	3.9	82
286	Mechanisms by which adiponectin reverses high fat diet-induced insulin resistance in mice. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 32584-32593.	7.1	82
287	Direct observation of glycogen synthesis in human muscle with ^{13}C NMR.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 4489-4491.	7.1	81
288	Lipid-dependent control of hepatic glycogen stores in healthy humans. Diabetologia, 2001, 44, 48-54.	6.3	81

#	ARTICLE	IF	CITATIONS
289	23Na and 39K NMR studies of ion transport in human erythrocytes.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 1099-1103.	7.1	80
290	Brain-specific carnitine palmitoyltransferase-1c: role in CNS fatty acid metabolism, food intake, and body weight. Journal of Neurochemistry, 2008, 105, 1550-1559.	3.9	80
291	Direct assessment of hepatic mitochondrial oxidative and anaplerotic fluxes in humans using dynamic 13C magnetic resonance spectroscopy. Nature Medicine, 2014, 20, 98-102.	30.7	80
292	Immunocytochemical localization of alpha-protein kinase C in rat pancreatic beta-cells during glucose-induced insulin secretion.. Journal of Cell Biology, 1992, 119, 313-324.	5.2	79
293	Hormone-sensitive lipase knockout mice have increased hepatic insulin sensitivity and are protected from short-term diet-induced insulin resistance in skeletal muscle and heart. American Journal of Physiology - Endocrinology and Metabolism, 2005, 289, E30-E39.	3.5	79
294	Localized proton NMR observation of [3-13C] lactate in stroke after [1-13C] glucose infusion. Magnetic Resonance in Medicine, 1991, 21, 302-307.	3.0	78
295	Chronic hypoglycemia and diabetes impair counterregulation induced by localized 2-deoxy-glucose perfusion of the ventromedial hypothalamus in rats. Diabetes, 1999, 48, 584-587.	0.6	78
296	Fatty Acid Infusion Selectively Impairs Insulin Action on Akt1 and Protein Kinase C β_1/β_2 but Not on Glycogen Synthase Kinase-3. Journal of Biological Chemistry, 2002, 277, 32915-32922.	3.4	78
297	Resistance to High-Fat Diet-Induced Obesity but Exacerbated Insulin Resistance in Mice Overexpressing Preadipocyte Factor-1 (Pref-1). Diabetes, 2008, 57, 3258-3266.	0.6	78
298	Additive Effects of Hyperinsulinemia and Ischemia on Myocardial GLUT1 and GLUT4 Translocation In Vivo. Circulation, 1998, 98, 2180-2186.	1.6	77
299	Hepatic Glycogen Metabolism in Type 1 Diabetes After Long-Term Near Normoglycemia. Diabetes, 2002, 51, 49-54.	0.6	77
300	Immunoneutralization of Endogenous Glucagon Reduces Hepatic Glucose Output and Improves Long-Term Glycemic Control in Diabetic ob/ob Mice. Diabetes, 2006, 55, 2843-2848.	0.6	76
301	Resistance to High-Fat Diet-Induced Obesity and Insulin Resistance in Mice with Very Long-Chain Acyl-CoA Dehydrogenase Deficiency. Cell Metabolism, 2010, 11, 402-411.	16.2	75
302	Reversal of muscle insulin resistance by weight reduction in young, lean, insulin-resistant offspring of parents with type 2 diabetes. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 8236-8240.	7.1	74
303	The Role of the Carbohydrate Response Element-Binding Protein in Male Fructose-Fed Rats. Endocrinology, 2013, 154, 36-44.	2.8	73
304	Dehydration and insulinopenia are necessary and sufficient for euglycemic ketoacidosis in SGLT2 inhibitor-treated rats. Nature Communications, 2019, 10, 548.	12.8	73
305	Pioglitazone Improves Insulin Sensitivity Among Nondiabetic Patients With a Recent Transient Ischemic Attack or Ischemic Stroke. Stroke, 2003, 34, 1431-1436.	2.0	72
306	Effects of Pioglitazone on Intramyocellular Fat Metabolism in Patients with Type 2 Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1916-1923.	3.6	72

#	ARTICLE	IF	CITATIONS
307	Role of patatinâ€like phospholipase domainâ€containing 3 on lipidâ€induced hepatic steatosis and insulin resistance in rats. <i>Hepatology</i> , 2013, 57, 1763-1772.	7.3	72
308	Effect of aging on muscle mitochondrial substrate utilization in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11330-11334.	7.1	72
309	NMR studies of muscle glycogen synthesis in insulin-resistant offspring of parents with non-insulin-dependent diabetes mellitus immediately after glycogen-depleting exercise.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 5329-5334.	7.1	71
310	¹³ C and ³¹ P NMR Studies on the Effects of Increased Plasma Free Fatty Acids on Intramuscular Glucose Metabolism in the Awake Rat. <i>Journal of Biological Chemistry</i> , 1997, 272, 10464-10473.	3.4	71
311	Mechanisms by which a Very-Low-Calorie Diet Reverses Hyperglycemia in a Rat Model of Type 2 Diabetes. <i>Cell Metabolism</i> , 2018, 27, 210-217.e3.	16.2	71
312	Impaired hormonal responses to hypoglycemia in spontaneously diabetic and recurrently hypoglycemic rats. Reversibility and stimulus specificity of the deficits.. <i>Journal of Clinical Investigation</i> , 1993, 92, 2667-2674.	8.2	71
313	A comparison of ¹³ C NMR measurements of the rates of glutamine synthesis and the tricarboxylic acid cycle during oral and intravenous administration of [1- ¹³ C]glucose. <i>Brain Research Protocols</i> , 2003, 10, 181-190.	1.6	70
314	Loss of the Par-1b/MARK2 polarity kinase leads to increased metabolic rate, decreased adiposity, and insulin hypersensitivity in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 5680-5685.	7.1	70
315	Hypophosphatemia promotes lower rates of muscle ATP synthesis. <i>FASEB Journal</i> , 2016, 30, 3378-3387.	0.5	70
316	IL-27 signalling promotes adipocyte thermogenesis and energy expenditure. <i>Nature</i> , 2021, 600, 314-318.	27.8	70
317	Hepatic Mitogen-Activated Protein Kinase Phosphatase 1 Selectively Regulates Glucose Metabolism and Energy Homeostasis. <i>Molecular and Cellular Biology</i> , 2015, 35, 26-40.	2.3	69
318	Effects of Caffeine on Muscle Glycogen Utilization and the Neuroendocrine Axis during Exercise. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2170-2175.	3.6	69
319	Validation of ¹³ C NMR measurements of liver glycogen in vivo. <i>Magnetic Resonance in Medicine</i> , 1994, 31, 583-588.	3.0	68
320	Adipocyte-Specific Overexpression of FOXC2 Prevents Diet-Induced Increases in Intramuscular Fatty Acyl CoA and Insulin Resistance. <i>Diabetes</i> , 2005, 54, 1657-1663.	0.6	68
321	Impact of CD1d Deficiency on Metabolism. <i>PLoS ONE</i> , 2011, 6, e25478.	2.5	68
322	Inclusion of Low Amounts of Fructose With an Intraduodenal Glucose Load Markedly Reduces Postprandial Hyperglycemia and Hyperinsulinemia in the Conscious Dog. <i>Diabetes</i> , 2002, 51, 469-478.	0.6	67
323	Low Density Lipoprotein (LDL) Receptor-related Protein 6 (LRP6) Regulates Body Fat and Glucose Homeostasis by Modulating Nutrient Sensing Pathways and Mitochondrial Energy Expenditure. <i>Journal of Biological Chemistry</i> , 2012, 287, 7213-7223.	3.4	67
324	Regulation of Hepatic Energy Metabolism and Gluconeogenesis by BAD. <i>Cell Metabolism</i> , 2014, 19, 272-284.	16.2	67

#	ARTICLE	IF	CITATIONS
325	Nonalcoholic Fatty Liver Disease, Insulin Resistance, and Ceramides. <i>New England Journal of Medicine</i> , 2019, 381, 1866-1869.	27.0	67
326	Thyroid Hormone Receptor- β Gene Knockout Mice Are Protected from Diet-Induced Hepatic Insulin Resistance. <i>Endocrinology</i> , 2012, 153, 583-591.	2.8	66
327	MARCH1 regulates insulin sensitivity by controlling cell surface insulin receptor levels. <i>Nature Communications</i> , 2016, 7, 12639.	12.8	66
328	Mitophagy-mediated adipose inflammation contributes to type 2 diabetes with hepatic insulin resistance. <i>Journal of Experimental Medicine</i> , 2021, 218, .	8.5	66
329	Persistent Changes in Myocardial Glucose Metabolism In Vivo During Reperfusion of a Limited-Duration Coronary Occlusion. <i>Circulation</i> , 2000, 101, 917-922.	1.6	65
330	Urocortin 2 modulates glucose utilization and insulin sensitivity in skeletal muscle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16580-16585.	7.1	65
331	Influence of the Hepatic Eukaryotic Initiation Factor 2 β (eIF2 β) Endoplasmic Reticulum (ER) Stress Response Pathway on Insulin-mediated ER Stress and Hepatic and Peripheral Glucose Metabolism. <i>Journal of Biological Chemistry</i> , 2011, 286, 36163-36170.	3.4	65
332	Role of caspase-1 in regulation of triglyceride metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 4810-4815.	7.1	64
333	Leptin's hunger-suppressing effects are mediated by the hypothalamic-pituitary-adrenocortical axis in rodents. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13670-13679.	7.1	64
334	The effect of CP 68,722, a thiozolidinedione derivative, on insulin sensitivity in lean and obese Zucker rats. <i>Metabolism: Clinical and Experimental</i> , 1991, 40, 1025-1030.	3.4	63
335	Regulation of Mitochondrial Biogenesis by Lipoprotein Lipase in Muscle of Insulin-Resistant Offspring of Parents With Type 2 Diabetes. <i>Diabetes</i> , 2012, 61, 877-887.	0.6	63
336	Skeletal Muscle-Specific Deletion of MKP-1 Reveals a p38 MAPK/JNK/Akt Signaling Node That Regulates Obesity-Induced Insulin Resistance. <i>Diabetes</i> , 2018, 67, 624-635.	0.6	63
337	Insulin-stimulated tyrosine protein kinase. Characterization and relation to the insulin receptor. <i>Journal of Biological Chemistry</i> , 1984, 259, 5058-65.	3.4	63
338	APPLICATIONS OF NMR SPECTROSCOPY TO STUDY MUSCLE GLYCOGEN METABOLISM IN MAN. <i>Annual Review of Medicine</i> , 1999, 50, 277-290.	12.2	62
339	Characterization of the Hyperphagic Response to Dietary Fat in the MC4R Knockout Mouse. <i>Endocrinology</i> , 2011, 152, 890-902.	2.8	62
340	AMPK is critical for mitochondrial function during reperfusion after myocardial ischemia. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 91, 104-113.	1.9	62
341	Dissociation of the Glucose and Lipid Regulatory Functions of FoxO1 by Targeted Knockin of Acetylation-Defective Alleles in Mice. <i>Cell Metabolism</i> , 2011, 14, 587-597.	16.2	60
342	Intense exercise stimulates albumin synthesis in the upright posture. <i>Journal of Applied Physiology</i> , 2000, 88, 41-46.	2.5	59

#	ARTICLE	IF	CITATIONS
343	Propionate Increases Hepatic Pyruvate Cycling and Anaplerosis and Alters Mitochondrial Metabolism. <i>Journal of Biological Chemistry</i> , 2016, 291, 12161-12170.	3.4	58
344	Emerging Pharmacological Targets for the Treatment of Nonalcoholic Fatty Liver Disease, Insulin Resistance, and Type 2 Diabetes. <i>Annual Review of Pharmacology and Toxicology</i> , 2019, 59, 65-87.	9.4	58
345	Mechanism for leptin's acute insulin-independent effect to reverse diabetic ketoacidosis. <i>Journal of Clinical Investigation</i> , 2017, 127, 657-669.	8.2	58
346	Contributions of net hepatic glycogenolysis and gluconeogenesis to glucose production in cirrhosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E529-E535.	3.5	57
347	Assessment of Hepatic Mitochondrial Oxidation and Pyruvate Cycling in NAFLD by ¹³ C Magnetic Resonance Spectroscopy. <i>Cell Metabolism</i> , 2016, 24, 167-171.	16.2	57
348	XBP1s Is an Anti-lipogenic Protein. <i>Journal of Biological Chemistry</i> , 2016, 291, 17394-17404.	3.4	57
349	Elevated hepatic expression of H19 long noncoding RNA contributes to diabetic hyperglycemia. <i>JCI Insight</i> , 2018, 3, .	5.0	57
350	MAPK phosphatase-1 facilitates the loss of oxidative myofibers associated with obesity in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 3817-3829.	8.2	57
351	Hepatic inositol 1,4,5 trisphosphate receptor type 1 mediates fatty liver. <i>Hepatology Communications</i> , 2017, 1, 23-35.	4.3	56
352	Isthmin-1 is an adipokine that promotes glucose uptake and improves glucose tolerance and hepatic steatosis. <i>Cell Metabolism</i> , 2021, 33, 1836-1852.e11.	16.2	56
353	Paradoxical Coupling of Triglyceride Synthesis and Fatty Acid Oxidation in Skeletal Muscle Overexpressing DGAT1. <i>Diabetes</i> , 2009, 58, 2516-2524.	0.6	55
354	The human longevity gene homolog INDY and interleukin-6 interact in hepatic lipid metabolism. <i>Hepatology</i> , 2017, 66, 616-630.	7.3	55
355	Effect of hyperglycemia independent of changes in insulin or glucagon on lipolysis in the conscious dog. <i>Metabolism: Clinical and Experimental</i> , 1980, 29, 317-320.	3.4	54
356	Pathways of glycogen repletion. <i>Physiological Reviews</i> , 1992, 72, 1019-1035.	28.8	54
357	TFAM Enhances Fat Oxidation and Attenuates High-Fat Diet-Induced Insulin Resistance in Skeletal Muscle. <i>Diabetes</i> , 2019, 68, 1552-1564.	0.6	54
358	Sodium-glucose cotransporter-2 inhibitors: Understanding the mechanisms for therapeutic promise and persisting risks. <i>Journal of Biological Chemistry</i> , 2020, 295, 14379-14390.	3.4	54
359	¹³ C NMR studies of glycogen turnover in the perfused rat liver. <i>Journal of Biological Chemistry</i> , 1988, 263, 5027-9.	3.4	54
360	Detection and assignment of the glucose signal in 1h nmr difference spectra of the human brain. <i>Magnetic Resonance in Medicine</i> , 1992, 27, 183-188.	3.0	53

#	ARTICLE	IF	CITATIONS
361	Glycerol-3-Phosphate Acyltransferase 1 Deficiency in <i>ob/ob</i> Mice Diminishes Hepatic Steatosis but Does Not Protect Against Insulin Resistance or Obesity. <i>Diabetes</i> , 2010, 59, 1321-1329.	0.6	53
362	Obesity-Linked PPAR δ S273 Phosphorylation Promotes Insulin Resistance through Growth Differentiation Factor 3. <i>Cell Metabolism</i> , 2020, 32, 665-675.e6.	16.2	53
363	Chemical and genetic evidence for the involvement of Wnt antagonist Dickkopf2 in regulation of glucose metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 11402-11407.	7.1	52
364	Pathogenesis of hypothyroidism-induced NAFLD is driven by intra- and extrahepatic mechanisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9172-E9180.	7.1	52
365	Angptl8 antisense oligonucleotide improves adipose lipid metabolism and prevents diet-induced NAFLD and hepatic insulin resistance in rodents. <i>Diabetologia</i> , 2018, 61, 1435-1446.	6.3	52
366	Cerebral Lactate Turnover after Electroshock: In vivo Measurements by $^1\text{H}/^{13}\text{C}$ Magnetic Resonance Spectroscopy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1992, 12, 1022-1029.	4.3	51
367	^{31}P -Magnetization Transfer Magnetic Resonance Spectroscopy Measurements of In Vivo Metabolism. <i>Diabetes</i> , 2012, 61, 2669-2678.	0.6	51
368	Tissue-Specific Differences in the Development of Insulin Resistance in a Mouse Model for Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 3856-3867.	0.6	51
369	PKC μ contributes to lipid-induced insulin resistance through cross talk with p70S6K and through previously unknown regulators of insulin signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E8996-E9005.	7.1	51
370	Metabolic control analysis of hepatic glycogen synthesis in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8166-8176.	7.1	51
371	$^{13}\text{C}/^{31}\text{P}$ NMR Assessment of Mitochondrial Energy Coupling in Skeletal Muscle of Awake Fed and Fasted Rats. <i>Journal of Biological Chemistry</i> , 2000, 275, 39279-39286.	3.4	50
372	Genetic activation of pyruvate dehydrogenase alters oxidative substrate selection to induce skeletal muscle insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16508-16513.	7.1	50
373	Macrophage-specific de Novo Synthesis of Ceramide Is Dispensable for Inflammasome-driven Inflammation and Insulin Resistance in Obesity. <i>Journal of Biological Chemistry</i> , 2015, 290, 29402-29413.	3.4	50
374	An update on brown adipose tissue biology: a discussion of recent findings. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E488-E495.	3.5	50
375	Mechanism of muscle glycogen autoregulation in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 278, E663-E668.	3.5	49
376	Effects of Rexinoids on Glucose Transport and Insulin-mediated Signaling in Skeletal Muscles of Diabetic (db/db) Mice. <i>Journal of Biological Chemistry</i> , 2004, 279, 19721-19731.	3.4	49
377	Mechanism by which arylamine <i>N</i> -acetyltransferase 1 ablation causes insulin resistance in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E11285-E11292.	7.1	49
378	Regulation of exogenous and endogenous glucose metabolism by insulin and acetoacetate in the isolated working rat heart. A three tracer study of glycolysis, glycogen metabolism, and glucose oxidation.. <i>Journal of Clinical Investigation</i> , 1997, 100, 2892-2899.	8.2	49

#	ARTICLE	IF	CITATIONS
379	Regulation of net hepatic glycogenolysis and gluconeogenesis by epinephrine in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E231-E235.	3.5	48
380	Diabetes in Mice With Selective Impairment of Insulin Action in Glut4-Expressing Tissues. <i>Diabetes</i> , 2011, 60, 700-709.	0.6	48
381	Uncoupling Hepatic Oxidative Phosphorylation Reduces Tumor Growth in Two Murine Models of Colon Cancer. <i>Cell Reports</i> , 2018, 24, 47-55.	6.4	48
382	Anti-inflammatory effects of oestrogen mediate the sexual dimorphic response to lipid-induced insulin resistance. <i>Journal of Physiology</i> , 2019, 597, 3885-3903.	2.9	48
383	Glucose metabolism distal to a critical coronary stenosis in a canine model of low-flow myocardial ischemia.. <i>Journal of Clinical Investigation</i> , 1996, 98, 62-69.	8.2	48
384	Tumor Progression Locus 2 (TPL2) Regulates Obesity-Associated Inflammation and Insulin Resistance. <i>Diabetes</i> , 2011, 60, 1168-1176.	0.6	47
385	Acetylation of TUG Protein Promotes the Accumulation of GLUT4 Glucose Transporters in an Insulin-responsive Intracellular Compartment. <i>Journal of Biological Chemistry</i> , 2015, 290, 4447-4463.	3.4	46
386	Disruption of Adipose Rab10-Dependent Insulin Signaling Causes Hepatic Insulin Resistance. <i>Diabetes</i> , 2016, 65, 1577-1589.	0.6	46
387	A MicroRNA Linking Human Positive Selection and Metabolic Disorders. <i>Cell</i> , 2020, 183, 684-701.e14.	28.9	46
388	ApoA5 knockdown improves whole-body insulin sensitivity in high-fat-fed mice by reducing ectopic lipid content. <i>Journal of Lipid Research</i> , 2015, 56, 526-536.	4.2	45
389	Argininosuccinate synthetase regulates hepatic AMPK linking protein catabolism and ureagenesis to hepatic lipid metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3423-30.	7.1	45
390	Mitochondrial-Targeted Catalase Protects Against High-Fat Diet-Induced Muscle Insulin Resistance by Decreasing Intramuscular Lipid Accumulation. <i>Diabetes</i> , 2017, 66, 2072-2081.	0.6	45
391	Non-invasive assessment of hepatic mitochondrial metabolism by positional isotopomer NMR tracer analysis (PINTA). <i>Nature Communications</i> , 2017, 8, 798.	12.8	45
392	Regulation of hepatic mitochondrial oxidation by glucose-alanine cycling during starvation in humans. <i>Journal of Clinical Investigation</i> , 2019, 129, 4671-4675.	8.2	45
393	A Prevalent Variant in PPP1R3A Impairs Glycogen Synthesis and Reduces Muscle Glycogen Content in Humans and Mice. <i>PLoS Medicine</i> , 2008, 5, e27.	8.4	44
394	Uncoupling Protein-2 Decreases the Lipogenic Actions of Ghrelin. <i>Endocrinology</i> , 2010, 151, 2078-2086.	2.8	44
395	CD301b + Mononuclear Phagocytes Maintain Positive Energy Balance through Secretion of Resistin-like Molecule Alpha. <i>Immunity</i> , 2016, 45, 583-596.	14.3	44
396	Controlled-release mitochondrial protonophore (CRMP) reverses dyslipidemia and hepatic steatosis in dysmetabolic nonhuman primates. <i>Science Translational Medicine</i> , 2019, 11, .	12.4	44

#	ARTICLE	IF	CITATIONS
397	Mechanistic Links between Obesity, Insulin, and Cancer. Trends in Cancer, 2020, 6, 75-78.	7.4	44
398	A 1H NMR technique for observing metabolite signals in the spectrum of perfused liver.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 5246-5249.	7.1	42
399	Adrenalectomy Improves Diabetes in A-ZIP/F-1 Lipoatrophic Mice by Increasing Both Liver and Muscle Insulin Sensitivity. Diabetes, 2002, 51, 2113-2118.	0.6	42
400	Mechanism of glucose intolerance in mice with dominant negative mutation of CEACAM1. American Journal of Physiology - Endocrinology and Metabolism, 2006, 291, E517-E524.	3.5	42
401	Imeglimin lowers glucose primarily by amplifying glucose-stimulated insulin secretion in high-fat-fed rodents. American Journal of Physiology - Endocrinology and Metabolism, 2016, 311, E461-E470.	3.5	42
402	OGT suppresses S6K1-mediated macrophage inflammation and metabolic disturbance. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 16616-16625.	7.1	42
403	Hepatic Insulin Resistance Is Not Pathway Selective in Humans With Nonalcoholic Fatty Liver Disease. Diabetes Care, 2021, 44, 489-498.	8.6	42
404	40th EASD Annual Meeting of the European Association for the Study of Diabetes. Diabetologia, 2004, 47, A1-A464.	6.3	41
405	Regulation of hepatic fat and glucose oxidation in rats with lipid-induced hepatic insulin resistance. Hepatology, 2011, 53, 1175-1181.	7.3	41
406	Ceramide-Activated Phosphatase Mediates Fatty Acid-Induced Endothelial VEGF Resistance and Impaired Angiogenesis. American Journal of Pathology, 2014, 184, 1562-1576.	3.8	41
407	Therapeutic potential of mitochondrial uncouplers for the treatment of metabolic associated fatty liver disease and NASH. Molecular Metabolism, 2021, 46, 101178.	6.5	41
408	Mechanism of impaired insulin-stimulated muscle glucose metabolism in subjects with insulin-dependent diabetes mellitus.. Journal of Clinical Investigation, 1997, 99, 2219-2224.	8.2	41
409	Lysophosphatidic Acid Activates Peroxisome Proliferator Activated Receptor- α in CHO Cells That Over-Express Glycerol 3-Phosphate Acyltransferase-1. PLoS ONE, 2011, 6, e18932.	2.5	41
410	A novel 13C NMR method to assess intracellular glucose concentration in muscle, in vivo. American Journal of Physiology - Endocrinology and Metabolism, 1998, 274, E381-E389.	3.5	40
411	Contribution of net hepatic glycogen synthesis to disposal of an oral glucose load in humans. Metabolism: Clinical and Experimental, 2001, 50, 598-601.	3.4	40
412	Insulin Resistance in Tetracycline-Repressible Munc18c Transgenic Mice. Diabetes, 2003, 52, 1910-1917.	0.6	40
413	Increased Brain Lactate Concentrations Without Increased Lactate Oxidation During Hypoglycemia in Type 1 Diabetic Individuals. Diabetes, 2013, 62, 3075-3080.	0.6	40
414	Chronicin VivoHyperglycemia Impairs Phosphoinositide Hydrolysis and Insulin Release in Isolated Perfused Rat Islets*. Endocrinology, 1990, 126, 253-260.	2.8	39

#	ARTICLE	IF	CITATIONS
415	Hyperglucagonemia precedes a decline in insulin secretion and causes hyperglycemia in chronically glucose-infused rats. American Journal of Physiology - Endocrinology and Metabolism, 2011, 301, E1174-E1183.	3.5	39
416	A \hat{I}^2 -Peptide Agonist of the GLP-1 Receptor, a Class B GPCR. Organic Letters, 2013, 15, 5318-5321.	4.6	39
417	The Mammalian INDY Homolog Is Induced by CREB in a Rat Model of Type 2 Diabetes. Diabetes, 2014, 63, 1048-1057.	0.6	38
418	Neuronal UCP1 expression suggests a mechanism for local thermogenesis during hibernation. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 1607-1612.	7.1	38
419	Chapter 21 Assessment of In Vivo Mitochondrial Metabolism by Magnetic Resonance Spectroscopy. Methods in Enzymology, 2009, 457, 373-393.	1.0	37
420	Metformin, phenformin, and galegine inhibit complex IV activity and reduce glycerol-derived gluconeogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2122287119.	7.1	37
421	Glycogen loading alters muscle glycogen resynthesis after exercise. Journal of Applied Physiology, 2000, 88, 698-704.	2.5	36
422	Turnover of human muscle glycogen with low-intensity exercise. Medicine and Science in Sports and Exercise, 1994, 26, 983-991.	0.4	35
423	Noninvasive assessment of hepatic triglyceride content in humans with ^{13}C nuclear magnetic resonance spectroscopy. Hepatology, 1996, 24, 114-117.	7.3	35
424	NMR Spectroscopy in \hat{I}^2 Cell Engineering and Islet Transplantation. Annals of the New York Academy of Sciences, 2001, 944, 96-119.	3.8	35
425	A controlled-release mitochondrial protonophore reverses hypertriglyceridemia, nonalcoholic steatohepatitis, and diabetes in lipodystrophic mice. FASEB Journal, 2017, 31, 2916-2924.	0.5	35
426	PP2A inhibition results in hepatic insulin resistance despite Akt2 activation. Aging, 2013, 5, 770-781.	3.1	34
427	Prevention of diet-induced hepatic steatosis and hepatic insulin resistance by second generation antisense oligonucleotides targeted to the longevity gene mIndy (Slc13a5). Aging, 2015, 7, 1086-1093.	3.1	34
428	Metabolic Response to Three Years of Continuous, Basal Rate Intravenous Insulin Infusion in Type II Diabetic Patients*. Journal of Clinical Endocrinology and Metabolism, 1985, 61, 753-760.	3.6	33
429	Effect of epinephrine on muscle glycogenolysis and insulin-stimulated muscle glycogen synthesis in humans. American Journal of Physiology - Endocrinology and Metabolism, 1998, 274, E130-E138.	3.5	33
430	A critical evaluation of mass isotopomer distribution analysis of gluconeogenesis in vivo. American Journal of Physiology - Endocrinology and Metabolism, 1999, 277, E154-E160.	3.5	33
431	Defective Activation of Skeletal Muscle and Adipose Tissue Lipolysis in Type 1 Diabetes Mellitus during Hypoglycemia. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 1503-1511.	3.6	33
432	Reduced heart size and increased myocardial fuel substrate oxidation in ACC2 mutant mice. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 295, H256-H265.	3.2	33

#	ARTICLE	IF	CITATIONS
433	Downregulation of <i>ADIPOQ</i> and <i>PPARδ</i> Gene Expression in Subcutaneous Adipose Tissue of Obese Adolescents With Hepatic Steatosis. <i>Obesity</i> , 2010, 18, 1911-1917.	3.0	33
434	Effect of insulin on glycerol production in obese adolescents. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E737-E743.	3.5	32
435	Fatty acid amide hydrolase ablation promotes ectopic lipid storage and insulin resistance due to centrally mediated hypothyroidism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14966-14971.	7.1	32
436	Lipid-induced hepatic insulin resistance. <i>Aging</i> , 2013, 5, 582-583.	3.1	32
437	Magnetic Resonance Spectroscopy Studies of Human Metabolism. <i>Diabetes</i> , 2011, 60, 1361-1369.	0.6	31
438	Retinol saturase modulates lipid metabolism and the production of reactive oxygen species. <i>Archives of Biochemistry and Biophysics</i> , 2017, 633, 93-102.	3.0	31
439	Adipocyte JAK2 mediates growth hormone-induced hepatic insulin resistance. <i>JCI Insight</i> , 2017, 2, e91001.	5.0	31
440	Effects of depletion exercise and light training on muscle glycogen supercompensation in men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E1304-E1311.	3.5	30
441	A Non-invasive Method to Assess Hepatic Acetyl-CoA In Vivo. <i>Cell Metabolism</i> , 2017, 25, 749-756.	16.2	30
442	Pleotropic effects of leptin to reverse insulin resistance and diabetic ketoacidosis. <i>Diabetologia</i> , 2016, 59, 933-937.	6.3	29
443	Hypopituitarism associated with a hypothalamic CMV infection in a patient with AIDS. <i>American Journal of Medicine</i> , 1992, 92, 221-223.	1.5	28
444	Triiodothyronine treatment increases substrate cycling between pyruvate carboxylase and malic enzyme in perfused rat liver. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 1380-1383.	3.4	28
445	Brown adipose TRX2 deficiency activates mtDNA-NLRP3 to impair thermogenesis and protect against diet-induced insulin resistance. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	28
446	Mitochondrial Dysfunction Contributes to Impaired Insulin Secretion in INS-1 Cells with Dominant-negative Mutations of HNF-1 α and in HNF-1 α -deficient Islets. <i>Journal of Biological Chemistry</i> , 2009, 284, 16808-16821.	3.4	27
447	Knockdown of the gene encoding <i>Drosophila</i> tribbles homologue 3 (<i>Trib3</i>) improves insulin sensitivity through peroxisome proliferator-activated receptor- δ (<i>PPAR-δ</i>) activation in a rat model of insulin resistance. <i>Diabetologia</i> , 2011, 54, 935-944.	6.3	27
448	Dissociation of Muscle Insulin Resistance from Alterations in Mitochondrial Substrate Preference. <i>Cell Metabolism</i> , 2020, 32, 726-735.e5.	16.2	27
449	A feed-forward regulatory loop in adipose tissue promotes signaling by the hepatokine FGF21. <i>Genes and Development</i> , 2021, 35, 133-146.	5.9	26
450	Leptin mediates postprandial increases in body temperature through hypothalamus-adrenal medulla-adipose tissue crosstalk. <i>Journal of Clinical Investigation</i> , 2020, 130, 2001-2016.	8.2	25

#	ARTICLE	IF	CITATIONS
451	The Role of Intramyocellular Lipids during Hypoglycemia in Patients with Intensively Treated Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 5559-5565.	3.6	24
452	Short-term food restriction followed by controlled refeeding promotes gorging behavior, enhances fat deposition, and diminishes insulin sensitivity in mice. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 721-728.	4.2	24
453	Nuclear magnetic resonance spectroscopy in diagnostic and investigative medicine.. <i>Journal of Clinical Investigation</i> , 1984, 74, 1127-1131.	8.2	21
454	Loss of Nucleobindin-2 Causes Insulin Resistance in Obesity without Impacting Satiety or Adiposity. <i>Cell Reports</i> , 2018, 24, 1085-1092.e6.	6.4	21
455	Increased Energy Expenditure and Insulin Sensitivity in the High Bone Mass β -FosB Transgenic Mice. <i>Endocrinology</i> , 2009, 150, 135-143.	2.8	20
456	GPA protects the nigrostriatal dopamine system by enhancing mitochondrial function. <i>Neurobiology of Disease</i> , 2011, 43, 152-162.	4.4	20
457	Enhanced Fasting Glucose Turnover in Mice with Disrupted Action of TUG Protein in Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2013, 288, 20135-20150.	3.4	20
458	Mitochondrial GTP Insensitivity Contributes to Hypoglycemia in Hyperinsulinemia Hyperammonemia by Inhibiting Glucagon Release. <i>Diabetes</i> , 2014, 63, 4218-4229.	0.6	20
459	Second-generation antisense oligonucleotides against β -catenin protect mice against diet-induced hepatic steatosis and hepatic and peripheral insulin resistance. <i>FASEB Journal</i> , 2016, 30, 1207-1217.	0.5	20
460	Dyrk1b promotes hepatic lipogenesis by bypassing canonical insulin signaling and directly activating mTORC2 in mice. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	20
461	cAMP-responsive Element-binding Protein (CREB)-regulated Transcription Coactivator 2 (CRTC2) Promotes Glucagon Clearance and Hepatic Amino Acid Catabolism to Regulate Glucose Homeostasis. <i>Journal of Biological Chemistry</i> , 2013, 288, 16167-16176.	3.4	19
462	Adipocyte JAK2 Regulates Hepatic Insulin Sensitivity Independently of Body Composition, Liver Lipid Content, and Hepatic Insulin Signaling. <i>Diabetes</i> , 2018, 67, 208-221.	0.6	19
463	Metabolic control analysis of insulin-stimulated glucose disposal in rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E505-E512.	3.5	18
464	Inositol 1,4,5-trisphosphate receptor type II (InsP ₃ -R-II) is reduced in obese mice, but metabolic homeostasis is preserved in mice lacking InsP ₃ -R-II. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 307, E1057-E1064.	3.5	18
465	One-leg inactivity induces a reduction in mitochondrial oxidative capacity, intramyocellular lipid accumulation and reduced insulin signalling upon lipid infusion: a human study with unilateral limb suspension. <i>Diabetologia</i> , 2020, 63, 1211-1222.	6.3	18
466	Mass and Positional Isotopomer Analysis of Glucose Metabolism in Periportal and Pericentral Hepatocytes. <i>Journal of Biological Chemistry</i> , 1995, 270, 28062-28067.	3.4	17
467	Defective fatty acid oxidation in mice with muscle-specific acyl-CoA synthetase 1 deficiency increases amino acid use and impairs muscle function. <i>Journal of Biological Chemistry</i> , 2019, 294, 8819-8833.	3.4	16
468	Altered In Vivo Lipid Fluxes and Cell Dynamics in Subcutaneous Adipose Tissues Are Associated With the Unfavorable Pattern of Fat Distribution in Obese Adolescent Girls. <i>Diabetes</i> , 2019, 68, 1168-1177.	0.6	16

#	ARTICLE	IF	CITATIONS
469	Regulation of myocardial [¹³ C]glucose metabolism in conscious rats. American Journal of Physiology - Heart and Circulatory Physiology, 2000, 279, H375-H381.	3.2	15
470	Resolution of non-alcoholic steatohepatitis after growth hormone replacement in a pediatric liver transplant patient with panhypopituitarism. Pediatric Transplantation, 2016, 20, 1157-1163.	1.0	15
471	Membrane-bound sn-1,2-diacylglycerols explain the dissociation of hepatic insulin resistance from hepatic steatosis in MTP knockout mice. Journal of Lipid Research, 2020, 61, 1565-1576.	4.2	15
472	Non-Invasive Measurements of the Cerebral Steady-State Glucose Concentration and Transport in Humans by ¹³ C Nuclear Magnetic Resonance. Advances in Experimental Medicine and Biology, 1993, 331, 35-40.	1.6	15
473	<i>Ostf</i> mice exhibit altered expression of intestinal lipid absorption genes, resistance to age-related weight gain, and modestly improved insulin sensitivity. American Journal of Physiology - Renal Physiology, 2014, 306, G425-G438.	3.4	14
474	Quantitative analysis of the pathways of glycogen repletion in periportal and perivenous hepatocytes in vivo. Journal of Biological Chemistry, 1991, 266, 4094-8.	3.4	14
475	Time course of the defective β -cell response to hypoglycemia in diabetic BB rats. Metabolism: Clinical and Experimental, 1996, 45, 1422-1426.	3.4	13
476	The effects of increased acetate turnover on glucose-induced insulin secretion in lean and obese humans. Journal of Clinical and Translational Science, 2019, 3, 18-20.	0.6	13
477	Cardiac myocyte KLF5 regulates body weight via alteration of cardiac FGF21. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 2125-2137.	3.8	13
478	Short-term overnutrition induces white adipose tissue insulin resistance through sn-1,2-diacylglycerol α PKC μ α insulin receptorT1160 phosphorylation. JCI Insight, 2021, 6, .	5.0	13
479	Insulin-stimulated endoproteolytic TUG cleavage links energy expenditure with glucose uptake. Nature Metabolism, 2021, 3, 378-393.	11.9	13
480	Cellular mechanism of insulin resistance in skeletal muscle. Journal of the Royal Society of Medicine, 2002, 95 Suppl 42, 8-13.	2.0	13
481	Progesterone administration induced impairment of insulin suppression of hepatic glucose production. Fertility and Sterility, 1994, 62, 491-496.	1.0	12
482	Muscle-specific activation of Ca ²⁺ /calmodulin-dependent protein kinase IV increases whole-body insulin action in mice. Diabetologia, 2014, 57, 1232-1241.	6.3	12
483	Reduced intestinal lipid absorption and body weight-independent improvements in insulin sensitivity in high-fat diet-fed <i>Park2</i> knockout mice. American Journal of Physiology - Endocrinology and Metabolism, 2016, 311, E105-E116.	3.5	12
484	Adipose glucocorticoid action influences whole-body metabolism via modulation of hepatic insulin action. FASEB Journal, 2019, 33, 8174-8185.	0.5	12
485	Slc20a1/Pit1 and Slc20a2/Pit2 are essential for normal skeletal myofiber function and survival. Scientific Reports, 2020, 10, 3069.	3.3	12
486	Effects of insulin-like growth factor I on glucose metabolism in rats with liver cirrhosis. American Journal of Physiology - Endocrinology and Metabolism, 1997, 273, E1189-E1193.	3.5	11

#	ARTICLE	IF	CITATIONS
487	Ectopic lipid deposition mediates insulin resistance in adipose specific 11 β -hydroxysteroid dehydrogenase type 1 transgenic mice. <i>Metabolism: Clinical and Experimental</i> , 2019, 93, 1-9.	3.4	11
488	Sex- and strain-specific effects of mitochondrial uncoupling on age-related metabolic diseases in high-fat diet-fed mice. <i>Aging Cell</i> , 2022, 21, e13539.	6.7	11
489	N.m.r. studies of muscle glycogen synthesis in normal and non-insulin-dependent diabetic subjects. <i>Biochemical Society Transactions</i> , 1991, 19, 992-994.	3.4	10
490	Fish Oil Selectively Improves Heart Function in a Mouse Model of Lipid-induced Cardiomyopathy. <i>Journal of Cardiovascular Pharmacology</i> , 2013, 61, 345-354.	1.9	10
491	PKC δ Haploinsufficiency Prevents Diabetes by a Mechanism Involving Alterations in Hepatic Enzymes. <i>Molecular Endocrinology</i> , 2014, 28, 1097-1107.	3.7	10
492	Impairment of insulin-stimulated glucose transport and ERK activation by adipocyte-specific knockout of PKC- δ produces a phenotype characterized by diminished adiposity and enhanced insulin suppression of hepatic gluconeogenesis. <i>Adipocyte</i> , 2014, 3, 19-29.	2.8	10
493	MMAB promotes negative feedback control of cholesterol homeostasis. <i>Nature Communications</i> , 2021, 12, 6448.	12.8	10
494	Transgenic mice overexpressing GLUT-1 protein in muscle exhibit increased muscle glycogenesis after exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 278, E588-E592.	3.5	9
495	The Role of Leptin in Maintaining Plasma Glucose During Starvation. <i>Postdoc Journal</i> , 2018, 6, 3-19.	0.4	9
496	Hepatic insulin sensitivity is improved in high-fat diet-fed <i>Park2</i> knockout mice in association with increased hepatic AMPK activation and reduced steatosis. <i>Physiological Reports</i> , 2019, 7, e14281.	1.7	9
497	Response to Burgess. <i>Nature Medicine</i> , 2015, 21, 109-110.	30.7	8
498	<i>In vivo</i> studies on the mechanism of methylene cyclopropyl acetic acid and methylene cyclopropyl glycine-induced hypoglycemia. <i>Biochemical Journal</i> , 2018, 475, 1063-1074.	3.7	8
499	Distinct Hepatic PKA and CDK Signaling Pathways Control Activity-Independent Pyruvate Kinase Phosphorylation and Hepatic Glucose Production. <i>Cell Reports</i> , 2019, 29, 3394-3404.e9.	6.4	8
500	The omentum of obese girls harbors small adipocytes and browning transcripts. <i>JCI Insight</i> , 2020, 5, .	5.0	8
501	Validation of a Gas Chromatography-Mass Spectrometry Method for the Measurement of the Redox State Metabolic Ratios Lactate/Pyruvate and β -Hydroxybutyrate/Acetoacetate in Biological Samples. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4752.	4.1	7
502	Indy knockdown in mice mimics elements of dietary restriction. <i>Aging</i> , 2011, 3, 701-701.	3.1	7
503	Islet Phosphoinositide Hydrolysis and Insulin Secretory Responses from Prediabetic fA/fA ZDF Rats. <i>Biochemical and Biophysical Research Communications</i> , 1995, 209, 974-980.	2.1	6
504	Considering the Links Between Nonalcoholic Fatty Liver Disease and Insulin Resistance: Revisiting the Role of Protein Kinase C δ . <i>Hepatology</i> , 2019, 70, 2217-2220.	7.3	6

#	ARTICLE	IF	CITATIONS
505	Deletion of the diabetes candidate gene Slc16a13 in mice attenuates diet-induced ectopic lipid accumulation and insulin resistance. <i>Communications Biology</i> , 2021, 4, 826.	4.4	6
506	Treating fatty liver and insulin resistance. <i>Aging</i> , 2013, 5, 791-792.	3.1	6
507	Ethnic and sex differences in hepatic lipid content and related cardiometabolic parameters in lean individuals. <i>JCI Insight</i> , 2022, 7, .	5.0	6
508	Pathways of hepatic glycogen synthesis in humans. <i>Medicine and Science in Sports and Exercise</i> , 1991, 23, 939-943.	0.4	5
509	Bioactive lipids and metabolic syndrome—a symposium report. <i>Annals of the New York Academy of Sciences</i> , 2022, 1511, 87-106.	3.8	5
510	Enhancement of the gluconeogenic flux of hepatic glycogen repletion by a phenacyl imidazolium compound in vivo. <i>Acta Diabetologica</i> , 1993, 30, 70-72.	2.5	4
511	Insulin Resistance in NAFLD: Potential Mechanisms and Therapies. , 0, , 38-54.		4
512	Reply to Constantin-Teodosiu et al.: Mice with genetic PDH activation are not protected from high-fat diet-induced muscle insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E825-E825.	7.1	3
513	Point: An alternative hypothesis for why exposure to static magnetic and electric fields treats type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E999-E1000.	3.5	3
514	MRS Studies of the Role of the Muscle Glycogen Synthesis Pathway in the Pathophysiology of Type 2 Diabetes. , 2005, , 45-57.		2
515	The Metabolic Syndrome. , 2010, , 822-839.		2
516	Reply to Monetti et al.: Hepatic steatosis and diacylglycerol-mediated hepatic insulin resistance in acyl-CoA:diacylglycerol acyltransferase 2 (DGAT2) transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E524-E524.	7.1	1
517	CIDEA expression in SAT from adolescent girls with obesity and unfavorable patterns of abdominal fat distribution. <i>Obesity</i> , 2021, 29, 2068-2080.	3.0	1
518	Carbohydrate restriction reverses NAFLD by altering hepatic mitochondrial fluxes in humans. <i>Journal of Hepatology</i> , 2020, 73, S14.	3.7	0
519	A Single Virtual Consult Reduces Severe Hyperglycemia in Patients Admitted with COVID19 Infection. <i>Journal of the Endocrine Society</i> , 2021, 5, A335-A335.	0.2	0
520	Reply to Carter et al.: An alternative hypothesis for why exposure to static magnetic and electric fields treats type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E1003-E1003.	3.5	0
521	Human Kallistatin Ameliorates Insulin Resistance in Diet Induced Obese Mice. <i>Diabetologie Und Stoffwechsel</i> , 2022, , .	0.0	0