

# Jean-Paul Jay-Gerin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7915041/publications.pdf>

Version: 2024-02-01

71  
papers

2,828  
citations

257450

24  
h-index

182427

51  
g-index

73  
all docs

73  
docs citations

73  
times ranked

3065  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ionizing radiation-induced metabolic oxidative stress and prolonged cell injury. <i>Cancer Letters</i> , 2012, 327, 48-60.	7.2	1,019
2	Low-Energy Electron Penetration Range in Liquid Water. <i>Radiation Research</i> , 2002, 158, 657-660.	1.5	189
3	Electron stimulated desorption of H <sub>2</sub> from thin films of thymine and uracil. <i>Journal of Chemical Physics</i> , 2001, 114, 5755-5764.	3.0	89
4	The effect of pH on water radiolysis: A still open question – A minireview. <i>Research on Chemical Intermediates</i> , 2000, 26, 549-565.	2.7	79
5	Radiolysis of Liquid Water at Temperatures up to 300 °C: A Monte Carlo Simulation Study. <i>Journal of Physical Chemistry A</i> , 2000, 104, 11757-11770.	2.5	77
6	High-LET Radiolysis of Liquid Water with 1H <sup>+</sup> , 4He <sup>2+</sup> , 12C <sup>6+</sup> , and 20Ne <sup>9+</sup> Ions: Effects of Multiple Ionization. <i>Journal of Physical Chemistry A</i> , 2005, 109, 6406-6419.	2.5	77
7	On the validity of the independent reaction times approximation for the description of the nonhomogeneous kinetics of liquid water radiolysis. <i>Radiation Physics and Chemistry</i> , 1998, 51, 85-91.	2.8	62
8	Water Chemistry in a Supercritical Water-Cooled Pressure Tube Reactor. <i>Nuclear Technology</i> , 2012, 179, 205-219.	1.2	59
9	The Role of Gap Junction Communication and Oxidative Stress in the Propagation of Toxic Effects among High-Dose $\alpha$ -Particle-Irradiated Human Cells. <i>Radiation Research</i> , 2011, 175, 347-357.	1.5	57
10	High-LET Ion Radiolysis of Water: Visualization of the Formation and Evolution of Ion Tracks and Relevance to the Radiation-Induced Bystander Effect. <i>Radiation Research</i> , 2006, 165, 485-491.	1.5	54
11	Monte Carlo Calculation of the Primary Radical and Molecular Yields of Liquid Water Radiolysis in the Linear Energy Transfer Range 0.3–6.5 keV/nm: Application to <sup>137</sup> Cs Gamma Rays. <i>Radiation Research</i> , 2001, 155, 269-278.	1.5	49
12	High-LET Ion Radiolysis of Water: Oxygen Production in Tracks. <i>Radiation Research</i> , 2009, 171, 379-386.	1.5	43
13	Thermalization of Subexcitation Electrons in Solid Water. <i>Radiation Research</i> , 1989, 118, 46.	1.5	40
14	Radiolysis of liquid water: An attempt to reconcile Monte-Carlo calculations with new experimental hydrated electron yield data at early times. <i>Canadian Journal of Chemistry</i> , 2002, 80, 1367-1374.	1.1	40
15	A new estimate of the radical yield at early times in the radiolysis of liquid water. <i>Chemical Physics Letters</i> , 2000, 317, 388-391.	2.6	39
16	Low-linear energy transfer radiolysis of liquid water at elevated temperatures up to 350 °C: Monte-Carlo simulations. <i>Chemical Physics Letters</i> , 2011, 508, 224-230.	2.6	38
17	Ultra-High Dose-Rate, Pulsed (FLASH) Radiotherapy with Carbon Ions: Generation of Early, Transient, Highly Oxygenated Conditions in the Tumor Environment. <i>Radiation Research</i> , 2020, 194, 587-593.	1.5	35
18	Time-dependent yield of the hydrated electron in subcritical and supercritical water studied by ultrafast pulse radiolysis and Monte-Carlo simulation. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 14325.	2.8	34

#	ARTICLE	IF	CITATIONS
19	On the spur lifetime and its temperature dependence in the low linear energy transfer radiolysis of water. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 16731.	2.8	32
20	Monte Carlo simulation study of the effects of acidity and LET on the primary free-radical and molecular yields of water radiolysis – Application to the Fricke dosimeter. <i>Canadian Journal of Chemistry</i> , 2007, 85, 214-229.	1.1	31
21	On the dissociative electron attachment as a potential source of molecular hydrogen in irradiated liquid water. <i>Radiation Physics and Chemistry</i> , 1996, 47, 247-250.	2.8	29
22	Multiple ionization effects on the yields of HO <sub>2</sub> /O <sub>2</sub> <sup>•-</sup> and H <sub>2</sub> O <sub>2</sub> produced in the radiolysis of liquid water with high-LET 12C <sub>6+</sub> ions: a Monte-Carlo simulation study. <i>Chemical Physics Letters</i> , 2003, 377, 419-425.	2.6	27
23	Utilization of the Ferrous Sulfate (Fricke) Dosimeter for Evaluating the Radioprotective Potential of Cystamine: Experiment and Monte Carlo Simulation. <i>Radiation Research</i> , 2012, 177, 813-826.	1.5	26
24	Effect of water density on the absorption maximum of hydrated electrons in sub- and supercritical water up to 400 °C. <i>Journal of Chemical Physics</i> , 2008, 129, 114511.	3.0	24
25	Self-radiolysis of tritiated water. 1. A comparison of the effects of 60Co $\beta$ -rays and tritium $\beta$ -particles on water and aqueous solutions at room temperature. <i>RSC Advances</i> , 2013, 3, 19282.	3.6	24
26	SimulRad: a Java interface for a Monte-Carlo simulation code to visualize in 3D the early stages of water radiolysis. <i>Radiation Physics and Chemistry</i> , 2005, 72, 173-180.	2.8	21
27	Temperature dependence of the Fricke dosimeter and spur expansion time in the low-LET high-temperature radiolysis of water up to 350 °C: a Monte-Carlo simulation study. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 10690.	2.8	21
28	Human cell responses to ionizing radiation are differentially affected by the expressed connexins. <i>Journal of Radiation Research</i> , 2013, 54, 251-259.	1.6	21
29	Intercellular Communication Amplifies Stressful Effects in High-Charge, High-Energy (HZE) Particle-Irradiated Human Cells. <i>Journal of Radiation Research</i> , 2011, 52, 408-414.	1.6	20
30	Acid spike effect in spurs/tracks of the low/high linear energy transfer radiolysis of water: potential implications for radiobiology. <i>RSC Advances</i> , 2015, 5, 43361-43370.	3.6	20
31	Radiolysis of supercritical water at 400 °C and liquid-like densities near 0.5 g/cm <sup>3</sup> – A Monte Carlo calculation. <i>Canadian Journal of Chemistry</i> , 2010, 88, 646-653.	1.1	17
32	Électrons en excès dans les milieux polaires homogènes et hétérogènes. <i>Canadian Journal of Chemistry</i> , 1996, 74, 1-23.	1.1	16
33	Effect of Multiple Ionization on the Yield of H <sub>2</sub> O <sub>2</sub> Produced in the Radiolysis of Aqueous 0.4M H <sub>2</sub> SO <sub>4</sub> Solutions by High-LET 12C <sub>6+</sub> and 20Ne <sub>9+</sub> Ions. <i>Radiation Research</i> , 2005, 164, 688-694.	1.5	16
34	Rate constant for the H <sub>2</sub> O <sup>•+</sup> + H <sub>2</sub> O → H <sub>3</sub> O <sup>+</sup> + H <sub>2</sub> reaction at elevated temperatures measured by pulse radiolysis. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 30834-30841.	2.8	15
35	Time-dependent yield of OH radicals in the low linear energy transfer radiolysis of water between 25 and 350 °C. <i>Chemical Physics Letters</i> , 2013, 588, 82-86.	2.6	14
36	On the temperature dependence of the primary yield and the product G <sub>max</sub> of hydrated electrons in the low-LET radiolysis of liquid water. <i>Canadian Journal of Chemistry</i> , 2002, 80, 767-773.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Self-radiolysis of tritiated water. 3. The $\dot{\text{E}}^{\text{TM}}\text{OH}$ scavenging effect of bromide ions on the yield of $\text{H}_2\text{O}_2$ in the radiolysis of water by $^{60}\text{Co}$ $\hat{\text{I}}^3$ -rays and tritium $\hat{\text{I}}^2$ -particles at room temperature. RSC Advances, 2014, 4, 43572-43581.	3.6	12
38	Heterogeneous character of supercritical water at 400 $\hat{\text{A}}^\circ\text{C}$ and different densities unveiled by simulation. RSC Advances, 2016, 6, 30484-30487.	3.6	12
39	Radiation Chemistry of Liquid Water with Heavy Ions. , 2010, , 355-400.		12
40	Yields of $\text{H}_{2\text{O}_2}$ and hydrated electrons in low-LET radiolysis of water determined by Monte Carlo track chemistry simulations using phenol/ $\text{N}_2\text{O}$ aqueous solutions up to 350 $\hat{\text{A}}^\circ\text{C}$ . RSC Advances, 2015, 5, 76813-76824.	3.6	11
41	In situ generation of ultrafast transient "acid spikes" in the $^{10}\text{B}(n,\hat{\text{I}}^{\pm})^7\text{Li}$ radiolysis of water. Chemical Physics Letters, 2018, 693, 210-215.	2.6	11
42	Ultra-high dose-rate (FLASH) radiotherapy: Generation of early, transient, strongly acidic spikes in the irradiated tumor environment. Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique, 2020, 24, 332-334.	1.4	11
43	Monte-Carlo calculation of the primary yields of $\text{H}_2\text{O}_2$ in the $^1\text{H}^+$ , $^2\text{H}^+$ , $^4\text{He}^{2+}$ , $^7\text{Li}^{3+}$ , and $^{12}\text{C}^{6+}$ radiolysis of liquid water at 25 and 300 $\hat{\text{A}}^\circ\text{C}$ . Canadian Journal of Chemistry, 2002, 80, 68-75.	1.1	10
44	Density dependence of the "escape" yield of hydrated electrons in the low-LET radiolysis of supercritical water at 400 $\hat{\text{A}}^\circ\text{C}$ . Physical Chemistry Chemical Physics, 2012, 14, 11277.	2.8	10
45	Density dependence of the yield of hydrated electrons in the low-LET radiolysis of supercritical water at 400 $\hat{\text{A}}^\circ\text{C}$ : influence of the geminate recombination of subexcitation-energy electrons prior to thermalization. Physical Chemistry Chemical Physics, 2013, 15, 16450.	2.8	10
46	Modeling the Radiolysis of Supercritical Water by Fast Neutrons: Density Dependence of the Yields of Primary Species at 400 $\hat{\text{A}}^\circ\text{C}$ . Radiation Research, 2014, 182, 695-704.	1.5	10
47	Linear energy transfer dependence of transient yields in water irradiated by 150 keV " 500 MeV protons in the limit of low dose rates. Canadian Journal of Chemistry, 2020, 98, 427-433.	1.1	10
48	A conjecture on the fate of the hydrated electron during its disproportionation reaction. Radiation Physics and Chemistry, 1993, 41, 487-490.	2.8	9
49	Correlation between the electron solvation time and the solvent dielectric relaxation times $\hat{\text{I}}_{,2}$ and $\hat{\text{I}}_{,L1}$ in liquid alcohols and water: towards a universal concept of electron solvation?. Canadian Journal of Chemistry, 1997, 75, 1310-1314.	1.1	8
50	Calculation of the Yields for the Primary Species Formed from the Radiolysis of Liquid Water by Fast Neutrons at Temperatures between 25 " 350 $\hat{\text{A}}^\circ\text{C}$ . Radiation Research, 2014, 181, 659-665.	1.5	8
51	Radiolysis of Supercritical Water at 400 $\hat{\text{A}}^\circ\text{C}$ : A Sensitivity Study of the Density Dependence of the Yield of Hydrated Electrons on the ( $\text{e}^{\text{aq}\cdot} + \text{e}^{\text{aq}\cdot}$ ) Reaction Rate Constant. Journal of Nuclear Engineering and Radiation Science, 2016, 2, .	0.4	8
52	Monte Carlo track chemistry simulations of the radiolysis of water induced by the recoil ions of the $^{10}\text{B}(n,\hat{\text{I}}^{\pm})^{7}\text{Li}$ nuclear reaction. 1. Calculation of the yields of primary species up to 350 $\hat{\text{A}}^\circ\text{C}$ . RSC Advances, 2017, 7, 10782-10790.	3.6	8
53	Yields of primary species in the low-linear energy transfer radiolysis of water in the temperature range of 25 " 700 $\hat{\text{A}}^\circ\text{C}$ . Physical Chemistry Chemical Physics, 2020, 22, 7430-7439.	2.8	8
54	On the Temperature Dependence of the Rate Constant of the Bimolecular Reaction of Two Hydrated Electrons. Atom Indonesia, 2013, 39, 51.	0.5	8

#	ARTICLE	IF	CITATIONS
55	Evaluation of the radioprotective ability of cystamine for 150 keV $\alpha$ 500 MeV proton irradiation: a Monte Carlo track chemistry simulation study. Canadian Journal of Chemistry, 2019, 97, 100-111.	1.1	7
56	High-dose-rate effects in the radiolysis of water at elevated temperatures. Canadian Journal of Chemistry, 2021, 99, 594-602.	1.1	7
57	Low linear energy transfer radiolysis of supercritical water at 400 $\text{\AA}$ : <i>in situ</i> generation of ultrafast, transient, density-dependent $\alpha$ acid spikes. Physical Chemistry Chemical Physics, 2019, 21, 7137-7146.	2.8	6
58	Generation of ultrafast, transient, highly acidic pH spikes in the radiolysis of water at very high dose rates: relevance for FLASH radiotherapy. Canadian Journal of Chemistry, 2022, 100, 272-279.	1.1	6
59	Radiolysis of supercritical water at 400 $\text{\AA}$ : density dependence of the rate constant for the reaction of hydronium ions with hydrated electrons. Physical Chemistry Chemical Physics, 2019, 21, 9141-9144.	2.8	5
60	Self-radiolysis of tritiated water. 4. The scavenging effect of azide ions ( $\text{N}_3^-$ ) on the molecular hydrogen yield in the radiolysis of water by $^{60}\text{Co}$ $\gamma$ -rays and tritium $\beta$ -particles at room temperature. RSC Advances, 2018, 8, 2449-2458.	3.6	4
61	$\alpha$ Acid spike formation in the fast neutron radiolysis of supercritical water at 400 $\text{\AA}$ studied by Monte Carlo track chemistry simulations. Canadian Journal of Chemistry, 2019, 97, 366-372.	1.1	4
62	Transient hypoxia in water irradiated by swift carbon ions at ultra-high dose rates: implication for FLASH carbon-ion therapy. Canadian Journal of Chemistry, 2021, 99, 842-849.	1.1	4
63	Self-radiolysis of tritiated water. 2. Density dependence of the yields of primary species formed in the radiolysis of supercritical water by tritium $\beta$ -particles at 400 $\text{\AA}$ . RSC Advances, 2014, 4, 22980.	3.6	3
64	GENERATION OF ULTRAFAST TRANSIENT ACID SPIKES IN HIGH-TEMPERATURE WATER IRRADIATED WITH LOW LINEAR ENERGY TRANSFER RADIATION. CNL Nuclear Review, 0, , 1-10.	0.6	3
65	Formation of Local, Transient $\alpha$ Acid Spikes in the Fast Neutron Radiolysis of Supercritical Water at 400 $\text{\AA}$ : A Potential Source of Corrosion in Supercritical Water-Cooled Reactors?. Journal of Nuclear Engineering and Radiation Science, 2020, 6, .	0.4	3
66	<i>title&gt;Dynamics of solvated electrons in polar liquids using 2-eV femtosecond laser pulses&lt;/i&gt;. , 1994, 2041, 139.</i>		2
67	Monte-Carlo $\alpha$ step-by-step $\alpha$ simulation of the early stages of liquid water radiolysis: 3D visualization of the initial radiation track structure and its subsequent chemical development. Journal of Physics: Conference Series, 2006, 56, 153-155.	0.4	2
68	Effect of Temperature on the Low-Linear Energy Transfer Radiolysis of the Ceric-Cerous Sulfate Dosimeter: A Monte Carlo Simulation Study. Radiation Research, 2014, 181, 495-502.	1.5	2
69	Temperature and density effects on the absorption maximum of solvated electrons in sub- and super-critical methanol. Canadian Journal of Chemistry, 2010, 88, 1026-1033.	1.1	1
70	Yield of the Fricke dosimeter irradiated with the recoil $\alpha$ and Li ions of the $^{10}\text{B}(\alpha, n)^{7}\text{Li}$ nuclear reaction: effects of multiple ionization and temperature. Canadian Journal of Chemistry, 2021, 99, 425-435.	1.1	1
71	Scavenging of $\alpha$ dry $\alpha$ electrons prior to hydration by azide ions: effect on the formation of $\text{H}_2$ in the radiolysis of water by $^{60}\text{Co}$ $\gamma$ -rays and tritium $\beta$ -electrons. Canadian Journal of Chemistry, 0, , 1-9.	1.1	1