

Tuomo Laitinen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7917855/publications.pdf>

Version: 2024-02-01

71
papers

1,689
citations

257450

24
h-index

345221

36
g-index

80
all docs

80
docs citations

80
times ranked

2579
citing authors

#	ARTICLE	IF	CITATIONS
1	WaterMap-Guided Structure-Based Virtual Screening for Acetylcholinesterase Inhibitors. <i>ChemMedChem</i> , 2022, 17, .	3.2	5
2	Identification of 4-Anilinoquin(az)oline as a cell active Protein Kinase Novel 3 (PKN3) inhibitor chemotype. <i>ChemMedChem</i> , 2022, , .	3.2	2
3	Synthesis and evaluation of 1,2,3-dithiazole inhibitors of the nucleocapsid protein of feline immunodeficiency virus (FIV) as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry</i> , 2022, 68, 116834.	3.0	2
4	Structural Characterization of LsrK as a Quorum Sensing Target and a Comparison between X-ray and Homology Models. <i>Journal of Chemical Information and Modeling</i> , 2021, 61, 1346-1353.	5.4	4
5	Docking-Based 3D-QSAR Studies for 1,3,4-oxadiazol-2-one Derivatives as FAAH Inhibitors. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6108.	4.1	9
6	Synthesis and Evaluation of Novel 1,2,6-Thiadiazinone Kinase Inhibitors as Potent Inhibitors of Solid Tumors. <i>Molecules</i> , 2021, 26, 5911.	3.8	4
7	Identification of Key Amino Acids that Impact Organic Solute Transporter $OST\pm/2$ ($OST\pm/2$). <i>Molecular Pharmacology</i> , 2021, 100, 599-608.	2.3	0
8	SARS-CoV-2 host proteome interactions for antiviral drug discovery. <i>Molecular Systems Biology</i> , 2021, 17, e10396.	7.2	53
9	Design and Analysis of the 4-Anilinoquin(az)oline Kinase Inhibition Profiles of GAK/SLK/STK10 Using Quantitative Structure-Activity Relationships. <i>ChemMedChem</i> , 2020, 15, 26-49.	3.2	18
10	Targeting the Water Network in Cyclin G-Associated Kinase (GAK) with 4-Anilinoquin(az)oline Inhibitors. <i>ChemMedChem</i> , 2020, 15, 1200-1215.	3.2	9
11	Antimicrobial and Antifungal Activity of Rare Substituted 1,2,3-Thiaselenazoles and Corresponding Matched Pair 1,2,3-Dithiazoles. <i>Antibiotics</i> , 2020, 9, 369.	3.7	8
12	New Insights into 4-Anilinoquinazolines as Inhibitors of Cardiac Troponin Interacting Kinase (TNNI3K). <i>Molecules</i> , 2020, 25, 1697.	3.8	7
13	Evaluation of FASN inhibitors by a versatile toolkit reveals differences in pharmacology between human and rodent FASN preparations and in antiproliferative efficacy in vitro vs. in situ in human cancer cells. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 149, 105321.	4.0	6
14	PKMYT1: a forgotten member of the WEE1 family. <i>Nature Reviews Drug Discovery</i> , 2020, 19, 157-157.	46.4	17
15	PIP5K1A: a potential target for cancers with KRAS or TP53 mutations. <i>Nature Reviews Drug Discovery</i> , 2020, 19, 436-436.	46.4	12
16	WNK kinases: an untapped opportunity to modulate ion transport. <i>Nature Reviews Drug Discovery</i> , 2020, 19, 828-828.	46.4	2
17	Targeting an EGFR Water Network with 4-Anilinoquin(az)oline Inhibitors for Chordoma. <i>ChemMedChem</i> , 2019, 14, 1693-1700.	3.2	27
18	Novel epidithiodiketopiperazines as anti-viral zinc ejectors of the Feline Immunodeficiency Virus (FIV) nucleocapsid protein as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 4174-4184.	3.0	6

#	ARTICLE	IF	CITATIONS
19	Synthesis and comparison of substituted 1,2,3-dithiazole and 1,2,3-thiaselenazole as inhibitors of the feline immunodeficiency virus (FIV) nucleocapsid protein as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 1765-1768.	2.2	25
20	In Vitro and in Silico Evaluation of Bikaverin as a Potent Inhibitor of Human Protein Kinase CK2. <i>Molecules</i> , 2019, 24, 1380.	3.8	17
21	Design of a Cyclin G Associated Kinase (GAK)/Epidermal Growth Factor Receptor (EGFR) Inhibitor Set to Interrogate the Relationship of EGFR and GAK in Chordoma. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 4772-4778.	6.4	34
22	DPD-Inspired Discovery of Novel LsrK Kinase Inhibitors: An Opportunity To Fight Antimicrobial Resistance. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 2720-2737.	6.4	21
23	Quinazoline-Based Antivirulence Compounds Selectively Target <i>Salmonella</i> PhoP/PhoQ Signal Transduction System. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 64, .	3.2	23
24	Towards the Development of an In vivo Chemical Probe for Cyclin G Associated Kinase (GAK). <i>Molecules</i> , 2019, 24, 4016.	3.8	16
25	Exploration and Development of a Cu ^{II} -Activated Route to Access the [1,2]Dithiolo[4,3-b]indole-3(4H)-thione Core and Related Derivatives. <i>Synlett</i> , 2019, 30, 156-160.	1.8	3
26	Investigation of the Pentathiepin Functionality as an Inhibitor of Feline Immunodeficiency Virus (FIV) via a Potential Zinc Ejection Mechanism, as a Model for HIV Infection. <i>ChemMedChem</i> , 2019, 14, 454-461.	3.2	9
27	Identification and Optimization of 4-Anilinoquinolines as Inhibitors of Cyclin G Associated Kinase. <i>ChemMedChem</i> , 2018, 13, 48-66.	3.2	51
28	Structure-Based Virtual Screening of LsrK Kinase Inhibitors to Target Quorum Sensing. <i>ChemMedChem</i> , 2018, 13, 2400-2407.	3.2	12
29	Assessment of mutation probabilities of KRAS G12 missense mutants and their long-timescale dynamics by atomistic molecular simulations and Markov state modeling. <i>PLoS Computational Biology</i> , 2018, 14, e1006458.	3.2	59
30	Whole grain intake associated molecule 5-aminovaleric acid betaine decreases β -oxidation of fatty acids in mouse cardiomyocytes. <i>Scientific Reports</i> , 2018, 8, 13036.	3.3	24
31	1,2,6-Thiadiazinones as Novel Narrow Spectrum Calcium/Calmodulin-Dependent Protein Kinase Kinase 2 (CaMKK2) Inhibitors. <i>Molecules</i> , 2018, 23, 1221.	3.8	23
32	Structural review of PPAR δ in complex with ligands: Cartesian- and dihedral angle principal component analyses of X-ray crystallographic data. <i>Proteins: Structure, Function and Bioinformatics</i> , 2017, 85, 1684-1698.	2.6	5
33	Surface area, volume and shape descriptors as a novel tool for polymer lead design and discovery. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 102, 188-195.	4.0	7
34	Design, synthesis, and biological evaluation of 2,4-dihydropyrano[2,3-c]pyrazole derivatives as autotaxin inhibitors. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 107, 97-111.	4.0	11
35	Development of Pharmacophore Model for Indeno[1,2-b]indoles as Human Protein Kinase CK2 Inhibitors and Database Mining. <i>Pharmaceuticals</i> , 2017, 10, 8.	3.8	26
36	Evaluation of Substituted 1,2,3-Dithiazoles as Inhibitors of the Feline Immunodeficiency Virus (FIV) Nucleocapsid Protein via a Proposed Zinc Ejection Mechanism. <i>ChemMedChem</i> , 2016, 11, 2119-2126.	3.2	20

#	ARTICLE	IF	CITATIONS
37	Chemoproteomic, biochemical and pharmacological approaches in the discovery of inhibitors targeting human $\hat{\pm}/\hat{2}$ -hydrolase domain containing 11 (ABHD11). <i>European Journal of Pharmaceutical Sciences</i> , 2016, 93, 253-263.	4.0	12
38	Potent and selective N-(4-sulfamoylphenyl)thiourea-based GPR55 agonists. <i>European Journal of Medicinal Chemistry</i> , 2016, 107, 119-132.	5.5	18
39	The Effects of Sequence Variation on Genome-wide NRF2 Bindingâ€™New Target Genes and Regulatory SNPs. <i>Nucleic Acids Research</i> , 2016, 44, 1760-1775.	14.5	30
40	Novel fused tetrathiocines as antivirals that target the nucleocapsid zinc finger containing protein of the feline immunodeficiency virus (FIV) as a model of HIV infection. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1352-1355.	2.2	16
41	Loratadine analogues as MAGL inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1436-1442.	2.2	23
42	Revisiting 1,3,4-Oxadiazol-2-ones: Utilization in the Development of ABHD6 Inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6335-6345.	3.0	10
43	Time-Dependent Inhibition of CYP2C19 by Isoquinoline Alkaloids: In Vitro and In Silico Analysis. <i>Drug Metabolism and Disposition</i> , 2015, 43, 1891-1904.	3.3	7
44	Comparative molecular field analysis and molecular dynamics studies of $\hat{\pm}/\hat{2}$ hydrolase domain containing 6 (ABHD6) inhibitors. <i>Journal of Molecular Modeling</i> , 2015, 21, 250.	1.8	29
45	Optimization of 1,2,5â€™Thiadiazole Carbamates as Potent and Selective ABHD6 Inhibitors. <i>ChemMedChem</i> , 2015, 10, 253-265.	3.2	29
46	Discovery of Triterpenoids as Reversible Inhibitors of $\hat{\pm}/\hat{2}$ -hydrolase Domain Containing 12 (ABHD12). <i>PLoS ONE</i> , 2014, 9, e98286.	2.5	24
47	Biochemical and Pharmacological Characterization of the Human Lymphocyte Antigen B-Associated Transcript 5 (BAT5/ABHD16A). <i>PLoS ONE</i> , 2014, 9, e109869.	2.5	35
48	Robust Hydrolysis of Prostaglandin Glycerol Esters by Human Monoacylglycerol Lipase (MAGL). <i>Molecular Pharmacology</i> , 2014, 86, 522-535.	2.3	34
49	Evaluation of the antiviral efficacy of bis[1,2]dithiolo[1,4]thiazines and bis[1,2]dithiopyrrole derivatives against the nucleocapsid protein of the Feline Immunodeficiency Virus (FIV) as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 2640-2644.	2.2	17
50	Piperazine and piperidine carboxamides and carbamates as inhibitors of fatty acid amide hydrolase (FAAH) and monoacylglycerol lipase (MAGL). <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 6694-6705.	3.0	22
51	Mutation of Cys242 of Human Monoacylglycerol Lipase Disrupts Balanced Hydrolysis of 1- and 2-Monoacylglycerols and Selectively Impairs Inhibitor Potency. <i>Molecular Pharmacology</i> , 2014, 85, 510-519.	2.3	16
52	Integrative and Personalized QSAR Analysis in Cancer by Kernelized Bayesian Matrix Factorization. <i>Journal of Chemical Information and Modeling</i> , 2014, 54, 2347-2359.	5.4	101
53	Identification of novel SIRT3 inhibitor scaffolds by virtual screening. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 2990-2995.	2.2	31
54	Chiral 1,3,4-Oxadiazol-2-ones as Highly Selective FAAH Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 8484-8496.	6.4	54

#	ARTICLE	IF	CITATIONS
55	Discovery of novel cannabinoid receptor ligands by a virtual screening approach: Further development of 2,4,6-trisubstituted 1,3,5-triazines as CB2 agonists. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 9-20.	4.0	15
56	Piperazine and Piperidine Triazole Ureas as Ultrapotent and Highly Selective Inhibitors of Monoacylglycerol Lipase. <i>Chemistry and Biology</i> , 2013, 20, 379-390.	6.0	80
57	Synthesis and Biological Evaluation of Arylthiourea Derivatives with Antitubercular Activity. <i>Letters in Drug Design and Discovery</i> , 2013, 10, 640-650.	0.7	4
58	Structure-function analysis indicates that sumoylation modulates DNA-binding activity of STAT1. <i>BMC Biochemistry</i> , 2012, 13, 20.	4.4	23
59	Peptides and Pseudopeptides as SIRT6 Deacetylation Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 969-974.	2.8	34
60	Molecular Dynamics Simulations for Human CAR Inverse Agonists. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 457-464.	5.4	16
61	New <i>in Vitro</i> Tools to Study Human Constitutive Androstane Receptor (CAR) Biology: Discovery and Comparison of Human CAR Inverse Agonists. <i>Molecular Pharmaceutics</i> , 2011, 8, 2424-2433.	4.6	37
62	Use of comprehensive screening methods to detect selective human CAR activators. <i>Biochemical Pharmacology</i> , 2011, 82, 1994-2007.	4.4	38
63	Molecular dynamics studies on the thermostability of family 11 xylanases. <i>Protein Engineering, Design and Selection</i> , 2007, 20, 551-559.	2.1	109
64	Comparative and pharmacophore model for deacetylase SIRT1. <i>Journal of Computer-Aided Molecular Design</i> , 2006, 20, 589-599.	2.9	45
65	Free energy simulations and MM-PBSA analyses on the affinity and specificity of steroid binding to antiestradiol antibody. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 55, 34-43.	2.6	31
66	Recognition of reactive high-energy conformations by shape complementarity and specific enzyme-substrate interactions in family 10 and 11 xylanases. <i>Physical Chemistry Chemical Physics</i> , 2004, 6, 5074-5080.	2.8	11
67	MM-PBSA free energy analysis of endo-1,4-xylanase II (XynII)-substrate complexes: binding of the reactive sugar in a skew boat and chair conformation. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 3535-3540.	2.8	7
68	Characterization of Polyesters Prepared from Three Different Phthalic Acid Isomers by CID-ESI-FT-ICR and PSD-MALDI-TOF Mass Spectrometry. <i>Analytical Chemistry</i> , 2002, 74, 4250-4258.	6.5	24
69	Inversion of the roles of the nucleophile and acid/base catalysts in the covalent binding of epoxyalkyl xyloside inhibitor to the catalytic glutamates of endo-1,4- β -xylanase (XynII): a molecular dynamics study. <i>Protein Engineering, Design and Selection</i> , 2000, 13, 247-252.	2.1	8
70	Ab Initio Quantum Mechanical and Density Functional Theory Calculations on Nucleophile- and Nucleophile and Acid-Catalyzed Opening of an Epoxide Ring: A Model for the Covalent Binding of Epoxyalkyl Inhibitors to the Active Site of Glycosidases. <i>Journal of Organic Chemistry</i> , 1998, 63, 8157-8162.	3.2	27
71	Covalent Binding of Three Epoxyalkyl Xylosides to the Active Site of endo-1,4-Xylanase II from <i>Trichoderma reesei</i> . <i>Biochemistry</i> , 1996, 35, 9617-9624.	2.5	86