## Francesc A Esteve-Turrillas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7919776/publications.pdf

Version: 2024-02-01

109 papers 2,545 citations

218677 26 h-index 243625 44 g-index

115 all docs

115 docs citations

115 times ranked 2794 citing authors

#	Article	IF	Citations
1	Applications of quantum dots as probes in immunosensing of small-sized analytes. Biosensors and Bioelectronics, 2013, 41, 12-29.	10.1	188
2	Green extraction techniques in green analytical chemistry. TrAC - Trends in Analytical Chemistry, 2019, 116, 248-253.	11.4	167
3	Environmental impact of Recover cotton in textile industry. Resources, Conservation and Recycling, 2017, 116, 107-115.	10.8	118
4	Determination of pyrethroid insecticide residues in vegetable oils by using combined solid-phases extraction and tandem mass spectrometry detection. Analytica Chimica Acta, 2005, 553, 50-57.	5.4	117
5	Microwave-assisted extraction of pyrethroid insecticides from soil. Analytica Chimica Acta, 2004, 522, 73-78.	5.4	82
6	New perspectives in the use of semipermeable membrane devices as passive samplers. Talanta, 2008, 74, 443-457.	5.5	69
7	Determination of non-steroidal anti-inflammatory drugs in water and urine using selective molecular imprinted polymer extraction and liquid chromatography. Journal of Pharmaceutical and Biomedical Analysis, 2016, 131, 48-53.	2.8	67
8	Assessing air quality inside vehicles and at filling stations by monitoring benzene, toluene, ethylbenzene and xylenes with the use of semipermeable devices. Analytica Chimica Acta, 2007, 593, 108-116.	5.4	53
9	Hapten synthesis, monoclonal antibody generation, and development of competitive immunoassays for the analysis of picoxystrobin in beer. Analytica Chimica Acta, 2010, 682, 93-103.	5.4	52
10	Using semi-permeable membrane devices as passive samplers. TrAC - Trends in Analytical Chemistry, 2007, 26, 703-712.	11.4	49
11	Development of immunoaffinity columns for pyraclostrobin extraction from fruit juices and analysis by liquid chromatography with UV detection. Journal of Chromatography A, 2011, 1218, 4902-4909.	3.7	47
12	Cocaine abuse determination by ion mobility spectrometry using molecular imprinting. Journal of Chromatography A, 2017, 1481, 23-30.	3.7	46
13	Determination of succinate-dehydrogenase-inhibitor fungicide residues in fruits and vegetables by liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 4207-4211.	3.7	45
14	Amphetamine-type stimulants analysis in oral fluid based on molecularly imprinting extraction. Analytica Chimica Acta, 2019, 1052, 73-83.	5.4	42
15	Trace analysis by ion mobility spectrometry: From conventional to smart sample preconcentration methods. A review. Analytica Chimica Acta, 2018, 1026, 37-50.	5.4	41
16	Magnetic molecularly imprinted polymers for the selective determination of cocaine by ion mobility spectrometry. Journal of Chromatography A, 2018, 1545, 22-31.	3.7	39
17	Headspace–mass spectrometry determination of benzene, toluene and the mixture of ethylbenzene and xylene isomers in soil samples using chemometrics. Analytica Chimica Acta, 2007, 587, 89-96.	5.4	37
18	Microwave-assisted extraction of pyrethroid insecticides from semi permeable membrane devices (SPMDs) used to indoor air monitoring. Analytica Chimica Acta, 2006, 560, 118-127.	5.4	36

#	Article	IF	CITATIONS
19	On-line gel permeation chromatography–attenuated total reflectance–Fourier transform infrared determination of lecithin and soybean oil in dietary supplements. Journal of Chromatography A, 2008, 1185, 71-77.	3.7	35
20	Comparison of different mass spectrometric detection techniques in the gas chromatographic analysis of pyrethroid insecticide residues in soil after microwave-assisted extraction. Analytical and Bioanalytical Chemistry, 2006, 384, 801-809.	3.7	34
21	Analysis of hazardous chemicals by "stand alone―drift tube ion mobility spectrometry: a review. Analytical Methods, 2020, 12, 1163-1181.	2.7	34
22	Determination of fenhexamid residues in grape must, kiwifruit, and strawberry samples by enzyme-linked immunosorbent assay. Food Chemistry, 2011, 124, 1727-1733.	8.2	33
23	Fungicide multiresidue monitoring in international wines by immunoassays. Food Chemistry, 2016, 196, 1279-1286.	8.2	33
24	Development of pipette tip-based poly(methacrylic acid-co-ethylene glycol dimethacrylate) monolith for the extraction of drugs of abuse from oral fluid samples. Talanta, 2019, 205, 120158.	5.5	31
25	Validated, non-destructive and environmentally friendly determination of cocaine in euro bank notes. Journal of Chromatography A, 2005, 1065, 321-325.	3.7	30
26	Hard Cap Espresso Machines in Analytical Chemistry: What Else?. Analytical Chemistry, 2016, 88, 6570-6576.	6.5	27
27	Development of a versatile, easy and rapid atmospheric monitor for benzene, toluene, ethylbenzene and xylenes determination in air. Journal of Chromatography A, 2009, 1216, 8549-8556.	3.7	26
28	Highly selective solid-phase extraction sorbents for chloramphenicol determination in food and urine by ion mobility spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 8559-8567.	3.7	26
29	Determination of ethyl sulfate – a marker for recent ethanol consumption – in human urine by CE with indirect UV detection. Electrophoresis, 2006, 27, 4763-4771.	2.4	24
30	Flavonoid determination in onion, chili and leek by hard cap espresso extraction and liquid chromatography with diode array detection. Microchemical Journal, 2018, 140, 74-79.	4.5	24
31	Hard cap espresso extraction-stir bar preconcentration of polychlorinated biphenyls in soil and sediments. Analytica Chimica Acta, 2017, 952, 41-49.	5.4	22
32	lon mobility spectrometry and high resolution mass-spectrometry as methodologies for rapid identification of the last generation of new psychoactive substances. Journal of Chromatography A, 2018, 1574, 91-100.	3.7	22
33	Uptake and translocation monitoring of imidacloprid to chili and tomato plants by molecularly imprinting extraction - ion mobility spectrometry. Microchemical Journal, 2019, 144, 195-202.	4.5	22
34	Determination of Third-Generation Synthetic Cannabinoids in Oral Fluids. Journal of Analytical Toxicology, 2021, 45, 331-336.	2.8	22
35	Determination of volatile organic compounds in contaminated air using semipermeable membrane devices. Talanta, 2010, 80, 2041-2048.	<b>5.</b> 5	21
36	Off-line coupling of multidimensional immunoaffinity chromatography and ion mobility spectrometry: A promising partnership. Journal of Chromatography A, 2015, 1426, 110-117.	3.7	21

#	Article	IF	CITATIONS
37	Highly sensitive monoclonal antibody-based immunoassays for boscalid analysis in strawberries. Food Chemistry, 2018, 267, 2-9.	8.2	21
38	Determination of the new psychoactive substance dichloropane in saliva by microextraction by packed sorbent $\hat{a} \in \text{``lon mobility spectrometry. Journal of Chromatography A, 2019, 1603, 61-66.}$	3.7	21
39	Fast extraction of cannabinoids in marijuana samples by using hard-cap espresso machines. Talanta, 2018, 190, 321-326.	5.5	20
40	Development of monoclonal antibody-based competitive immunoassays for the detection of picoxystrobin in cereal and oilseed flours. Food Control, 2012, 26, 162-168.	5.5	19
41	Monoclonal antibody-based immunoassays for cyprodinil residue analysis in QuEChERS-based fruit extracts. Food Chemistry, 2015, 187, 530-536.	8.2	19
42	Green Analytical Chemistry. Comprehensive Analytical Chemistry, 2017, 76, 1-25.	1.3	19
43	Comprehensive analysis of airborne pesticides using hard cap espresso extraction-liquid chromatography-high-resolution mass spectrometry. Journal of Chromatography A, 2017, 1506, 27-36.	3.7	19
44	Dispersive magnetic immunoaffinity extraction. Anatoxin-a determination. Journal of Chromatography A, 2017, 1529, 57-62.	3.7	19
45	Development of a molecularly imprinted monolithic polymer disk for agitation-extraction of ecgonine methyl ester from environmental water. Talanta, 2019, 199, 388-395.	5.5	19
46	Uptake and bioavailability of persistent organic pollutants by plants grown in contaminated soil. Journal of Environmental Monitoring, 2005, 7, 1093.	2.1	18
47	Development of competitive enzyme-linked immunosorbent assays for boscalid determination in fruit juices. Food Chemistry, 2012, 135, 276-284.	8.2	18
48	Towards an automatic lab-on-valve-ion mobility spectrometric system for detection of cocaine abuse. Journal of Chromatography A, 2017, 1512, 43-50.	3.7	18
49	Development and Evaluation of Paper-Based Devices for Iron(III) Determination in an Advanced Undergraduate Laboratory. Journal of Chemical Education, 2020, 97, 3852-3857.	2.3	18
50	Behaviour of semipermeable membrane devices in neutral pesticide uptake from waters. Analytical and Bioanalytical Chemistry, 2007, 387, 2153-2162.	3.7	17
51	A passive sampling-based analytical strategy for the determination of volatile organic compounds in the air of working areas. Analytica Chimica Acta, 2010, 677, 131-139.	5.4	17
52	A class-selective immunoassay for simultaneous analysis of anilinopyrimidine fungicides using a rationally designed hapten. Analyst, The, 2017, 142, 3975-3985.	3.5	17
53	Sample preparation strategies for the determination of psychoactive substances in biological fluids. Journal of Chromatography A, 2020, 1633, 461615.	3.7	17
54	Smart materials for sample preparation in bioanalysis: A green overview. Sustainable Chemistry and Pharmacy, 2021, 21, 100411.	3.3	17

#	Article	IF	CITATIONS
55	Hierarchical porous carbon with designed pore architecture and study of its adsorptive properties. Solid State Sciences, 2010, 12, 15-25.	3.2	16
56	Mepanipyrim haptens and antibodies with nanomolar affinity. Analyst, The, 2013, 138, 3360.	3.5	16
57	Evaluation of working air quality by using semipermeable membrane devices. Analytica Chimica Acta, 2008, 626, 21-27.	5.4	15
58	Hard cap espresso extraction and liquid chromatography determination of bioactive compounds in vegetables and spices. Food Chemistry, 2017, 237, 75-82.	8.2	15
59	Analysis of drugs including illicit and new psychoactive substances in oral fluids by gas chromatography-drift tube ion mobility spectrometry. Talanta, 2022, 238, 122966.	5.5	15
60	Antibody generation and immunoassay development in diverse formats for pyrimethanil specific and sensitive analysis. Analyst, The, 2012, 137, 5672.	3.5	14
61	Development of immunosorbents for the analysis of forchlorfenuron in fruit juices by ion mobility spectrometry. Analytical and Bioanalytical Chemistry, 2018, 410, 5961-5967.	3.7	14
62	Tuning the selectivity of molecularly imprinted polymer extraction of arylcyclohexylamines: From class-selective to specific. Analytica Chimica Acta, 2020, 1124, 94-103.	5.4	14
63	Optimization of Large-Volume Injection for the Determination of Polychlorinated Biphenyls in Children $\hat{E}^1/4$ s Fast-Food Menus by Low-Resolution Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2008, 56, 1797-1803.	5.2	13
64	Design and development of heterologous competitive immunoassays for the determination of boscalid residues. Analyst, The, 2014, 139, 3636-3644.	3.5	13
65	Exploring alternative hapten tethering sites for high-affinity anti-picoxystrobin antibody generation. Analytical Biochemistry, 2011, 416, 82-91.	2.4	12
66	Immunoreagent Generation and Competitive Assay Development for Cyprodinil Analysis. Journal of Agricultural and Food Chemistry, 2012, 60, 4803-4811.	5.2	12
67	Development and validation of a direct competitive monoclonal antibody-based immunoassay for the sensitive and selective analysis of the phytoregulator forchlorfenuron. Analytical and Bioanalytical Chemistry, 2012, 403, 2019-2026.	3.7	12
68	Site-heterologous haptens and competitive monoclonal antibody-based immunoassays for pyrimethanil residue analysis in foodstuffs. LWT - Food Science and Technology, 2015, 63, 604-611.	5.2	12
69	Selective determination of clenbuterol residues in urine by molecular imprinted polymer—lon mobility spectrometry. Microchemical Journal, 2017, 134, 62-67.	4.5	12
70	Immunoassays for trifloxystrobin analysis. Part II. Assay development and application to residue determination in food. Food Chemistry, 2014, 162, 41-46.	8.2	11
71	Development of a simple and low cost device for vapour phase Fourier Transform Infrared spectrometry determination of ethanol in mouthwashes. Analytica Chimica Acta, 2006, 569, 238-243.	5.4	10
72	Immunoreagents and Competitive Assays to Fludioxonil. Journal of Agricultural and Food Chemistry, 2014, 62, 2742-2744.	5.2	10

#	Article	IF	CITATIONS
73	Moiety and linker site heterologies for highly sensitive immunoanalysis of cyprodinil in fermented alcoholic drinks. Food Control, 2015, 50, 393-400.	5.5	10
74	Assessment of air passive sampling uptakes for volatile organic compounds using VERAM devices. Science of the Total Environment, 2018, 619-620, 1014-1021.	8.0	10
75	Rationally designed haptens for highly sensitive monoclonal antibody-based immunoanalysis of fenhexamid. Analyst, The, 2018, 143, 4057-4066.	3.5	10
76	Methylone determination in oral fluid using microextraction by packed sorbent coupled to ion mobility spectrometry. Microchemical Journal, 2020, 153, 104504.	4.5	10
77	Immunoassays for pyraclostrobin analysis in processed food products using novel monoclonal antibodies and QuEChERS-based extracts. Food Control, 2013, 32, 42-48.	5.5	9
78	Direct and fast determination of polychlorinated biphenyls in contaminated soils and sediments by thermal desorption-gas chromatography-tandem mass spectrometry. Journal of Chromatography A, 2020, 1610, 460573.	3.7	9
79	Molecularly imprinted polymer-based device for field collection of oral fluid samples for cocaine identification. Journal of Chromatography A, 2020, 1633, 461629.	3.7	9
80	Use of Semipermeable Membrane Devices for Monitoring Pesticides in Indoor Air. Journal of AOAC INTERNATIONAL, 2009, 92, 1557-1565.	1.5	8
81	Identification and characterization of the new psychoactive substance 3-fluoroethamphetamine in seized material. Forensic Toxicology, 2018, 36, 404-414.	2.4	8
82	Dual mixed-mode poly (vinylpyridine-co-methacrylic acid-co-ethylene glycol dimethacrylate)-based sorbent for acidic and basic drug extraction from oral fluid samples. Analytica Chimica Acta, 2021, 1167, 338604.	5.4	8
83	Review of the state of the art of acrylamide human biomonitoring. Chemosphere, 2022, 295, 133880.	8.2	8
84	Sensitive Monoclonal Antibody-Based Immunoassays for Kresoxim-methyl Analysis in QuEChERS-Based Food Extracts. Journal of Agricultural and Food Chemistry, 2014, 62, 2816-2821.	5.2	7
85	Development of a sensitive and specific enzyme-linked immunosorbent assay for the determination of fludioxonil residues in fruit juices. Analytical Methods, 2014, 6, 8924-8929.	2.7	6
86	Metabolism of third generation synthetic cannabinoids using zebrafish larvae. Drug Testing and Analysis, 2022, 14, 594-603.	2.6	6
87	Use of semipermeable membrane devices for assessment of air quality in Tangier (Morocco). International Journal of Environmental Analytical Chemistry, 2009, 89, 917-928.	3.3	5
88	Ready Access to Proquinazid Haptens via Cross-Coupling Chemistry for Antibody Generation and Immunoassay Development. PLoS ONE, 2015, 10, e0134042.	2.5	5
89	Ethylphenidate determination in oral fluids by molecularly imprinted polymer extraction and ion mobility spectrometry. Microchemical Journal, 2022, 178, 107423.	4.5	5
90	Polyfurfuryl alcohol composite as adsorbent of polychlorinated biphenyls and pyrethroid insecticides. Polymer Testing, 2007, 26, 587-594.	4.8	4

#	Article	IF	Citations
91	Evaluation of the Soil Contamination of Tangier (Morocco) by the Determination of BTEX, PCBs, and PAHs. Soil and Sediment Contamination, 2009, 18, 535-545.	1.9	4
92	Passive Air Sampling. Comprehensive Analytical Chemistry, 2016, 73, 203-232.	1.3	4
93	In situ derivatization for double confirmation of 2C–C in oral fluids by ion mobility spectrometry. Analytical Methods, 2017, 9, 2682-2688.	2.7	4
94	lon mobility spectrometry as a fast analytical tool in benzalkonium chloride homologs determination. Talanta, 2017, 164, 110-115.	5.5	4
95	Paper-based monolith extraction of psychoactive substances from biological fluids. Talanta, 2022, 246, 123536.	5.5	4
96	Low temperature headspace desorption of volatile organic compounds trapped in air sampling solid-supports. Environmental Chemistry, 2009, 6, 452.	1.5	3
97	Smart Sorption Materials in Green Analytical Chemistry. Green Chemistry and Sustainable Technology, 2019, , 167-202.	0.7	3
98	Applications of the Photoionization Detector (PID) in Occupational Hygiene. Estimation of Air Changes per Hour in Premises with Natural Ventilation. Chemosensors, 2021, 9, 331.	3.6	3
99	Passive Sampling of Atmospheric Organic Contaminants. , 2012, , 201-222.		2
100	Green Analytical Chemistry., 2021,, 483-493.		2
101	Reply to the comments on "Validated, non-destructive and environmentally friendly determination of cocaine in euro bank notes―by R. Sleeman, J.F. Carter, K.A. Ebejer. Journal of Chromatography A, 2006, 1108, 287-288.	3.7	1
102	Use of a versatile, easy, and rapid atmospheric monitor (VERAM) passive samplers for pesticide determination in continental waters. Analytical and Bioanalytical Chemistry, 2016, 408, 8495-8503.	3.7	1
103	Unexpected identification and characterization of a cathinone precursor in the new psychoactive substance market: 3′,4′-methylenedioxy-2,2-dibromobutyrophenone. Forensic Science International, 2020, 306, 110043.	2.2	1
104	Environmental applications (air)., 2020,, 647-671.		1
105	Use of semipermeable membrane devices for monitoring pesticides in indoor air. Journal of AOAC INTERNATIONAL, 2009, 92, 1557-65.	1.5	1
106	Automobile Emissions Testing. , 2018, , 247-247.		0
107	Airport Security Screening. , 2018, , 61-61.		0
108	Hard Cap Espresso Machine Extraction of Polyphenolic Compounds from Pulses. Journal of the Mexican Chemical Society, $2018, 62, .$	0.6	0

-	#	Article	IF	CITATIONS
	109	Skin Permeation of Hazardous Compounds of Tobacco Smoke in Presence of Antipollution Cosmetics Journal of Cosmetic Science, 2021, 72, 379-398.	0.1	0