Congming Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7920613/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Molecular Epidemiology of Klebsiella pneumoniae from Clinical Bovine Mastitis in Northern Area of China, 2018–2019. Engineering, 2022, 10, 146-154.	6.7	2
2	Rational Use of Danofloxacin for Treatment of Mycoplasma gallisepticum in Chickens Based on the Clinical Breakpoint and Lung Microbiota Shift. Antibiotics, 2022, 11, 403.	3.7	7
3	Distinct increase in antimicrobial resistance genes among Escherichia coli during 50 years of antimicrobial use in livestock production in China. Nature Food, 2022, 3, 197-205.	14.0	34
4	Structural diversity of the ISCR2-mediated rolling-cycle transferable unit carrying tet(X4). Science of the Total Environment, 2022, 826, 154010.	8.0	14
5	Transmission of carbapenem resistance between human and animal NDM-positive Escherichia coli strains. Engineering, 2022, , .	6.7	3
6	Clonal relationship of <i>tet</i> (X4)-positive <i>Escherichia coli</i> ST761 isolates between animals and humans. Journal of Antimicrobial Chemotherapy, 2022, 77, 2153-2157.	3.0	12
7	Surveillance of antimicrobial resistance in Escherichia coli and enterococci from food products at retail in Beijing, China. Food Control, 2021, 119, 107483.	5.5	9
8	Prevalence and antimicrobial susceptibility of Clostridium perfringens in chickens and pigs from Beijing and Shanxi, China. Veterinary Microbiology, 2021, 252, 108932.	1.9	15
9	Comparative analysis of genomic characteristics, fitness and virulence of MRSA ST398 and ST9 isolated from China and Germany. Emerging Microbes and Infections, 2021, 10, 1481-1494.	6.5	11
10	Evolution and genomic insight into methicillin-resistant <i>Staphylococcus aureus</i> ST9 in China. Journal of Antimicrobial Chemotherapy, 2021, 76, 1703-1711.	3.0	11
11	Mobile Oxazolidinone Resistance Genes in Gram-Positive and Gram-Negative Bacteria. Clinical Microbiology Reviews, 2021, 34, e0018820.	13.6	95
12	Prevalence and characterization of Staphylococcus aureus and methicillin-resistant Staphylococcus aureus isolated from retail yak butter in Tibet, China. Journal of Dairy Science, 2021, 104, 9596-9606.	3.4	7
13	Prevalence, etiology, and economic impact of clinical mastitis on large dairy farms in China. Veterinary Microbiology, 2020, 242, 108570.	1.9	34
14	Co-existence of two novel phosphoethanolamine transferase gene variants in AeromonasÂjandaei from retail fish. International Journal of Antimicrobial Agents, 2020, 55, 105856.	2.5	11
15	Genomic epidemiology of animal-derived tigecycline-resistant Escherichia coli across China reveals recent endemic plasmid-encoded tet(X4) gene. Communications Biology, 2020, 3, 412.	4.4	36
16	The prevalence of pathogens causing bovine mastitis and their associated risk factors in 15 large dairy farms in China: An observational study. Veterinary Microbiology, 2020, 247, 108757.	1.9	34
17	Mobile oxazolidinone/phenicol resistance gene optrA in chicken Clostridium perfringens. Journal of Antimicrobial Chemotherapy, 2020, 75, 3067-3069.	3.0	17
18	Farm animals and aquaculture: significant reservoirs of mobile colistin resistance genes. Environmental Microbiology, 2020, 22, 2469-2484.	3.8	68

Congming Wu

#	Article	IF	CITATIONS
19	Contaminated in-house environment contributes to the persistence and transmission of NDM-producing bacteria in a Chinese poultry farm. Environment International, 2020, 139, 105715.	10.0	51
20	Inter-host Transmission of Carbapenemase-Producing <i>Escherichia coli</i> among Humans and Backyard Animals. Environmental Health Perspectives, 2019, 127, 107009.	6.0	85
21	Plasmid-mediated tigecycline-resistant gene <i>tet</i> (X4) in <i>Escherichia coli</i> from food-producing animals, China, 2008–2018. Emerging Microbes and Infections, 2019, 8, 1524-1527.	6.5	58
22	Emergence of plasmid-mediated high-level tigecycline resistance genes in animals and humans. Nature Microbiology, 2019, 4, 1450-1456.	13.3	455
23	A novel small tet(T)–tet(L)–aadD-carrying plasmid from MRSA and MSSA ST9 isolates of swine origin. Journal of Antimicrobial Chemotherapy, 2019, 74, 2462-2464.	3.0	6
24	Genomic analysis of Staphylococcus aureus along a pork production chain and in the community, Shandong Province, China. International Journal of Antimicrobial Agents, 2019, 54, 8-15.	2.5	21
25	Investigation of Haemophilus parasuis from healthy pigs in China. Veterinary Microbiology, 2019, 231, 40-44.	1.9	20
26	Novel pseudo-staphylococcal cassette chromosome <i>mec</i> element (φSCC <i>mec</i> T55) in MRSA ST9. Journal of Antimicrobial Chemotherapy, 2019, 74, 819-820.	3.0	8
27	Presence and molecular characteristics of oxazolidinone resistance in staphylococci from household animals in rural China. Journal of Antimicrobial Chemotherapy, 2018, 73, 1194-1200.	3.0	32
28	Rapid rise of the ESBL and <i>mcr-1</i> genes in <i>Escherichia coli</i> of chicken origin in China, 2008–2014. Emerging Microbes and Infections, 2018, 7, 1-10.	6.5	101
29	Small Antimicrobial Resistance Plasmids in Livestock-Associated Methicillin-Resistant Staphylococcus aureus CC398. Frontiers in Microbiology, 2018, 9, 2063.	3.5	30
30	Mobile lincosamide resistance genes in staphylococci. Plasmid, 2018, 99, 22-31.	1.4	29
31	Heterogeneous and Flexible Transmission of <i>mcr-1</i> in Hospital-Associated Escherichia coli. MBio, 2018, 9, .	4.1	54
32	Anthropogenic and environmental factors associated with high incidence of mcr-1 carriage in humans across China. Nature Microbiology, 2018, 3, 1054-1062.	13.3	139
33	Antimicrobial Resistance among Staphylococci of Animal Origin. Microbiology Spectrum, 2018, 6, .	3.0	41
34	Surveillance of antimicrobial resistance among Escherichia coli from chicken and swine, China, 2008–2015. Veterinary Microbiology, 2017, 203, 49-55.	1.9	53
35	Comprehensive resistome analysis reveals the prevalence of NDM and MCR-1 in Chinese poultry production. Nature Microbiology, 2017, 2, 16260.	13.3	347
36	Characterization of pig-associated methicillin-resistant Staphylococcus aureus. Veterinary Microbiology, 2017, 201, 183-187.	1.9	62

Congming Wu

#	Article	IF	CITATIONS
37	Dissemination of erm (B) and its associated multidrug-resistance genomic islands in Campylobacter from 2013 to 2015. Veterinary Microbiology, 2017, 204, 20-24.	1.9	12
38	Occurrence of Plasmid- and Chromosome-Carried <i>mcr-1</i> in Waterborne Enterobacteriaceae in China. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	65
39	Distinct mechanisms of acquisition of mcr-1 –bearing plasmid by Salmonella strains recovered from animals and food samples. Scientific Reports, 2017, 7, 13199.	3.3	17
40	Early emergence of mcr-1 in Escherichia coli from food-producing animals. Lancet Infectious Diseases, The, 2016, 16, 293.	9.1	230
41	Co-location of the oxazolidinone resistance genes <i>optrA</i> and <i>cfr</i> on a multiresistance plasmid from <i>Staphylococcus sciuri</i> . Journal of Antimicrobial Chemotherapy, 2016, 71, 1474-1478.	3.0	113
42	Development of Multiplex-Mismatch Amplification Mutation-PCR Assay for Simultaneous Detection of <i>Campylobacter jejuni</i> and Mutation in <i>gyrA</i> Gene Related to Fluoroquinolone Resistance. Foodborne Pathogens and Disease, 2016, 13, 642-645.	1.8	7
43	Molecular basis of rifampicin resistance in multiresistant porcine livestock-associated MRSA: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 3313-3315.	3.0	14
44	Prevalence, antimicrobial resistance profiling and genetic diversity of Campylobacter jejuni and Campylobacter coli isolated from broilers at slaughter in China. Food Control, 2016, 69, 160-170.	5.5	44
45	Prevalence and antimicrobial resistance of Salmonella isolated from an integrated broiler chicken supply chain in Qingdao, China. Food Control, 2016, 62, 270-276.	5.5	36
46	Mequindox resistance and in vitro efficacy in animal-derived Escherichia coli strains. Veterinary Microbiology, 2015, 177, 341-346.	1.9	14
47	Multidrug resistance genes in staphylococci from animals that confer resistance to critically and highly important antimicrobial agents in human medicine. Trends in Microbiology, 2015, 23, 44-54.	7.7	76
48	Investigation of Antimicrobial Resistance in Escherichia coli and Enterococci Isolated from Tibetan Pigs. PLoS ONE, 2014, 9, e95623.	2.5	28
49	Prevalence and Characteristics of Extended-Spectrum β-Lactamase and Plasmid-Mediated Fluoroquinolone Resistance Genes in Escherichia coli Isolated from Chickens in Anhui Province, China. PLoS ONE, 2014, 9, e104356.	2.5	20
50	Genetic environment of the multi-resistance gene cfr in methicillin-resistant coagulase-negative staphylococci from chickens, ducks, and pigs in China. International Journal of Medical Microbiology, 2014, 304, 257-261.	3.6	36
51	Serotype distribution and antibiotic resistance of Salmonella in food-producing animals in Shandong province of China, 2009 and 2012. International Journal of Food Microbiology, 2014, 180, 30-38.	4.7	58
52	Tracking Campylobacter contamination along a broiler chicken production chain from the farm level to retail in China. International Journal of Food Microbiology, 2014, 181, 77-84.	4.7	72
53	Multidrug resistance gene cfr in methicillin-resistant coagulase-negative staphylococci from chickens, ducks, and pigs in China. International Journal of Medical Microbiology, 2013, 303, 84-87.	3.6	49
54	Prevalence and characterization of Salmonella species isolated from pigs, ducks and chickens in Sichuan Province, China. International Journal of Food Microbiology, 2013, 163, 14-18.	4.7	162

CONGMING WU

#	Article	IF	CITATIONS
55	First Report of the Multiresistance Gene <i>cfr</i> in Streptococcus suis. Antimicrobial Agents and Chemotherapy, 2013, 57, 4061-4063.	3.2	71
56	Transferable Multiresistance Plasmids Carrying <i>cfr</i> in Enterococcus spp. from Swine and Farm Environment. Antimicrobial Agents and Chemotherapy, 2013, 57, 42-48.	3.2	78
57	Detection of the staphylococcal multiresistance gene cfr in Escherichia coli of domestic-animal origin. Journal of Antimicrobial Chemotherapy, 2012, 67, 1094-1098.	3.0	62
58	Distribution of the Multidrug Resistance Gene <i>cfr</i> in Staphylococcus Species Isolates from Swine Farms in China. Antimicrobial Agents and Chemotherapy, 2012, 56, 1485-1490.	3.2	88
59	First Report of the Multidrug Resistance Genecfrin Enterococcus faecalis of Animal Origin. Antimicrobial Agents and Chemotherapy, 2012, 56, 1650-1654.	3.2	118
60	Detection of the staphylococcal multiresistance gene cfr in Macrococcus caseolyticus and Jeotgalicoccus pinnipedialis. Journal of Antimicrobial Chemotherapy, 2012, 67, 1824-1827.	3.0	43
61	Prevalence of ESBLs and PMQR genes in fecal Escherichia coli isolated from the non-human primates in six zoos in China. Veterinary Microbiology, 2012, 159, 53-59.	1.9	50
62	Comparative Metabolism of Mequindox in Liver Microsomes, Hepatocytes, and Intestinal Microflora of Chicken. Analytical Letters, 2012, 45, 1749-1763.	1.8	4
63	Molecular characterization of methicillin-resistant Staphylococcus aureus strains from pet animals and veterinary staff in China. Veterinary Journal, 2011, 190, e125-e129.	1.7	33
64	Prevalence and Dissemination of <i>oqxAB</i> in <i>Escherichia coli</i> Isolates from Animals, Farmworkers, and the Environment. Antimicrobial Agents and Chemotherapy, 2010, 54, 4219-4224.	3.2	130
65	Antimicrobial Resistance among Staphylococci of Animal Origin. , 0, , 127-157.		2