## Shu Ping Xiong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7922849/publications.pdf

Version: 2024-02-01

236925 315739 1,612 72 25 38 citations h-index g-index papers 78 78 78 1515 docs citations times ranked citing authors all docs

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Foot measurements from three-dimensional scans: A comparison and evaluation of different methods. International Journal of Industrial Ergonomics, 2006, 36, 789-807.   | 2.6 | 137       |
| 2  | Exergame technology and interactive interventions for elderly fall prevention: A systematic literature review. Applied Ergonomics, 2017, 65, 570-581.  | 3.1 | 125       |
| 3  | Foot Arch Characterization. Journal of the American Podiatric Medical Association, 2010, 100, 14-24.   | 0.3 | 75        |
| 4  | Ergonomics and sustainable development in the past two decades (1992–2011): Research trends and how ergonomics can contribute to sustainable development. Applied Ergonomics, 2015, 46, 67-75.   | 3.1 | 73        |
| 5  | Center-of-pressure based postural sway measures: Reliability and ability to distinguish between age, fear of falling and fall history. International Journal of Industrial Ergonomics, 2015, 47, 37-44.  | 2.6 | 66        |
| 6  | Comparison of fatal occupational injuries in construction industry in the United States, South Korea, and China. International Journal of Industrial Ergonomics, 2019, 71, 64-74.  | 2.6 | 65        |
| 7  | Ergonomic postural assessment using a new open-source human pose estimation technology<br>(OpenPose). International Journal of Industrial Ergonomics, 2021, 84, 103164.  | 2.6 | 60        |
| 8  | Modelling foot height and foot shape-related dimensions. Ergonomics, 2008, 51, 1272-1289.  | 2.1 | 59        |
| 9  | Foot deformations under different load-bearing conditions and their relationships to stature and body weight. Anthropological Science, 2009, 117, 77-88.   | 0.4 | 59        |
| 10 | Validity and Reliability of Upper Limb Functional Assessment Using the Microsoft Kinect V2 Sensor. Applied Bionics and Biomechanics, 2019, 2019, 1-14.   | 1.1 | 59        |
| 11 | Application of Wearable Inertial Sensors and A New Test Battery for Distinguishing Retrospective Fallers from Non-fallers among Community-dwelling Older People. Scientific Reports, 2018, 8, 16349.   | 3.3 | 51        |
| 12 | Effects of surface characteristics on the plantar shape of feet and subjects' perceived sensations. Applied Ergonomics, 2009, 40, 267-279.   | 3.1 | 49        |
| 13 | A computer-aided design system for foot-feature-based shoe last customization. International Journal of Advanced Manufacturing Technology, 2010, 46, 11-19.  | 3.0 | 49        |
| 14 | Pressure thresholds of the human foot: measurement reliability and effects of stimulus characteristics. Ergonomics, 2011, 54, 282-293.   | 2.1 | 44        |
| 15 | Development and Validation of a Wearable Inertial Sensors-Based Automated System for Assessing<br>Work-Related Musculoskeletal Disorders in the Workspace. International Journal of Environmental<br>Research and Public Health, 2020, 17, 6050. | 2.6 | 42        |
| 16 | Footbed shapes for enhanced footwear comfort. Ergonomics, 2009, 52, 617-628.   | 2.1 | 41        |
| 17 | Epidemiology of fall and its socioeconomic risk factors in community-dwelling Korean elderly. PLoS ONE, 2020, 15, e0234787.  | 2.5 | 41        |
| 18 | A Novel Hybrid Deep Neural Network to Predict Pre-impact Fall for Older People Based on Wearable Inertial Sensors. Frontiers in Bioengineering and Biotechnology, 2020, 8, 63.   | 4.1 | 40        |

| #  | Article  | IF          | CITATIONS |
|----|--|-------------|-----------|
| 19 | Computerized girth determination for custom footwear manufacture. Computers and Industrial Engineering, 2008, 54, 359-373.   | 6.3         | 38        |
| 20 | Effects of high heeled shoes wearing experience and heel height on human standing balance and functional mobility. Ergonomics, 2016, 59, 249-264.  | 2.1         | 34        |
| 21 | A Dynamic Time Warping Based Algorithm to Evaluate Kinect-Enabled Home-Based Physical<br>Rehabilitation Exercises for Older People. Sensors, 2019, 19, 2882.   | 3.8         | 34        |
| 22 | An indentation apparatus for evaluating discomfort and pain thresholds in conjunction with mechanical properties of foot tissue in vivo. Journal of Rehabilitation Research and Development, 2010, 47, 629.              | 1.6         | 30        |
| 23 | Effect of Loading Symbol of Online Video on Perception of Waiting Time. International Journal of Human-Computer Interaction, 2017, 33, 1001-1009.  | 4.8         | 29        |
| 24 | Accuracy of Base of Support Using an Inertial Sensor Based Motion Capture System. Sensors, 2017, 17, 2091.   | 3.8         | 29        |
| 25 | A Large-Scale Open Motion Dataset (KFall) and Benchmark Algorithms for Detecting Pre-impact Fall of the Elderly Using Wearable Inertial Sensors. Frontiers in Aging Neuroscience, 2021, 13, 692865.                      | 3.4         | 26        |
| 26 | Horizontal cooperation and information sharing between suppliers in the manufacturer–supplier triad. International Journal of Production Research, 2014, 52, 4526-4547.  | 7.5         | 23        |
| 27 | A model for the perception of surface pressure on human foot. Applied Ergonomics, 2013, 44, 1-10.  | 3.1         | 19        |
| 28 | A Unified Deep-Learning Model for Classifying the Cross-Country Skiing Techniques Using Wearable Gyroscope Sensors. Sensors, 2018, 18, 3819.   | 3.8         | 19        |
| 29 | Comparison of seven fall risk assessment tools in community-dwelling Korean older women.<br>Ergonomics, 2017, 60, 421-429.   | 2.1         | 18        |
| 30 | Load distribution to minimise pressure-related pain on foot: a model. Ergonomics, 2013, 56, 1180-1193.   | 2.1         | 15        |
| 31 | User-defined walking-in-place gestures for VR locomotion. International Journal of Human Computer Studies, 2021, 152, 102648.  | <b>5.</b> 6 | 13        |
| 32 | An automated system for motor function assessment in stroke patients using motion sensing technology: A pilot study. Measurement: Journal of the International Measurement Confederation, 2020, 161, 107896.             | 5.0         | 12        |
| 33 | New Hick's law based reaction test App reveals "information processing speed―better identifies high falls risk older people than "simple reaction time― International Journal of Industrial Ergonomics, 2017, 58, 25-32. | 2.6         | 11        |
| 34 | Comprehension and redesign of recently introduced water-sport prohibitive symbols in South Korea. International Journal of Industrial Ergonomics, 2015, 50, 196-205.   | 2.6         | 8         |
| 35 | A CAD System for Shoe Last Customization. , 2009, , .  |             | 7         |
| 36 | An automatic method of measuring foot girths for custom footwear using local RBF implicit surfaces. International Journal of Computer Integrated Manufacturing, 2010, 23, 574-583.                                       | 4.6         | 6         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Flexible optimization decision for product design agility with embedded real options. Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 2011, 225, 1431-1446. | 2.4 | 6         |
| 38 | The Pluses and Minuses of Obtaining Measurements from Digital Scans. Lecture Notes in Computer Science, 2009, , 681-690.  | 1.3 | 6         |
| 39 | Pseudo-haptics and self-haptics for freehand mid-air text entry in VR. Applied Ergonomics, 2022, 104, 103819.   | 3.1 | 6         |
| 40 | A New Region Growing Algorithm for Triangular Mesh Recovery from Scattered 3D Points. Lecture Notes in Computer Science, 2011, , 237-246.   | 1.3 | 5         |
| 41 | Eye movements and brain oscillations to symbolic safety signs with different comprehensibility.<br>Journal of Physiological Anthropology, 2015, 34, 42.   | 2.6 | 5         |
| 42 | Effects of working posture, lifting load, and standing surface on postural instability during simulated lifting tasks in construction. Ergonomics, 2020, 63, 1571-1583.   | 2.1 | 5         |
| 43 | Walking-in-place for omnidirectional VR locomotion using a single RGB camera. Virtual Reality, 2022, 26, 173-186.   | 6.1 | 5         |
| 44 | Comparison of Joint Angle Measurements from Three Types of Motion Capture Systems for Ergonomic Postural Assessment. Advances in Intelligent Systems and Computing, 2020, , 3-11.                               | 0.6 | 5         |
| 45 | A New K Nearest Neighbours Algorithm Using Cell Grids for 3D Scattered Point Cloud. Elektronika Ir<br>Elektrotechnika, 2014, 20, .  | 0.8 | 5         |
| 46 | A pilot study of biomechanical and ergonomic analyses of risky manual tasks in physical therapy. International Journal of Industrial Ergonomics, 2022, 89, 103298.  | 2.6 | 5         |
| 47 | ViewfinderVR: configurable viewfinder for selection of distant objects in VR. Virtual Reality, 2022, 26, 1573-1592.   | 6.1 | 5         |
| 48 | Foot measurements from 2D digital images. , 2010, , .   |     | 4         |
| 49 | A methodology for determining the allowances for fitting footwear. International Journal of Human Factors Modelling and Simulation, 2011, 2, 341.   | 0.2 | 4         |
| 50 | High heels on human stability and plantar pressure distribution. Proceedings of the Human Factors and Ergonomics Society, 2014, 58, 1653-1657.  | 0.3 | 4         |
| 51 | Machine Learning-Based Pre-impact Fall Detection and Injury Prevention for the Elderly with Wearable Inertial Sensors. Lecture Notes in Networks and Systems, 2021, , 278-285.                                  | 0.7 | 4         |
| 52 | Comprehensibility of Newly Introduced Water-sport Prohibitive Signs in Korea by Koreans and Westerners. Journal of the Ergonomics Society of Korea, 2015, 34, 63-73.  | 0.1 | 4         |
| 53 | The Influence of Foot Sizes on Human Balance. Proceedings of the Human Factors and Ergonomics Society, 2013, 57, 920-924.   | 0.3 | 3         |
| 54 | Kinematic Metrics for Upper-limb Functional Assessment of Stroke Patients., 2019,,.   |     | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Foot models and measurements. , 2013, , 72-89.   |     | 2         |
| 56 | Effects of heel height and wearing experience on human standing balance. Journal of Foot and Ankle Research, $2014, 7, .$  | 1.9 | 2         |
| 57 | The effect of slider design and length on user performance and preference of smartphone versions of the visual analogue scale. Applied Ergonomics, 2021, 97, 103521.   | 3.1 | 2         |
| 58 | Contour Points based P2P Algorithm for Shape Matching and Image Retrieval. Applied Mathematics and Information Sciences, 2014, 8, 37-43.   | 0.5 | 2         |
| 59 | Relationship Between Socio-Economic Factors and Fall Risk for Elder Koreans. Advances in Intelligent Systems and Computing, 2019, , 435-444.   | 0.6 | 2         |
| 60 | Effectiveness and Usability of a Novel Kinect-Based Tailored Interactive Fall Intervention System for Fall Prevention in Older People: A Preliminary Study. Frontiers in Public Health, 2022, 10, .                  | 2.7 | 2         |
| 61 | Comprehension of Newly Introduced Water-Sport Prohibitive Signs in Korea by Westerners. Proceedings of the Human Factors and Ergonomics Society, 2014, 58, 2300-2304.  | 0.3 | 1         |
| 62 | Usability Evaluations of a Newly Developed Wearable Inertial Sensing System for Assessing Elderly Fall Risk. Advances in Intelligent Systems and Computing, 2019, , 423-434.   | 0.6 | 1         |
| 63 | Foot models and measurements. , 2021, , 127-147.   |     | 1         |
| 64 | A Preliminary Study on Effects of Vision, Standing Posture and Support Surface on Human Balance. , 2013, , 873-880.  |     | 1         |
| 65 | User Defined Walking-In-Place Gestures for Intuitive Locomotion in Virtual Reality. Lecture Notes in Computer Science, 2021, , 172-182.  | 1.3 | 0         |
| 66 | The Study of Sizing System with 3D Measurement Data for Preschool Children in Central Taiwan. , $2010, 83-91$ .  |     | 0         |
| 67 | Science of Footwear Design. The Ergonomics Design & Mgmtory & Applications, 2011, , 365-379.   | 0.2 | 0         |
| 68 | Foot Characteristics and Related Empirical Models. Human Factors and Ergonomics, 2012, , 47-78.  | 0.0 | 0         |
| 69 | The Effect of Video Loading Symbol on Waiting Time Perception. Lecture Notes in Computer Science, 2017, , 105-114.   | 1.3 | 0         |
| 70 | What are the Major Risk Factors for Falls Among Community-Dwelling Korean Older Women?. Advances in Intelligent Systems and Computing, 2018, , 311-322.  | 0.6 | 0         |
| 71 | Suppressive mechanism in motion perception correlates with postural control ability. Journal of Vision, 2017, 17, 363.   | 0.3 | 0         |
| 72 | Subjective and Objective Measures to Assess Postural Instability: Their Linear Correlations and Abilities to Detect Effects of Work-Related Factors. Advances in Intelligent Systems and Computing, 2020, , 159-167. | 0.6 | 0         |