

Shu Ping Xiong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7922849/publications.pdf>

Version: 2024-02-01

72
papers

1,612
citations

236833

25
h-index

315616

38
g-index

78
all docs

78
docs citations

78
times ranked

1515
citing authors

#	ARTICLE	IF	CITATIONS
1	Walking-in-place for omnidirectional VR locomotion using a single RGB camera. <i>Virtual Reality</i> , 2022, 26, 173-186.	4.1	5
2	A pilot study of biomechanical and ergonomic analyses of risky manual tasks in physical therapy. <i>International Journal of Industrial Ergonomics</i> , 2022, 89, 103298.	1.5	5
3	ViewfinderVR: configurable viewfinder for selection of distant objects in VR. <i>Virtual Reality</i> , 2022, 26, 1573-1592.	4.1	5
4	Effectiveness and Usability of a Novel Kinect-Based Tailored Interactive Fall Intervention System for Fall Prevention in Older People: A Preliminary Study. <i>Frontiers in Public Health</i> , 2022, 10, .	1.3	2
5	Pseudo-haptics and self-haptics for freehand mid-air text entry in VR. <i>Applied Ergonomics</i> , 2022, 104, 103819.	1.7	6
6	User Defined Walking-In-Place Gestures for Intuitive Locomotion in Virtual Reality. <i>Lecture Notes in Computer Science</i> , 2021, , 172-182.	1.0	0
7	Machine Learning-Based Pre-impact Fall Detection and Injury Prevention for the Elderly with Wearable Inertial Sensors. <i>Lecture Notes in Networks and Systems</i> , 2021, , 278-285.	0.5	4
8	Ergonomic postural assessment using a new open-source human pose estimation technology (OpenPose). <i>International Journal of Industrial Ergonomics</i> , 2021, 84, 103164.	1.5	60
9	A Large-Scale Open Motion Dataset (KFall) and Benchmark Algorithms for Detecting Pre-impact Fall of the Elderly Using Wearable Inertial Sensors. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 692865.	1.7	26
10	User-defined walking-in-place gestures for VR locomotion. <i>International Journal of Human Computer Studies</i> , 2021, 152, 102648.	3.7	13
11	The effect of slider design and length on user performance and preference of smartphone versions of the visual analogue scale. <i>Applied Ergonomics</i> , 2021, 97, 103521.	1.7	2
12	Foot models and measurements. , 2021, , 127-147.		1
13	Effects of working posture, lifting load, and standing surface on postural instability during simulated lifting tasks in construction. <i>Ergonomics</i> , 2020, 63, 1571-1583.	1.1	5
14	Development and Validation of a Wearable Inertial Sensors-Based Automated System for Assessing Work-Related Musculoskeletal Disorders in the Workspace. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6050.	1.2	42
15	An automated system for motor function assessment in stroke patients using motion sensing technology: A pilot study. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020, 161, 107896.	2.5	12
16	Epidemiology of fall and its socioeconomic risk factors in community-dwelling Korean elderly. <i>PLoS ONE</i> , 2020, 15, e0234787.	1.1	41
17	Comparison of Joint Angle Measurements from Three Types of Motion Capture Systems for Ergonomic Postural Assessment. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 3-11.	0.5	5
18	A Novel Hybrid Deep Neural Network to Predict Pre-impact Fall for Older People Based on Wearable Inertial Sensors. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 63.	2.0	40

#	ARTICLE	IF	CITATIONS
19	Subjective and Objective Measures to Assess Postural Instability: Their Linear Correlations and Abilities to Detect Effects of Work-Related Factors. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 159-167.	0.5	0
20	Usability Evaluations of a Newly Developed Wearable Inertial Sensing System for Assessing Elderly Fall Risk. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 423-434.	0.5	1
21	A Dynamic Time Warping Based Algorithm to Evaluate Kinect-Enabled Home-Based Physical Rehabilitation Exercises for Older People. <i>Sensors</i> , 2019, 19, 2882.	2.1	34
22	Comparison of fatal occupational injuries in construction industry in the United States, South Korea, and China. <i>International Journal of Industrial Ergonomics</i> , 2019, 71, 64-74.	1.5	65
23	Validity and Reliability of Upper Limb Functional Assessment Using the Microsoft Kinect V2 Sensor. <i>Applied Bionics and Biomechanics</i> , 2019, 2019, 1-14.	0.5	59
24	Kinematic Metrics for Upper-limb Functional Assessment of Stroke Patients. , 2019, , .		3
25	Relationship Between Socio-Economic Factors and Fall Risk for Elder Koreans. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 435-444.	0.5	2
26	A Unified Deep-Learning Model for Classifying the Cross-Country Skiing Techniques Using Wearable Gyroscope Sensors. <i>Sensors</i> , 2018, 18, 3819.	2.1	19
27	Application of Wearable Inertial Sensors and A New Test Battery for Distinguishing Retrospective Fallers from Non-fallers among Community-dwelling Older People. <i>Scientific Reports</i> , 2018, 8, 16349.	1.6	51
28	What are the Major Risk Factors for Falls Among Community-Dwelling Korean Older Women?. <i>Advances in Intelligent Systems and Computing</i> , 2018, , 311-322.	0.5	0
29	Comparison of seven fall risk assessment tools in community-dwelling Korean older women. <i>Ergonomics</i> , 2017, 60, 421-429.	1.1	18
30	New Hick's law based reaction test App reveals "information processing speed" better identifies high falls risk older people than "simple reaction time". <i>International Journal of Industrial Ergonomics</i> , 2017, 58, 25-32.	1.5	11
31	Effect of Loading Symbol of Online Video on Perception of Waiting Time. <i>International Journal of Human-Computer Interaction</i> , 2017, 33, 1001-1009.	3.3	29
32	Exergame technology and interactive interventions for elderly fall prevention: A systematic literature review. <i>Applied Ergonomics</i> , 2017, 65, 570-581.	1.7	125
33	Accuracy of Base of Support Using an Inertial Sensor Based Motion Capture System. <i>Sensors</i> , 2017, 17, 2091.	2.1	29
34	The Effect of Video Loading Symbol on Waiting Time Perception. <i>Lecture Notes in Computer Science</i> , 2017, , 105-114.	1.0	0
35	Suppressive mechanism in motion perception correlates with postural control ability. <i>Journal of Vision</i> , 2017, 17, 363.	0.1	0
36	Effects of high heeled shoes wearing experience and heel height on human standing balance and functional mobility. <i>Ergonomics</i> , 2016, 59, 249-264.	1.1	34

#	ARTICLE	IF	CITATIONS
37	Eye movements and brain oscillations to symbolic safety signs with different comprehensibility. <i>Journal of Physiological Anthropology</i> , 2015, 34, 42.	1.0	5
38	Center-of-pressure based postural sway measures: Reliability and ability to distinguish between age, fear of falling and fall history. <i>International Journal of Industrial Ergonomics</i> , 2015, 47, 37-44.	1.5	66
39	Comprehension and redesign of recently introduced water-sport prohibitive symbols in South Korea. <i>International Journal of Industrial Ergonomics</i> , 2015, 50, 196-205.	1.5	8
40	Ergonomics and sustainable development in the past two decades (1992â€“2011): Research trends and how ergonomics can contribute to sustainable development. <i>Applied Ergonomics</i> , 2015, 46, 67-75.	1.7	73
41	Comprehensibility of Newly Introduced Water-sport Prohibitive Signs in Korea by Koreans and Westerners. <i>Journal of the Ergonomics Society of Korea</i> , 2015, 34, 63-73.	0.1	4
42	High heels on human stability and plantar pressure distribution. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2014, 58, 1653-1657.	0.2	4
43	Horizontal cooperation and information sharing between suppliers in the manufacturerâ€™supplier triad. <i>International Journal of Production Research</i> , 2014, 52, 4526-4547.	4.9	23
44	Effects of heel height and wearing experience on human standing balance. <i>Journal of Foot and Ankle Research</i> , 2014, 7, .	0.7	2
45	Comprehension of Newly Introduced Water-Sport Prohibitive Signs in Korea by Westerners. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2014, 58, 2300-2304.	0.2	1
46	Contour Points based P2P Algorithm for Shape Matching and Image Retrieval. <i>Applied Mathematics and Information Sciences</i> , 2014, 8, 37-43.	0.7	2
47	A New K Nearest Neighbours Algorithm Using Cell Grids for 3D Scattered Point Cloud. <i>Elektronika Ir Elektrotehnika</i> , 2014, 20, .	0.4	5
48	A model for the perception of surface pressure on human foot. <i>Applied Ergonomics</i> , 2013, 44, 1-10.	1.7	19
49	Load distribution to minimise pressure-related pain on foot: a model. <i>Ergonomics</i> , 2013, 56, 1180-1193.	1.1	15
50	Foot models and measurements. , 2013, , 72-89.		2
51	The Influence of Foot Sizes on Human Balance. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2013, 57, 920-924.	0.2	3
52	A Preliminary Study on Effects of Vision, Standing Posture and Support Surface on Human Balance. , 2013, , 873-880.		1
53	Foot Characteristics and Related Empirical Models. <i>Human Factors and Ergonomics</i> , 2012, , 47-78.	0.0	0
54	A New Region Growing Algorithm for Triangular Mesh Recovery from Scattered 3D Points. <i>Lecture Notes in Computer Science</i> , 2011, , 237-246.	1.0	5

#	ARTICLE	IF	CITATIONS
55	A methodology for determining the allowances for fitting footwear. <i>International Journal of Human Factors Modelling and Simulation</i> , 2011, 2, 341.	0.1	4
56	Pressure thresholds of the human foot: measurement reliability and effects of stimulus characteristics. <i>Ergonomics</i> , 2011, 54, 282-293.	1.1	44
57	Flexible optimization decision for product design agility with embedded real options. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2011, 225, 1431-1446.	1.5	6
58	Science of Footwear Design. <i>The Ergonomics Design & Mgmtory & Applications</i> , 2011, , 365-379.	0.2	0
59	A computer-aided design system for foot-feature-based shoe last customization. <i>International Journal of Advanced Manufacturing Technology</i> , 2010, 46, 11-19.	1.5	49
60	An indentation apparatus for evaluating discomfort and pain thresholds in conjunction with mechanical properties of foot tissue in vivo. <i>Journal of Rehabilitation Research and Development</i> , 2010, 47, 629.	1.6	30
61	Foot Arch Characterization. <i>Journal of the American Podiatric Medical Association</i> , 2010, 100, 14-24.	0.2	75
62	An automatic method of measuring foot girths for custom footwear using local RBF implicit surfaces. <i>International Journal of Computer Integrated Manufacturing</i> , 2010, 23, 574-583.	2.9	6
63	Foot measurements from 2D digital images. , 2010, , .		4
64	The Study of Sizing System with 3D Measurement Data for Preschool Children in Central Taiwan. , 2010, , 83-91.		0
65	Foot deformations under different load-bearing conditions and their relationships to stature and body weight. <i>Anthropological Science</i> , 2009, 117, 77-88.	0.2	59
66	A CAD System for Shoe Last Customization. , 2009, , .		7
67	Effects of surface characteristics on the plantar shape of feet and subjectsâ€™ perceived sensations. <i>Applied Ergonomics</i> , 2009, 40, 267-279.	1.7	49
68	Footbed shapes for enhanced footwear comfort. <i>Ergonomics</i> , 2009, 52, 617-628.	1.1	41
69	The Pluses and Minuses of Obtaining Measurements from Digital Scans. <i>Lecture Notes in Computer Science</i> , 2009, , 681-690.	1.0	6
70	Computerized girth determination for custom footwear manufacture. <i>Computers and Industrial Engineering</i> , 2008, 54, 359-373.	3.4	38
71	Modelling foot height and foot shape-related dimensions. <i>Ergonomics</i> , 2008, 51, 1272-1289.	1.1	59
72	Foot measurements from three-dimensional scans: A comparison and evaluation of different methods. <i>International Journal of Industrial Ergonomics</i> , 2006, 36, 789-807.	1.5	137