

Michael Szardenings

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7925011/publications.pdf>

Version: 2024-02-01

26
papers

790
citations

567281

15
h-index

580821

25
g-index

27
all docs

27
docs citations

27
times ranked

814
citing authors

#	ARTICLE	IF	CITATIONS
1	Microlyse: a thrombolytic agent that targets VWF for clearance of microvascular thrombosis. <i>Blood</i> , 2022, 139, 597-607.	1.4	16
2	Identification of Seasonal Variations of Antibodies against PR-10-Specific Epitopes Can Be Improved Using Peptide-Phage Display. <i>International Archives of Allergy and Immunology</i> , 2020, 181, 919-925.	2.1	3
3	The immunome of soy bean allergy: Comprehensive identification and characterization of epitopes. <i>Clinical and Experimental Allergy</i> , 2019, 49, 239-251.	2.9	27
4	Antibody response after hepatitis B vaccine boost mapped with peptide-phage display. <i>Revista Bionatura</i> , 2019, 02, .	0.4	0
5	Combination of two epitope identification techniques enables the rational design of soy allergen Gly m 4 mutants. <i>Biotechnology Journal</i> , 2017, 12, 1600441.	3.5	26
6	Sympathetic nerve repulsion inhibited by designer molecules in vitro and role in experimental arthritis. <i>Life Sciences</i> , 2017, 168, 47-53.	4.3	12
7	Formation and composition of adsorbates on hydrophobic carbon surfaces from aqueous laccase-maltodextrin mixture suspension. <i>Applied Surface Science</i> , 2016, 385, 216-224.	6.1	9
8	Direct confirmation of quiescence of CD34+CD38- leukemia stem cell populations using single cell culture, their molecular signature and clinicopathological implications. <i>BMC Cancer</i> , 2015, 15, 217.	2.6	14
9	Co-operative regulation of ligand binding to melanocortin receptor subtypes: Evidence for interacting binding sites. <i>European Journal of Pharmacology</i> , 2005, 512, 85-95.	3.5	31
10	Phage Display of Random Peptide Libraries: Applications, Limits, and Potential. <i>Journal of Receptor and Signal Transduction Research</i> , 2003, 23, 307-349.	2.5	62
11	The Active Site of Cellobiohydrolase Cel6A from <i>Trichoderma reesei</i> : The Roles of Aspartic Acids D221 and D175. <i>Journal of the American Chemical Society</i> , 2002, 124, 10015-10024.	13.7	133
12	Cosmix-plexing [®] : a novel recombinatorial approach for evolutionary selection from combinatorial libraries. <i>Reviews in Molecular Biotechnology</i> , 2001, 74, 317-338.	2.8	4
13	Detection of regions in the MC1 receptor of importance for the selectivity of the MC1 receptor super-selective MS04/MS05 peptides. <i>BBA - Proteins and Proteomics</i> , 2001, 1544, 278-282.	2.1	6
14	New highly specific agonistic peptides for human melanocortin MC1 receptor. <i>Peptides</i> , 2000, 21, 239-243.	2.4	44
15	Chimeric Melanocortin MC1 and MC3 Receptors: Identification of Domains Participating in Binding of Melanocyte-Stimulating Hormone Peptides. <i>Molecular Pharmacology</i> , 1998, 54, 154-161.	2.3	31
16	Phage Display Selection on Whole Cells Yields a Peptide Specific for Melanocortin Receptor 1. <i>Journal of Biological Chemistry</i> , 1997, 272, 27943-27948.	3.4	77
17	Deletions of the N-terminal regions of the human melanocortin receptors. <i>FEBS Letters</i> , 1997, 410, 223-228.	2.8	51
18	Binding of cyclic and linear MSH core peptides to the melanocortin receptor subtypes. <i>European Journal of Pharmacology</i> , 1997, 319, 369-373.	3.5	47

#	ARTICLE	IF	CITATIONS
19	Characterisation of D117A and H260A mutations in the melanocortin 1 receptor. <i>Molecular and Cellular Endocrinology</i> , 1997, 126, 213-219.	3.2	23
20	Expression of Functional Melanocortin 1 Receptors in Insect Cells. <i>Biochemical and Biophysical Research Communications</i> , 1996, 221, 807-814.	2.1	27
21	Evidence Indicating That the TM4, EL2, and TM5 of the Melanocortin 3 Receptor Do Not Participate in Ligand Binding. <i>Biochemical and Biophysical Research Communications</i> , 1996, 229, 687-692.	2.1	18
22	Alternative translation initiation codon for the human melanocortin MC3 receptor does not affect the ligand binding. <i>European Journal of Pharmacology</i> , 1996, 314, 381-384.	3.5	14
23	The active site of <i>Trichoderma reesei</i> cellobiohydrolase II: the role of tyrosine 169. <i>Protein Engineering, Design and Selection</i> , 1996, 9, 691-699.	2.1	75
24	In vivo biological activity of retinoids partially correlates to their affinity to recombinant retinoic-acid receptor alpha and recombinant-cellular retinoic-acid-binding protein I. <i>FEBS Journal</i> , 1993, 212, 13-26.	0.2	12
25	Recombinant human retinoic acid receptor alpha. Binding of DNA and synthetic retinoids to the protein expressed in <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1992, 204, 1141-1148.	0.2	15
26	A phasmid optimised for protein design projects: pMAMPF. <i>Gene</i> , 1990, 94, 1-7.	2.2	13