

Ding Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7926123/publications.pdf>

Version: 2024-02-01

110
papers

1,971
citations

279798

23
h-index

315739

38
g-index

110
all docs

110
docs citations

110
times ranked

1119
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of temperature-dependent layered shells subjected to thermomechanical loading. <i>Mechanics of Advanced Materials and Structures</i> , 2022, 29, 4865-4877.	2.6	1
2	Numerical analysis on stability of functionally graded graphene platelets (GPLs) reinforced dielectric composite plate. <i>Applied Mathematical Modelling</i> , 2022, 101, 239-258.	4.2	36
3	Analytical solutions for multilayered pipes with temperature-dependent properties under non-uniform pressure and thermal load. <i>Applied Mathematical Modelling</i> , 2022, 106, 369-389.	4.2	10
4	Analytical Modeling of Fluid Sloshing in A 2D Rectangular Container with A Bottom-Mounted T-Shaped Baffle. <i>China Ocean Engineering</i> , 2022, 36, 299-310.	1.6	1
5	Modelling of lateral forces generated by pedestrians walking across footbridges. <i>Applied Mathematical Modelling</i> , 2021, 89, 1775-1791.	4.2	9
6	Analysis of layered rectangular plates under thermo-mechanical loads considering temperature-dependent material properties. <i>Applied Mathematical Modelling</i> , 2021, 92, 244-260.	4.2	16
7	Lumped Parameter Model for Liquid Sloshing in a Cylindrical Tank Equipped with Multiple Annular Baffles. <i>Journal of Structural Engineering</i> , 2021, 147, .	3.4	9
8	Nonlinear vibration of FG-GPLRC dielectric plate with active tuning using differential quadrature method. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2021, 379, 113761.	6.6	47
9	A theoretical investigation on the thermal response of laminated cylindrical panel. <i>Archive of Applied Mechanics</i> , 2020, 90, 475-493.	2.2	4
10	Free vibration and dynamic response analysis of liquid in a rectangular rigid container with an elastic baffle. <i>Ocean Engineering</i> , 2020, 216, 108119.	4.3	8
11	Liquid Sloshing in a Cylindrical Tank with Multiple Baffles Under Horizontal and Pitching Motions. <i>International Journal of Applied Mechanics</i> , 2020, 12, 2050080.	2.2	3
12	Static response of functionally graded graphene platelet reinforced composite plate with dielectric property. <i>Journal of Intelligent Material Systems and Structures</i> , 2020, 31, 2211-2228.	2.5	35
13	Human-structure interaction experiments to determine the dynamic properties of the standing human body in vertical vibration. <i>Structures</i> , 2020, 26, 934-946.	3.6	4
14	Elasticity Solutions for Sandwich Arches considering Permeation Effect of Adhesive. <i>Advances in Polymer Technology</i> , 2020, 2020, 1-11.	1.7	2
15	Liquid Sloshing in a Rigid Cylindrical Tank Equipped with a Rigid Annular Baffle and on Soil Foundation. <i>International Journal of Structural Stability and Dynamics</i> , 2020, 20, 2050030.	2.4	14
16	Analysis of thick beams with temperature-dependent material properties under thermomechanical loads. <i>Advances in Structural Engineering</i> , 2020, 23, 1838-1850.	2.4	9
17	Analysis of laminated beams with temperature-dependent material properties subjected to thermal and mechanical loads. <i>Composite Structures</i> , 2019, 227, 111304.	5.8	10
18	Earthquake Response of Cylindrical Storage Tanks on an Elastic Soil. <i>Journal of Vibration Engineering and Technologies</i> , 2019, 7, 433-444.	2.2	21

#	ARTICLE	IF	CITATIONS
19	Three-Dimensional Dynamics Analysis of Rotating Functionally Gradient Beams Based on Timoshenko Beam Theory. <i>International Journal of Applied Mechanics</i> , 2019, 11, 1950040.	2.2	9
20	Nonlinear Sloshing of Liquid in a Rigid Cylindrical Container with a Rigid Annular Baffle under Lateral Excitation. <i>Shock and Vibration</i> , 2019, 2019, 1-18.	0.6	0
21	Vertical impedance of a tapered pile in inhomogeneous saturated soil described by fractional viscoelastic model. <i>Applied Mathematical Modelling</i> , 2019, 75, 88-100.	4.2	25
22	Analytical Solution of Deformations for Two-Layer Timoshenko Beams Glued by a Viscoelastic Interlayer. <i>Mathematical Problems in Engineering</i> , 2019, 2019, 1-15.	1.1	4
23	Sloshing of fluid in a baffled rectangular aqueduct considering soil-structure interaction. <i>Soil Dynamics and Earthquake Engineering</i> , 2019, 122, 132-147.	3.8	11
24	An equivalent mechanical model for fluid sloshing in a rigid cylindrical tank equipped with a rigid annular baffle. <i>Applied Mathematical Modelling</i> , 2019, 72, 569-587.	4.2	18
25	Stresses of orthotropic laminated beams subjected to high temperature and mechanical load. <i>Theoretical and Applied Mechanics Letters</i> , 2019, 9, 279-284.	2.8	4
26	3-D Thermo-Stress Field in Laminated Cylindrical Shells. <i>CMES - Computer Modeling in Engineering and Sciences</i> , 2019, 121, 215-247.	1.1	2
27	Three-dimensional vibration of rotating functionally graded beams. <i>JVC/Journal of Vibration and Control</i> , 2018, 24, 3292-3306.	2.6	32
28	Time-dependent behavior of layered arches with viscoelastic interlayers. <i>Mechanics of Time-Dependent Materials</i> , 2018, 22, 315-330.	4.4	4
29	Elasticity solution of laminated beams with temperature-dependent material properties under a combination of uniform thermo-load and mechanical loads. <i>Journal of Central South University</i> , 2018, 25, 2537-2549.	3.0	9
30	Coupled Responses of Partially Liquid-Filled Container with Multielastic Annular Baffles under Lateral Excitations. <i>Journal of Aerospace Engineering</i> , 2018, 31, .	1.4	5
31	A Simple Model for Vertical Dynamic Interactions among a Group of Strip Footings Rested on Homogeneous Half-Space. <i>Shock and Vibration</i> , 2018, 2018, 1-12.	0.6	0
32	Thermal stresses in layered thick cylindrical shells of infinite length. <i>Journal of Thermal Stresses</i> , 2017, 40, 322-343.	2.0	10
33	Mechanical Parameters of Standing Body and Applications in Human-Structure Interaction. <i>International Journal of Applied Mechanics</i> , 2017, 09, 1750021.	2.2	9
34	3-D exact solution of two-layer plate bonded by a viscoelastic interlayer with memory effect. <i>Composite Structures</i> , 2017, 164, 291-303.	5.8	10
35	Horizontal Dynamic Stiffness and Interaction Factors of Inclined Piles. <i>International Journal of Geomechanics</i> , 2017, 17, .	2.7	11
36	Three-dimensional elasticity solution of layered plates with viscoelastic interlayers. <i>Mechanics of Time-Dependent Materials</i> , 2017, 21, 307-329.	4.4	4

#	ARTICLE	IF	CITATIONS
37	Analysis of External Water Pressure for a Tunnel in Fractured Rocks. <i>Geofluids</i> , 2017, 2017, 1-11.	0.7	3
38	A New Formula of Impact Stiffness in Linear Viscoelastic Model for Pounding Simulation. <i>Shock and Vibration</i> , 2016, 2016, 1-7.	0.6	3
39	Elasticity solution of two-layer beam with a viscoelastic interlayer considering memory effect. <i>International Journal of Solids and Structures</i> , 2016, 94-95, 76-86.	2.7	16
40	In-Plane Vibration Analysis of Rotating Tapered Timoshenko Beams. <i>International Journal of Applied Mechanics</i> , 2016, 08, 1650064.	2.2	13
41	Flexural performance of sandwich beams with lattice ribs and a functionally multilayered foam core. <i>Composite Structures</i> , 2016, 152, 704-711.	5.8	17
42	Coupled response of liquid in a rigid cylindrical container equipped with an elastic annular baffle. <i>Meccanica</i> , 2016, 51, 2045-2058.	2.0	4
43	Nested Lumped-Parameter Model for Foundation with Strongly Frequency-dependent Impedance. <i>Journal of Earthquake Engineering</i> , 2016, 20, 975-991.	2.5	15
44	Comparison of two models for human-structure interaction. <i>Applied Mathematical Modelling</i> , 2016, 40, 3738-3748.	4.2	15
45	2-D elasticity solution of layered composite beams with viscoelastic interlayers. <i>Mechanics of Time-Dependent Materials</i> , 2016, 20, 65-84.	4.4	11
46	2-D elasticity solutions of two-layer composite beams with an arbitrarily shaped interface. <i>Applied Mathematical Modelling</i> , 2016, 40, 1477-1493.	4.2	12
47	Free Vibration Analysis of Rotating Axially Functionally Graded Tapered Timoshenko Beams. <i>International Journal of Structural Stability and Dynamics</i> , 2016, 16, 1550007.	2.4	28
48	3-D Elasticity Solutions of Layered Rectangular Plates Subjected to Thermo-Loads. <i>Journal of Thermal Stresses</i> , 2015, 38, 377-398.	2.0	9
49	Free vibration analysis of rotating axially functionally graded-tapered beams using Chebyshev-Ritz method. <i>Materials Research Innovations</i> , 2015, 19, S5-1255-S5-1262.	2.3	9
50	Flexural behavior of hybrid composite beams with a bamboo layer and lattice ribs. <i>Journal of Reinforced Plastics and Composites</i> , 2015, 34, 521-533.	3.1	13
51	Frequency-dependent impedance of a strip foundation group and its representation in time domain. <i>Applied Mathematical Modelling</i> , 2015, 39, 2861-2881.	4.2	7
52	Elasticity solutions of simply supported laminated cylindrical arches subjected to thermo-loads. <i>Composite Structures</i> , 2015, 131, 273-281.	5.8	16
53	Elasticity solution of laminated beams subjected to thermo-loads. <i>Journal of Central South University</i> , 2015, 22, 2297-2305.	3.0	5
54	Durability of glass fiber-reinforced polymer composites under the combined effects of moisture and sustained loads. <i>Journal of Reinforced Plastics and Composites</i> , 2015, 34, 1739-1754.	3.1	52

#	ARTICLE	IF	CITATIONS
55	Three-dimensional free vibration analysis of doubly-curved shells. JVC/Journal of Vibration and Control, 2015, 21, 2306-2324.	2.6	4
56	3-D Elasticity Solutions of Simply Supported Laminated Rectangular Plates in Uniform Temperature Field. Journal of Thermal Stresses, 2014, 37, 661-677.	2.0	9
57	Nonlinear sloshing of liquid in rigid cylindrical container with a rigid annular baffle: free vibration. Nonlinear Dynamics, 2014, 78, 2557-2576.	5.2	17
58	Effect of a forced harmonic vibration pile to its adjacent pile in layered elastic soil with double-shear model. Soil Dynamics and Earthquake Engineering, 2014, 67, 54-65.	3.8	12
59	Horizontal impedance of pile groups considering shear behavior of multilayered soils. Soils and Foundations, 2014, 54, 927-937.	3.1	21
60	Two-dimensional elasticity solution for bending of functionally graded beams with variable thickness. Meccanica, 2014, 49, 2479-2489.	2.0	14
61	Pull-out strength and bond behaviour of axially loaded rebar glued-in glulam. Construction and Building Materials, 2014, 65, 440-449.	7.2	49
62	Mechanical behaviour of concrete filled double skin steel tubular stub columns confined by FRP under axial compression. Steel and Composite Structures, 2014, 17, 431-452.	1.3	18
63	On the three-dimensional vibrations of elastic prisms with skew cross-section. Meccanica, 2013, 48, 993-1016.	2.0	4
64	Lumped-parameter model of foundations based on complex Chebyshev polynomial fraction. Soil Dynamics and Earthquake Engineering, 2013, 50, 192-203.	3.8	16
65	Models of a standing human body in vertical vibration. Proceedings of the Institution of Civil Engineers: Structures and Buildings, 2013, 166, 367-378.	0.8	7
66	Rocking Response of a Surface-Supported Strip Foundation under a Harmonic Swaying Force. Applied Mechanics and Materials, 2012, 226-228, 1453-1457.	0.2	2
67	Two-dimensional thermoelastic analysis of beams with variable thickness subjected to thermo-mechanical loads. Applied Mathematical Modelling, 2012, 36, 5818-5829.	4.2	17
68	Liquid sloshing in rigid cylindrical container with multiple rigid annular baffles: Free vibration. Journal of Fluids and Structures, 2012, 34, 138-156.	3.4	38
69	Study on coupled vibration characteristics of a cylindrical container with multiple elastic annular baffles. Science China Technological Sciences, 2012, 55, 3292-3301.	4.0	12
70	Free Vibration of Rectangular Plates with Attached Discrete Sprung Masses. Shock and Vibration, 2012, 19, 101-118.	0.6	9
71	Three-dimensional vibrations of annular thick plates with linearly varying thickness. Archive of Applied Mechanics, 2012, 82, 111-135.	2.2	13
72	On the three-dimensional vibrations of a hollow elastic torus of annular cross-section. Archive of Applied Mechanics, 2011, 81, 473-487.	2.2	1

#	ARTICLE	IF	CITATIONS
73	Two-dimensional analysis of simply supported piezoelectric beams with variable thickness. <i>Applied Mathematical Modelling</i> , 2011, 35, 4458-4472.	4.2	10
74	Response of Liquid in Cylindrical Tank with Rigid Annular Baffle Considering Damping Effect. <i>Advanced Materials Research</i> , 2011, 255-260, 3687-3691.	0.3	2
75	Three-dimensional vibration analysis of prisms with isosceles triangular cross-section. <i>Archive of Applied Mechanics</i> , 2010, 80, 699-710.	2.2	3
76	Three-Dimensional Thermoelastic Analysis of Rectangular Plates with Variable Thickness Subjected to Thermomechanical Loads. <i>Journal of Thermal Stresses</i> , 2010, 33, 1136-1155.	2.0	25
77	Three-dimensional elasticity solution of simple-supported rectangular plate on point supports, line supports and elastic foundation. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 584-589.	0.9	5
78	Three-dimensional elasticity solution of functionally graded rectangular plates with variable thickness. <i>Composite Structures</i> , 2009, 91, 56-65.	5.8	66
79	Elasticity solution of multi-span beams with variable thickness under static loads. <i>Applied Mathematical Modelling</i> , 2009, 33, 2951-2966.	4.2	17
80	Elasticity solution of clamped-simply supported beams with variable thickness. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2008, 29, 279-290.	3.6	22
81	Three-dimensional vibration analysis of cantilevered skew plates. <i>Journal of Sound and Vibration</i> , 2008, 313, 134-148.	3.9	14
82	Dynamic characteristics of a generalised suspension system. <i>International Journal of Mechanical Sciences</i> , 2008, 50, 30-42.	6.7	9
83	Estimation of Dynamic Characteristics of a Spring-Mass-Beam System. <i>Shock and Vibration</i> , 2007, 14, 271-282.	0.6	8
84	Hydroelastic vibrations of flexible rectangular tanks partially filled with liquid. <i>International Journal for Numerical Methods in Engineering</i> , 2007, 71, 149-174.	2.8	37
85	Bending-torsion vibration of a partially submerged cylinder with an arbitrary cross-section. <i>Applied Mathematical Modelling</i> , 2007, 31, 2249-2265.	4.2	3
86	Effect of built-in edges on 3-D vibrational characteristics of thick circular plates. <i>International Journal of Solids and Structures</i> , 2006, 43, 1960-1978.	2.7	10
87	Dynamic characteristics of a beam and distributed spring-mass system. <i>International Journal of Solids and Structures</i> , 2006, 43, 5555-5569.	2.7	41
88	Free vibration of rectangular plates with continuously distributed spring-mass. <i>International Journal of Solids and Structures</i> , 2006, 43, 6502-6520.	2.7	28
89	3-D vibration analysis of skew thick plates using Chebyshev's Ritz method. <i>International Journal of Mechanical Sciences</i> , 2006, 48, 1481-1493.	6.7	43
90	Three-dimensional free vibration of thick circular plates on Pasternak foundation. <i>Journal of Sound and Vibration</i> , 2006, 292, 726-741.	3.9	51

#	ARTICLE	IF	CITATIONS
91	Free vibration of rectangular plates with internal column supports. Journal of Sound and Vibration, 2006, 297, 146-166.	3.9	13
92	3-D vibration analysis of generalized super elliptical plates using Chebyshevâ€Ritz method. International Journal of Solids and Structures, 2004, 41, 4697-4712.	2.7	22
93	Three-dimensional vibration analysis of circular and annular plates via the Chebyshevâ€Ritz method. International Journal of Solids and Structures, 2003, 40, 3089-3105.	2.7	117
94	3D vibration analysis of solid and hollow circular cylinders via Chebyshevâ€Ritz method. Computer Methods in Applied Mechanics and Engineering, 2003, 192, 1575-1589.	6.6	89
95	Three-dimensional vibration analysis of a torus with circular cross section. Journal of the Acoustical Society of America, 2002, 112, 2831-2839.	1.1	20
96	Vibration analysis of rectangular Mindlin plates with internal line supports using static Timoshenko beam functions. International Journal of Mechanical Sciences, 2002, 44, 2503-2522.	6.7	12
97	Three-dimensional vibration analysis of thick rectangular plates using Chebyshev polynomial and Ritz method. International Journal of Solids and Structures, 2002, 39, 6339-6353.	2.7	147
98	Vibration of vertical rectangular plate in contact with water on one side. Earthquake Engineering and Structural Dynamics, 2000, 29, 693-710.	4.4	82
99	Natural frequencies of elastically restrained rectangular plates using a set of static beam functions in the Rayleigh-Ritz method. Computers and Structures, 1995, 57, 731-735.	4.4	50
100	Torsional vibration of uniform columns with arbitrarily shaped cross-sections partially submerged in water. Computers and Structures, 1994, 53, 35-41.	4.4	0
101	Eigenfrequencies of line supported rectangular plates. International Journal of Solids and Structures, 1994, 31, 347-358.	2.7	25
102	Free vibration of arbitrarily shaped plates with concentric ring elastic and/or rigid supports. Computers and Structures, 1994, 50, 685-692.	4.4	8
103	Vibration of uniform columns with arbitrarily shaped cross-sections partially submerged in water considering the effects of surface wave and compressibility of water. Computers and Structures, 1993, 46, 1049-1054.	4.4	6
104	A general solution to vibrations of beams on variable winkler elastic foundation. Computers and Structures, 1993, 47, 83-90.	4.4	61
105	Study on Lumped-Parameter Model of Surface Circular Foundation. Advanced Materials Research, 0, 261-263, 980-984.	0.3	1
106	Parameter Effect of Side Retainers on Seismic Response of Bridges with Flexible Rubber Bearings. Advanced Materials Research, 0, 255-260, 1280-1284.	0.3	0
107	A Direct Displacement-Based Design Method Based on Chinese Code of Base Isolated Structures. Advanced Materials Research, 0, 255-260, 2555-2559.	0.3	0
108	The Study on Mechanical Properties of Single-Bolted Steel-Glulam-Steel Joints. Advanced Materials Research, 0, 255-260, 204-208.	0.3	1

#	ARTICLE	IF	CITATIONS
109	Temperature Field in Simply Supported Laminated Beam. <i>Advanced Materials Research</i> , 0, 430-432, 181-184.	0.3	0
110	Effect of Vertical Elastic Baffle on Liquid Sloshing in Rectangular Rigid Container. <i>International Journal of Structural Stability and Dynamics</i> , 0, , 2150167.	2.4	6