

John P F A Heesakkers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7932830/publications.pdf>

Version: 2024-02-01

185
papers

4,970
citations

94381

37
h-index

106281

65
g-index

224
all docs

224
docs citations

224
times ranked

3754
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Patients living 25 years with a noncontinent urinary diversion: What can we learn?. International Journal of Urological Nursing, 2022, 16, 5-11. | 0.1 | 1 |
| 2 | Patient-tailored healthcare and tibial nerve neuromodulation in the treatment of patients with overactive bladder symptoms. Neurourology and Urodynamics, 2022, 41, 679-684. | 0.8 | 3 |
| 3 | What is the fate of patients with a neuromodulation implant who embarked on a clinical study?. , 2022, 1, 100002. | | 0 |
| 4 | Safety and Tolerability of Fesoterodine in Older Adult Patients with Overactive Bladder. Canadian Geriatrics Journal, 2022, 25, 72-78. | 0.7 | 2 |
| 5 | Neurogenic voiding dysfunction induced by vitamin B6 overdose. , 2022, 1, 100004. | | 1 |
| 6 | Age-Related Mental Health Consequences of COVID-19: A Global Perspective. Soci t  Internationale D'urologie Journal, 2021, 2, 25-31. | 0.2 | 0 |
| 7 | Real-life patient experiences of TTNS in the treatment of overactive bladder syndrome. Therapeutic Advances in Urology, 2021, 13, 175628722110414. | 0.9 | 5 |
| 8 | Patient-reported outcomes and health-related quality of life after urinary diversions. Current Opinion in Urology, 2021, Publish Ahead of Print, 574-579. | 0.9 | 2 |
| 9 | The Magnificent MASTER Trial: A Randomised Controlled Trial of Surgery After Postprostatectomy Incontinence. European Urology, 2021, 79, 824-825. | 0.9 | 0 |
| 10 | Lower urinary tract signs and symptoms in patients with COVID-19. BMC Infectious Diseases, 2021, 21, 706. | 1.3 | 11 |
| 11 | Urodynamic Effects of Prostatic Urethral Lift Procedure for Male Voiding Lower Urinary Tract Symptoms. Journal of Endourology, 2021, 35, 1813-1817. | 1.1 | 3 |
| 12 | The functioning and the complication rate of extreme long existing urinary diversions. Current Opinion in Urology, 2021, 31, 562-569. | 0.9 | 2 |
| 13 | Medical, technical and functional aspect of various types of urinary diversion. Current Opinion in Urology, 2021, Publish Ahead of Print, 542-543. | 0.9 | 0 |
| 14 | Vesico-Vaginal Fistula Repair by a Vaginal Approach. Urologia Internationalis, 2021, 105, 1113-1118. | 0.6 | 0 |
| 15 | Surgical treatment of female stress incontinence: impact of changed views on polypropylene. Tijdschrift Voor Urologie, 2021, 11, 121-129. | 0.1 | 1 |
| 16 | Pain after midurethral sling; the underestimated role of mesh removal. Central European Journal of Urology, 2021, 74, 541-546. | 0.2 | 1 |
| 17 | Imaging findings of vinyl dimethyl polydimethylsiloxane used as a paraurethral injectable for female stress urinary incontinence. Therapeutic Advances in Urology, 2021, 13, 175628722110609. | 0.9 | 1 |
| 18 | Urinary Microbiome and its Correlation with Disorders of the Genitourinary System. Urology Journal, 2021, 18, 259-270. | 0.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Results of the York Mason Procedure with and without Concomitant Graciloplasty to Treat Latrogenic Rectourethral Fistulas. <i>European Urology Focus</i> , 2020, 6, 762-769. | 1.6 | 4 |
| 20 | Safety and Efficacy of Mirabegron: Analysis of a Large Integrated Clinical Trial Database of Patients with Overactive Bladder Receiving Mirabegron, Antimuscarinics, or Placebo. <i>European Urology</i> , 2020, 77, 119-128. | 0.9 | 43 |
| 21 | Long-term real-life adherence of percutaneous tibial nerve stimulation in over 400 patients. <i>Neurourology and Urodynamics</i> , 2020, 39, 702-706. | 0.8 | 23 |
| 22 | Improving the barrier function of damaged cultured urothelium using chondroitin sulfate. <i>Neurourology and Urodynamics</i> , 2020, 39, 558-564. | 0.8 | 11 |
| 23 | Genetic variants and expression changes in urgency urinary incontinence: A systematic review. <i>Neurourology and Urodynamics</i> , 2020, 39, 2089-2110. | 0.8 | 8 |
| 24 | Editorial: Neurourology and incontinence. <i>Current Opinion in Urology</i> , 2020, 30, 479. | 0.9 | 0 |
| 25 | Tibial nerve stimulation in the treatment of overactive bladder syndrome: technical features of latest applications. <i>Current Opinion in Urology</i> , 2020, 30, 513-518. | 0.9 | 10 |
| 26 | Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , 2020, 6, 1049-1057. | 1.6 | 25 |
| 27 | Which procedure for stress urinary incontinence? Synthetic slings. <i>Current Opinion in Urology</i> , 2020, 30, 275-276. | 0.9 | 0 |
| 28 | 3-Year Followup of a New Implantable Tibial Nerve Stimulator for the Treatment of Overactive Bladder Syndrome. <i>Journal of Urology</i> , 2020, 204, 545-550. | 0.2 | 11 |
| 29 | Are Slings Still the Gold Standard for Female Stress Urinary Incontinence?. <i>European Urology Focus</i> , 2019, 5, 312-314. | 1.6 | 1 |
| 30 | Re: Long-term Rate of Mesh Sling Removal Following Midurethral Mesh Sling Insertion Among Women with Stress Urinary Incontinence. <i>European Urology</i> , 2019, 76, 533-534. | 0.9 | 0 |
| 31 | User perception of a new hydrophilic-coated male urinary catheter for intermittent use. <i>Nursing Open</i> , 2019, 6, 116-125. | 1.1 | 6 |
| 32 | Survival of the artificial urinary sphincter in a changing patient profile. <i>World Journal of Urology</i> , 2019, 37, 899-906. | 1.2 | 2 |
| 33 | Efficacy and safety of artificial urinary sphincter (AUS): Results of a large multi-institutional cohort of patients with mid-term follow-up. <i>Neurourology and Urodynamics</i> , 2019, 38, 710-718. | 0.8 | 52 |
| 34 | Multidisciplinary care for people with Parkinson's disease: the new kids on the block!. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 145-157. | 1.4 | 45 |
| 35 | Systematic Review of Combination Drug Therapy for Non-neurogenic Lower Urinary Tract Symptoms. <i>European Urology</i> , 2019, 75, 129-168. | 0.9 | 19 |
| 36 | PD31-02: LONG-TERM RESULTS OF SAFETY, EFFICACY, QUALITY OF LIFE AND SATISFACTION OF PATIENTS TREATED FOR REFRACTORY OAB USING AN IMPLANTABLE TIBIAL NEUROSTIMULATION SYSTEM: RENOVASTIMULATION SYSTEM. <i>Journal of Urology</i> , 2019, 201, . | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Can we predict prostate size by scoring baldness? The relationship of androgenic alopecia and lower urinary tract symptoms. Central European Journal of Urology, 2019, 72, 39-43. | 0.2 | 0 |
| 38 | Biomechanical Properties of the Pelvic Floor and its Relation to Pelvic Floor Disorders. European Urology Supplements, 2018, 17, 80-90. | 0.1 | 18 |
| 39 | Efficacy and Safety of Sacral and Percutaneous Tibial Neuromodulation in Non-neurogenic Lower Urinary Tract Dysfunction and Chronic Pelvic Pain: A Systematic Review of the Literature. European Urology, 2018, 73, 406-418. | 0.9 | 68 |
| 40 | De-implementation of urodynamics in The Netherlands after the VALUE/VUSIS-2 results: a nationwide survey. International Urogynecology Journal, 2018, 29, 1261-1277. | 0.7 | 6 |
| 41 | Neurogenic bowel dysfunction: Clinical management recommendations of the Neurologic Incontinence Committee of the Fifth International Consultation on Incontinence 2013. Neurourology and Urodynamics, 2018, 37, 46-53. | 0.8 | 40 |
| 42 | Contemporary diagnostics and treatment options for female stress urinary incontinence. Asian Journal of Urology, 2018, 5, 141-148. | 0.5 | 11 |
| 43 | Complications of Urethral Bulking Agents for Stress Urinary Incontinence. Female Pelvic Medicine and Reconstructive Surgery, 2018, 24, 392-398. | 0.6 | 28 |
| 44 | A novel leadless, miniature implantable Tibial Nerve Neuromodulation System for the management of overactive bladder complaints. Neurourology and Urodynamics, 2018, 37, 1060-1067. | 0.8 | 34 |
| 45 | Reconstruction of bladder function and prevention of renal deterioration by means of end-to-side neurorrhaphy in rats with neurogenic bladder. Neurourology and Urodynamics, 2018, 37, 1272-1280. | 0.8 | 8 |
| 46 | Expert Opinion on Three Clinical Cases with a Common Urgent Problem: Urge Urinary Incontinence. Case Reports in Urology, 2018, 2018, 1-6. | 0.1 | 1 |
| 47 | Midurethral support is also necessary for reflex closure of the urethra. Neurourology and Urodynamics, 2018, 37, 2965-2972. | 0.8 | 13 |
| 48 | Sacral Dorsal Rhizotomy and Sacral Anterior Root Stimulation in Neurogenic Patients: The Brindley Procedure. , 2018, , 421-433. | | 0 |
| 49 | De-implementation of urodynamics in The Netherlands after the VALUE/VUSIS-2 results: a nationwide survey. International Urogynecology Journal, 2018, 29, 1279-1280. | 0.7 | 2 |
| 50 | Urothelium update: how the bladder mucosa measures bladder filling. Acta Physiologica, 2017, 220, 201-217. | 1.8 | 24 |
| 51 | A New Implanted Posterior Tibial Nerve Stimulator for the Treatment of Overactive Bladder Syndrome: 3-Month Results of a Novel Therapy at a Single Center. Journal of Urology, 2017, 198, 205-210. | 0.2 | 46 |
| 52 | Consensus Statement of the European Urology Association and the European Urogynaecological Association on the Use of Implanted Materials for Treating Pelvic Organ Prolapse and Stress Urinary Incontinence. European Urology, 2017, 72, 424-431. | 0.9 | 165 |
| 53 | Para-Urethral Injections with Urolastic® for Treatment of Female Stress Urinary Incontinence: Subjective Improvement and Safety. Urologia Internationalis, 2017, 99, 91-97. | 0.6 | 22 |
| 54 | A novel algorithm for the non-invasive detection of bladder outlet obstruction in men with lower urinary tract symptoms. Arab Journal of Urology Arab Association of Urology, 2017, 15, 153-158. | 0.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Development of a core set of outcome measures for OAB treatment. International Urogynecology Journal, 2017, 28, 1785-1793. | 0.7 | 18 |
| 56 | Obesity and pelvic organ prolapse. Current Opinion in Urology, 2017, 27, 428-434. | 0.9 | 45 |
| 57 | MP46-09 PREVIOUS INCONTINENCE SURGERY AND SURGICAL VOLUME PREDICT SOCIAL CONTINENCE AND SURGICAL REVISION: RESULTS OF A LARGE MULTI-INSTITUTIONAL STUDY.. Journal of Urology, 2017, 197, . | 0.2 | 0 |
| 58 | Pathophysiology and Contributing Factors in Postprostatectomy Incontinence: A Review. European Urology, 2017, 71, 936-944. | 0.9 | 167 |
| 59 | Decline in artificial urinary sphincter survival in modern practice“do we treat a different patient?. Neurourology and Urodynamics, 2017, 36, 1350-1355. | 0.8 | 3 |
| 60 | Effectiveness of percutaneous tibial nerve stimulation in the treatment of overactive bladder syndrome. Research and Reports in Urology, 2017, Volume 9, 145-157. | 0.6 | 45 |
| 61 | Dealing with complex overactive bladder syndrome patient profiles with focus on fesoterodine: in or out of the EAU guidelines?. Research and Reports in Urology, 2017, Volume 9, 209-218. | 0.6 | 5 |
| 62 | Clinical utility of neurostimulation devices in the treatment of overactive bladder: current perspectives. Medical Devices: Evidence and Research, 2017, Volume 10, 109-122. | 0.4 | 17 |
| 63 | Surgical treatment of neurogenic stress urinary incontinence: A systematic review of quality assessment and surgical outcomes. Neurourology and Urodynamics, 2016, 35, 21-25. | 0.8 | 45 |
| 64 | Subject-Controlled, On-demand, Dorsal Genital Nerve Stimulation to Treat Urgency Urinary Incontinence; a Pilot. Frontiers in Neuroscience, 2016, 10, 24. | 1.4 | 19 |
| 65 | Patientsâ€™ experience with intermittent catheterisation in everyday life. Journal of Clinical Nursing, 2016, 25, 1253-1261. | 1.4 | 30 |
| 66 | MP87-17 ADJUVANT RADIOTHERAPY HAS NO IMPACT ON DRY RATE AND SURGICAL REVISION RATE AFTER ARTIFICIAL URINARY SPHINCTER IMPLANTATION FOR STRESS URINARY INCONTINENCE AFTER RADICAL PROSTATECTOMY. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 67 | MP87-07 DIABETES MELLITUS AND ANTICOAGULANT THERAPY DO NOT INFLUENCE DRY RATE OR SURGICAL REVISION RATE AFTER ARTIFICIAL URINARY SPHINCTER IMPLANTATION FOR POST PROSTATECTOMY INCONTINENCE “ RESULTS OF A MULTI-INSTITUTIONAL STUDY. Journal of Urology, 2016, 195, . | 0.2 | 0 |
| 68 | TRPV4 mediates afferent pathways in the urinary bladder. A spinal c-fos study showing TRPV1 related adaptations in the TRPV4 knockout mouse. Pflugers Archiv European Journal of Physiology, 2016, 468, 1741-1749. | 1.3 | 8 |
| 69 | The Impact of Midurethral Sling Surgery on Sexual Activity and Function in Women With Stress Urinary Incontinence. Journal of Sexual Medicine, 2016, 13, 1498-1507. | 0.3 | 17 |
| 70 | <sc>TRPV</sc>4 channels in the human urogenital tract play a role in cell junction formation and epithelial barrier. Acta Physiologica, 2016, 218, 38-48. | 1.8 | 22 |
| 71 | Which factors make clean intermittent (self) catheterisation successful?. Journal of Clinical Nursing, 2016, 25, 1308-1318. | 1.4 | 20 |
| 72 | Neurogenic lower urinary tract dysfunction: Clinical management recommendations of the Neurologic Incontinence committee of the fifth International Consultation on Incontinence 2013. Neurourology and Urodynamics, 2016, 35, 657-665. | 0.8 | 81 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Overactive Bladder. , 2016, , 33-68. | | 0 |
| 74 | Circumferential urinary sphincter surface electromyography: A novel diagnostic method for intrinsic sphincter deficiency. Neurourology and Urodynamics, 2016, 35, 186-191. | 0.8 | 5 |
| 75 | Electroanatomical Mapping of the Urinary Bladder. International Neurourology Journal, 2016, 20, 164-167. | 0.5 | 3 |
| 76 | Female Stress Urinary Incontinence. , 2016, , 89-118. | | 1 |
| 77 | Synthesis of practical approaches to overactive bladder. , 2015, , 233-237. | | 1 |
| 78 | Validation of a Dutch version of the Actionable 8-item screening questionnaire for neurogenic bladder overactivity in multiple sclerosis: an observational web-based study. Health and Quality of Life Outcomes, 2015, 13, 175. | 1.0 | 3 |
| 79 | Simplified scoring of the Actionable 8-item screening questionnaire for neurogenic bladder overactivity in multiple sclerosis: a comparative analysis of test performance at different cut-off points. BMC Urology, 2015, 15, 106. | 0.6 | 6 |
| 80 | Risk factors of nocturia (two or more voids per night) in Chinese people older than 40 years. Neurourology and Urodynamics, 2015, 34, 566-570. | 0.8 | 15 |
| 81 | Botulinum Toxin A in Clinical Practice, the Technical Aspects and What Urologists Want to Know about It. Urologia Internationalis, 2015, 95, 411-416. | 0.6 | 3 |
| 82 | Co-administration of transient receptor potential vanilloid 4 (<sc>TRPV4</sc>) and <sc>TRPV1</sc> antagonists potentiate the effect of each drug in a rat model of cystitis. BJU International, 2015, 115, 452-460. | 1.3 | 26 |
| 83 | Results of primary versus recurrent surgery to treat stress urinary incontinence in women. International Urogynecology Journal, 2015, 26, 997-1005. | 0.7 | 8 |
| 84 | An Update of the Interstitial Cell Compartment in the Normal Human Bladder. BioMed Research International, 2014, 2014, 1-9. | 0.9 | 6 |
| 85 | Imaging assessments of lower urinary tract dysfunctions: Future steps. Turk Uroloji Dergisi, 2014, 40, 78-81. | 0.4 | 5 |
| 86 | Alterations of the Myovesical Plexus of the Human Overactive Detrusor. BioMed Research International, 2014, 2014, 1-8. | 0.9 | 3 |
| 87 | The prevalence and risk factors of OAB in middle-aged and old people in China. Neurourology and Urodynamics, 2014, 33, 387-391. | 0.8 | 35 |
| 88 | Technical aspects of botulinum toxin type A injection in the bladder to treat urinary incontinence: reviewing the procedure. International Journal of Clinical Practice, 2014, 68, 731-742. | 0.8 | 35 |
| 89 | Subpubic Cartilaginous Pseudocyst: Orthopedic Feature with Urological Consequences. Case Reports in Urology, 2014, 2014, 1-5. | 0.1 | 9 |
| 90 | EAU Policy on Live Surgery Events. European Urology, 2014, 66, 87-97. | 0.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Neuromodulation for Voiding Dysfunction: When and How Best to Use. <i>Current Bladder Dysfunction Reports</i> , 2014, 9, 41-47. | 0.2 | 1 |
| 92 | Detrusor Overactivity Does Not Predict Bothersome Storage Symptoms After Photoselective Vaporization of the Prostate With Lithium Triborate Laser. <i>Urology</i> , 2014, 84, 898-903. | 0.5 | 8 |
| 93 | Utility of urodynamics before surgery for stress urinary incontinence: response to editorial by Lose and Klarskov. <i>International Urogynecology Journal</i> , 2014, 25, 999-999. | 0.7 | 2 |
| 94 | OnabotulinumtoxinA is Effective in Patients with Urinary Incontinence due to Neurogenic Detrusor Activity Regardless of Concomitant Anticholinergic Use or Neurologic Etiology. <i>Advances in Therapy</i> , 2013, 30, 819-833. | 1.3 | 77 |
| 95 | Authors' response re: Do preoperative urodynamics still have a role in female stress urinary incontinence? <i>Neurourol Urodyn</i> 2013;32:1144â€“5. <i>Neurourology and Urodynamics</i> , 2013, 32, 1146-1147. | 0.8 | 1 |
| 96 | A New, Straightforward Ex Vivo Organoid Bladder Mucosal Model for Preclinical Research. <i>Journal of Urology</i> , 2013, 190, 341-349. | 0.2 | 8 |
| 97 | The Distribution and Function of Chondroitin Sulfate and Other Sulfated Glycosaminoglycans in the Human Bladder and Their Contribution to the Protective Bladder Barrier. <i>Journal of Urology</i> , 2013, 189, 336-342. | 0.2 | 58 |
| 98 | Noninvasive 2-Dimensional Monitoring of Strain in the Detrusor Muscle in Patients with Lower Urinary Tract Symptoms Using Ultrasound Strain Imaging. <i>Journal of Urology</i> , 2013, 189, 1402-1408. | 0.2 | 7 |
| 99 | Value of Urodynamics Before Stress Urinary Incontinence Surgery. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 565-566. | 0.2 | 0 |
| 100 | Near-Infrared Spectroscopy of the Urinary Bladder during Voiding in Men with Lower Urinary Tract Symptoms: A Preliminary Study. <i>BioMed Research International</i> , 2013, 2013, 1-7. | 0.9 | 10 |
| 101 | Urgentâ€“Q implant in treatment of overactive bladder syndrome: 9â€“year followâ€“up study. <i>Neurourology and Urodynamics</i> , 2013, 32, 472-475. | 0.8 | 30 |
| 102 | Value of Urodynamics Before Stress Urinary Incontinence Surgery. <i>Obstetrics and Gynecology</i> , 2013, 121, 999-1008. | 1.2 | 97 |
| 103 | In Reply. <i>Obstetrics and Gynecology</i> , 2013, 122, 905. | 1.2 | 0 |
| 104 | Applicability of a Disposable Home Urinary Flow Measuring Device as a Diagnostic Tool in the Management of Males with Lower Urinary Tract Symptoms. <i>Urologia Internationalis</i> , 2012, 89, 166-172. | 0.6 | 14 |
| 105 | 257 TRPV4 IS INVOLVED IN CELL JUNCTION FORMATION IN THE UROGENITAL TRACT. AN ULTRASTRUCTURAL STUDY. <i>Journal of Urology</i> , 2012, 187, . | 0.2 | 0 |
| 106 | 824 SULPHATED GLYCOSAMINOGLYCANS (GAG'S) CONTRIBUTE TO THE BLADDER BARRIER. <i>Journal of Urology</i> , 2012, 187, . | 0.2 | 0 |
| 107 | Long-Term Safety, Tolerability and Efficacy of Fesoterodine in Subjects with Overactive Bladder Symptoms Stratified by Age. <i>Drugs and Aging</i> , 2012, 29, 119-131. | 1.3 | 33 |
| 108 | Dorsal Genital Nerve Stimulation in Patients with Detrusor Overactivity: A Systematic Review. <i>Current Urology Reports</i> , 2012, 13, 385-388. | 1.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Can we, and do we need to, define bladder neck hypermobility and intrinsic sphincteric deficiency?: ICIâ€RS 2011. Neurourology and Urodynamics, 2012, 31, 309-312. | 0.8 | 7 |
| 110 | Can we identify men who will have complications from benign prostatic obstruction (BPO)?: ICIâ€RS 2011. Neurourology and Urodynamics, 2012, 31, 322-326. | 0.8 | 38 |
| 111 | Can preoperative urodynamic investigation be omitted in women with stress urinary incontinence? A nonâ€inferiority randomized controlled trial. Neurourology and Urodynamics, 2012, 31, 1118-1123. | 0.8 | 67 |
| 112 | The value of preoperative urodynamics according to gynecologists and urologists with special interest in stress urinary incontinence. International Urogynecology Journal, 2012, 23, 423-428. | 0.7 | 16 |
| 113 | Noninvasive measurement of bladder muscle activity using radiofrequency ultrasound strain imaging. , 2011, , . | | 0 |
| 114 | 2173 NEAR INFRARED SPECTROSCOPY: A NOVEL NONINVASIVE DIAGNOSTIC METHOD FOR DETRUSOR OVERACTIVITY IN PATIENTS WITH OVERACTIVE BLADDER SYMPTOMS. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 115 | Adherence Junctions and Cadherin-11 in Normal and Overactive Human Detrusor Smooth Muscle Cells. Journal of Urology, 2011, 185, 1946-1951. | 0.2 | 1 |
| 116 | Surgical Access for Electrical Stimulation of the Pudendal and Dorsal Genital Nerves in the Overactive Bladder: A Review. Journal of Urology, 2011, 186, 798-804. | 0.2 | 24 |
| 117 | The Mechanoreceptor TRPV4 is Localized in Adherence Junctions of the Human Bladder Urothelium: A Morphological Study. Journal of Urology, 2011, 186, 1121-1127. | 0.2 | 89 |
| 118 | Overactive Bladder: Pathophysiology, Diagnostics, and Therapies. Advances in Urology, 2011, 2011, 1-1. | 0.6 | 5 |
| 119 | Prolapse surgery: which technique and when?. Current Opinion in Urology, 2011, 21, 281-285. | 0.9 | 2 |
| 120 | Minimal invasive electrode implantation for conditional stimulation of the dorsal genital nerve in neurogenic detrusor overactivity. Spinal Cord, 2011, 49, 566-572. | 0.9 | 28 |
| 121 | Near-Infrared Spectroscopy: A Novel, Noninvasive, Diagnostic Method for Detrusor Overactivity in Patients with Overactive Bladder Symptomsâ€”A Preliminary and Experimental Study. European Urology, 2011, 59, 757-762. | 0.9 | 36 |
| 122 | Re: An International Urogynecological Association (IUGA)/International Continence Society (ICS) Joint Terminology and Classification of the Complications Related Directly to the Insertion of Prostheses (Meshes, Implants, Tapes) and Grafts in Female Pelvic Floor Surgery. European Urology, 2011, 59, 1068-1069. | 0.9 | 0 |
| 123 | Efficacy and Safety of OnabotulinumtoxinA in Patients with Urinary Incontinence Due to Neurogenic Detrusor Overactivity: A Randomised, Double-Blind, Placebo-Controlled Trial. European Urology, 2011, 60, 742-750. | 0.9 | 410 |
| 124 | Re: JÃ¼rgen Pannek. Mozart, the Brain, and the Bladder: Clinical Usefulness of Near-Infrared Spectroscopy for the Detection of Detrusor Overactivity. Eur Urol 2011;59:763â€”4. European Urology, 2011, 60, e49. | 0.9 | 0 |
| 125 | Functionele urologie. Tijdschrift Voor Urologie, 2011, 1, 25-25. | 0.1 | 0 |
| 126 | Surgical management of mesh-related complications after prior pelvic floor reconstructive surgery with mesh. International Urogynecology Journal, 2011, 22, 1395-1404. | 0.7 | 96 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Quality of life in complete spinal cord injury patients with a Brindley bladder stimulator compared to a matched control group. <i>Neurourology and Urodynamics</i> , 2011, 30, 551-555. | 0.8 | 56 |
| 128 | The correlation between clinical and urodynamic diagnosis in classifying the type of urinary incontinence in women. A systematic review of the literature. <i>Neurourology and Urodynamics</i> , 2011, 30, 495-502. | 0.8 | 31 |
| 129 | Noninvasive techniques in the diagnosis of bladder storage disorders. <i>Neurourology and Urodynamics</i> , 2011, 30, 1422-1428. | 0.8 | 27 |
| 130 | Failure of Posaconazole Therapy in a Renal Transplant Patient with Invasive Aspergillosis Due to <i>Aspergillus fumigatus</i> with Attenuated Susceptibility to Posaconazole. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3564-3566. | 1.4 | 35 |
| 131 | Solifenacin in Multiple Sclerosis Patients with Overactive Bladder: A Prospective Study. <i>Advances in Urology</i> , 2011, 2011, 1-5. | 0.6 | 32 |
| 132 | Feasibility of Noninvasive Near-Infrared Spectroscopy to Diagnose Detrusor Overactivity. <i>Urologia Internationalis</i> , 2011, 87, 330-335. | 0.6 | 5 |
| 133 | Clinical Results of a Brindley Procedure: Sacral Anterior Root Stimulation in Combination with a Rhizotomy of the Dorsal Roots. <i>Advances in Urology</i> , 2011, 2011, 1-7. | 0.6 | 58 |
| 134 | Limited value of bladder sensation as a trigger for conditional neurostimulation in spinal cord injury patients. <i>Neurourology and Urodynamics</i> , 2010, 29, 395-400. | 0.8 | 11 |
| 135 | No primary role of ambulatory urodynamics for the management of spinal cord injury patients compared to conventional urodynamics. <i>Neurourology and Urodynamics</i> , 2010, 29, 1380-1386. | 0.8 | 18 |
| 136 | Long-term safety, tolerability and efficacy of fesoterodine treatment in subjects with overactive bladder symptoms. <i>International Journal of Clinical Practice</i> , 2010, 64, 584-593. | 0.8 | 33 |
| 137 | 1627 NONINVASIVE NEAR INFRA RED SPECTROSCOPY IN DIAGNOSIS OF DETRUSOR OVERACTIVITY. <i>Journal of Urology</i> , 2010, 183, . | 0.2 | 0 |
| 138 | 198 TRPV4 IN STRETCH SENSATION. TRPV4 IN THE UROTHELIUM OF HUMAN BLADDER, KIDNEY & URETER COLOCALIZES WITH ADHERENCE JUNCTIONS. <i>Journal of Urology</i> , 2010, 183, . | 0.2 | 0 |
| 139 | 1011 CONDITIONAL GENITAL NERVE STIMULATION USING A NEEDLE ELECTRODE ENABLES SELECTIVE SUPPRESSION OF UNDESIRE DETRUSOR CONTRACTIONS IN NEUROGENIC DETRUSOR OVERACTIVITY. <i>Journal of Urology</i> , 2010, 183, . | 0.2 | 0 |
| 140 | 1036 THE UROTHELIAL CELL-LINE RT4 EXPRESSES A GLYCOSAMINOGLYCAN (GAG) LAYER ON ITS OUTER SURFACE; AN IN VITRO MODEL FOR THE BLADDER GAG-LAYER. <i>Journal of Urology</i> , 2010, 183, . | 0.2 | 1 |
| 141 | ProACT ₁ for Stress Urinary Incontinence after Radical Prostatectomy. <i>Urologia Internationalis</i> , 2009, 82, 394-398. | 0.6 | 26 |
| 142 | Urethral Instability: Current Pathophysiological Concept. <i>Urologia Internationalis</i> , 2009, 83, 125-133. | 0.6 | 12 |
| 143 | Protocol for the value of urodynamics prior to stress incontinence surgery (VUSIS) study: a multicenter randomized controlled trial to assess the cost effectiveness of urodynamics in women with symptoms of stress urinary incontinence in whom surgical treatment is considered. <i>BMC Women's Health</i> . 2009, 9, 22. | 0.8 | 36 |
| 144 | Bladder Wall Thickness in Overactive Bladder: Does It Have a Role?. <i>European Urology Supplements</i> , 2009, 8, 769-771. | 0.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | THE BRINDLEY BLADDER STIMULATOR IMPROVES QUALITY OF LIFE IN SPINAL CORD INJURED PATIENTS AS COMPARED TO A MATCHED CONTROL GROUP. <i>Journal of Urology</i> , 2009, 181, 341-342. | 0.2 | 0 |
| 146 | Should we train urologists in female urology? A European view. <i>Current Opinion in Urology</i> , 2009, 19, 353-357. | 0.9 | 3 |
| 147 | Urodynamic evaluation of sacral neuromodulation for urge urinary incontinence. <i>BJU International</i> , 2008, 101, 325-329. | 1.3 | 65 |
| 148 | Causes of frequency and nocturia after renal transplantation. <i>BJU International</i> , 2008, 101, 1029-1034. | 1.3 | 16 |
| 149 | Applications of Neurostimulation for Urinary Storage and Voiding Dysfunction in Neurological Patients. <i>Urologia Internationalis</i> , 2008, 81, 373-378. | 0.6 | 23 |
| 150 | Extracorporeal magnetic innervation therapy: Assessment of clinical efficacy in relation to urodynamic parameters. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008, 42, 433-436. | 1.4 | 10 |
| 151 | Effects of tolterodine extended release on patient perception of bladder condition and overactive bladder symptoms. <i>Current Medical Research and Opinion</i> , 2008, 24, 3513-3521. | 0.9 | 32 |
| 152 | Can Bladder Sensations Recorded During Ambulatory Urodynamics be Used for Conditional Nerve Stimulation in Spinal Cord Injury Patients?. <i>UroToday International Journal</i> , 2008, , . | 0.0 | 0 |
| 153 | Results of Sacral Neuromodulation Therapy for Urinary Voiding Dysfunction: Outcomes of a Prospective, Worldwide Clinical Study. <i>Journal of Urology</i> , 2007, 178, 2029-2034. | 0.2 | 489 |
| 154 | Urethral Instability and Sacral Nerve Stimulation – A Better Parameter to Predict Efficacy?. <i>Journal of Urology</i> , 2007, 178, 568-572. | 0.2 | 21 |
| 155 | Electrical stimulation of sacral dermatomes in multiple sclerosis patients with neurogenic detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2007, 26, 525-530. | 0.8 | 23 |
| 156 | Adherence to clean intermittent self-catheterization procedures: determinants explored. <i>Journal of Clinical Nursing</i> , 2007, 17, 070621074500013-??? | 1.4 | 56 |
| 157 | Acute Urodynamic Effects of Posterior Tibial Nerve Stimulation on Neurogenic Detrusor Overactivity in Patients with MS. <i>European Urology</i> , 2007, 51, 464-472. | 0.9 | 51 |
| 158 | Cadherin-11 is Expressed in Detrusor Smooth Muscle Cells and Myofibroblasts of Normal Human Bladder. <i>European Urology</i> , 2007, 52, 1213-1222. | 0.9 | 41 |
| 159 | The Motion: Tapes and not Bulking Agents/Drugs are First-Line Treatment of SUI. <i>European Urology</i> , 2007, 52, 914-917. | 0.9 | 0 |
| 160 | Re: The Use of Bowel for Ureteral Replacement for Complex Ureteral Reconstruction: Long-Term Results. <i>Journal of Urology</i> , 2006, 176, 2310-2310. | 0.2 | 0 |
| 161 | Current opinion on the working mechanisms of neuromodulation in the treatment of lower urinary tract dysfunction. <i>Current Opinion in Urology</i> , 2006, 16, 261-267. | 0.9 | 76 |
| 162 | Correlation between quality of life and voiding variables in patients treated with percutaneous tibial nerve stimulation. <i>BJU International</i> , 2006, 97, 113-116. | 1.3 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Percutaneous tibial nerve stimulation in the treatment of refractory overactive bladder syndrome: is maintenance treatment necessary?. BJU International, 2006, 97, 547-550. | 1.3 | 120 |
| 164 | Implant-Driven Tibial Nerve Stimulation in the Treatment of Refractory Overactive Bladder Syndrome: 12-Month Follow-up. Neuromodulation, 2006, 9, 163-171. | 0.4 | 43 |
| 165 | Re: Increase in Number of Operations for Stress Urinary Incontinence [article in Dutch]. European Urology, 2006, 50, 612-613. | 0.9 | 0 |
| 166 | The role of urodynamics in the treatment of lower urinary tract symptoms in women. Current Opinion in Urology, 2005, 15, 215-221. | 0.9 | 14 |
| 167 | A critical review of diagnostic criteria for evaluating patients with symptomatic stress urinary incontinence. BJU International, 2005, 95, 327-334. | 1.3 | 24 |
| 168 | Non-radical therapy for early gastric cancer. British Journal of Surgery, 2005, 81, 551-553. | 0.1 | 10 |
| 169 | Simultaneous treatment of faecal and urinary incontinence in children with spina bifida using double dynamic graciloplasty. British Journal of Surgery, 2005, 84, 1002-1003. | 0.1 | 0 |
| 170 | New tined lead electrode in sacral neuromodulation: experience from a multicentre European study. World Journal of Urology, 2005, 23, 225-229. | 1.2 | 93 |
| 171 | Treatment of urge urinary incontinence when drug treatment fails. International Congress Series, 2005, 1279, 418-422. | 0.2 | 0 |
| 172 | Urinary Incontinence: Sphincter Functioning from a Urological Perspective. Digestion, 2004, 69, 93-101. | 1.2 | 23 |
| 173 | Posterior tibial nerve stimulation in the treatment of voiding dysfunction: Urodynamic data. Neurourology and Urodynamics, 2004, 23, 246-251. | 0.8 | 64 |
| 174 | Clinical and socioeconomic relevance of overactive bladder. Urology, 2004, 63, 42-44. | 0.5 | 20 |
| 175 | Percutaneous Tibial Nerve Stimulation as Neuromodulative Treatment of Chronic Pelvic Pain. European Urology, 2003, 43, 158-163. | 0.9 | 85 |
| 176 | Reply to K.M. Ho and S.H. Wong. European Urology, 2003, 43, 201. | 0.9 | 0 |
| 177 | Posterior tibial nerve stimulation in the treatment of urge incontinence. Neurourology and Urodynamics, 2003, 22, 17-23. | 0.8 | 135 |
| 178 | Bladder filling by autologous urine production during cystometry: A urodynamic pitfall!. Neurourology and Urodynamics, 2003, 22, 243-245. | 0.8 | 14 |
| 179 | Percutaneous tibial nerve stimulation in the treatment of overactive bladder: Urodynamic data. Neurourology and Urodynamics, 2003, 22, 227-232. | 0.8 | 102 |
| 180 | Posterior tibial nerve stimulation in the treatment of idiopathic nonobstructive voiding dysfunction. Urology, 2003, 61, 567-572. | 0.5 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Long-Term Results of Ileum Interposition for Ureteral Obstruction. <i>European Urology</i> , 2002, 42, 181-187. | 0.9 | 89 |
| 182 | Dynamic urinary graciloplasty in male goats: A study on histology and urethral pressures. , 1998, 16, 117-123. | | 2 |
| 183 | Gracilis muscle transposition with electrical stimulation for sphincteric incontinence: a new approach. <i>World Journal of Urology</i> , 1997, 15, 320-328. | 1.2 | 9 |
| 184 | Dynamic urinary graciloplasty in male goats: A study on histology and urethral pressures. <i>Neurourology and Urodynamics</i> , 1997, 16, 117-123. | 0.8 | 2 |
| 185 | Electrical stimulated graciloplasty in the male goat: An animal model for urethral pressure measurement. , 1996, 15, 545-553. | | 4 |