

# Michael R Horsman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7936839/publications.pdf>

Version: 2024-02-01

182  
papers

8,248  
citations

38742

50  
h-index

54911

84  
g-index

186  
all docs

186  
docs citations

186  
times ranked

8068  
citing authors

#	ARTICLE	IF	CITATIONS
1	Does the combination of hyperthermia with low LET (linear energy transfer) radiation induce anti-tumor effects equivalent to those seen with high LET radiation alone?. <i>International Journal of Hyperthermia</i> , 2021, 38, 105-110.	2.5	2
2	Refinement of an Established Procedure and Its Application for Identification of Hypoxia in Prostate Cancer Xenografts. <i>Cancers</i> , 2021, 13, 2602.	3.7	2
3	Proton scanning and X-ray beam irradiation induce distinct regulation of inflammatory cytokines in a preclinical mouse model. <i>International Journal of Radiation Biology</i> , 2020, 96, 1238-1244.	1.8	14
4	Imaging of Tumor Hypoxia for Radiotherapy: Current Status and Future Directions. <i>Seminars in Nuclear Medicine</i> , 2020, 50, 562-583.	4.6	40
5	Tumors Resistant to Checkpoint Inhibitors Can Become Sensitive after Treatment with Vascular Disrupting Agents. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4778.	4.1	9
6	Tumor Hypoxia: Impact on Radiation Therapy and Molecular Pathways. <i>Frontiers in Oncology</i> , 2020, 10, 562.	2.8	136
7	In vitro hypoxia responsiveness of [18F] FDG and [18F] FAZA retention: influence of shaking versus stagnant conditions, glass versus polystyrene substrata and cell number down-scaling. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2020, 5, 14.	3.9	1
8	Dual-tracer PET of viable tumor volume and hypoxia for identification of necrosis-containing radio-resistant Sub-volumes. <i>Acta Oncol</i> , 2019, 58, 1476-1482.	1.8	5
9	Hyperthermia: The Optimal Treatment to Overcome Radiation Resistant Hypoxia. <i>Cancers</i> , 2019, 11, 60.	3.7	142
10	Reliability of blood lactate as a measure of exercise intensity in different strains of mice during forced treadmill running. <i>PLoS ONE</i> , 2019, 14, e0215584.	2.5	21
11	APD-Containing Cyclolipodepsipeptides Target Mitochondrial Function in Hypoxic Cancer Cells. <i>Cell Chemical Biology</i> , 2018, 25, 1337-1349.e12.	5.2	27
12	FDG-PET reproducibility in tumor-bearing mice: comparing a traditional SUV approach with a tumor-to-brain tissue ratio approach. <i>Acta Oncol</i> , 2017, 56, 706-712.	1.8	6
13	Relative biological effectiveness (RBE) and distal edge effects of proton radiation on early damage <i>in vivo</i> . <i>Acta Oncol</i> , 2017, 56, 1387-1391.	1.8	64
14	Enhancing the radiation response of tumors but not early or late responding normal tissues using a vascular disrupting agent. <i>Acta Oncol</i> , 2017, 56, 1634-1638.	1.8	9
15	Results from 11C-metformin-PET scans, tissue analysis and cellular drug-sensitivity assays questions the view that biguanides affects tumor respiration directly. <i>Scientific Reports</i> , 2017, 7, 9436.	3.3	25
16	The potential of hyperpolarized <sup>13</sup> C magnetic resonance spectroscopy to monitor the effect of combretastatin based vascular disrupting agents. <i>Acta Oncol</i> , 2017, 56, 1626-1633.	1.8	9
17	Hypoxia positron emission tomography imaging: combining information on perfusion and tracer retention to improve hypoxia specificity. <i>Acta Oncol</i> , 2017, 56, 1583-1590.	1.8	5
18	Vascular Targeting Agents. , 2017, , 4797-4801.		0

#	ARTICLE	IF	CITATIONS
19	Pathophysiological Basis for the Formation of the Tumor Microenvironment. <i>Frontiers in Oncology</i> , 2016, 6, 66.	2.8	152
20	The impact of hypoxia and its modification of the outcome of radiotherapy. <i>Journal of Radiation Research</i> , 2016, 57, i90-i98.	1.6	229
21	Improving efficacy of hyperthermia in oncology by exploiting biological mechanisms. <i>International Journal of Hyperthermia</i> , 2016, 32, 446-454.	2.5	97
22	Simulation of heterogeneous molecular delivery in tumours using $\frac{1}{4}$ CT reconstructions and MRI validation. <i>Microvascular Research</i> , 2016, 108, 69-74.	2.5	1
23	Hypoxia as a Biomarker and for Personalized Radiation Oncology. <i>Recent Results in Cancer Research</i> , 2016, 198, 123-142.	1.8	26
24	Realistic biological approaches for improving thermoradiotherapy. <i>International Journal of Hyperthermia</i> , 2016, 32, 14-22.	2.5	10
25	Dose-Response Modifiers in Radiation Therapy. , 2016, , 51-62.e3.		3
26	Photoelectron Spectra and Electronic Structures of the Radiosensitizer Nimorazole and Related Compounds. <i>Journal of Physical Chemistry A</i> , 2015, 119, 9986-9995.	2.5	19
27	A tissue-engineered therapeutic device inhibits tumor growth in vitro and in vivo. <i>Acta Biomaterialia</i> , 2015, 18, 21-29.	8.3	22
28	The usability of a 15-gene hypoxia classifier as a universal hypoxia profile in various cancer cell types. <i>Radiotherapy and Oncology</i> , 2015, 116, 346-351.	0.6	26
29	Modulation of the tumor vasculature and oxygenation to improve therapy. , 2015, 153, 107-124.		104
30	Synthesis and biochemical evaluation of benzoylbenzophenone thiosemicarbazone analogues as potent and selective inhibitors of cathepsin L. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6974-6992.	3.0	23
31	Targeting tumour hypoxia to improve outcome of stereotactic radiotherapy. <i>Acta OncolÃ³gica</i> , 2015, 54, 1385-1392.	1.8	12
32	Relative biological effectiveness of carbon ions for tumor control, acute skin damage and late radiation-induced fibrosis in a mouse model. <i>Acta OncolÃ³gica</i> , 2015, 54, 1623-1630.	1.8	37
33	Therapeutic potential of using the vascular disrupting agent OXi4503 to enhance mild temperature thermoradiation. <i>International Journal of Hyperthermia</i> , 2015, 31, 453-459.	2.5	9
34	Hyperpolarized magnetic resonance spectroscopy for assessing tumor hypoxia. <i>Acta OncolÃ³gica</i> , 2015, 54, 1393-1398.	1.8	8
35	Simultaneous Hypoxia and Low Extracellular pH Suppress Overall Metabolic Rate and Protein Synthesis In Vitro. <i>PLoS ONE</i> , 2015, 10, e0134955.	2.5	19
36	Uniform Combretastatin-induced Effect on Monocytes and Neutrophils in Peripheral Blood but Not in Tumors. <i>Anticancer Research</i> , 2015, 35, 2559-64.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Treatment with a vascular disrupting agent does not increase recruitment of indium labelled human endothelial outgrowth cells in an experimental tumour model. <i>BMC Cancer</i> , 2014, 14, 903.	2.6	0
38	Clinical Imaging of Hypoxia. <i>Cancer Drug Discovery and Development</i> , 2014, , 179-201.	0.4	0
39	Formation of radical anions of radiosensitizers and related model compounds via electrospray ionization. <i>International Journal of Mass Spectrometry</i> , 2014, 365-366, 56-63.	1.5	28
40	In vivo bio-distribution and homing of endothelial outgrowth cells in a tumour model. <i>Nuclear Medicine and Biology</i> , 2014, 41, 848-855.	0.6	4
41	Accumulation of nano-sized particles in a murine model of angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 470-476.	2.1	4
42	Hypoxia and Radiation Therapy. <i>Cancer Drug Discovery and Development</i> , 2014, , 265-281.	0.4	1
43	Hypoxia, Metastasis, and Antiangiogenic Therapies. <i>Cancer Drug Discovery and Development</i> , 2014, , 205-227.	0.4	2
44	A Combretastatin-Mediated Decrease in Neutrophil Concentration in Peripheral Blood and the Impact on the Anti-Tumor Activity of This Drug in Two Different Murine Tumor Models. <i>PLoS ONE</i> , 2014, 9, e110091.	2.5	7
45	Effect of radiation on cell proliferation and tumor hypoxia in HPV-positive head and neck cancer in vivo models. <i>Anticancer Research</i> , 2014, 34, 6297-304.	1.1	14
46	Radiosensitivity and effect of hypoxia in HPV positive head and neck cancer cells. <i>Radiotherapy and Oncology</i> , 2013, 108, 500-505.	0.6	95
47	Induction of hypoxia by vascular disrupting agents and the significance for their combination with radiation therapy. <i>Acta Oncol<sup>3</sup>gica</i> , 2013, 52, 1320-1326.	1.8	24
48	Peritoneal macrophages mediated delivery of chitosan/siRNA nanoparticle to the lesion site in a murine radiation-induced fibrosis model. <i>Acta Oncol<sup>3</sup>gica</i> , 2013, 52, 1730-1738.	1.8	22
49	The Relationship between Tumor Blood Flow, Angiogenesis, Tumor Hypoxia, and Aerobic Glycolysis. <i>Cancer Research</i> , 2013, 73, 5618-5624.	0.9	140
50	PET imaging of tumor hypoxia using <sup>18</sup> F-labeled pimonidazole. <i>Acta Oncol<sup>3</sup>gica</i> , 2013, 52, 1300-1307.	1.8	24
51	Ultra-high field 1H magnetic resonance imaging approaches for acute hypoxia. <i>Acta Oncol<sup>3</sup>gica</i> , 2013, 52, 1287-1292.	1.8	5
52	Tumourigenicity and radiation resistance of mesenchymal stem cells. <i>Acta Oncol<sup>3</sup>gica</i> , 2012, 51, 669-679.	1.8	10
53	Treatment with the vascular disrupting agent combretastatin is associated with impaired AQP2 trafficking and increased urine output. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R186-R198.	1.8	5
54	Combretastatin A-4 Phosphate Affects Tumor Vessel Volume and Size Distribution as Assessed Using MRI-Based Vessel Size Imaging. <i>Clinical Cancer Research</i> , 2012, 18, 6469-6477.	7.0	27

#	ARTICLE	IF	CITATIONS
55	Tumour microenvironment and radiation response in sarcomas originating from tumourigenic human mesenchymal stem cells. <i>International Journal of Radiation Biology</i> , 2012, 88, 457-465.	1.8	3
56	Imaging hypoxia to improve radiotherapy outcome. <i>Nature Reviews Clinical Oncology</i> , 2012, 9, 674-687.	27.6	519
57	Initial evaluation of the antitumour activity of KGP94, a functionalized benzophenone thiosemicarbazone inhibitor of cathepsin L. <i>European Journal of Medicinal Chemistry</i> , 2012, 58, 568-572.	5.5	29
58	The vascular-disrupting agent, combretastatin-A4-phosphate, enhances neurogenic vasoconstriction in rat small arteries. <i>European Journal of Pharmacology</i> , 2012, 695, 104-111.	3.5	11
59	Dynamic Contrast-Enhanced Magnetic Resonance Imaging (DCE-MRI) in Preclinical Studies of Antivascular Treatments. <i>Pharmaceutics</i> , 2012, 4, 563-589.	4.5	35
60	Ultrahigh-field DCE-MRI of angiogenesis in a novel angiogenesis mouse model. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 703-710.	3.4	10
61	Dose-Response Modifiers in Radiation Therapy. , 2012, , 53-64.		1
62	Vascular effects of plinabulin (NPI-2358) and the influence on tumour response when given alone or combined with radiation. <i>International Journal of Radiation Biology</i> , 2011, 87, 1126-1134.	1.8	19
63	Inhibition of tumor lactate oxidation: Consequences for the tumor microenvironment. <i>Radiotherapy and Oncology</i> , 2011, 99, 404-411.	0.6	31
64	Cancer stem cell overexpression of nicotinamide N-methyltransferase enhances cellular radiation resistance. <i>Radiotherapy and Oncology</i> , 2011, 99, 373-378.	0.6	55
65	Assessing radiation response using hypoxia PET imaging and oxygen sensitive electrodes: A preclinical study. <i>Radiotherapy and Oncology</i> , 2011, 99, 418-423.	0.6	40
66	Combretastatin-induced hypertension and the consequences for its combination with other therapies. <i>Vascular Pharmacology</i> , 2011, 54, 13-17.	2.1	16
67	In vivo Identification and Specificity assessment of mRNA markers of hypoxia in human and mouse tumors. <i>BMC Cancer</i> , 2011, 11, 63.	2.6	12
68	Vascular Targeting Agents. , 2011, , 3897-3900.		0
69	Prospective evaluation of angiogenic, hypoxic and EGFR-related biomarkers in recurrent glioblastoma multiforme treated with cetuximab, bevacizumab and irinotecan. <i>Apmis</i> , 2010, 118, 585-594.	2.0	36
70	Tumour perfusion and associated physiology: Characterization and significance for hyperthermia. <i>International Journal of Hyperthermia</i> , 2010, 26, 209-210.	2.5	22
71	Non-invasive imaging of combretastatin activity in two tumor models: Association with invasive estimates. <i>Acta Oncologica</i> , 2010, 49, 906-913.	1.8	22
72	Imaging tumour physiology and vasculature to predict and assess response to heat. <i>International Journal of Hyperthermia</i> , 2010, 26, 264-272.	2.5	5

#	ARTICLE	IF	CITATIONS
73	Assessing hypoxia in animal tumor models based on pharmacokinetic analysis of dynamic FAZA PET. <i>Acta Oncologica</i> , 2010, 49, 922-933.	1.8	35
74	Biodistribution of <sup>99m</sup> Tc-HYNIC-lactadherin in mice – a potential tracer for visualizing apoptosis <i>in vivo</i> . <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 209-216.	1.2	14
75	Matrix metalloproteinase-9 measured in urine from bladder cancer patients is an independent prognostic marker of poor survival. <i>Acta Oncologica</i> , 2010, 49, 1283-1287.	1.8	37
76	Identifying pH independent hypoxia induced genes in human squamous cell carcinomas <i>in vitro</i> . <i>Acta Oncologica</i> , 2010, 49, 895-905.	1.8	88
77	Vascular targeted therapies in oncology. <i>Cell and Tissue Research</i> , 2009, 335, 241-248.	2.9	83
78	Size-Dependent Accumulation of PEGylated Silane-Coated Magnetic Iron Oxide Nanoparticles in Murine Tumors. <i>ACS Nano</i> , 2009, 3, 1947-1951.	14.6	242
79	Proteins upregulated by mild and severe hypoxia in squamous cell carcinomas <i>in vitro</i> identified by proteomics. <i>Radiotherapy and Oncology</i> , 2009, 92, 443-449.	0.6	35
80	Can hypoxia-PET map hypoxic cell density heterogeneity accurately in an animal tumor model at a clinically obtainable image contrast?. <i>Radiotherapy and Oncology</i> , 2009, 92, 429-436.	0.6	50
81	The oxygen effect and fractionated radiotherapy. , 2009, , 207-216.		31
82	Significance of the Tumour Microenvironment in Radiotherapy. , 2009, , 137-156.		0
83	Cellular uptake of PET tracers of glucose metabolism and hypoxia and their linkage. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2294-2303.	6.4	104
84	Aerobic glycolysis in cancers: Implications for the usability of oxygen-responsive genes and fluorodeoxyglucose- <sup>18</sup> F-PET as markers of tissue hypoxia. <i>International Journal of Cancer</i> , 2008, 122, 2726-2734.	5.1	104
85	Preclinical Studies to Predict Efficacy of Vascular Changes Induced by Combretastatin A-4 Disodium Phosphate in Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 70, 859-866.	0.8	19
86	Imaging Hypoxia in Xenografted and Murine Tumors With <sup>18</sup> F-Fluoroazomycin Arabinoside: A Comparative Study Involving microPET, Autoradiography, Po <sub>2</sub> -Polarography, and Fluorescence Microscopy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 70, 1202-1212.	0.8	79
87	Enhanced local tumour control after single or fractionated radiation treatment using the hypoxic cell radiosensitizer doranidazole. <i>Radiotherapy and Oncology</i> , 2008, 87, 331-338.	0.6	16
88	Angiogenesis and vascular targeting: Relevance for hyperthermia. <i>International Journal of Hyperthermia</i> , 2008, 24, 57-65.	2.5	15
89	Segmentation of dynamic contrast enhanced magnetic resonance imaging data. <i>Acta Oncologica</i> , 2008, 47, 1265-1270.	1.8	11
90	Resolution in PET hypoxia imaging: Voxel size matters. <i>Acta Oncologica</i> , 2008, 47, 1201-1210.	1.8	62

#	ARTICLE	IF	CITATIONS
91	The effect of combretastatin A4 disodium phosphate and 5,6-dimethylxanthenone-4-acetic acid on water diffusion and blood perfusion in tumours. <i>Acta Oncologica</i> , 2008, 47, 1071-1076.	1.8	14
92	The impact of hypoxia on the activity of lactate dehydrogenase in two different pre-clinical tumour models. <i>Acta Oncologica</i> , 2008, 47, 941-947.	1.8	22
93	Small-Molecule Vascular Disrupting Agents in Cancer Therapy. , 2008, , 297-310.		4
94	Differential risk assessments from five hypoxia specific assays: The basis for biologically adapted individualized radiotherapy in advanced head and neck cancer patients. <i>Radiotherapy and Oncology</i> , 2007, 83, 389-397.	0.6	80
95	Hypoxia induced expression of endogenous markers in vitro is highly influenced by pH. <i>Radiotherapy and Oncology</i> , 2007, 83, 362-366.	0.6	63
96	Early Effects of Combretastatin-A4 Disodium Phosphate on Tumor Perfusion and Interstitial Fluid Pressure. <i>Neoplasia</i> , 2007, 9, 108-112.	5.3	54
97	Strain and tumour specific variations in the effect of hypoxia on osteopontin levels in experimental models. <i>Radiotherapy and Oncology</i> , 2006, 80, 165-171.	0.6	13
98	Tumour hypoxia â€“ A characteristic feature with a complex molecular background. <i>Radiotherapy and Oncology</i> , 2006, 81, 119-121.	0.6	17
99	Tissue physiology and the response to heat. <i>International Journal of Hyperthermia</i> , 2006, 22, 197-203.	2.5	73
100	Combined Modality Approaches Using Vasculature-disrupting Agents. , 2006, , 123-136.		7
101	Vasculature-targeting Therapies and Hyperthermia. , 2006, , 137-157.		5
102	In response to Drs. van der Zee and van Rhoon. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 634.	0.8	0
103	The effects of the vascular disrupting agents combretastatin A-4 disodium phosphate, 5,6-dimethylxanthenone-4-acetic acid and ZD6126 in a murine tumour: A comparative assessment using MRI and MRS. <i>Acta Oncologica</i> , 2006, 45, 306-316.	1.8	18
104	Radiation administered as a large single dose or in a fractionated schedule: Role of the tumour vasculature as a target for influencing response. <i>Acta Oncologica</i> , 2006, 45, 876-880.	1.8	18
105	Pathophysiologic Effects of Vascular-Targeting Agents and the Implications for Combination with Conventional Therapies. <i>Cancer Research</i> , 2006, 66, 11520-11539.	0.9	237
106	Current development status of small-molecule vascular disrupting agents. <i>Current Opinion in Investigational Drugs</i> , 2006, 7, 522-8.	2.3	52
107	Intravenous administration of Gd-DTPA prior to DWI does not affect the apparent diffusion constant. <i>Magnetic Resonance Imaging</i> , 2005, 23, 685-689.	1.8	35
108	Intravascular contrast agentâ€“enhanced MRI measuring contrast clearance and tumor blood volume and the effects of vascular modifiers in an experimental tumor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 61, 1208-1215.	0.8	26

#	ARTICLE	IF	CITATIONS
109	Effect of intratumoral heterogeneity in oxygenation status on FMISO PET, autoradiography, and electrode Po <sub>2</sub> measurements in murine tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 854-861.	0.8	56
110	Plasma osteopontin, hypoxia, and response to the hypoxia sensitiser nimorazole in radiotherapy of head and neck cancer: results from the DAHANCA 5 randomised double-blind placebo-controlled trial. <i>Lancet Oncology</i> , The, 2005, 6, 757-764.	10.7	264
111	Influence of oxygen concentration and pH on expression of hypoxia induced genes. <i>Radiotherapy and Oncology</i> , 2005, 76, 187-193.	0.6	111
112	Relationship between radiobiological hypoxia in a C3H mouse mammary carcinoma and osteopontin levels in mouse serum. <i>International Journal of Radiation Biology</i> , 2005, 81, 937-944.	1.8	18
113	Differentiation and definition of vascular-targeted therapies. <i>Clinical Cancer Research</i> , 2005, 11, 416-20.	7.0	195
114	Evaluation of anti-vascular therapy with texture analysis. <i>Anticancer Research</i> , 2005, 25, 3399-405.	1.1	16
115	Targeting the tumor vasculature: a strategy to improve radiation therapy. <i>Expert Review of Anticancer Therapy</i> , 2004, 4, 321-327.	2.4	32
116	Comparison of the biodistribution of two hypoxia markers [ <sup>18</sup> F]FETNIM and [ <sup>18</sup> F]FMISO in an experimental mammary carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 513-520.	6.4	88
117	Vascular-targeting therapies for treatment of malignant disease. <i>Cancer</i> , 2004, 100, 2491-2499.	4.1	307
118	Preclinical studies on how to deal with patient intolerance to nicotinamide and carbogen. <i>Radiotherapy and Oncology</i> , 2004, 70, 301-309.	0.6	12
119	Vascular targeting effects of ZD6126 in a C3H mouse mammary carcinoma and the enhancement of radiation response. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 1047-1055.	0.8	58
120	Assessment of Hypoxia in Experimental Mice Tumours by [ <sup>18</sup> F] Fluoromisonidazole PET and pO <sub>2</sub> Electrode Measurements. <i>Acta Oncol<sup>3</sup>gica</i> , 2002, 41, 304-312.	1.8	62
121	Acute Effects of Vascular Modifying Agents in Solid Tumors Assessed by Noninvasive Laser Doppler Flowmetry and Near Infrared Spectroscopy. <i>Neoplasia</i> , 2002, 4, 263-267.	5.3	17
122	Combination of vascular targeting agents with thermal or radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 54, 1518-1523.	0.8	60
123	Interaction between combretastatin A-4 disodium phosphate and radiation in murine tumors. <i>Radiotherapy and Oncology</i> , 2001, 60, 155-161.	0.6	105
124	Combretastatin A-4 disodium phosphate: a vascular targeting agent that improves that improves the anti-tumor effects of hyperthermia, radiation, and mild thermoradiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 51, 1018-1024.	0.8	67
125	Improved Tumor Response by Combining Radiation and the Vascular-Damaging Drug 5,6-Dimethylxanthenone-4-acetic Acid. <i>Radiation Research</i> , 2001, 156, 503-509.	1.5	81
126	Improving Local Tumor Control by Combining Vascular Targeting Drugs, Mild Hyperthermia and Radiation. <i>Acta Oncol<sup>3</sup>gica</i> , 2001, 40, 497-503.	1.8	36



#	ARTICLE	IF	CITATIONS
127	Targeting tumor blood vessels: an adjuvant strategy for radiation therapy. <i>Radiotherapy and Oncology</i> , 2000, 57, 5-12.	0.6	60
128	The effect of combretastatin A-4 disodium phosphate in a C3H mouse mammary carcinoma and a variety of murine spontaneous tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998, 42, 895-898.	0.8	92
129	Relationship of hypoxia to metallothionein expression in murine tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998, 42, 727-730.	0.8	35
130	Measurement of tumor oxygenation. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998, 42, 701-704.	0.8	80
131	The effect of combined nicotinamide and carbogen treatments in human tumour xenografts: oxygenation and tumour control studies. <i>Radiotherapy and Oncology</i> , 1998, 48, 143-148.	0.6	22
132	The Effect of Shark Cartilage Extracts on the Growth and Metastatic Spread of the SCCVII Carcinoma. <i>Acta Oncol<sup>3</sup>gica</i> , 1998, 37, 441-445.	1.8	15
133	Nicotinamide as a radiosensitizer in tumours and normal tissues: the importance of drug dose and timing. <i>Radiotherapy and Oncology</i> , 1997, 45, 167-174.	0.6	41
134	Tolerance to nicotinamide and carbogen with radiation therapy for glioblastoma. <i>Radiotherapy and Oncology</i> , 1997, 43, 109-110.	0.6	4
135	A Comparison of the Physiological Effects of RSU1069 and RB6145 in the SCCVII Murine Tumour. <i>Acta Oncol<sup>3</sup>gica</i> , 1996, 35, 989-994.	1.8	7
136	Modification of hypoxia-induced radioresistance in tumors by the use of oxygen and sensitizers. <i>Seminars in Radiation Oncology</i> , 1996, 6, 10-21.	2.2	390
137	Nicotinamide and Other Benzamide Analogs as Agents for Overcoming Hypoxic Cell Radiation Resistance in Tumours. <i>Acta Oncol<sup>3</sup>gica</i> , 1995, 34, 571-587.	1.8	126
138	The Importance of Determining Necrotic Fraction when Studying the Effect of Tumour Volume on Tissue Oxygenation. <i>Acta Oncol<sup>3</sup>gica</i> , 1995, 34, 297-300.	1.8	39
139	Relationship Between Tumour Oxygenation, Bioenergetic Status and Radiobiological Hypoxia in an Experimental Model. <i>Acta Oncol<sup>3</sup>gica</i> , 1995, 34, 329-334.	1.8	26
140	Cytotoxic Effect of Tumour Necrosis Factor-Alpha on Sarcoma F Cells at Tumour Relevant Oxygen Tensions. <i>Acta Oncol<sup>3</sup>gica</i> , 1995, 34, 423-427.	1.8	10
141	The Ability of Nicotinamide to Inhibit the Growth of a C3H Mouse Mammary Carcinoma. <i>Acta Oncol<sup>3</sup>gica</i> , 1995, 34, 443-446.	1.8	8
142	Reoxygenation in a C3H Mouse Mammary Carcinoma the importance of chronic rather than acute hypoxia. <i>Acta Oncol<sup>3</sup>gica</i> , 1995, 34, 325-328.	1.8	9
143	Reducing Acute and Chronic Hypoxia in Tumours by Combining Nicotinamide with Carbogen Breathing. <i>Acta Oncol<sup>3</sup>gica</i> , 1994, 33, 371-376.	1.8	59
144	Ischaemia induced cell death in tumors: Importance of temperature and pH. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994, 29, 499-503.	0.8	20

#	ARTICLE	IF	CITATIONS
145	Relationship between radiobiological hypoxia in tumors and electrode measurements of tumor oxygenation. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994, 29, 439-442.	0.8	71
146	Effect of carbon monoxide breathing on hypoxia and radiation response in the SCCVII tumor in vivo. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994, 29, 449-454.	0.8	29
147	Importance of nicotinamide dose on blood pressure changes in mice and humans. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994, 29, 455-458.	0.8	9
148	The radiation response of KHT sarcomas following nicotinamide treatment and carbogen breathing. <i>Radiotherapy and Oncology</i> , 1994, 31, 117-122.	0.6	38
149	The Combination of Nicotinamide and Carbogen Breathing to Improve Tumour Oxygenation Prior to Radiation Treatment. <i>Advances in Experimental Medicine and Biology</i> , 1994, 361, 635-642.	1.6	8
150	Tumour Radiosensitization by Nicotinamide: Is It the Result of an Improvement in Tumour Oxygenation?. <i>Advances in Experimental Medicine and Biology</i> , 1994, 345, 403-409.	1.6	5
151	Measurement of PO <sub>2</sub> in a Murine Tumour and Its Correlation with Hypoxic Fraction. <i>Advances in Experimental Medicine and Biology</i> , 1994, 345, 493-500.	1.6	6
152	Nicotinamide pharmacokinetics in humans and mice: a comparative assessment and the implications for radiotherapy. <i>Radiotherapy and Oncology</i> , 1993, 27, 131-139.	0.6	83
153	Relationship between radiobiological hypoxia and direct estimates of tumour oxygenation in a mouse tumour model. <i>Radiotherapy and Oncology</i> , 1993, 28, 69-71.	0.6	71
154	Reduction of Cisplatin-Induced Renal Toxicity in Mice by Tetrahydroindazolone Carboxylic Acid (HIDA). <i>Acta Oncologica</i> , 1993, 32, 53-56.	1.8	2
155	Cisplatin and Hyperthermia Treatment of A C3H Mammary Carcinoma in Vivo: Importance of sequence, interval, drug dose, and temperature. <i>Acta Oncologica</i> , 1992, 31, 347-351.	1.8	20
156	Carbogen and nicotinamide: expectations too high? (response to J. Martin Brown). <i>Radiotherapy and Oncology</i> , 1992, 24, 121-122.	0.6	10
157	Overcoming tumour radiation resistance resulting from acute hypoxia. <i>European Journal of Cancer</i> , 1992, 28, 2084-2085.	2.8	9
158	Overcoming tumour radiation resistance resulting from acute hypoxia. <i>European Journal of Cancer</i> , 1992, 28, 717-718.	2.8	26
159	BW12C-induced changes in haemoglobin-oxygen affinity in mice and its influence on the radiation response of a C3H mouse mammary carcinoma. <i>Radiotherapy and Oncology</i> , 1992, 25, 43-48.	0.6	6
160	Biochemical and physiological changes induced by nicotinamide in a C3H mouse mammary carcinoma and CDF1 mice. <i>International Journal of Radiation Oncology Biology Physics</i> , 1992, 22, 451-454.	0.8	35
161	Relationship between the hydralazine-induced changes in murine tumor blood supply and mouse blood pressure. <i>International Journal of Radiation Oncology Biology Physics</i> , 1992, 22, 455-458.	0.8	41
162	Tumor blood flow changes induced by chemical modifiers of radiation response. <i>International Journal of Radiation Oncology Biology Physics</i> , 1992, 22, 459-462.	0.8	26

#	ARTICLE	IF	CITATIONS
163	Improving the radiation response in a c3h mouse mammary carcinoma by normobaric oxygen or carbogen breathing. International Journal of Radiation Oncology Biology Physics, 1992, 22, 415-419.	0.8	74
164	Influence of carboxyhemoglobin level on tumor growth, blood flow, and radiation response in an experimental model. International Journal of Radiation Oncology Biology Physics, 1992, 22, 421-424.	0.8	40
165	INTERACTION OF HYPERTHERMIA AND RADIATION IN SOLID TUMOURS IN VIVO. , 1992, , 1033-1040.		0
166	Drug induced perturbations in tumor blood flow: therapeutic potential and possible limitations. Radiotherapy and Oncology, 1991, 20, 93-101.	0.6	23
167	Nicotinamide and the hypoxia problem. Radiotherapy and Oncology, 1991, 22, 79-80.	0.6	10
168	The use of blood flow modifiers to improve the treatment response of solid tumors. Radiotherapy and Oncology, 1991, 20, 47-52.	0.6	28
169	The measurement of radiosensitizer-induced changes in mouse tumor metabolism by <sup>31</sup> P magnetic resonance spectroscopy. International Journal of Radiation Oncology Biology Physics, 1991, 20, 291-294.	0.8	22
170	The potentiation of radiation damage by nicotinamide in the SCCVII tumour in vivo. Radiotherapy and Oncology, 1990, 18, 49-57.	0.6	59
171	Improved Treatment of Tumours in vivo by Combining the Bioreductive Drug RSU-1069, Hydralazine and Hyperthermia. , 1990, , 193-202.		2
172	Winner of the 1988 Lund Science Award: Hydralazine-induced enhancement of hyperthermic damage in a C3H mammary carcinoma in vivo. International Journal of Hyperthermia, 1989, 5, 123-136.	2.5	105
173	Radiosensitization by nicotinamide in tumors and normal tissues: The importance of tissue oxygenation status. International Journal of Radiation Oncology Biology Physics, 1989, 16, 1273-1276.	0.8	41
174	Misonidazole chemosensitization of EMT6 spheroids to melphalan. Radiotherapy and Oncology, 1989, 15, 103-114.	0.6	4
175	Tumor Radiosensitization by Nicotinamide: A Result of Improved Perfusion and Oxygenation. Radiation Research, 1989, 118, 139.	1.5	98
176	Mechanism of action of the selective tumor radiosensitizer nicotinamide. International Journal of Radiation Oncology Biology Physics, 1988, 15, 685-690.	0.8	72
177	The Effect of Artificially Induced Hyperglycemia on the Radiation Response of the Lewis Lung and EMT6 Tumor Models. International Journal of Radiation Biology, 1988, 54, 803-811.	1.8	2
178	Radiosensitization by Nicotinamide in Vivo: A Greater Enhancement of Tumor Damage Compared to That of Normal Tissues. Radiation Research, 1987, 109, 479.	1.5	97
179	The effects of purine nucleoside analogs on the response of the rif-1 tumor to melphalan in vivo. International Journal of Radiation Oncology Biology Physics, 1986, 12, 801-806.	0.8	2
180	Preferential tumor radiosensitization by analogs of nicotinamide and benzamide. International Journal of Radiation Oncology Biology Physics, 1986, 12, 1307-1310.	0.8	45

#	ARTICLE	IF	CITATIONS
181	Modification of alkylating agent cytotoxicity by cisplatin. International Journal of Radiation Oncology Biology Physics, 1984, 10, 1669-1673.	0.8	2
182	The effect of misonidazole on the cytotoxicity and repair of potentially lethal damage from alkylating agents in vitro. International Journal of Radiation Oncology Biology Physics, 1982, 8, 761-765.	0.8	6