Peter Sander

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7938046/publications.pdf

Version: 2024-02-01

90 papers 4,948 citations

38 h-index 98798 67 g-index

94 all docs 94 docs citations

times ranked

94

5423 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Photochemically-Mediated Inflammation and Cross-Presentation of Mycobacterium bovis BCG Proteins Stimulates Strong CD4 and CD8 T-Cell Responses in Mice. Frontiers in Immunology, 2022, 13, 815609. | 4.8 | 3 |
| 2 | Apramycin Overcomes the Inherent Lack of Antimicrobial Bactericidal Activity in Mycobacterium abscessus. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0151021. | 3.2 | 7 |
| 3 | Aquimarins, Peptide Antibiotics with Aminoâ€Modified Câ€Termini from a Spongeâ€Derived <i>Aquimarina</i> Sp. Bacterium. Angewandte Chemie - International Edition, 2022, 61, . | 13.8 | 12 |
| 4 | Aquimarins, Peptide Antibiotics with Aminoâ€Modified Câ€Termini from a Spongeâ€Derived <i>Aquimarina</i> sp. Bacterium. Angewandte Chemie, 2022, 134, . | 2.0 | 3 |
| 5 | <i>In Vitro</i> Bedaquiline and Clofazimine Susceptibility Testing in Mycobacterium abscessus. Antimicrobial Agents and Chemotherapy, 2022, 66, e0234621. | 3.2 | 6 |
| 6 | Rifabutin Is Inactivated by Mycobacterium abscessus Arr. Antimicrobial Agents and Chemotherapy, 2021, 65, . | 3.2 | 16 |
| 7 | Mortality from drug-resistant tuberculosis in high-burden countries comparing routine drug susceptibility testing with whole-genome sequencing: a multicentre cohort study. Lancet Microbe, The, 2021, 2, e320-e330. | 7.3 | 19 |
| 8 | Drug Susceptibility Distributions of Mycobacterium chimaera and Other Nontuberculous Mycobacteria. Antimicrobial Agents and Chemotherapy, 2021, 65, . | 3.2 | 8 |
| 9 | Novel fidaxomicin antibiotics through site-selective catalysis. Communications Chemistry, 2021, 4, . | 4.5 | 7 |
| 10 | Mycobacterium tuberculosis Phosphoribosyltransferase Promotes Bacterial Survival in Macrophages by Inducing Histone Hypermethylation in Autophagy-Related Genes. Frontiers in Cellular and Infection Microbiology, 2021, 11, 676456. | 3.9 | 7 |
| 11 | Semisynthetic Analogs of the Antibiotic Fidaxomicinâ€"Design, Synthesis, and Biological Evaluation. ACS Medicinal Chemistry Letters, 2020, 11, 2414-2420. | 2.8 | 12 |
| 12 | Synthesis and Biological Evaluation of Iodinated Fidaxomicin Antibiotics. Helvetica Chimica Acta, 2020, 103, e2000130. | 1.6 | 10 |
| 13 | Natural Polymorphisms in Mycobacterium tuberculosis Conferring Resistance to Delamanid in Drug-Naive Patients. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 3.2 | 12 |
| 14 | KatG as Counterselection Marker for Nontuberculous Mycobacteria. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 3.2 | 6 |
| 15 | Identification of novel scaffolds targeting Mycobacterium tuberculosis. Journal of Molecular Medicine, 2019, 97, 1601-1613. | 3.9 | 18 |
| 16 | Whole-Genome Sequencing for Drug Resistance Profile Prediction in <i>Mycobacterium tuberculosis</i> . Antimicrobial Agents and Chemotherapy, 2019, 63, . | 3.2 | 59 |
| 17 | BATF3-dependent dendritic cells drive both effector and regulatory T-cell responses in bacterially infected tissues. PLoS Pathogens, 2019, 15, e1007866. | 4.7 | 38 |
| 18 | Increased drug permeability of a stiffened mycobacterial outer membrane in cells lacking MFS transporter Rv1410 and lipoprotein LprG. Molecular Microbiology, 2019, 111, 1263-1282. | 2.5 | 17 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Molecular Mechanisms of Intrinsic Streptomycin Resistance in Mycobacterium abscessus. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 3.2 | 43 |
| 20 | The Role of Antibiotic-Target-Modifying and Antibiotic-Modifying Enzymes in Mycobacterium abscessus Drug Resistance. Frontiers in Microbiology, 2018, 9, 2179. | 3.5 | 155 |
| 21 | A uniform cloning platform for mycobacterial genetics and protein production. Scientific Reports, 2018, 8, 9539. | 3.3 | 17 |
| 22 | Chloroquine enhances the antimycobacterial activity of isoniazid and pyrazinamide by reversing inflammation-induced macrophage efflux. International Journal of Antimicrobial Agents, 2017, 50, 55-62. | 2.5 | 15 |
| 23 | Elucidation of Mycobacterium abscessus aminoglycoside and capreomycin resistance by targeted deletion of three putative resistance genes. Journal of Antimicrobial Chemotherapy, 2017, 72, 2191-2200. | 3.0 | 55 |
| 24 | Intrinsic rifamycin resistance of <i>Mycobacterium abscessus </i> is mediated by ADP-ribosyltransferase MAB_0591. Journal of Antimicrobial Chemotherapy, 2017, 72, 376-384. | 3.0 | 101 |
| 25 | Effect of \hat{I}^2 -lactamase production and \hat{I}^2 -lactam instability on MIC testing results for Mycobacterium abscessus. Journal of Antimicrobial Chemotherapy, 2017, 72, 3070-3078. | 3.0 | 38 |
| 26 | TBVAC2020: Advancing Tuberculosis Vaccines from Discovery to Clinical Development. Frontiers in Immunology, 2017, 8, 1203. | 4.8 | 44 |
| 27 | Lipoprotein Glycosylation by Protein-O-Mannosyltransferase (MAB_1122c) Contributes to Low Cell Envelope Permeability and Antibiotic Resistance of Mycobacterium abscessus. Frontiers in Microbiology, 2017, 8, 2123. | 3.5 | 24 |
| 28 | Lipase Processing of Complex Lipid Antigens. Cell Chemical Biology, 2016, 23, 1044-1046. | 5.2 | 4 |
| 29 | <i>Mycobacterium tuberculosis</i> lipoproteins in virulence and immunity – fighting with a doubleâ€edged sword. FEBS Letters, 2016, 590, 3800-3819. | 2.8 | 47 |
| 30 | Mycobacterium tuberculosis EsxO (Rv2346c) promotes bacillary survival by inducing oxidative stress mediated genomic instability in macrophages. Tuberculosis, 2016, 96, 44-57. | 1.9 | 37 |
| 31 | Deletion of zmp1 improves Mycobacterium bovis BCG-mediated protection in a guinea pig model of tuberculosis. Vaccine, 2015, 33, 1353-1359. | 3.8 | 45 |
| 32 | Parallel T-cell cloning and deep sequencing of human MAIT cells reveal stable oligoclonal TCR \hat{l}^2 repertoire. Nature Communications, 2014, 5, 3866. | 12.8 | 267 |
| 33 | Discovery of the first potent and selective Mycobacterium tuberculosis Zmp1 inhibitor. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 2508-2511. | 2.2 | 22 |
| 34 | BCG \hat{l} "zmp1 vaccine induces enhanced antigen specific immune responses in cattle. Vaccine, 2014, 32, 779-784. | 3.8 | 17 |
| 35 | Lipoproteins of slow-growing Mycobacteria carry three fatty acids and are N-acylated by Apolipoprotein N-Acyltransferase BCG_2070c. BMC Microbiology, 2013, 13, 223. | 3.3 | 32 |
| 36 | Lymph node targeting of BCG vaccines amplifies CD4 and CD8 T-cell responses and protection against Mycobacterium tuberculosis. Vaccine, 2013, 31, 1057-1064. | 3.8 | 19 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Phenylethyl Butyrate Enhances the Potency of Second-Line Drugs against Clinical Isolates of Mycobacterium tuberculosis. Antimicrobial Agents and Chemotherapy, 2012, 56, 1142-1145. | 3.2 | 17 |
| 38 | Functional Analyses of Mycobacterial Lipoprotein Diacylglyceryl Transferase and Comparative Secretome Analysis of a Mycobacterial <i>lgt</i> Mutant. Journal of Bacteriology, 2012, 194, 3938-3949. | 2.2 | 30 |
| 39 | Functional characterization of the <i>Mycobacterium tuberculosis</i> zinc metallopeptidase Zmp1 and identification of potential substrates. Biological Chemistry, 2012, 393, 631-640. | 2.5 | 24 |
| 40 | A \hat{I}^2 -Lactamase Based Reporter System for ESX Dependent Protein Translocation in Mycobacteria. PLoS ONE, 2012, 7, e35453. | 2.5 | 3 |
| 41 | Dissecting the complete lipoprotein biogenesis pathway in <i>Streptomyces scabies</i> Microbiology, 2011, 80, 1395-1412. | 2.5 | 42 |
| 42 | Crystal Structure of Mycobacterium tuberculosis Zinc-dependent Metalloprotease-1 (Zmp1), a Metalloprotease Involved in Pathogenicity. Journal of Biological Chemistry, 2011, 286, 32475-32482. | 3.4 | 31 |
| 43 | Relief from Zmp1-Mediated Arrest of Phagosome Maturation Is Associated with Facilitated Presentation and Enhanced Immunogenicity of Mycobacterial Antigens. Vaccine Journal, 2011, 18, 907-913. | 3.1 | 54 |
| 44 | The biological and structural characterization of Mycobacterium tuberculosis UvrA provides novel insights into its mechanism of action. Nucleic Acids Research, 2011, 39, 7316-7328. | 14.5 | 40 |
| 45 | Deletion of <i>dop</i> in <i>Mycobacterium smegmatis</i> abolishes pupylation of protein substrates <i>in vivo</i> . Molecular Microbiology, 2010, 75, 744-754. | 2.5 | 65 |
| 46 | Directed mutagenesis of <i>Mycobacterium smegmatis</i> 16S rRNA to reconstruct the <i>in vivo</i> evolution of aminoglycoside resistance in <i>Mycobacterium tuberculosis</i> Molecular Microbiology, 2010, 77, 830-840. | 2.5 | 97 |
| 47 | Dop functions as a depupylase in the prokaryotic ubiquitinâ€like modification pathway. EMBO Reports, 2010, 11, 791-797. | 4.5 | 90 |
| 48 | Antibodies protect against intracellular bacteria by Fc receptor-mediated lysosomal targeting. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 20441-20446. | 7.1 | 87 |
| 49 | Cloning, expression and characterization of Mycobacterium tuberculosis lipoprotein LprF. Biochemical and Biophysical Research Communications, 2010, 391, 679-684. | 2.1 | 16 |
| 50 | Identification of Apolipoprotein N-Acyltransferase (Lnt) in Mycobacteria. Journal of Biological Chemistry, 2009, 284, 27146-27156. | 3.4 | 64 |
| 51 | Involvement of CD252 (CD134L) and IL-2 in the Expression of Cytotoxic Proteins in Bacterial- or Viral-Activated Human T Cells. Journal of Immunology, 2009, 182, 7569-7579. | 0.8 | 9 |
| 52 | Characterization of the Mycobacterial NER System Reveals Novel Functions of the <i>uvrD1 < /i> Helicase. Journal of Bacteriology, 2009, 191, 555-562.</i> | 2.2 | 34 |
| 53 | Polyphosphates from <i>Mycobacteriumâ€fbovis</i> àê" potent inhibitors of classâ€fIII adenylate cyclases. FEBS Journal, 2009, 276, 1094-1103. | 4.7 | 8 |
| 54 | Tuberculosis vaccine strain Mycobacterium bovis BCG Russia is a natural recA mutant. BMC Microbiology, 2008, 8, 120. | 3.3 | 31 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 55 | A synthetic mammalian gene circuit reveals antituberculosis compounds. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 9994-9998. | 7.1 | 153 |
| 56 | Mycobacterium tuberculosis Prevents Inflammasome Activation. Cell Host and Microbe, 2008, 3, 224-232. | 11.0 | 345 |
| 57 | A Mycobacterial smc Null Mutant Is Proficient in DNA Repair and Long-Term Survival. Journal of Bacteriology, 2008, 190, 452-456. | 2.2 | 17 |
| 58 | LspA inactivation in Mycobacterium tuberculosis results in attenuation without affecting phagosome maturation arrest. Microbiology (United Kingdom), 2008, 154, 2991-3001. | 1.8 | 28 |
| 59 | Tuberculosis vaccine strain Mycobacterium bovis BCG Russia is a natural recA mutant. Nature Precedings, 2008, , . | 0.1 | 0 |
| 60 | Engineering the rRNA decoding site of eukaryotic cytosolic ribosomes in bacteria. Nucleic Acids Research, 2007, 35, 6086-6093. | 14.5 | 84 |
| 61 | Lipoprotein synthesis in mycobacteria. Microbiology (United Kingdom), 2007, 153, 652-658. | 1.8 | 90 |
| 62 | Breaking down the wall: Fractionation of mycobacteria. Journal of Microbiological Methods, 2007, 68, 32-39. | 1.6 | 98 |
| 63 | Characterization of a Mycobacterium tuberculosis mutant deficient in pH-sensing adenylate cyclase Rv1264. International Journal of Medical Microbiology, 2006, 296, 563-566. | 3.6 | 13 |
| 64 | Binding of Neomycin-Class Aminoglycoside Antibiotics to Mutant Ribosomes with Alterations in the A Site of 16S rRNA. Antimicrobial Agents and Chemotherapy, 2006, 50, 1489-1496. | 3.2 | 63 |
| 65 | Interaction of Rv1625c, a mycobacterial class Illa adenylyl cyclase, with a mammalian congener. Molecular Microbiology, 2005, 57, 667-677. | 2.5 | 14 |
| 66 | Lipoprotein processing is required for virulence of Mycobacterium tuberculosisâ€. Molecular Microbiology, 2004, 52, 1543-1552. | 2.5 | 132 |
| 67 | Lack of mismatch correction facilitates genome evolution in mycobacteria. Molecular Microbiology, 2004, 53, 1601-1609. | 2.5 | 70 |
| 68 | The majority of inducible DNA repair genes in Mycobacterium tuberculosis are induced independently of RecA. Molecular Microbiology, 2003, 50, 1031-1042. | 2.5 | 141 |
| 69 | A recA deletion mutant of Mycobacterium bovis BCG confers protection equivalent to that of wild-type BCG but shows increased genetic stability. Vaccine, 2003, 21, 4124-4127. | 3.8 | 10 |
| 70 | Fitness Cost of Chromosomal Drug Resistance-Conferring Mutations. Antimicrobial Agents and Chemotherapy, 2002, 46, 1204-1211. | 3.2 | 205 |
| 71 | The functions of OmpATb, a pore-forming protein of Mycobacterium tuberculosis. Molecular Microbiology, 2002, 46, 191-201. | 2.5 | 96 |
| 72 | DNA damage induction of recA in Mycobacterium tuberculosis independently of RecA and LexA. Molecular Microbiology, 2002, 46, 791-800. | 2.5 | 66 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Structural basis for selectivity and toxicity of ribosomal antibiotics. EMBO Reports, 2001, 2, 318-323. | 4.5 | 132 |
| 74 | Instability and site-specific excision of integration-proficient mycobacteriophage L5 plasmids: development of stably maintained integrative vectors. International Journal of Medical Microbiology, 2001, 290, 669-675. | 3.6 | 62 |
| 75 | Gene Replacement in Mycobacterium tuberculosis and Mycobacterium bovis BCG Using rpsL ⁺ as a Dominant Negative Selectable Marker., 2001, 54, 093-104. | | 13 |
| 76 | Mycobacterium bovis BCG recADeletion Mutant Shows Increased Susceptibility to DNA-Damaging Agents but Wild-Type Survival in a Mouse Infection Model. Infection and Immunity, 2001, 69, 3562-3568. | 2.2 | 57 |
| 77 | Mechanisms of Streptomycin Resistance: Selection of Mutations in the 16S rRNA Gene Conferring Resistance. Antimicrobial Agents and Chemotherapy, 2001, 45, 2877-2884. | 3.2 | 156 |
| 78 | Contribution of the multidrug efflux pump LfrA to innate mycobacterial drug resistance. FEMS Microbiology Letters, 2000, 193, 19-23. | 1.8 | 54 |
| 79 | In Vivo Splicing and Functional Characterization ofMycobacterium leprae RecA. Journal of Bacteriology, 2000, 182, 3590-3592. | 2.2 | 9 |
| 80 | Mycobacteria: Genetics of Resistance and Implications for Treatment. Chemotherapy, 1999, 45, 95-108. | 1.6 | 30 |
| 81 | RecA-Mediated Gene Conversion and Aminoglycoside Resistance in Strains Heterozygous for rRNA. Antimicrobial Agents and Chemotherapy, 1999, 43, 447-453. | 3.2 | 62 |
| 82 | Fitness of antibiotic-resistant microorganisms and compensatory mutations. Nature Medicine, 1998, 4, 1343-1344. | 30.7 | 128 |
| 83 | Investigation of mycobacterial recA function: protein introns in the RecA of pathogenic mycobacteria do not affect competency for homologous recombination. Molecular Microbiology, 1998, 29, 1203-1214. | 2.5 | 39 |
| 84 | A Single 16S Ribosomal RNA Substitution Is Responsible for Resistance to Amikacin and Other 2â€Deoxystreptamine Aminoglycosides in <i>Mycobacterium abscessus</i> hournal of Infectious Diseases, 1998, 177, 1573-1581. | 4.0 | 210 |
| 85 | Gene Replacement in Mycobacterium smegmatis Using a Dominant Negative Selectable Marker. , 1998, 101, 207-216. | | 4 |
| 86 | Inteins in mycobacterial GyrA are a taxonomic character. Microbiology (United Kingdom), 1998, 144, 589-591. | 1.8 | 15 |
| 87 | The role of ribosomal RNAs in macrolide resistance. Molecular Microbiology, 1997, 26, 469-480. | 2.5 | 75 |
| 88 | Ribosomal drug resistance in mycobacteria. Research in Microbiology, 1996, 147, 59-67. | 2.1 | 21 |
| 89 | Introducing mutations into a chromosomal rRNA gene using a genetically modified eubacterial host with a single rRNA operon. Molecular Microbiology, 1996, 22, 841-848. | 2.5 | 101 |
| 90 | rpsL+: a dominant selectable marker for gene replacement in mycobacteria. Molecular Microbiology, 1995, 16, 991-1000. | 2.5 | 152 |