

# Christos Anastopoulos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7941148/publications.pdf>

Version: 2024-02-01

792  
papers

51,406  
citations

1704  
104  
h-index

3034  
188  
g-index

820  
all docs

820  
docs citations

820  
times ranked

13404  
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
2	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	1.2	1,752
3	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
4	Combined Measurement of the Higgs Boson Mass in $\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ $\text{display}=\text{"inline"}><\text{mml:mi}\text{p}</\text{mml:mi}><\text{mml:mi}\text{p}</\text{mml:mi}></\text{mml:math}>\text{Collisions at } \sqrt{s}=7\text{ TeV}$ $\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ $\text{display}=\text{"inline"}><\text{mml:msqrt}<\text{mml:mi}\text{s}</\text{mml:mi}><\text{mml:msqrt}<\text{mml:mo}>=</\text{mml:mo}><\text{mml:mn}\text{7}</\text{mml:mn}></\text{mml:math}>\text{and}$ Observation of a Centrality-Dependent Dijets Asymmetry in Lead-Lead Collisions at $\sqrt{s_{\text{NN}}}=2.76\text{ TeV}$	7.8	1,062
5	$\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ $\text{display}=\text{"inline"}><\text{mml:msqrt}<\text{mml:msub}<\text{mml:mi}\text{s}</\text{mml:mi}><\text{mml:mi}\text{NN}</\text{mml:mi}></\text{mml:msub}><\text{mml:msqrt}^{7.8}<\text{mml:mo}^{581}>=</\text{mml:math}>$ the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 252303.	7.8	581
6	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
7	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7\text{ TeV}$ and $8\text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
8	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2016, 76, 292.	3.9	453
9	Observation of Associated Near-Side and Away-Side Long-Range Correlations in $\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ $\text{display}=\text{"inline"}><\text{mml:msqrt}<\text{mml:msub}<\text{mml:mi}\text{s}</\text{mml:mi}><\text{mml:mrow}<\text{mml:mi}\text{N}</\text{mml:mi}><\text{mml:mi}\text{N}</\text{mml:mi}><\text{mml:mrow}$ $\text{mathvariant}=\text{"bold"}>=</\text{mml:mo}><\text{mml:mn}\text{5.02}</\text{mml:mn}><\text{mml:mtext}>\text{a}\%</\text{mml:mtext}><\text{mml:mtext}>\text{a}\%</\text{mml:mtext}><\text{mml:mtext}>\text{a}\%$ "Correlations with the ATLAS Run 1 Physics Results". 2012, 110, 182302.	3.9	453
10	Measurement of the azimuthal anisotropy for charged particle production in $\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ $\text{display}=\text{"inline"}><\text{mml:mrow}<\text{mml:msqrt}<\text{mml:msub}<\text{mml:mi}\text{s}</\text{mml:mi}><\text{mml:mrow}<\text{mml:mi}\text{N}</\text{mml:mi}><\text{mml:mi}\text{N}</\text{mml:mi}><\text{mml:mrow}$ lead-lead collisions with the ATLAS detector. Physical Review C, 2012, 86, .	3.9	365
11	Improved luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
12	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
13	Charged-particle multiplicities in $\text{pp}$ interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.	2.9	314
14	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
15	Performance of pile-up mitigation techniques for jets in $\text{pp}$ collisions at $\sqrt{s}=8\text{ TeV}$ . European Physical Journal C, 2016, 76, 581.	3.9	298
16	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	4.1	295
17	Luminosity determination in pp collisions at $\sqrt{s}=8\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
18	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{ TeV}$ and $8\text{ TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274

#	ARTICLE	IF	CITATIONS
19	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
20	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
21	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
22	Combined measurements of Higgs boson production and decay using up to $\sqrt{s} = 8\text{ TeV}$ of proton-proton collision data at $\sqrt{s} = 8\text{ TeV}$ . Physical Review D, 2020, 101, .	3.9	241
23	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
24	Search for high-mass dilepton resonances in $\sqrt{s} = 8\text{ TeV}$ collisions at the ATLAS detector. Physical Review D, 2014, 90, .	4.7	237
25			

#	ARTICLE	IF	CITATIONS
37	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 195.	4.1	157
38	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
39	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 903.	3.9	181
40	Luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
41	Measurement of the Higgs boson mass from the $\chi^2/\text{d.o.f.}$ distributions of the $H\rightarrow b\bar{b}$ decay mode. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 176.	4.7	176
42	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
43	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
44	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
45	Detection of multi-particle azimuthal correlations in $p_T$ flow harmonics. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 169.	4.1	169
46	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
47	Scalar Diphoton Resonances in the Mass Range 650-7600 GeV with the ATLAS Detector. Physical Review Letters, 2014, 112, 171801.	7.8	168
48	Search for new high-mass phenomena in the dilepton final state using 36 $\text{fb}^{-1}$ of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
49	Measurement of the differential cross-sections of inclusive, prompt and non-prompt $\tau$ production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 731, 163.	2.5	163
50	Measurements of the inclusive $t\bar{t}$ production cross sections in the $t\bar{t}\rightarrow b\bar{b}+2l\nu$ channel at center-of-mass energies of 7 and 8 $\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 745, 158.	4.7	158
51	Measurements of Higgs boson production and couplings in the four-lepton channel in proton-proton collisions at center-of-mass energies of 7 and 8 $\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 91, 1.	4.7	158
52	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2017, 96, 157.	4.7	157
53	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2014, 889, 486-548.	2.5	155
54	Measurement of the transverse momentum and $\phi$ - distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154

#	ARTICLE	IF	CITATIONS
55	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . European Physical Journal C, 2011, 71, 1.	3.9	146
56	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
57	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
58	Precision measurement and interpretation of inclusive $W^+ + W^-$ , $W^+ - W^-$ . European Physical Journal C, 2017, 77, 367.	3.9	145
59	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	4.7	145
60	Measurement of the $t\bar{t}$ production cross-section using $e\gamma$ events with $b$ -tagged jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
61	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
62	Observation of $t\bar{t}$ production with $b$ -tagged jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and $8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 18.	4.1	138
63	Measurement of event-plane correlations in $t\bar{t}$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 94, 032002.	4.7	137
64	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
65	Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. Physical Review D, 2012, 86, 032002.	4.7	135
66	Measurements of the Nuclear Modification Factor for Jets in $t\bar{t}$ Collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2012, 108, 072302.	7.8	135
67	Measurement of event-plane correlations in $t\bar{t}$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Physical Review C, 2014, 90, 054902.	4.7	134
68	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
69	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 199.	3.9	132
70	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $s=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
71	Search for Invisible Decays of a Higgs Boson Produced in Association with a $Z$ boson in ATLAS. Physical Review Letters, 2014, 112, 121801.	7.8	130
72	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	130

#	ARTICLE	IF	CITATIONS
73	Search for Dark Matter in Events with a Hadronically Decaying $Z$ Boson and Missing Transverse Momentum in pp Collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 112, 041802. <sup>78</sup>		129
74	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	128
75	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 995.	3.9	125
76	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
77	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the Evidence for Electroweak Production of $\tilde{\chi}_1^0$ . <i>Nature</i> , 2010, 465, 80, 1.	3.9	124
78	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $\sqrt{s} = 8 \text{ TeV}$ p p collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349.	7.8	123
79	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010, 70, 1193-1236.	3.9	121
80	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s} = 8 \text{ TeV}$ p p collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2011, 83, .	4.7	121
82			

#	ARTICLE	IF	CITATIONS
91	Search for new phenomena in the diphoton decay channel with ATLAS detector. Physical Review D, 2018, 98, .	4.7	115
92	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. European Physical Journal C, 2011, 71, 1. Search for new phenomena in dijet events using ATLAS detector.	3.9	114
93	xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mn>37</mml:mn><mml:mtext>â‰%</mml:mtext><mml:mtext>â‰%</mml:mtext><mml:msup><mml:math xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:mrow></mml:math> collision data collected at $\sqrt{s} = 7\text{TeV}$ . Physical Review D, 2017, 96, .	4.7	114
94	Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 161801. Measurement of the leading single top quark production cross section in pp collisions at $\sqrt{s} = 7\text{TeV}$ .	7.8	113
95	xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="block">of <mml:math display="block">\sum_{i=1}^{n-1} \frac{1}{i} \leq \ln(n) + 1 Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ATLAS detector. Physical Review D, 2013, 87, .	4.1	113
96	xmlNs:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">of <mml:math display="block">\sum_{i=1}^{n-1} \frac{1}{i} \leq \ln(n) + 1 Measurement of long-range pseudorapidity correlations and azimuthal harmonics in NN=5.02 TeV proton-lead collisions with the ATLAS detector. Physical Review C, 2014, 90, .	4.7	112
97	Observation and measurement of Higgs boson decays to $\gamma\gamma$ and $WW$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	110
98	xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="block">of <mml:math display="block">\sum_{i=1}^{n-1} \frac{1}{i} \leq \ln(n) + 1 Measurement of \$t\bar{t}\$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043. Combined search for the Standard Model Higgs boson in $t\bar{t}$ and $WW$ production with the ATLAS detector. Physical Review D, 2015, 92, .	3.9	109
99	Measurement of \$t\bar{t}\$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043. Combined search for the Standard Model Higgs boson in $t\bar{t}$ and $WW$ production with the ATLAS detector. Physical Review D, 2015, 92, .	3.9	109
100	xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="block">of <mml:math display="block">\sum_{i=1}^{n-1} \frac{1}{i} \leq \ln(n) + 1 Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382.	4.7	109
101	xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="block">of <mml:math display="block">\sum_{i=1}^{n-1} \frac{1}{i} \leq \ln(n) + 1 Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382.	4.1	109
102	Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
103	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
104	Search for heavy resonances decaying into $WW$ in the $e^+e^- \rightarrow WW \rightarrow e^+\nu e^-\nu \rightarrow e^+\nu e^-\nu \rightarrow e^+\nu e^-\nu$ final state in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
105	Search for squarks and gluinos in final states with jets and missing transverse momentum using ATLAS detector. Physical Review D, 2013, 87, .	4.7	108
106	xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="block">of <mml:math display="block">\sum_{i=1}^{n-1} \frac{1}{i} \leq \ln(n) + 1 Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=7\text{TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s}=2.76\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509. Search for Higgs boson pair production in the $t\bar{t}WW$ channel. Physical Review D, 2013, 87, .	3.9	105
107	Transverse Momentum in $t\bar{t}WW$ channel. Physical Review D, 2013, 87, .	7.8	105
108	xmlNs:mml="http://www.w3.org/1998/Math/MathML" display="block">of <mml:math display="block">\sum_{i=1}^{n-1} \frac{1}{i} \leq \ln(n) + 1 Searches for Higgs boson pair production in the $t\bar{t}WW$ channel. Physical Review D, 2013, 87, .	4.7	101

#	ARTICLE	IF	CITATIONS
109	Search for heavy ZZ resonances in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- \nu \bar{\nu}$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
110	Search for Higgs Boson Pair Production in the $t\bar{t}bb\bar{b}$ Final State Using pp Collision Data at $\sqrt{s} = 8$ TeV from the ATLAS Detector. Physical Review Letters, 2015, 114, 081802.	7.8	98
111	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mi>p\langle mml:mi\rangle p\langle mml:mi\rangle p\langle mml:math\rangle Collisions at \langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mrow\rangle\langle mml:msqrt\rangle\langle mml:mrow\rangle\langle mml:mi>s\langle mml:mi\rangle\langle mml:mrow\rangle\langle mml:msqrt\rangle\langle mml:mo>=\langle mml:mo\rangle\langle mml:math display="block">\langle mml:mtext> proton-proton lead collisions with the ATLAS detector. Physics Letters, 2020, 125, 051801.$	7.8	97
112	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
113	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
114	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
115	Centrality and rapidity dependence of inclusive jet production in $\sqrt{s}=8$ TeV proton-proton lead collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	5.02	93
116	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
117	Measurements of the W W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
118	Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mi>p\langle mml:mi\rangle p\langle mml:mi\rangle p\langle mml:math\rangle collisions at \langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mrow\rangle\langle mml:msqrt\rangle\langle mml:mrow\rangle\langle mml:mi>s\langle mml:mi\rangle\langle mml:mrow\rangle\langle mml:msqrt\rangle\langle mml:mo>=\langle mml:mo\rangle\langle mml:math display="block">\langle mml:mtext> boson and missing transverse momentum$	4.7	91
119	in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mi>p\langle mml:mi\rangle p\langle mml:mi\rangle p\langle mml:math\rangle collisions at \langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mtext> proton-proton lead collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.$	4.7	90
120	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
121	Search for the $b\bar{b}\rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
122	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
123	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
124	Measurement of $W\pm$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	13	86
125	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
126	Measurement of multi-particle azimuthal correlations in pp, pPb and low-multiplicity PbPb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86

#	ARTICLE	IF	CITATIONS
127	Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2015, 92, 1.	4.7	84
128	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
129	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	82
130	Observation of an Excited State with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 113, 212004.	4.7	82
131	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
132	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	3.9	81
133	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80
134	Searches for electroweak production of supersymmetric particles with compressed mass spectra in $\sqrt{s} = 8 \text{ TeV}$ collisions with. <i>Physical Review D</i> , 2020, 101.	4.7	80
135	Search for production of WW/WZ W W / W Z resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	3.9	79
136	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
137	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565.	3.9	79
138	Measurement of upsilon production in 7 TeV collisions at ATLAS. <i>Physical Review D</i> , 2013, 87, .	4.7	78
139	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
140	Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 142-159.	4.7	78
141	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
142	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 92.	3.9	77
143	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77
144	Angular analysis of B0 decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	76

#	ARTICLE	IF	CITATIONS
145	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
146	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
147	Observation of Light-by-Light Scattering in Ultraperipheral $\text{Pb+Pb}$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
148	Search for resonant diboson production in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
149	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in $\text{pp}$ Collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
150	Measurement of the nuclear modification factor for inclusive jets in $\text{Pb+Pb}$ collisions at $\sqrt{s}=5.02 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 108-128.	4.1	74
151	Measurement of the inclusive and dijet cross-sections of b-jets in $\text{pp}$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
152	Measurement of the production cross section of jets in association with a Z boson in $\text{pp}$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
153	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
154	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
155	Search for Higgs boson decays to a photon and a Z boson in $\text{pp}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 732, 8-27.	4.7	73
156	Search for supersymmetry at $\sqrt{s}=13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
157	Measurements of normalized differential cross sections for $\text{pp}$ interactions at $\sqrt{s}=7 \text{ TeV}$ . European Physical Journal C, 2016, 76, 259.	4.7	71
158	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in $\text{pp}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
159	Search for production of vector-like quarks along in events with a photon and missing transverse momentum in $\text{pp}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2015, 91.	4.7	71
160	Search for a high-mass Higgs boson decaying to a W boson pair in $\text{pp}$ collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
161	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
162	Measurement of underlying event characteristics using charged particles in $\text{pp}$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2011, 83, .	4.7	70

#	ARTICLE	IF	CITATIONS
163	Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.		
164	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 303.	3.9	70
165	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
166	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $t\bar{t}$ Decay Channel in $\sqrt{s} = 13 \text{ TeV}$ . Physical Review Letters, 2018, 121, 191801.	7.8	70
167	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263.	4.1	69
168	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ , $\tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
169	Search for new phenomena in high-mass diphoton final states using $37 \text{ fb}^{-1}$ of proton-proton collisions collected at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 740, 13.		
170	Comprehensive measurements of $t\bar{t}$ -channel single top-quark production cross sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90, 1.	4.7	68
171	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
172	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
173	Search for new resonances in mass distributions of jet pairs using $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
174	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
175	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
176	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
177	Dijet Resonance Search with Weak Supervision Using $\sqrt{s} = 13 \text{ TeV}$ ATLAS Collisions. European Physical Journal C, 2017, 77, 438.	4.7	67
178	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
179	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
180	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66

#	ARTICLE	IF	CITATIONS
181	Measurement of the $W \rightarrow l^+ l^-$ and $Z \rightarrow l^+ l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
182	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $\sqrt{s} = 7$ TeV proton-proton collisions. Journal of High Energy Physics, 2010, 2010, 1.	7.8	64
183	Observation and measurements of the production of prompt and non-prompt $Z$ bosons in $p p$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
184	Evidence for the $H \rightarrow b \bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
185	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
186	Search for New phenomena in events with an energetic jet and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2021, 103, 13.	4.7	64
187	Jet energy scale and resolution measured in proton-antiproton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
188	Measurement of $Z$ boson production in $Pb-Pb$ collisions at $s_{NN} = 2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 110, 022301.	7.8	63
189	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in $p p$ collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
190	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2018, 97, 13.	4.7	63
191	Measurement of the Higgs boson mass in the $t\bar{t}$ , $b\bar{b}$ , and $WW$ channels in $p p$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 97, 13.	4.7	63
192	-leptons in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2019, 99, 13.	4.7	63
193	Performance of the ATLAS muon trigger in $p p$ collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
194	Identification of boosted, hadronically decaying $W$ bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
195	Study of the rare decays of $B_0$ and $B_0^*$ mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	62
196	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
197	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
198	Measurement of Dijet Azimuthal Decorrelations in $p p$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review Letters, 2011, 106, 172002.	7.8	61

#	ARTICLE	IF	CITATIONS
199	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	61
200	Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2015, 92, 4.7, 61.	4.7	61
201	Search for doubly charged scalar bosons in vector boson fusion mode with Decay $\Lambda \pm \rightarrow W^{\pm} Z$ . European Physical Journal C, 2016, 76, 18.	3.9	61
202	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
203	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
204	Prompt and non-prompt J/psi and psi suppression at high transverse momentum in $\sqrt{s} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
205	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
206	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
207	Production of Z bosons in $\sqrt{s} = 8 \text{ TeV}$ pp collisions at the ATLAS experiment. European Physical Journal C, 2015, 75, 263.	4.7	60
208	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
209	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
210	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell^+ \ell^- \nu \bar{\nu}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
211	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
212	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
213	Measurement of the Azimuthal Angle Dependence of Inclusive Jet Yields in Pb+Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2013, 111, 152301.	7.8	59
214	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
215	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
216	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and $5.0 \text{ TeV}$ . European Physical Journal C, 2018, 78, 142.	3.9	59

#	ARTICLE	IF	CITATIONS
217	Search for charged Higgs bosons decaying via $H^\pm \rightarrow l^\pm \bar{l}^\mp$ , in the $l^\pm + \text{jets}$ and $l^\pm + \text{lepton}$ final states with $36 \text{ fb}^{-1}$ of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
218	Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 738, 234–253.	4.1	58
219	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at $\sqrt{s} = 7 \text{ TeV}$ in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
220	Search for Magnetic Monopoles in $\sqrt{s} = 7 \text{ TeV}$ $\text{pp}$ collisions with the ATLAS detector. <i>Physical Review Letters</i> , 2012, 109, 261803.	7.8	57
221	Measurement of the $W$ boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	57
222	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physical Review Letters</i> , 2012, 108, 221802.	7.8	57
223	Search for $WZ$ resonances in the fully leptonic channel using $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2011, 106, 232002.	4.1	57
224	Search for the Standard Model Higgs boson decay to $Z \rightarrow ll$ using $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 737, 102321.	4.1	57
225	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $\text{pp}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	3.9	56
226	Fiducial, total and differential cross-section measurements of $t$ -channel single top-quark production in $\text{pp}$ collisions at $8 \text{ TeV}$ using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.	3.9	56
227	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56
228	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $\text{pp}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	3.9	55
229	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	55
230	Charged-particle distributions in $\text{pp}$ interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 737, 102321.	4.1	55
231	Search for heavy charged long-lived particles in the ATLAS detector in $\text{pp}$ interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 737, 102321.	4.1	55
232	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collision data at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physical Review D</i> , 2019, 99, 1.	4.7	55
233	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional $b$ -jets in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54

#	ARTICLE	IF	CITATIONS
235	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 054.	4.1	54
236	Measurements of cross sections in $t\bar{t}$ and $W\bar{W}$ production in $\sqrt{s} = 13 \text{ TeV}$ pp collisions at the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	4.7	53
237	Search for Higgs boson pair production in the $\gamma\gamma$ channel using $\sqrt{s} = 13 \text{ TeV}$ pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
238	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 211802.	7.8	53
239	Observation of Electroweak Production of a Same-Sign $t\bar{t}$ Boson Pair in Association with Two Jets in $\sqrt{s} = 13 \text{ TeV}$ pp Collisions at the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 211803.	7.8	53
240	Combination of searches for Higgs boson pairs in $\sqrt{s} = 13 \text{ TeV}$ pp collisions at the ATLAS detector. <i>Physics Letters B</i> , Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	53
241	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
242	Search for lepton-flavour-violating $H \rightarrow t\bar{t}$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
243	Measurement of the top quark mass in the $t\bar{t}$ channel using proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. <i>European Physical Journal C</i> , 2015, 75, 330.	3.9	52
244	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters B</i> , Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.	4.1	52
245	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
246	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010, 70, 755-785.	3.9	51
247	Measurements of Four-Lepton Production at the $\sqrt{s} = 13 \text{ TeV}$ ATLAS Experiment. <i>European Physical Journal C</i> , 2010, 70, 755-785.	3.9	51
248	Resonance in $t\bar{t}$ and $W\bar{W}$ production in $\sqrt{s} = 13 \text{ TeV}$ pp collisions at the ATLAS Experiment. <i>European Physical Journal C</i> , 2010, 70, 755-785.	7.8	51
249	Search for minimal supersymmetric standard model Higgs Bosons $H_A$ and for a $Z'$ boson in the $t\bar{t}$ , $b\bar{b}$ , final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
250	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
251	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ and $N_{ch} = 2.76$ . <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
252	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	4.7	51

#	ARTICLE	IF	CITATIONS
253	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
254	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
255	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. Search for High-Mass Resonances Decaying to $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle \text{I}_n \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle ^{1/2} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ in $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:msort} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$	3.9	50
256	$\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\text{mml:math}$	7.8	50
257	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
258	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. Search for Heavy Leptons decaying to $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle a \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle a \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ in the $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle ^{1/4} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle ^{1/4} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{I}_{\nu} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ final state in $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$	4.7	50
259	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} > \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 8 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{GeV} \langle / \text{mml:math} \rangle$ Boson Decays to $\text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$	7.8	49
260	$\text{display} = \text{"inline"} > \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle / \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \text{I}^3 \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$	7.8	49
261	$\text{display} = \text{"inline"} > \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle / \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \text{I}^3 \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$	7.8	49

#	ARTICLE	IF	CITATIONS
271	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
272	Measurement of total and differential $W + W^\pm$ production cross sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016, 2016, <i>pr coefficients for</i>	4.7	47
273	<i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> collisions at <i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:msqrt&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msqrt&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> <i>= &lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:msqrt&gt;&lt;mml:mo&gt;+&lt;/mml:mo&gt;&lt;/mml:msqrt&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> and $13 \text{ TeV}$ and <i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:msqrt&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msqrt&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i>	2.9	47
274	Measurements of the production cross section of a $Z$ boson in association with jets in $pp$ collisions at $\sqrt{s} = 13 \text{ s}$ . <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
275	Measurement of the top quark mass in the $t\bar{t}$ . <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
276	Measurement of the cross section for the production of a $W$ boson in association with b-jets in $pp$ collisions at <i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:msqrt&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msqrt&gt;&lt;mml:mo&gt;+&lt;/mml:mo&gt;&lt;/mml:math&gt;</i> with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 707, 118-137.	4.7	47
277	<i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:msqrt&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msqrt&gt;&lt;mml:mo&gt;+&lt;/mml:mo&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 707, 138-149.	4.7	47
278	Measurement of distributions sensitive to the underlying event in inclusive $Z$ -boson production in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	3.9	46
279	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513.	3.9	46
280	Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in <i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> and <i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:math&gt;</i> +Pb collisions with the ATLAS detector at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018, 97, 1.	2.9	46
281	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
282	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
283	<i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:msqrt&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msqrt&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> cross-sections in the $H \rightarrow WW \rightarrow e^+e^- \nu \bar{\nu}$ decay channel in $pp$ collisions at <i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 508-529.	4.1	46
284	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
285	Measurement of the top quark pair production cross section in $pp$ collisions at <i>&lt;math&gt;\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"&gt;&lt;mml:mrow&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:mrow&gt;&lt;/mml:math&gt;</i> in dilepton final states with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 707, 159-177.	4.7	46
286	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
287	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
288	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45

#	ARTICLE	IF	CITATIONS
289	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
290	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
291	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
292	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
293	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the a, "a, "bb final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 783, 392-414.	4.1	43
294	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
295	Measurement of exclusive <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a> production in proton- $\pi^+$ proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 242-261.	4.1	43
296	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
297	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $s = 13$ TeV collisions with the ATLAS detector. Physical Review D, 2016, 94, .	4.7	43
298	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
299	Search for magnetic monopoles and stable particles with high electric charges in 8 TeV collisions with the ATLAS detector. Physical Review D, 2016, 93, .	4.7	43
300	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
301	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ, Z $\rightarrow$ 4l, and ZZ $\rightarrow$ 2l $\nu$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	4.1	43
302	Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2019, 100.	4.7	43
303	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
304	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
305	Combined measurement of differential and total cross sections in the H $\rightarrow$ a $\rightarrow$ 1P3 and the H $\rightarrow$ a $\rightarrow$ ZZa $\rightarrow$ a $\rightarrow$ 4a decay channels at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-132.	4.1	42
306	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42

#	ARTICLE	IF	CITATIONS
307	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ -TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
308	Search for long-lived, multi-charged particles in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 722, 305-323.		
309	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
310	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
311	Measurement of the $t\bar{t}\rightarrow Z$ and $t\bar{t}\rightarrow W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of $p\bar{p}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40. Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in $p\bar{p}$ Collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 40.	3.9	41
312	Scattering in $p\bar{p}$ Collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 40.	7.8	41
313	Search for charged-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2018, 121, 212301.	4.7	41
314	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in $p\bar{p}$ Collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2018, 121, 081801.	7.8	41
315	Measurement of $W/Z$ production cross sections and gauge boson polarisation in $p\bar{p}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
316	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
317	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
318	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
319	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
320	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
321	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and b-jets in $36\text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV $p\bar{p}$ collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
322	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
323	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}$ system. Journal of High Energy Physics, 2018, 2018, 1.	7.8	40
324	Search for heavy resonances decaying into a pair of $Z$ bosons in the $4\ell$ final states using 139 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40

#	ARTICLE	IF	CITATIONS
325	ment of angular correlations in Drell-Yan lepton pairs to probe boson transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
326	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
327	Search for flavour-changing neutral current top-quark decays to $p p$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 12.	3.9	39
328	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 87.	3.9	39
329	Combinatión of searches for heavy resonances decaying into bosonic and leptonic final states using proton-proton collision data at $\sqrt{s} = 8 \text{ TeV}$ . Physical Review D, 2018, 98, .	4.7	39
330	Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.	4.1	39
331	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
332	Measurement of the W charge asymmetry in the $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.1	38
333	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
334	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
335	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
336	Measurement of the exclusive $t\bar{t} \rightarrow t\bar{t} \rightarrow l^+l^- \nu\bar{\nu}$ process in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 303-323.	4.7	38
337	Search for Higgs boson pair production in the upgamma upgamma boverline{b} final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
338	Observation of electroweak W+Z boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-492.	4.1	38
339	Measurements of WH and ZH production in the Hightarrow bar{b} decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
340	Measurement of the transverse momentum distribution of bosons in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-492.	4.7	37
341	Measurements of the transverse momentum distribution of bosons in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	4.7	37
342	Measurements of the transverse momentum distribution of bosons in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	4.7	37

#	ARTICLE	IF	CITATIONS
343	Search for new phenomena in photon + jet events collected in proton+proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 728, 562-578.		
344	Search for bottom squark pair production in proton+proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
345	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8\text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
346	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
347	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
348	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb $^{-1}$ of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. <i>[Link]</i>	4.7	37
349	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. <i>[Link]</i>	4.7	36
350	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
352	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s} = 2.76\text{ TeV}$ measured with the ATLAS detector. Physical Review C, 2016, 93, 1.		
353	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
354	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
355	Measurement of flow harmonics correlations with mean transverse momentum in lead+lead collisions at $\sqrt{s_{NN}} = 5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
356	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
357	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
358	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
359	Measurement of the production cross section of prompt J/ $\psi$ mesons in association with a W $\pm$ boson in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
360	Search for $W'$ decays in $t\bar{t}$ and $q\bar{q}$ b b decays in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35

#	ARTICLE	IF	CITATIONS
361	Search for Scalar Charm Quark Pair Production in $\text{pp}$ collisions at $s = 7 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2015, 114, 161801.	7.8	35
362	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 $\text{fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
363	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
364	Search for diboson resonances with boson-tagged jets in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 777, 91-113.	3.9	35
365	Search for long-lived particles produced in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019, 99, .	4.7	35
366	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ . <i>Physical Review D</i> , 2015, 91, .	4.7	34
367	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\text{pp}$ proton-proton collisions using the ATLAS detector. <i>Physical Review D</i> , 2016, 93, .	4.7	34
368	Measurements of top-quark pair differential and double-differential cross-sections in the $\text{ell}^+ + \text{jets}$ channel with $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
369	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34
370	Inclusive search for same-sign dilepton signatures in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	33
371	Analysis of events with b-jets and a pair of leptons of the same charge in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
372	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
373	Measurement of exclusive $W + W$ production and search for exclusive Higgs boson production in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2016, 94, .	4.7	33
374	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
375	Measurements of $\tilde{\chi}_1^0$ and $\tilde{\chi}_2^0$ production in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
376	Measurement of the Soft-Drop Jet Mass in $\text{pp}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 092001.	7.8	33
377	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	33
378	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 793, 499-519.	4.7	33

#	ARTICLE	IF	CITATIONS
379	Search for direct stau production in events with two hadronic $\tau$ -leptons in $\tau\tau$ events at $\sqrt{s} = 8$ TeV. Physical Review D, 2020, 101, 1.	4.7	33
380	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
381	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $\ell\ell$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
382	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
383	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at the ATLAS detector. Physical Review D, 2014, 90, 1.	4.7	31
384	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
385	Measurement of the Production Cross Section in $\tau\tau$ Collisions at the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	7.8	31
386	A search for prompt lepton+jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
387	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
388	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
389	Search for W W/W Z resonance production in $\ell\ell qq$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
390	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
391	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at the ATLAS detector. Physics Letters, B, 2019, 788, 316-335.	4.1	31
392	Evidence of $\chi_1^0$ production in $\tau\tau$ events at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, B, 2019, 788, 316-335.	4.1	31
393	Production of $\chi_1^0$ in $\tau\tau$ events at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, B, 2019, 788, 316-335.	4.1	31
394	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	7.8	30
395	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30

#	ARTICLE	IF	CITATIONS
397	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
398	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403. Search for pair production of gluinos decaying via stop and sbottom in events with $\text{mml:math}$ $\text{xmns:mml= http://www.w3.org/1998/Math/MathML}$ $\text{display="block"}$ jets and large missing transverse momentum in $\text{mml:math}$ $\text{xmls:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}$ collisions at $\text{mml:math}$ $\text{xmls:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}$	3.9	30
399	Searches for the $Z\tilde{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
400	Studies of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
401	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
402	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
403	Searches for lepton-flavour-violating decays of the Higgs boson in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 800, 135069.	4.1	30
404	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
405	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 763, 251-268.	4.7	30
406	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
407	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
408	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 770, 170-180.	4.7	29
409	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	1.2	29
410	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
411	Search for pair production of heavy vectorlike quarks decaying into hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2018, 98, .	4.7	29
412	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $\tilde{l}\tilde{l}/2qq$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
413	Measurement of the azimuthal anisotropy of charged-particle production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2020, 101, .	2.9	29

#	ARTICLE	IF	CITATIONS
415	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
416	Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	4.1	28
417	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
418	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 745, 165-175.	4.7	28
419	Measurement of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 745, 165-175.	4.7	28
420	Measurement of lepton differential distributions and the top quark mass in $\tau\tau$ . European Physical Journal C, 2017, 77, 804.	3.9	28
421	Measurement of WW/WZ $\rightarrow \ell\ell u\bar{q} q^{\prime}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
422	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
423	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H $\rightarrow a a \rightarrow b b$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
424	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
425	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	4.7	28
426	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
427	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, A67-103.	4.1	28
428	A search for the $Z^3$ decay mode of the Higgs boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, A67-103.	4.1	28
429	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
430	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
431	Search for charged-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2020, 101, 095002.	4.7	28
432	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28

#	ARTICLE	IF	CITATIONS
433	Search for charged Higgs boson pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
434	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	27
435	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
436	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
437	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
438	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
439	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
440	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
441	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{l}_1$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
442	Measurement of the $t\bar{t}$ cross section with the ATLAS detector. Physical Review D, 2011, 84, .	2.8	23
443	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector at the LHC. Physical Review D, 2015, 92, .	4.7	26
444	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.	4.7	26
445	Measurements of electroweak $WW$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
446	Searches for exclusive Higgs and Z boson decays into $J/\psi$ , $(2S)$ , and $(nS)$ at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.	4.7	26
447	Search for Higgs boson decays into a pair of light bosons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.	4.7	26
448	Search for Higgs boson decays into a pair of light bosons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 790, 1-21.	4.7	26
449	Search for Higgs boson pair production in the $b\bar{b}$ decay mode at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	26
450	Search for Higgs boson decays into a pair of light bosons in $\sqrt{s} = 13 \text{ TeV}$ pp collision at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 1-21.	4.7	26

#	ARTICLE	IF	CITATIONS
451	Measurement of the $\text{tar}\{t\}$ production cross-section and lepton differential distributions in $\text{emu}$ dilepton events from pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, .	3.9	26
452	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\ell\ell\ell$ and $\ell\ell\bar{W}\bar{W}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
453	Measurement of the low-mass Drell-Yan differential cross section at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
454	Determination of the top-quark pole mass using $t\bar{t}$ to $t\bar{t}$ + 1-jet events collected with the ATLAS experiment in $7 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
455	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
456	Search for triboson $WW^{\{pm\}}W^{\{pm\}}W^{\{mp\}}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
457	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
458	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.	4.1	25
459	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
460	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in $13 \text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.	7.8	25
461	Search for charginos and neutralinos in final states with two boosted helionically decaying bosons and missing transverse momentum in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle$ collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:msqrt \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle /mml:mn \rangle \langle \text{mml:mtext} \rangle \text{ TeV} \langle /mml:mtext \rangle$ . Measurement of the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mo} \rangle + \langle \text{mml:mo} \rangle \langle /mml:msup \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \langle /mml:msup \rangle$ Section in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:msqrt \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle /mml:mn \rangle \langle \text{mml:mtext} \rangle \text{ TeV} \langle /mml:mtext \rangle$ . Physical Review Letters, 2011, 107, 041802.	4.7	25
462	Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2014, 16, 113013.	2.9	24
463	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
464	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\langle \text{varvec}[\sqrt{s}] \rangle \hat{s} = 13 \text{ TeV} \langle \text{varvec}[pp] \rangle$ . European Physical Journal C, 2016, 76, 517.	3.9	24
465	Measurement of the $W\bar{W}$ boson pair-production cross section in pp collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:msqrt \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle /mml:mn \rangle \langle \text{mml:mtext} \rangle \text{ TeV} \langle /mml:mtext \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.	4.1	24
466	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, 044907.	2.9	24
467	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mi} \rangle q \langle /mml:mi \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mi} \rangle q \langle /mml:mi \rangle \langle /mml:msup \rangle \langle /mml:mrow \rangle \langle \text{mml:mi} \rangle q \langle /mml:mi \rangle \langle /mml:mover \rangle \langle /mml:mrow \rangle \langle \text{mml:mo} \rangle \langle /mml:mo \rangle \langle \text{mml:mn} \rangle 10 \langle /mml:mn \rangle \langle \text{mml:mtext} \rangle \text{ TeV} \langle /mml:mtext \rangle$ Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 37 Td (stretchy="false")</mml:mo>	4.1	24
468	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mi} \rangle q \langle /mml:mi \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mi} \rangle q \langle /mml:mi \rangle \langle /mml:msup \rangle \langle /mml:mrow \rangle \langle \text{mml:mo} \rangle \langle /mml:mo \rangle \langle \text{mml:mn} \rangle 10 \langle /mml:mn \rangle \langle \text{mml:mtext} \rangle \text{ TeV} \langle /mml:mtext \rangle$ Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 37 Td (stretchy="false")</mml:mo>	2.9	24

#	ARTICLE	IF	CITATIONS
469	Measurement of jet fragmentation in Pb+Pb and $\text{p} \bar{\text{p}}$ collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2018, 98, 034908.	2.9	24
470	Measurement of the cross-section and charge asymmetry of $W$ bosons produced in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
471	Measurement of fiducial and differential $W^+ + W^-$ production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
472	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
473	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	3.9	23
474	Measurement of the underlying event in jet events from $7 \text{ TeV}$ proton+proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
475	Determination of the Ratio of $\text{d}\sigma/\text{d}y$ and $\text{d}\sigma/\text{d}p_T$ Quark Fragmentation Fractions $\text{d}\sigma/\text{d}y$ and $\text{d}\sigma/\text{d}p_T$ using the ATLAS detector and determination of the strong coupling constant $\alpha_s$ . <i>Physical Review Letters</i> , 2015, 115, 262001.	4.1	23
476	A search for high-mass resonances decaying to $t\bar{t}, b\bar{b}, \tau^+\tau^-$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
477	Measurement of three-jet production cross-sections in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector and determination of the strong coupling constant $\alpha_s$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 75, 228.	4.1	23
478	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
479	Measurement of vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 032001.	4.7	23
480	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
481	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 032001.	4.7	23
482	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
483	AtFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	23
484	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	22

#	ARTICLE	IF	CITATIONS
487	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
488	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
489	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
490	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
491	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and $8 \text{ TeV}$ with ATLAS. Physical Review D, 2016, 94, .	4.7	22
492	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.	2.5	22
493	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS Measurements of $\text{f}_0(980)$ . Nuclear Physics B, 2018, 918, 257-316.	4.7	22
494	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2018, 918, 257-316.	4.7	22
495	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2018, 918, 257-316.	4.7	22
496	Search for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 56-75.	4.1	22
497	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s}=13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
498	Measurements of top-quark pair spin correlations in the $\mu\mu$ channel at $\sqrt{s}=13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
499	Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into -quarks at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 126103.	4.7	22
500	Search for long-lived massive particles in events with a displaced vertex and a muon with large impact parameter in $\mu\mu$ collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 126103.	4.7	22
501	Search for long-lived massive particles in events with a displaced vertex and a muon with large impact parameter in $\mu\mu$ collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 126103.	4.1	22
502	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
503	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. Physical Review Letters, 2020, 125, 261801.	7.8	22
504	ATLAS measurements of the properties of jets for boosted particle searches. Physical Review D, 2012, 86, .	4.7	21

#	ARTICLE	IF	CITATIONS
505	Measurement of $\ell_\mu$ polarization in $W \rightarrow \ell_\mu \nu$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$ . European Physical Journal C, 2012, 72, 2062.	3.9	21
506	Measurement of the production cross-section of $t(2S) \rightarrow (\ell^+ \ell^-)(\ell^+ \ell^-)$ in pp collisions at $s = 7\text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
507	Determination of spin and parity of the Higgs boson in the $WW^*$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
508	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
509	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{A} \langle / \text{mml:mtext} \rangle \text{ proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 334-355.}$	4.7	21
510	Search for supersymmetry in events with four or more leptons in $s=13\text{ TeV}$ pp collisions with ATLAS. Physical Review D, 2018, 98, .	4.7	21
511	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $3\ell jj$ final state in pp collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767.	4.7	21
512	Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. Nuclear Physics A, 2018, 978, 65-106.	1.5	21
513	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 4.7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ with the ATLAS detector. Physical Review D, 2019, 100, .}$	4.7	21
514	Search for Higgs boson pair production in the $WW^*(*)WW^*(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
515	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13\text{ TeV}$ . European Physical Journal C, 2019, 79, . <i>Measurement of soft-drop jet observables in <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle</math> collisions with the ATLAS detector at <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle</math> 139 fb<math>^{-1}</math> of pp collisions at <math>\sqrt{s} = 13\text{ TeV}</math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 822, 136651.</i>	3.9	21
516	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13\text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2019, 79, . <i>Search for a Heavy Neutral Particle Decaying to <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle e \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \tilde{l} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle</math>, or <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle e \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \tilde{l}, \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle</math>, or <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle \tilde{l} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle</math></i>	4.7	21
517	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.1	21
518	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	7.8	20
519	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
520	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
521	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
523	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-30.		
524	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
525	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
526	Search for pair production of Higgsinos in final states with at least three jets. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 4-7.	4.1	20
527	Search for photonic signatures of gauge-mediated supersymmetry in $13 \text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	20
528	Search for $W \rightarrow tb$ decays in the hadronic final state using pp collisions at $s=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	4.1	20
529	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
530	Search for long-lived particles in final states with displaced dimuon vertices in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 781, 4-7.	4.7	20
531	Search for long-lived neutral particles produced in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 781, 4-7.	4.1	20
532	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using $13 \text{ TeV}$ pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
533	Measurement of k T splitting scales in $W \rightarrow l\nu$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
534	Search for flavour-changing neutral current top quark decays $t \rightarrow b$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
535	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e^+e^-$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and $8 \text{ TeV}$ with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
536	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
537	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
538	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
539	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at $13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19

#	ARTICLE	IF	CITATIONS
541	Prompt and non-prompt $\psi/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
542	Search for top-quark decays $t \rightarrow H q$ with 36 $\text{fb}^{-1}$ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
543	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 $\text{fb}^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
544	Measurement of light-by-light scattering and search for axion-like particles with 2.2 $\text{nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
545	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
546	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
547	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow b\bar{b}$ , in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
548	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 787, 68-88.	4.7	18
549	Search for scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Review D, 2018, 98.	4.7	18
550	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
551	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
552	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
553	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
554	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
555	Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 11-16.	4.1	17
556	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
557	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7 \text{ TeV}$ . European Physical Journal C, 2015, 75, 158.	3.9	17
558	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
559	Measurement of jet pT correlations in Pb + Pb and pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.	4.1	17
560	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
561	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
562	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
563	Direct top-quark decay width measurement in the $t\bar{t}\ell^+\ell^-$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
564	Search for flavor-changing neutral currents in top quark decays $t\rightarrow H_c$ and $t\rightarrow H_u$ in multilepton final states in proton-proton collisions at $s=13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2018, 98, .	4.7	17
565	Search for flavour-changing neutral current top-quark decays $t\rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
566	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 785, 136-158.	4.1	17
567	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
568	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
569	Measurement of $W^{\pm}W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 79, 1.	3.9	17
570	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.1	17
571	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. decays into two new low-mass spin-0 particles in the $b\bar{b}$ channel with the ATLAS detector using $\langle mml:math \rangle$ . Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $b\bar{b}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	4.7	17
572	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
573	Longitudinal Flow Decorrelations in $\langle mml:math \rangle$ . Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2021, 126, 122301.	7.8	17
574	Longitudinal Flow Decorrelations in $\langle mml:math \rangle$ . Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2021, 126, 122301.	7.8	17
575	Longitudinal Flow Decorrelations in $\langle mml:math \rangle$ . Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2021, 126, 122301.	7.8	17
576	Longitudinal Flow Decorrelations in $\langle mml:math \rangle$ . Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2021, 126, 122301.	7.8	17

#	ARTICLE	IF	CITATIONS
577	ment of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <a href="http://www.w3.org/1998/Math/MathML#msqrt">http://www.w3.org/1998/Math/MathML#msqrt</a>	4.1	17
578	Search for Displaced Leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <a href="http://www.w3.org/1998/Math/MathML#msqrt">http://www.w3.org/1998/Math/MathML#msqrt</a>	7.8	17
579	final state with the ATLAS detector in $\sqrt{s} = 13 \text{ TeV}$ pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <a href="http://www.w3.org/1998/Math/MathML#msqrt">http://www.w3.org/1998/Math/MathML#msqrt</a>	4.7	17
580	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, .	4.7	16
581	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
582	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
583	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
584	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 847. <a href="http://www.w3.org/1998/Math/MathML#msqrt">http://www.w3.org/1998/Math/MathML#msqrt</a>	3.9	16
585	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $t\bar{t}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16
586	Search for exclusive Higgs and Z boson decays to $t\bar{t}$ and $b\bar{b}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
587	Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
588	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 595-614.	4.7	16
589	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
590	Measurement of event-shape observables in $Z \rightarrow ee$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
591	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e\bar{e}\gamma\gamma$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
592	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
593	Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 206-228.	4.7	15
594	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 206-228.	4.7	15

#	ARTICLE	IF	CITATIONS
595	Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, 47.	4.7	15
596	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
597	Search for scalar resonances decaying into $\tilde{l}_1 \tilde{l}_2$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
598	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in $\sqrt{s} = 13 \text{ TeV}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2019, 100, 1.	4.7	15
599	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
600	Test of the universality of $\tilde{l}_1$ and $\tilde{l}_2$ lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021, 17, 813-818.	16.7	15
601	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
602	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
603	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
604	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
605	Studies of $Z^0$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
606	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 578-602.	4.7	14
607	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
608	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
609	Dijet azimuthal correlations and conditional yields in $\sqrt{s} = 13 \text{ TeV}$ and $\sqrt{s} = 14 \text{ TeV}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
610	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
611	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2020, 80, 1.	4.7	14
612	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 801, 135114.	4.1	14

#	ARTICLE	IF	CITATIONS
613	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
614	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	14
615	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13$ TeV Using the ATLAS Detector. Physical Review Letters, 2021, 127, 141801.	7.8	14
616	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
617	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mrow} \langle \text{mml:mi} \text{ proton} \rangle \langle \text{mml:mo} \text{ } \hat{\wedge} \text{ } \rangle \langle \text{mml:mo} \text{ proton} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msqrt} \langle \text{mml:mi} \text{ s} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ } = \text{ } \rangle \langle \text{mml:mo} \text{ } \langle \text{mml:mn} \text{ 13} \rangle \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ 14 } \rangle \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle$	4.7	14
618	Measurements of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
619	Search for new phenomena in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ p} \rangle \langle \text{mml:mi} \text{ p} \rangle \langle \text{mml:math} \rangle$ collisions in final states with tau leptons, $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ b} \rangle \langle \text{mml:math} \rangle$ -jets, and missing transverse momentum with the ATLAS detector. Physical Review D, 2020, 102.	4.7	14
620	Search for lepton flavour violation in the $e^{\pm}\nu$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
621	Search for Higgs and $Z$ boson Decays to $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ Z} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ Boson Decays to $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mrow} \langle \text{mml:mi} \text{ l} \rangle \langle \text{mml:mi} \text{ l} \rangle \langle \text{mml:math} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
622	Measurement of the CP-violating phase $\delta_s$ and the $B_s^0 \rightarrow D_s^+ \pi^-$ meson decay width difference with $B_s^0 \rightarrow D_s^+ \pi^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
623	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
624	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
625	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
626	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 102.	3.9	13
627	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 155.	4.7	13
628	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 155.	4.7	13
629	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 155.	4.7	13
630	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 155.	4.1	13

#	ARTICLE	IF	CITATIONS
631	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
632	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in $\sqrt{s} = 13$ TeV proton-proton collisions at the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 032001.	4.7	13
633	Search for non-resonant Higgs boson pair production in the $b\bar{b}, \tilde{\chi}_1^0 \tilde{\chi}_1^0$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 801, 135145.	4.7	13
634	Measurement of the CP-violating phase $\phi_B$ in $B_s \rightarrow J/\psi \ell^+ \ell^-$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , 2021, 81, .	3.9	13
635	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
636	Search for long-lived charginos based on a disappearing-track signature using 136 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	13
637	Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2012, 86, .	4.7	12
638	Search for Production of Resonant States in the Photon-Jet Mass Distribution Using pp Collisions at $\sqrt{s} = 7$ TeV Collected by the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 211802.	7.8	12
639	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb $^{-1}$ of s $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	12
640	Measurement of the $b\bar{b} \rightarrow b\bar{b} \gamma$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
641	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	3.9	12
642	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
643	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 776, 295-317.	4.7	12
644	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018, 98, .	4.7	12
645	Search for $B \rightarrow L R$ -parity-violating top squarks in $s = 13$ TeV pp collisions with the ATLAS experiment. <i>Physical Review D</i> , 2018, 97, .	4.7	12
646	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	12
647	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13$ TeV. <i>Physical Review Letters</i> , 2019, 122, 151801.	7.8	12

#	ARTICLE	IF	CITATIONS
649	ment of the $\text{altimg}=\text{st1.svg}$ <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="st1.svg"><mml:mi>t</mml:mi><mml:mover accent="true"><mml:mrow><mml:mi>t</mml:mi></mml:mrow><mml:mrow><mml:mo stretchy="false">~</mml:mo></mml:mrow></mml:mover></mml:math> production cross-section in the lepton+jets channel at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="st2.svg"><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mml:mo>=	4.1	12
650	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
651	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	12
652	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s_{NN}} = 8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
653	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
654	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
655	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
656	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
657	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
658	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8 \text{ and } 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	12
659	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
660	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 11.	4.7	11
661	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
662	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
663	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
664	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
665	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 11.	4.7	11
666	Measurement of angular and momentum distributions of charged particles within and around jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 29.	2.9	11

#	ARTICLE	IF	CITATIONS
667	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
668	Z boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 104, .	4.1	11
669	Two-particle azimuthal correlations in photonuclear ultraperipheral collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .		
670	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS. Physical Review C, 2021, 104, .	2.9	11
671	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
672	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
673	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
674	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
675	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 8$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.		
676	Measurement of the Z gamma production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
677	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
678	Measurement of prompt photon production in $\sqrt{s} = 8$ TeV pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.	4.1	10
679	Evidence for the production of three massive vector bosons with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.	4.1	10
680	Search for pairs of highly collimated photon-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	4.7	10
681	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 $\text{fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.	4.1	10
682	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
683	Measurement of J/psi production in association with a W boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
684	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10

#	ARTICLE	IF	CITATIONS
685	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
686	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	10
687	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. Search for resonant pair production of Higgs bosons in the $b\bar{b}$ final state using $t\bar{t}$ production. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}$ $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent} = \text{"true"}$ $\rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mo}$ $\text{stretchy} = \text{"false"}$ $\rangle \hat{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover}$ $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent} = \text{"true"}$ $\rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mo}$ $\text{stretchy} = \text{"false"}$ $\rangle \hat{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Search for single production of a vectorlike quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. <i>Physical Review D</i> , 2022, 105, 1.	4.7	10
688	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	4.7	10
689	Measurement of the $W + W\gamma$ production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics</i> , 2017, 773, 354-374.	4.7	10
690	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
691	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
692	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ $\sqrt{s}=8$ TeV using the ZZ decay channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
693	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. Search for top squarks decaying to tau sleptons in $t\bar{t}$ production. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
694	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 788, 347-370.	4.1	9
695	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
696	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
697	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
698	Measurement of the $Z(\ell^+\ell^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9

#	ARTICLE	IF	CITATIONS
703	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1. $\text{Evidence for electroweak production of two jets in association with a } Z^{\pm} \text{ pair in pp collisions at } \sqrt{s}=13 \text{ TeV.}$	3.9	9
704	$\text{linebreak="goodbreak"} \\ \text{linebreakstyle="after"} = \langle /mml:mo \rangle \langle mml:mn \rangle 13 \langle /mml:mn \rangle \langle mml:mtext \rangle \text{TeV} \langle /mml:mtext \rangle \langle /mml:math \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	4.1	9
705	Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	4.1	9
706	Measurement of the relative width difference of the $B^0 \rightarrow B^- \bar{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
707	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
708	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
709	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
710	A search for resonances decaying into a Higgs boson and a new particle X in the $XH \rightarrow q\bar{q}bb$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	4.1	8
711	$\text{xml�:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mi \rangle p \langle /mml:mi \rangle \langle mml:mi \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle \text{collisions at } \sqrt{s}=13 \text{ TeV.}$ $\text{xml�:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:msqrt \rangle \langle mml:mi \rangle s \langle /mml:mi \rangle \langle /mml:msqrt \rangle \langle mml:mo \rangle = \langle /mml:mo \rangle \langle mml:mn \rangle 8 \langle /mml:mn \rangle \langle mml:mtext \rangle \text{TeV with the ATLAS detector and determination of the strong coupling.}$ Physical Review D, 2018, 98.	4.7	8
712	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
713	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
714	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s}=8 \text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
715	Measurements of $W+W^-$ 1 jet production cross-sections in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
716	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
717	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. $\text{Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at } \sqrt{s}=13 \text{ TeV.}$	4.7	8
718	$\text{linebreak="goodbreak"} \text{linebreakstyle="after"} = \langle /mml:mo \rangle \langle mml:mn \rangle 13 \langle /mml:mn \rangle \langle /mml:math \rangle \text{TeV with the ATLAS detector.}$ Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 819, 136412.	4.1	8
719	Reconstruction and identification of boosted di-jet systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
720	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8

#	ARTICLE	IF	CITATIONS
721	Search for associated production of a $Z$ boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 127, 271801.	4.1	8
722	Search for Lepton-Flavor Violation in $Z$ -Boson Decays with Leptons with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 271801.	7.8	8
723	Femtoscopics with identified charged pions in proton-lead collisions at $\sqrt{s_{\text{NN}} = 5.02 \text{ TeV}}$ . <i>Nuclear Physics A</i> , 2017, 979, 1.	2.9	1
724	Search for lepton-flavor-violating decays of the $Z$ boson into a lepton and a light lepton with the ATLAS detector. <i>Physical Review D</i> , 2018, 98, 1.	4.7	7
725	Measurement of the polarization in $Z/\gamma \rightarrow e^+e^-$ . <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
726	Combination of inclusive and differential charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7 \text{ TeV}$ and $8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	7
727	Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , 2019, 14, P06012-P06012.	1.2	7
728	Search for dijet resonances in events with an isolated charged lepton using proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
729	Medium-induced modification of $Z$ -Tagged Charged Particle Yields in $\sqrt{s} = 5.02 \text{ TeV}$ collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 126, 072301.	7.8	7
730	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
731	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	4.1	7
732	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
733	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	7
734	Properties of $Z$ -Tagged Charged Particle Yields in $\sqrt{s} = 5.02 \text{ TeV}$ at small opening angles in $\sqrt{s} = 13 \text{ TeV}$ collisions with the ATLAS detector. <i>Physical Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022, 824, 136832.	4.7	6
735	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and $8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
736	Measurement of ZZ production in the $\ell^+\ell^-\ell^+\ell^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
737	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
738	Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into $\tau^\pm\tau^\pm$ or $\tau^\pm\tau^\pm\tau^\pm\tau^\pm$ in Fully Hadronic Final States from $\sqrt{s} = 13 \text{ TeV}$ disp. <i>Physical Review Letters</i> , 2021, 127, 271801.	7.8	6

#	ARTICLE	IF	CITATIONS
739	Determination of photon-induced $W+W^{\pm}$ production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 816, 136190.	4.1	6
740	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13\text{ TeV}$ . <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
741	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $s=13\text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 251802.	7.8	6
742	Performance of the ATLAS Level-1 topological trigger in RunA2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
743	Measurements of azimuthal anisotropies of jet production in $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2022, 105.	2.9	6
744	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8\text{ TeV}$ and $13\text{ TeV}$ . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
745	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
746	The ATLAS Fast TrackEr system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
747	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
748	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using $36\text{ fb}^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
749	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	5
750	The ATLAS inner detector trigger performance in pp collisions at $13\text{ TeV}$ during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
751	Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector. <i>Physical Review D</i> , 2022, 105.	4.7	5
752	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8\text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
753	Measurement of jet activity in top quark events using the $e\gamma$ final state with two b-tagged jets in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
754	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13\text{ TeV}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
755	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	4
756	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020, 15, P11016-P11016.	1.2	4

#	ARTICLE	IF	CITATIONS
757	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
758	Search for bottom-squark pair production in $\text{t}\bar{\text{t}}\text{W}$ events at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
759	Search for top squarks in events with a Higgs or Z boson using $139 \text{fb}^{-1}$ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
760	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
761	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{pm}$ $\rightarrow \pi^+ \pi^-$ events in Run2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
762	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
763	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
764	Measurement of the k t splitting scales in $Z \rightarrow \ell^\pm \nu_\ell$ events in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
765	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
766	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and $tW^3$ production in the $e\gamma$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
767	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
768	Measurement of the relative $t\bar{t}W^3$ production cross section with the ATLAS detector at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
769	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
770	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	1.2	3
771	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}) = 7$ TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	3	3
772	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
773	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2022, 82, .	3.9	3
774	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2

#	ARTICLE	IF	CITATIONS
775	Study of ordered hadron chains with the ATLAS detector. Physical Review D, 2017, 96, .	4.7	2
776	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\langle E \rangle_{\text{beam}} = 4 \text{ TeV}$ . Journal of Instrumentation, 2018, 13, P12006-P12006.	1.2	2
777	Search for trilepton resonances from chargino and neutralino pair production in $s=13\text{TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2021, 103, .	4.7	2
778	Measurement of the ( $t\bar{t}$ ) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}=7$ ) and 8 TeV with the ATLAS detector., 2014, 74, 1.		2
779	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ( $\sqrt{s}=8\text{TeV}$ ) with the ATLAS detector., 2015, 75, 1.		2
780	Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $s=13\text{TeV}$ with the ATLAS experiment. Physical Review D, 2022, 105, .	4.7	2
781	Search for exotic decays of the Higgs boson into $b\overline{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
782	Measurement of the energy asymmetry in $t\bar{t}$ production at $13\text{TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
783	Measurement of the $t\bar{t}\gamma$ production cross section in the $\ell,\gamma+\text{jets}$ final state in pp collisions at $s=8\text{TeV}$ using the ATLAS detector. Physical Review D, 2017, 95, .	4.7	1
784	ATLAS Collaboration. Nuclear Physics A, 2019, 982, 985-1009.	1.5	1
785	Measurement of the jet mass in high transverse momentum $Z(\ell\ell\gamma\gamma)$ production at $s=13\text{TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135991.	4.1	1
786	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector., 2018, 2018, 1.		1
787	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector., 2015, 75, 1.		1
788	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s}=8\text{TeV}$ ) with the ATLAS detector., 2016, 76, 1.		1
789	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector., 2018, 78, 1.		1
790	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton+proton collisions at ( $\sqrt{s}=13\text{TeV}$ )., 2018, 78, 1.		1
791	Operation and performance of the ATLAS semiconductor tracker in LHC Run2. Journal of Instrumentation, 2022, 17, P01013. A search for an unexpected asymmetry in the production of $e^+\gamma$ and $e^-\gamma$ pairs in proton+proton collisions recorded by the ATLAS detector at $\sqrt{s}=13\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	1.2	1
792	$\text{altneg}=\text{si1.svg} \times \langle \text{mml:msqrt} \times \langle \text{mml:mrow} \times \langle \text{mml:mi} \times s \times \langle \text{mml:mi} \times \langle \text{mml:mrow} \times \langle \text{mml:msqrt} \times \langle \text{mml:mo} \times \text{linebreak}=\text{goodbreak} \times \text{linebreakstyle}=\text{after} \rangle = \langle \text{mml:mo} \times \langle \text{mml:mn} \times 13 \times \langle \text{mml:mn} \times \langle \text{mml:math} \times \text{TeV} \rangle \rangle \rangle \rangle \rangle \rangle$	4.1	1