

Simon Gibbons

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7941189/publications.pdf>

Version: 2024-02-01

188
papers

9,850
citations

36303

51
h-index

46799

89
g-index

200
all docs

200
docs citations

200
times ranked

10709
citing authors

#	ARTICLE	IF	CITATIONS
1	In vitro cytotoxic activities of selected Saudi medicinal plants against human malignant melanoma cells (A375) and the isolation of their active principles. <i>European Journal of Integrative Medicine</i> , 2022, 49, 102083.	1.7	10
2	The Phytochemistry and Pharmacology of Tulbaghia, Allium, Crinum and Cyrtanthus: â€˜Talentedâ€™ Taxa from the Amaryllidaceae. <i>Molecules</i> , 2022, 27, 4475.	3.8	2
3	Flavonoids from <i>Artemisia</i> <i>rupestris</i> and their synergistic antibacterial effects on drug-resistant <i>Staphylococcus aureus</i> . <i>Natural Product Research</i> , 2021, 35, 1881-1886.	1.8	29
4	Neolignans from <i>Piper betle</i> Have Synergistic Activity against Antibiotic-Resistant <i>Staphylococcus aureus</i> . <i>Journal of Organic Chemistry</i> , 2021, 86, 11072-11085.	3.2	11
5	Professor A. Douglas Kinghorn. A Lifetime Career Dedicated to Outstanding Service to Natural Product Sciences. <i>Journal of Natural Products</i> , 2021, 84, 549-552.	3.0	0
6	Investigating Ghanaian Allium Species for Anti-Infective and Resistance-Reversal Natural Product Leads to Mitigate Multidrug-Resistance in Tuberculosis. <i>Antibiotics</i> , 2021, 10, 902.	3.7	3
7	<i>Myristica lowiana</i> Phytochemicals as Inhibitor of Plasmid Conjugation in <i>Escherichia coli</i> . <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-6.	1.2	2
8	Synergism of sophoraflavanone G with norfloxacin against effluxing antibiotic-resistant <i>Staphylococcus aureus</i> . <i>International Journal of Antimicrobial Agents</i> , 2020, 56, 106098.	2.5	21
9	Bioactive Compounds from the Bornean Endemic Plant <i>Goniothalamus longistipetes</i> . <i>Antibiotics</i> , 2020, 9, 913.	3.7	1
10	Constituents of Two <i>Dioscorea</i> Species That Potentiate Antibiotic Activity against MRSA. <i>Journal of Natural Products</i> , 2020, 83, 1696-1700.	3.0	5
11	Differential Anti-Proliferative and Anti-Migratory Activities of Ursolic Acid, 3-O-Acetylursolic Acid and Their Combination Treatments with Quercetin on Melanoma Cells. <i>Biomolecules</i> , 2020, 10, 894.	4.0	9
12	The Phytochemistry and Pharmacology of <i>Hypericum</i> . <i>Progress in the Chemistry of Organic Natural Products</i> , 2020, 112, 85-182.	1.1	8
13	Use of near infrared spectroscopy and spectral databases to assess the quality of pharmaceutical products and aid characterization of unknown components. <i>Journal of Near Infrared Spectroscopy</i> , 2019, 27, 379-390.	1.5	2
14	Inhibiting plasmid mobility: The effect of isothiocyanates on bacterial conjugation. <i>International Journal of Antimicrobial Agents</i> , 2019, 53, 629-636.	2.5	14
15	A structure-activity relationship study of phenyl sesquiterpenoids on efflux inhibition against <i>Staphylococcus aureus</i> . <i>Medicinal Chemistry Research</i> , 2019, 28, 1308-1318.	2.4	3
16	Acacetin- A simple flavone exhibiting diverse pharmacological activities. <i>Phytochemistry Letters</i> , 2019, 32, 56-65.	1.2	34
17	Capsaicin and gingerol analogues inhibit the growth of efflux-multidrug resistant bacteria and R-plasmids conjugal transfer. <i>Journal of Ethnopharmacology</i> , 2019, 245, 111871.	4.1	36
18	A new dimeric imidazole alkaloid plasmid conjugation inhibitor from <i>Lepidium sativum</i> . <i>Tetrahedron Letters</i> , 2018, 59, 1952-1954.	1.4	5

#	ARTICLE	IF	CITATIONS
19	Analogues of Disulfides from <i>Allium stipitatum</i> Demonstrate Potent Anti-tubercular Activities through Drug Efflux Pump and Biofilm Inhibition. <i>Scientific Reports</i> , 2018, 8, 1150.	3.3	23
20	Design, synthesis and biological evaluation of novel aryldiketo acids with enhanced antibacterial activity against multidrug resistant bacterial strains. <i>European Journal of Medicinal Chemistry</i> , 2018, 143, 1474-1488.	5.5	13
21	Chemical Constituents of the Different Parts of <i>Colchicum micranthum</i> and <i>C. chalconicum</i> and their Cytotoxic Activities. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	7
22	The Unexpected Essentiality of <i>glnA2</i> in <i>Mycobacterium smegmatis</i> Is Salvaged by Overexpression of the Global Nitrogen Regulator <i>glnR</i> , but Not by L-, D- or Iso-Glutamine. <i>Frontiers in Microbiology</i> , 2018, 9, 2143.	3.5	3
23	The anticonvulsant and anti-plasmid conjugation potential of <i>Thymus vulgaris</i> chemistry: An in vivo murine and in vitro study. <i>Food and Chemical Toxicology</i> , 2018, 120, 472-478.	3.6	38
24	Total synthesis of acylphloroglucinols and their antibacterial activities against clinical isolates of multi-drug resistant (MDR) and methicillin-resistant strains of <i>Staphylococcus aureus</i> . <i>European Journal of Medicinal Chemistry</i> , 2018, 155, 255-262.	5.5	14
25	Differential modulation of Bax/Bcl-2 ratio and onset of caspase-3/7 activation induced by derivatives of Justicidin B in human melanoma cells A375. <i>Oncotarget</i> , 2017, 8, 95999-96012.	1.8	17
26	Benzocyclohexane oxide derivatives and neolignans from <i>Piper betle</i> inhibit efflux-related resistance in <i>Staphylococcus aureus</i> . <i>RSC Advances</i> , 2016, 6, 43518-43525.	3.6	17
27	An overview of emerging and new psychoactive substances in the United Kingdom. <i>Forensic Science International</i> , 2016, 267, 25-34.	2.2	41
28	HTA€SPOTi: A Rapid Drug Susceptibility Test (DST) to Evaluate Antibiotic Resistance Profiles and Novel Chemicals for Anti€Infective Drug Discovery. <i>Current Protocols in Microbiology</i> , 2016, 40, 17.8.1-17.8.12.	6.5	39
29	Novel R-plasmid conjugal transfer inhibitory and antibacterial activities of phenolic compounds from <i>Mallotus philippensis</i> (Lam.) Mull. Arg.. <i>Journal of Global Antimicrobial Resistance</i> , 2016, 5, 15-21.	2.2	25
30	Antistaphylococcal Prenylated Acylphoroglucinol and Xanthones from <i>Kielmeyera variabilis</i> . <i>Journal of Natural Products</i> , 2016, 79, 470-476.	3.0	20
31	Sesquiterpenoids with Anti€MDR <i>Staphylococcus aureus</i> Activities from <i>Ferula ferulioides</i> . <i>Chemistry and Biodiversity</i> , 2015, 12, 599-614.	2.1	20
32	The psychostimulant drug khat (<i>Catha edulis</i>): A mini-review. <i>Phytochemistry Letters</i> , 2015, 13, 127-133.	1.2	20
33	Antibacterial constituents of <i>Neohyptis paniculata</i> . <i>F€-toterap€-€</i> , 2015, 105, 269-272.	2.2	4
34	Flavonoids from <i>Sophora moorcroftiana</i> and their Synergistic Antibacterial Effects on MRSA. <i>Phytotherapy Research</i> , 2014, 28, 1071-1076.	5.8	54
35	Bioactive acetophenones from <i>Plectranthus venteri</i> . <i>Phytochemistry Letters</i> , 2014, 10, cxli-cxliv.	1.2	4
36	Rapid detection of sildenafil analogue in <i>Eurycoma longifolia</i> products using a new two-tier procedure of the near infrared (NIR) spectra database. <i>Food Chemistry</i> , 2014, 158, 296-301.	8.2	25

#	ARTICLE	IF	CITATIONS
37	Synthesis and antibacterial evaluation of 3-Farnesyl-2-hydroxybenzoic acid from <i>Piper multiplinervium</i> . <i>FÄ-toterapÄ-Äç</i> , 2014, 93, 189-193.	2.2	4
38	Flavonoid glycosides from the stem bark of <i>Margaritaria discoidea</i> demonstrate antibacterial and free radical scavenging activities. <i>Phytotherapy Research</i> , 2014, 28, 784-787.	5.8	20
39	The application of GC-MS combined with chemometrics for the identification of antimicrobial compounds from selected commercial essential oils. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2014, 130, 172-181.	3.5	47
40	2-Hydroxy-substituted cinnamic acids and acetanilides are selective growth inhibitors of <i>Mycobacterium tuberculosis</i> . <i>MedChemComm</i> , 2014, 5, 47-50.	3.4	43
41	In Vitro Antibacterial Activity of Prenylated Guanidine Alkaloids from <i>Pterogyne nitens</i> and Synthetic Analogues. <i>Journal of Natural Products</i> , 2014, 77, 1972-1975.	3.0	25
42	Fruitful Decade for Antileishmanial Compounds from 2002 to Late 2011. <i>Chemical Reviews</i> , 2014, 114, 10369-10428.	47.7	126
43	Anticancer and Antibacterial Activity of Hyperforin and Its Derivatives. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014, 14, 1397-1401.	1.7	22
44	Biological Evaluation of Hyperforin and Its Hydrogenated Analogue on Bacterial Growth and Biofilm Production. <i>Journal of Natural Products</i> , 2013, 76, 1819-1823.	3.0	31
45	Natural Product (Fungal and Herbal) Novel Psychoactive Substances. , 2013, , 345-362.		8
46	A new plant-derived antibacterial is an inhibitor of efflux pumps in <i>Staphylococcus aureus</i> . <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 513-518.	2.5	62
47	Modulators of antibiotic activity from <i>Ipomoea murucoides</i> . <i>Phytochemistry</i> , 2013, 95, 277-283.	2.9	16
48	Neurochemical profiles of some novel psychoactive substances. <i>European Journal of Pharmacology</i> , 2013, 700, 147-151.	3.5	150
49	Antimicrobial Phenolics and Unusual Glycerides from <i>Helichrysum italicum</i> subsp. <i>microphyllum</i> . <i>Journal of Natural Products</i> , 2013, 76, 346-353.	3.0	49
50	Editorial: Modern Methods in Plant Natural Products themed issue. <i>Natural Product Reports</i> , 2013, 30, 483.	10.3	1
51	An analysis of the synthetic tryptamines AMT and 5-MeO-DALT: Emerging "Novel Psychoactive Drugs". <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 3411-3415.	2.2	36
52	Antimycobacterials from Lovage Root (<i>Ligusticum officinale</i> Koch). <i>Phytotherapy Research</i> , 2013, 27, 993-998.	5.8	25
53	Antibacterial Sesquiterpenoid Derivatives from <i>Ferula ferulaeoides</i> . <i>Planta Medica</i> , 2013, 79, 701-706.	1.3	16
54	Antitubercular specific activity of ibuprofen and the other 2-arylpropanoic acids using the HT-SPOTi whole-cell phenotypic assay. <i>BMJ Open</i> , 2013, 3, e002672.	1.9	74

#	ARTICLE	IF	CITATIONS
55	Microbial Efflux Systems and Inhibitors: Approaches to Drug Discovery and the Challenge of Clinical Implementation. <i>Open Microbiology Journal</i> , 2013, 7, 34-52.	0.7	121
56	The Ketamine Analogue Methoxetamine and 3- and 4-Methoxy Analogues of Phencyclidine Are High Affinity and Selective Ligands for the Glutamate NMDA Receptor. <i>PLoS ONE</i> , 2013, 8, e59334.	2.5	132
57	Characterisation of ATP-Dependent Mur Ligases Involved in the Biogenesis of Cell Wall Peptidoglycan in <i>Mycobacterium tuberculosis</i> . <i>PLoS ONE</i> , 2013, 8, e60143.	2.5	71
58	Synthesis and Antibacterial Evaluation of a New Series of N-Alkyl-2-alkynyl/(E)-alkenyl-4-(1H)-quinolones. <i>Molecules</i> , 2012, 17, 8217-8240.	3.8	17
59	An antibacterial from <i>Hypericum acmosepalum</i> inhibits ATP-dependent MurE ligase from <i>Mycobacterium tuberculosis</i> . <i>International Journal of Antimicrobial Agents</i> , 2012, 39, 124-129.	2.5	52
60	Structural Characterization and Antimicrobial Evaluation of Atractyloside, Atractyligenin, and 15-Didehydroattractyligenin Methyl Ester. <i>Journal of Natural Products</i> , 2012, 75, 1070-1075.	3.0	17
61	Natural product "legal highs"™. <i>Natural Product Reports</i> , 2012, 29, 1304.	10.3	30
62	Antibacterial Acylphloroglucinols from <i>Hypericum olympicum</i> . <i>Journal of Natural Products</i> , 2012, 75, 336-343.	3.0	62
63	Antimycobacterials from natural sources: ancient times, antibiotic era and novel scaffolds. <i>Frontiers in Bioscience - Landmark</i> , 2012, 17, 1861.	3.0	35
64	Bioactive Compounds from <i>Carissa spinarum</i> . <i>Phytotherapy Research</i> , 2012, 26, 1496-1499.	5.8	32
65	An Introduction to Planar Chromatography and Its Application to Natural Products Isolation. <i>Methods in Molecular Biology</i> , 2012, 864, 117-153.	0.9	7
66	"Legal Highs"™ "novel and emerging psychoactive drugs: a chemical overview for the toxicologist. <i>Clinical Toxicology</i> , 2012, 50, 15-24.	1.9	136
67	Structures and Antibacterial Activities of Minor Dolabellanes from the Brown Alga <i>Dilophus spiralis</i> . <i>European Journal of Organic Chemistry</i> , 2012, 2012, 5177-5186.	2.4	12
68	Efficient synthesis and biological evaluation of proximicins A, B and C. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 2019-2024.	3.0	26
69	Four geranyl-bearing polyisoprenylated benzoylphloroglucinol derivatives from <i>Hypericum sampsonii</i> . <i>Phytochemistry Letters</i> , 2012, 5, 200-205.	1.2	21
70	Single Chemical Entity Legal Highs: Assessing the Risk for Long Term Harm. <i>Current Drug Abuse Reviews</i> , 2012, 5, 304-319.	3.4	12
71	Medicinal plant extracts with efflux inhibitory activity against Gram-negative bacteria. <i>International Journal of Antimicrobial Agents</i> , 2011, 37, 145-151.	2.5	104
72	Dolabellanes with Antibacterial Activity from the Brown Alga <i>Dilophus spiralis</i> . <i>Journal of Natural Products</i> , 2011, 74, 213-222.	3.0	44

#	ARTICLE	IF	CITATIONS
73	In silico screening for antibiotic escort molecules to overcome efflux. <i>Journal of Molecular Modeling</i> , 2011, 17, 2863-2872.	1.8	6
74	Near-infrared spectroscopy (NIRS) and chemometric analysis of Malaysian and UK paracetamol tablets: A spectral database study. <i>International Journal of Pharmaceutics</i> , 2011, 415, 102-109.	5.2	24
75	Interaction of N-methyl-2-alkenyl-4-quinolones with ATP-dependent MurE ligase of <i>Mycobacterium tuberculosis</i> : antibacterial activity, molecular docking and inhibition kinetics. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1766-1772.	3.0	37
76	Ethnopharmacology in drug discovery: an analysis of its role and potential contribution. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 53, 425-432.	2.4	178
77	Echinacea species (<i>Echinacea angustifolia</i> (DC.) Hell., <i>Echinacea pallida</i> (Nutt.) Nutt., <i>Echinacea</i>) Tj ETQq1 1 0.784314 rgBT /Overlock <i>Pharmacy and Pharmacology</i> , 2010, 57, 929-954.	2.4	330
78	Characterization of a xylose containing oligosaccharide, an inhibitor of multidrug resistance in <i>Staphylococcus aureus</i> , from <i>Ipomoea pes-caprae</i> . <i>Phytochemistry</i> , 2010, 71, 1796-1801.	2.9	35
79	Phytochemistry reviews: special issue on high altitude plants. <i>Phytochemistry Reviews</i> , 2010, 9, 195-196.	6.5	0
80	A new 7-oxygenated coumarin from <i>Clausena suffruticosa</i> . <i>FÄ-toterapÄ-Äç</i> , 2010, 81, 656-658.	2.2	10
81	Structure and Antibacterial Activity of Brominated Diterpenes from the Red Alga <i>Sphaerococcus coronopifolius</i> . <i>Chemistry and Biodiversity</i> , 2010, 7, 186-195.	2.1	31
82	Ioniols I and II, Tetracyclic Diterpenes with Antibacterial Activity, from <i>Sphaerococcus coronopifolius</i> . <i>Chemistry and Biodiversity</i> , 2010, 7, 666-676.	2.1	20
83	Prenylated Benzophenone Peroxide Derivatives from <i>Hypericum sampsonii</i> . <i>Chemistry and Biodiversity</i> , 2010, 7, 953-958.	2.1	39
84	Structure elucidation of some highly unusual tricyclic cis-caryophyllane sesquiterpenes from <i>Marasmiellus troyanus</i> . <i>Tetrahedron Letters</i> , 2010, 51, 5493-5496.	1.4	12
85	An analysis of the "legal high"™ mephedrone. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4135-4139.	2.2	141
86	Antiprotozoal activity of drimane and coloratane sesquiterpenes towards <i>Trypanosoma brucei rhodesiense</i> and <i>Plasmodium falciparum</i> in vitro. <i>Phytotherapy Research</i> , 2010, 24, 1468-1472.	5.8	37
87	Constituents of Cinnamon Inhibit Bacterial Acetyl CoA Carboxylase. <i>Planta Medica</i> , 2010, 76, 1570-1575.	1.3	23
88	Purification, characterisation and identification of acidocin LCHV, an antimicrobial peptide produced by <i>Lactobacillus acidophilus</i> n.v. Er 317/402 strain Narine. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 255-260.	2.5	31
89	Norlignans, Acylphloroglucinols, and a Dimeric Xanthone from <i>Hypericum chinense</i> . <i>Journal of Natural Products</i> , 2010, 73, 1815-1820.	3.0	56
90	Natural and synthetic compounds such as trimethoprim behave as inhibitors of efflux in Gram-negative bacteria. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 1215-1223.	3.0	94

#	ARTICLE	IF	CITATIONS
91	Anti-tubercular screening of natural products from Colombian plants: 3-methoxynordomesticine, an inhibitor of MurE ligase of <i>Mycobacterium tuberculosis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 2101-2107.	3.0	77
92	A new dihydrodibenzodioxinone from <i>Hypericum xanthocotyle</i> ™. <i>Fytoterap</i> , 2009, 80, 226-229.	2.2	4
93	Aryldiketo Acids Have Antibacterial Activity Against MDR <i>Staphylococcus aureus</i> Strains: Structural Insights Based on Similarity and Molecular Interaction Fields. <i>ChemMedChem</i> , 2009, 4, 1971-1975.	3.2	13
94	Antibacterial iridoid glucosides from <i>Eremostachys laciniata</i> . <i>Phytotherapy Research</i> , 2009, 23, 99-103.	5.8	50
95	Bacterial resistance modifying tetrasaccharide agents from <i>Ipomoea murucoides</i> . <i>Phytochemistry</i> , 2009, 70, 222-227.	2.9	36
96	Dibenzofuran and pyranone metabolites from <i>Hypericum revolutum</i> ssp. <i>revolutum</i> and <i>Hypericum choisianum</i> . <i>Phytochemistry</i> , 2009, 70, 403-406.	2.9	27
97	Antibacterial Diterpenes from <i>Plectranthus ernstii</i> . <i>Journal of Natural Products</i> , 2009, 72, 1191-1194.	3.0	33
98	Bioactive Pyridine- <i>N</i> -oxide Disulfides from <i>Allium stipitatum</i> . <i>Journal of Natural Products</i> , 2009, 72, 360-365.	3.0	103
99	Geranyl Bearing Polyisoprenylated Benzoylphloroglucinol Derivatives from <i>Hypericum sampsonii</i> . <i>Chemistry Letters</i> , 2009, 38, 440-441.	1.3	15
100	Total Synthesis and Analgesic Activity of 6-Fluoroindan-1-acetic Acid and its 3-Oxo Derivative. <i>Medicinal Chemistry</i> , 2009, 5, 468-473.	1.5	4
101	Constituents of the stem bark of <i>Discopodium penninervium</i> and their LTB4 and COX-1 and -2 inhibitory activities. <i>Phytochemistry</i> , 2008, 69, 982-987.	2.9	44
102	Modulation of isoniazid susceptibility by flavonoids in <i>Mycobacterium</i> . <i>Phytochemistry Letters</i> , 2008, 1, 71-75.	1.2	36
103	Antimycobacterial polyacetylenes from <i>Levisticum officinale</i> . <i>Phytotherapy Research</i> , 2008, 22, 681-684.	5.8	50
104	Antibacterial terpenes from the oleoresin of <i>Commiphora molmol</i> (Engl.). <i>Phytotherapy Research</i> , 2008, 22, 1356-1360.	5.8	69
105	Guaianolide sesquiterpenes from <i>Pulicaria crispa</i> (Forssk.) Oliv.. <i>Phytochemistry</i> , 2008, 69, 1915-1918.	2.9	46
106	C15 acetogenins with antistaphylococcal activity from the red alga <i>Laurencia glandulifera</i> . <i>Phytochemistry Letters</i> , 2008, 1, 31-36.	1.2	33
107	2 ¹ -Acetoxyferruginol: A new antibacterial abietane diterpene from the bark of <i>Prumnopitys andina</i> . <i>Phytochemistry Letters</i> , 2008, 1, 49-53.	1.2	18
108	Coumarins from the roots of <i>Prangos uloptera</i> . <i>Phytochemistry Letters</i> , 2008, 1, 159-162.	1.2	24

#	ARTICLE	IF	CITATIONS
109	New metabolites with antibacterial activity from the marine angiosperm <i>Cymodocea nodosa</i> . <i>Tetrahedron</i> , 2008, 64, 1696-1702.	1.9	55
110	Total synthesis and analgesic activity of 6-fluoroindan-1-carboxylic acid. <i>Tetrahedron</i> , 2008, 64, 8642-8645.	1.9	7
111	Antibacterial Cannabinoids from <i>Cannabis sativa</i> : A Structure-Activity Study. <i>Journal of Natural Products</i> , 2008, 71, 1427-1430.	3.0	507
112	Inhibitors of Bacterial Multidrug Efflux Pumps from the Resin Glycosides of <i>Ipomoea murucoides</i> . <i>Journal of Natural Products</i> , 2008, 71, 1037-1045.	3.0	79
113	A Naturally Occurring Inhibitory Agent from <i>Hypericum sampsonii</i> . with Activity Against Multidrug-Resistant <i>Staphylococcus aureus</i> . <i>Pharmaceutical Biology</i> , 2008, 46, 250-253.	2.9	17
114	Brominated Diterpenes with Antibacterial Activity from the Red Alga <i>Sphaerococcus coronopifolius</i> . <i>Journal of Natural Products</i> , 2008, 71, 1386-1392.	3.0	30
115	Plant phenolic compounds as ethidium bromide efflux inhibitors in <i>Mycobacterium smegmatis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 345-348.	3.0	137
116	Chemical and Antibacterial Constituents of <i>Skimmia anquetelia</i> . <i>Planta Medica</i> , 2008, 74, 175-177.	1.3	16
117	Phytochemicals for Bacterial Resistance - Strengths, Weaknesses and Opportunities. <i>Planta Medica</i> , 2008, 74, 594-602.	1.3	197
118	A Novel Sesquiterpene from <i>Pulicaria Crispa</i> (Forssk.) Oliv. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.5	2
119	Dihydrostilbenes from <i>Indigofera Pulchra</i> . <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.5	1
120	Phytochemical and Antimicrobial Investigation of Latex from <i>Euphorbia Abyssinica</i> Gmel. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.5	9
121	A Polar Cannabinoid from <i>Cannabis Sativa</i> Var. <i>Carma</i> . <i>Natural Product Communications</i> , 2008, 3, 1934578X0800301.	0.5	9
122	Inhibitory Activities of Lichen-Derived Compounds against Methicillin- and Multidrug-Resistant <i>Staphylococcus aureus</i> . <i>Planta Medica</i> , 2007, 73, 176-179.	1.3	43
123	The Phenolic Diterpene Totarol Inhibits Multidrug Efflux Pump Activity in <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 4480-4483.	3.2	103
124	Bacterial efflux pump inhibitors from natural sources. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 59, 1247-1260.	3.0	439
125	Polyisoprenylated Benzoylphloroglucinol Derivatives from <i>Hypericum sampsonii</i> . <i>Journal of Natural Products</i> , 2007, 70, 1779-1782.	3.0	74
126	N-Caffeoylphenalkylamide derivatives as bacterial efflux pump inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1755-1758.	2.2	81

#	ARTICLE	IF	CITATIONS
127	Antibacterials and modulators of bacterial resistance from the immature cones of <i>Chamaecyparis lawsoniana</i> . <i>Phytochemistry</i> , 2007, 68, 210-217.	2.9	121
128	Antibacterial activity of two canthin-6-one alkaloids from <i>Allium neapolitanum</i> . <i>Phytotherapy Research</i> , 2007, 21, 653-657.	5.8	73
129	Gedunin, a limonoid from <i>Xylocarpus granatum</i> , inhibits the growth of CaCo-2 colon cancer cell line In Vitro. <i>Phytotherapy Research</i> , 2007, 21, 757-761.	5.8	104
130	Quantum Chemical Studies on Structure Activity Relationship of Natural Product Polyacetylenes. <i>Theoretical Chemistry Accounts</i> , 2007, 117, 247-252.	1.4	9
131	The Role of Small Molecule "small Molecule Interactions in Overcoming Biological Barriers for Antibacterial Drug Action. <i>Theoretical Chemistry Accounts</i> , 2007, 117, 231-238.	1.4	11
132	Assessment of the antibacterial activity of phenylethanoid glycosides from <i>Phlomis lanceolata</i> against multiple-drug-resistant strains of <i>Staphylococcus aureus</i> . <i>Journal of Natural Medicines</i> , 2007, 62, 91-95.	2.3	54
133	Isoflavanones from <i>Uria picta</i> and their antimicrobial activity. <i>Phytochemistry</i> , 2007, 68, 1692-1697.	2.9	43
134	The fiftieth anniversary meeting of the Phytochemical Society of Europe: Churchill College, Cambridge, 11-14 April 2007 Highlights in the Evolution of Phytochemistry. <i>Phytochemistry</i> , 2007, 68, 2699-2704.	2.9	5
135	Polyacylated Oligosaccharides from Medicinal Mexican Morning Glory Species as Antibacterials and Inhibitors of Multidrug Resistance in <i>Staphylococcus aureus</i> . <i>Journal of Natural Products</i> , 2006, 69, 406-409.	3.0	99
136	Physalins from <i>Witheringiasolanaceas</i> Modulators of the NF- κ B Cascade. <i>Journal of Natural Products</i> , 2006, 69, 328-331.	3.0	49
137	Antibacterial Galloylated Alkylphloroglucinol Glucosides from Myrtle (<i>Myrtus communis</i>). <i>Journal of Natural Products</i> , 2006, 69, 251-254.	3.0	46
138	Characterization of an insecticidal coumarin from <i>Boenninghausenia albiflora</i> . <i>Phytotherapy Research</i> , 2006, 20, 607-609.	5.8	20
139	F- κ B modulators from <i>Valeriana officinalis</i> . <i>Phytotherapy Research</i> , 2006, 20, 917-919.	5.8	27
140	Antimicrobial constituents of <i>Scrophularia deserti</i> . <i>Phytochemistry</i> , 2006, 67, 1530-1533.	2.9	33
141	Anti-staphylococcal acylphloroglucinols from <i>Hypericum bearii</i> . <i>Phytochemistry</i> , 2006, 67, 2568-2572.	2.9	60
142	Phytochemistry and antimycobacterial activity of <i>Chlorophytum inornatum</i> . <i>Phytochemistry</i> , 2006, 67, 178-182.	2.9	41
143	An antibacterial hydroxy fusidic acid analogue from <i>Acremonium crotocinigenum</i> . <i>Phytochemistry</i> , 2006, 67, 2110-2114.	2.9	12
144	Amanicadol, a Pimarane-type Diterpene from <i>Phlomis amanica</i> Vierch.. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2006, 61, 1433-1436.	0.7	8

#	ARTICLE	IF	CITATIONS
145	In Vitro 12(S)-HETE and Leukotriene Metabolism Inhibitory Activity of Sesquiterpenes of <i>Warburgia ugandensis</i> . <i>Planta Medica</i> , 2006, 72, 754-756.	1.3	9
146	Antibacterial Effects of <i>Hypericum ascyron</i> . and <i>Hypericum japonicum</i> . Against Multidrug-Resistant <i>Staphylococcus aureus</i> .. <i>Pharmaceutical Biology</i> , 2006, 44, 157-159.	2.9	6
147	Bioactive constituents of <i>Artemisia monosperma</i> . <i>Phytochemistry</i> , 2005, 66, 233-239.	2.9	51
148	A furanocoumarin and polymethoxylated flavonoids from the Yucatec Mayan plant <i>Casimiroa tetramera</i> . <i>Phytochemistry</i> , 2005, 66, 649-652.	2.9	20
149	An anti-staphylococcal acylphloroglucinol from <i>Hypericum foliosum</i> . <i>Phytochemistry</i> , 2005, 66, 1472-1475.	2.9	44
150	Sesquiterpenes from <i>Warburgia ugandensis</i> and their antimycobacterial activity. <i>Phytochemistry</i> , 2005, 66, 2309-2315.	2.9	59
151	Antioxidant phenylethanoid glycosides from the rhizomes of <i>Eremostachys glabra</i> (Lamiaceae). <i>Biochemical Systematics and Ecology</i> , 2005, 33, 87-90.	1.3	34
152	Modulation of multi-drug resistance (MDR) in <i>Staphylococcus aureus</i> by <i>Osha</i> (<i>Ligusticum porteri</i> L.,) Tj ETQq0 0 0 rBT /Overlock 10 Tf	2.6	19
153	Plants as a Source of Bacterial Resistance Modulators and Anti-Infective Agents. <i>Phytochemistry Reviews</i> , 2005, 4, 63-78.	6.5	162
154	Naturally derived anti-HIV agents. <i>Phytotherapy Research</i> , 2005, 19, 557-581.	5.8	147
155	Antimalarial compounds from <i>Kniphofia foliosa</i> roots. <i>Phytotherapy Research</i> , 2005, 19, 472-476.	5.8	44
156	Isopimaric acid from <i>Pinus nigra</i> shows activity against multidrug-resistant and EMRSA strains of <i>Staphylococcus aureus</i> . <i>Phytotherapy Research</i> , 2005, 19, 538-542.	5.8	100
157	The antimycobacterial constituents of dill (<i>Anethum graveolens</i>). <i>Phytotherapy Research</i> , 2005, 19, 938-941.	5.8	71
158	Anti-Staphylococcal and Cytotoxic Compounds from <i>Hyptis pectinata</i> . <i>Planta Medica</i> , 2005, 71, 278-280.	1.3	39
159	In vitro 12(S)-HETE inhibitory activities of naphthoquinones isolated from the root bark of <i>Euclea racemosa</i> ssp. <i>schimperi</i> . <i>Journal of Ethnopharmacology</i> , 2005, 102, 191-196.	4.1	17
160	Molecular Similarity of MDR Inhibitors. <i>International Journal of Molecular Sciences</i> , 2004, 5, 37-47.	4.1	12
161	Inhibitory Activity of <i>Juniperus communis</i> 12(S)-HETE Production in Human Platelets. <i>Planta Medica</i> , 2004, 70, 471-474.	1.3	25
162	Catechin Gallates Inhibit Multidrug Resistance (MDR) in <i>Staphylococcus aureus</i> . <i>Planta Medica</i> , 2004, 70, 1240-1242.	1.3	97

#	ARTICLE	IF	CITATIONS
163	The anti-staphylococcal activity of <i>Angelica dahurica</i> (Bai Zhi). <i>Phytochemistry</i> , 2004, 65, 331-335.	2.9	141
164	Antibacterial and resistance modifying activity of. <i>Phytochemistry</i> , 2004, 65, 3249-3254.	2.9	309
165	The antimycobacterial components of hops (<i>Humulus lupulus</i>) and their dereplication. <i>Phytotherapy Research</i> , 2004, 18, 774-776.	5.8	45
166	anti-Staphylococcal Plant Natural Products. <i>ChemInform</i> , 2004, 35, no.	0.0	0
167	Inhibitors of multidrug resistance (MDR) have affinity for MDR substrates. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 881-885.	2.2	41
168	Iridoid Glycosides from <i>Eremostachys glabra</i> . <i>Journal of Natural Products</i> , 2004, 67, 1584-1587.	3.0	66
169	New Constituents of <i>Artemisia monosperma</i> . <i>Journal of Natural Products</i> , 2004, 67, 892-894.	3.0	39
170	Antimycobacterial Coumarins from the Sardinian Giant Fennel (<i>Ferula communis</i>). <i>Journal of Natural Products</i> , 2004, 67, 2108-2110.	3.0	113
171	Anti-staphylococcal plant natural products. <i>Natural Product Reports</i> , 2004, 21, 263.	10.3	407
172	Bacterial resistance modifying agents from <i>Lycopus europaeus</i> . <i>Phytochemistry</i> , 2003, 62, 83-87.	2.9	105
173	Activity of <i>Zanthoxylum clava-herculis</i> extracts against multi-drug resistant methicillin-resistant <i>Staphylococcus aureus</i> (mdr-MRSA). <i>Phytotherapy Research</i> , 2003, 17, 274-275.	5.8	37
174	Cryptolepine hydrochloride: a potent antimycobacterial alkaloid derived from <i>Cryptolepis sanguinolenta</i> . <i>Phytotherapy Research</i> , 2003, 17, 434-436.	5.8	44
175	An overview of plant extracts as potential therapeutics. <i>Expert Opinion on Therapeutic Patents</i> , 2003, 13, 489-497.	5.0	31
176	A novel inhibitor of multidrug efflux pumps in <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2003, 51, 13-17.	3.0	186
177	Ostruthin: An Antimycobacterial Coumarin from the Roots of <i>Peucedanum ostruthium</i> . <i>Planta Medica</i> , 2003, 69, 369-371.	1.3	74
178	Pangelin, an Antimycobacterial Coumarin from <i>Ducrosia anethifolia</i> . <i>Planta Medica</i> , 2003, 69, 956-959.	1.3	42
179	Biflavonoids with Cytotoxic and Antibacterial Activity from <i>Ochna macrocalyx</i> . <i>Planta Medica</i> , 2003, 69, 247-253.	1.3	44
180	The genus <i>Hypericum</i> a valuable resource of anti-Staphylococcal leads. <i>Fä-toterapÄ-t</i> , 2002, 73, 300-304.	2.2	60

#	ARTICLE	IF	CITATIONS
181	Oligomeric Acylphloroglucinols from Myrtle (<i>Myrtus communis</i>). <i>Journal of Natural Products</i> , 2002, 65, 334-338.	3.0	92
182	The effect of reserpine, a modulator of multidrug efflux pumps, on the in vitro activity of tetracycline against clinical isolates of methicillin resistant <i>Staphylococcus aureus</i> (MRSA) possessing the tet(K) determinant. <i>Phytotherapy Research</i> , 2000, 14, 139-140.	5.8	191
183	NMR Spectroscopy, X-ray Crystallographic, and Molecular Modeling Studies on a New Pyranone from <i>Haloxylon salicornicum</i> . <i>Journal of Natural Products</i> , 2000, 63, 839-840.	3.0	12
184	A caffeic acid ester from <i>Halocnemum strobilaceum</i> . <i>Phytochemistry</i> , 1999, 51, 465-467.	2.9	30
185	Clrodane diterpenes from the bark of <i>Casearia tremula</i> . <i>Phytochemistry</i> , 1996, 41, 565-570.	2.9	50
186	Antimicrobial sesquiterpenes from <i>Prostanthera</i> aff. <i>melissifolia</i> and <i>P. rotundifolia</i> . <i>Phytochemistry</i> , 1994, 36, 957-960.	2.9	43
187	D:A-friedo-oleanane triterpenes from the stem bark of <i>Phyllobotryon spathulatum</i> . <i>Phytochemistry</i> , 1993, 34, 273-277.	2.9	14
188	Uva-Ursi Extract and Ibuprofen as Alternative Treatments of Adult Female Uncomplicated Urinary Tract Infection (Atafuti): A Double-Blind, Placebo-Controlled, Factorial Randomised Trial, and Open Pragmatic Trial. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0