Stephen Sutton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7951822/publications.pdf

Version: 2024-02-01

217 papers

10,084 citations

41344 49 h-index 90 g-index

228 all docs

228 docs citations

times ranked

228

11953 citing authors

#	Article	IF	CITATIONS
1	Medication decision-making and adherence in lupus: patient–physician discordance and the impact of previous â€~adverse medical experiences'. Rheumatology, 2022, 61, 1417-1429.	1.9	7
2	The effect of nicotine dependence and withdrawal symptoms on use of nicotine replacement therapy: Secondary analysis of a randomized controlled trial in primary care. Journal of Substance Abuse Treatment, 2022, 132, 108591.	2.8	3
3	Effectiveness of offering tailored text message, selfâ€help smoking cessation support to pregnant women who want information on stopping smoking: MiQuit3 randomised controlled trial and metaâ€analysis. Addiction, 2022, 117, 1079-1094.	3.3	8
4	Telemedicine in rheumatology: a mixed methods study exploring acceptability, preferences and experiences among patients and clinicians. Rheumatology, 2022, 61, 2262-2274.	1.9	45
5	Will †the feeling of abandonment' remain? Persisting impacts of the COVID-19 pandemic on rheumatology patients and clinicians. Rheumatology, 2022, 61, 3723-3736.	1.9	6
6	Patient and practitioner views on a combined face-to-face and digital intervention to support medication adherence in hypertension: a qualitative study within primary care. BMJ Open, 2022, 12, e053183.	1.9	2
7	A systematic review and meta-analysis of studies of reactivity to digital in-the-moment measurement of health behaviour. Health Psychology Review, 2022, 16, 551-575.	8.6	17
8	Characteristics of smartphone-based dietary assessment tools: a systematic review. Health Psychology Review, 2022, 16, 526-550.	8.6	14
9	A Systematic Review and Meta-analysis of Face-to-face Medication Adherence Interventions for Patients with Long Term Health Conditions. Annals of Behavioral Medicine, 2022, , .	2.9	O
10	Effectiveness of Acceptance and Commitment Therapy (ACT) interventions for promoting physical activity: a systematic review and meta-analysis. Health Psychology Review, 2021, 15, 159-184.	8.6	27
11	Acceptability of the Medication Adherence for Patients Support intervention to improve adherence to patients prescribed medications for hypertension or comorbidities, as an adjunct to primary care: A qualitative study. Journal of Health Psychology, 2021, 26, 168-180.	2.3	2
12	â€~But you don't look sick': a qualitative analysis of the LUPUS UK online forum. Rheumatology International, 2021, 41, 721-732.	3.0	12
13	Measuring patient experience of diagnostic care and acceptability of testing. Diagnosis, 2021, 8, 317-321.	1.9	5
14	Effectiveness of Minimal Contact Interventions: An RCT. American Journal of Preventive Medicine, 2021, 60, e111-e121.	3.0	3
15	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. BMJ Open, 2021, 11, e048204.	1.9	6
16	The feasibility of theÂPAM intervention to support treatment-adherence in people with hypertension in primary care: a randomised clinical controlled trial. Scientific Reports, 2021, 11, 8897.	3.3	1
17	Device-assessed total and prolonged sitting time: associations with anxiety, depression, and health-related quality of life in adults. Journal of Affective Disorders, 2021, 287, 107-114.	4.1	17
18	Does selfâ€monitoring diet and physical activity behaviors using digital technology support adults with obesity or overweight to lose weight? A systematic literature review with metaâ€analysis. Obesity Reviews, 2021, 22, e13306.	6.5	36

#	Article	IF	Citations
19	Promoting physical activity in a multi-ethnic population at high risk of diabetes: the 48-month PROPELS randomised controlled trial. BMC Medicine, 2021, 19, 130.	5. 5	14
20	Modelling the Reallocation of Time Spent Sitting into Physical Activity: Isotemporal Substitution vs. Compositional Isotemporal Substitution. International Journal of Environmental Research and Public Health, 2021, 18, 6210.	2.6	8
21	Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. Health Technology Assessment, 2021, 25, 1-72.	2.8	10
22	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. Journal of Clinical Epidemiology, 2021, 139, 130-139.	5.0	13
23	Incorporating a brief intervention for personalised cancer risk assessment to promote behaviour change into primary care: a multi-methods pilot study. BMC Public Health, 2021, 21, 205.	2.9	5
24	The impact of the COVID-19 pandemic on the medical care and health-care behaviour of patients with lupus and other systemic autoimmune diseases: a mixed methods longitudinal study. Rheumatology Advances in Practice, 2021, 5, rkaa072.	0.7	22
25	Preventing Alcohol Use Among Adolescents by Targeting Parents: A Qualitative Study of the Views of Facilitators, Parents, and Teachers on a Universal Prevention Program "Effekt". Journal of Studies on Alcohol and Drugs, 2021, 82, 330-338.	1.0	0
26	Process Evaluation of MAPS: A Highly Tailored Digital Intervention to Support Medication Adherence in Primary Care Setting. Frontiers in Public Health, 2021, 9, 806168.	2.7	1
27	Behavioural interventions to promote physical activity in a multiethnic population at high risk of diabetes: PROPELS three-arm RCT. Health Technology Assessment, 2021, 25, 1-190.	2.8	7
28	Interest in and Use of Smoking Cessation Support Across Pregnancy and Postpartum. Nicotine and Tobacco Research, 2020, 22, 1178-1186.	2.6	18
29	Effect of interventions including provision of personalised cancer risk information on accuracy of risk perception and psychological responses: A systematic review and meta-analysis. Patient Education and Counseling, 2020, 103, 83-95.	2.2	12
30	Improving Primary Care After Stroke (IPCAS) randomised controlled trial: protocol for a multidimensional process evaluation. BMJ Open, 2020, 10, e036879.	1.9	2
31	ls it me? The impact of patient–physician interactions on lupus patients' psychological well-being, cognition and health-care-seeking behaviour. Rheumatology Advances in Practice, 2020, 4, rkaa037.	0.7	28
32	A general method for elicitation, imputation, and sensitivity analysis for incomplete repeated binary data. Statistics in Medicine, 2020, 39, 2921-2935.	1.6	6
33	Assessing the acceptability of a text messaging service and smartphone app to support patient adherence to medications prescribed for high blood pressure: a pilot study. Pilot and Feasibility Studies, 2020, 6, 134.	1.2	7
34	A randomised controlled trial of the effect of providing online risk information and lifestyle advice for the most common preventable cancers. Preventive Medicine, 2020, 138, 106154.	3.4	7
35	Medically explained symptoms: a mixed methods study of diagnostic, symptom and support experiences of patients with lupus and related systemic autoimmune diseases. Rheumatology Advances in Practice, 2020, 4, rkaa006.	0.7	31
36	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial. PLoS Medicine, 2020, 17, e1003046.	8.4	11

3

#	Article	IF	Citations
37	Do mobile device apps designed to support medication adherence demonstrate efficacy? A systematic review of randomised controlled trials, with meta-analysis. BMJ Open, 2020, 10, e032045.	1.9	69
38	A Highly Tailored Text and Voice Messaging Intervention to Improve Medication Adherence in Patients With Either or Both Hypertension and Type 2 Diabetes in a UK Primary Care Setting: Feasibility Randomized Controlled Trial of Clinical Effectiveness. Journal of Medical Internet Research, 2020, 22, e16629.	4.3	21
39	Assessment of the Effectiveness and Cost-Effectiveness of Tailored Web- and Text-Based Smoking Cessation Support in Primary Care (iQuit in Practice II): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17160.	1.0	3
40	A parent-oriented alcohol prevention program "Effekt―had no impact on adolescents' alcohol use: Findings from a cluster-randomized controlled trial in Estonia. Drug and Alcohol Dependence, 2019, 194, 279-287.	3.2	3
41	Evaluating diagnostic strategies for early detection of cancer: the CanTest framework. BMC Cancer, 2019, 19, 586.	2.6	34
42	An exploration of the barriers to attendance at the English Stop Smoking Services. Addictive Behaviors Reports, 2019, 9, 100141.	1.9	10
43	Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. Trials, 2019, 20, 280.	1.6	10
44	Do cognitive heuristics underpin symptom appraisal for symptoms of cancer?: A secondary qualitative analysis across seven cancers. Psycho-Oncology, 2019, 28, 1041-1047.	2.3	16
45	Differences in objectively measured physical activity and sedentary behaviour between white Europeans and south Asians recruited from primary care: cross-sectional analysis of the PROPELS trial. BMC Public Health, 2019, 19, 95.	2.9	24
46	Behavioural analysis of postnatal physical activity in the UK according to the COM-B model: a multi-methods study. BMJ Open, 2019, 9, e028682.	1.9	30
47	Development and piloting of a highly tailored digital intervention to support adherence to antihypertensive medications as an adjunct to primary care consultations. BMJ Open, 2019, 9, e024121.	1.9	18
48	Interactive voice response interventions targeting behaviour change: a systematic literature review with meta-analysis and meta-regression. BMJ Open, 2018, 8, e018974.	1.9	37
49	Costâ€effectiveness of personal tailored risk information and taster sessions to increase the uptake of the NHS stop smoking services: the Start2quit randomized controlled trial. Addiction, 2018, 113, 708-718.	3.3	8
50	Evaluating practical support stroke survivors get with medicines and unmet needs in primary care: a survey. BMJ Open, 2018, 8, e019874.	1.9	11
51	Automated telecommunication interventions to promote adherence to cardio-metabolic medications: meta-analysis of effectiveness and meta-regression of behaviour change techniques. Health Psychology Review, 2018, 12, 25-42.	8.6	71
52	Cost-Effectiveness and Value of Information Analysis of Brief Interventions to Promote Physical Activity in Primary Care. Value in Health, 2018, 21, 18-26.	0.3	17
53	Relapse to smoking and health-related quality of life: Secondary analysis of data from a study of smoking relapse prevention. PLoS ONE, 2018, 13, e0205992.	2.5	9
54	Bias due to MEasurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. Trials, 2018, 19, 653.	1.6	18

#	Article	IF	CITATIONS
55	A randomised controlled trial of the effect of providing online risk information and lifestyle advice for the most common preventable cancers: study protocol. BMC Public Health, 2018, 18, 796.	2.9	5
56	E-cigarette adverts and children's perceptions of tobacco smoking harms: an experimental study and meta-analysis. BMJ Open, 2018, 8, e020247.	1.9	12
57	Uptake of Tailored Text Message Smoking Cessation Support in Pregnancy When Advertised on the Internet (MiQuit): Observational Study. Journal of Medical Internet Research, 2018, 20, e146.	4.3	11
58	Factors influencing the impact of pharmacogenomic prescribing on adherence to nicotine replacement therapy: A qualitative study of participants from a randomized controlled trial. Translational Behavioral Medicine, 2018, 8, 18-28.	2.4	6
59	Effectiveness of personalised risk information and taster sessions to increase the uptake of smoking cessation services (Start2quit): a randomised controlled trial. Lancet, The, 2017, 389, 823-833.	13.7	41
60	Large multi-centre pilot randomized controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). Addiction, 2017, 112, 1238-1249.	3.3	66
61	What do we know about brief interventions for physical activity that could be delivered in primary care consultations? A systematic review of reviews. Preventive Medicine, 2017, 99, 152-163.	3.4	69
62	Cognitive and Behavioral Predictors of Quit Attempts and Biochemically-Validated Abstinence During Pregnancy. Nicotine and Tobacco Research, 2017, 19, 547-554.	2.6	13
63	The TIPPME intervention typology for changing environments to change behaviour. Nature Human Behaviour, 2017, $1,\dots$	12.0	231
64	Barriers and facilitators to adherence to secondary stroke prevention medications after stroke: analysis of survivors and caregivers views from an online stroke forum. BMJ Open, 2017, 7, e016814.	1.9	39
65	Reasons for non-adherence to cardiometabolic medications, and acceptability of an interactive voice response intervention in patients with hypertension and type 2 diabetes in primary care: a qualitative study. BMJ Open, 2017, 7, e015597.	1.9	23
66	Smoking and quit attempts during pregnancy and postpartum: a longitudinal UK cohort. BMJ Open, 2017, 7, e018746.	1.9	58
67	Effect of a mobile app intervention on vegetable consumption in overweight adults: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 125.	4.6	62
68	Start2quit: a randomised clinical controlled trial to evaluate the effectiveness and cost-effectiveness of using personal tailored risk information and taster sessions to increase the uptake of the NHS Stop Smoking Services. Health Technology Assessment, 2017, 21, 1-206.	2.8	11
69	The impact of communicating genetic risks of disease on risk-reducing health behaviour: systematic review with meta-analysis. BMJ, The, 2016, 352, i1102.	6.0	362
70	Effectiveness and cost-effectiveness of a very brief physical activity intervention delivered in NHS Health Checks (VBI Trial): study protocol for a randomised controlled trial. Trials, 2016, 17, 303.	1.6	4
71	Lifestyle Advice Combined with Personalized Estimates of Genetic or Phenotypic Risk of Type 2 Diabetes, and Objectively Measured Physical Activity: A Randomized Controlled Trial. PLoS Medicine, 2016, 13, e1002185.	8.4	55
72	Are brief interventions to increase physical activity cost-effective? A systematic review. British Journal of Sports Medicine, 2016, 50, 408-417.	6.7	74

#	Article	IF	Citations
73	The effect of a brief action planning intervention on adherence to double-blind study medication, compared to a standard trial protocol, in the Atorvastatin in Factorial with Omega EE90 Risk Reduction in Diabetes (AFORRD) clinical trial: A cluster randomised sub-study. Diabetes Research and Clinical Practice, 2016, 120, 56-64.	2.8	12
74	Is the intention–behaviour gap greater amongst the more deprived? A metaâ€analysis of five studies on physical activity, diet, and medication adherence in smoking cessation. British Journal of Health Psychology, 2016, 21, 11-30.	3.5	19
75	Iterative development of Vegethon: a theory-based mobile app intervention to increase vegetable consumption. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 90.	4.6	63
76	A randomised controlled trial of three very brief interventions for physical activity in primary care. BMC Public Health, 2016, 16, 1033.	2.9	81
77	Impact of self-funding on patient experience of oral anticoagulation self-monitoring: a qualitative study. BMJ Open, 2016, 6, e013123.	1.9	2
78	Response Parameters for SMS Text Message Assessments Among Pregnant and General Smokers Participating in SMS Cessation Trials. Nicotine and Tobacco Research, 2016, 18, 1210-1214.	2.6	18
79	Are Nurses and Auxiliary Healthcare Workers Equally Effective in Delivering Smoking Cessation Support in Primary Care?. Nicotine and Tobacco Research, 2016, 18, 1054-1060.	2.6	12
80	Differences in Longer-Term Smoking Abstinence After Treatment by Specialist or Nonspecialist Advisors: Secondary Analysis of Data From a Relapse Prevention Trial. Nicotine and Tobacco Research, 2016, 18, 1061-1066.	2.6	13
81	IDEAS (Integrate, Design, Assess, and Share): A Framework and Toolkit of Strategies for the Development of More Effective Digital Interventions to Change Health Behavior. Journal of Medical Internet Research, 2016, 18, e317.	4.3	256
82	Mobile Technology for Vegetable Consumption: A Randomized Controlled Pilot Study in Overweight Adults. JMIR MHealth and UHealth, 2016, 4, e51.	3.7	54
83	A Context-Sensing Mobile Phone App (Q Sense) for Smoking Cessation: A Mixed-Methods Study. JMIR MHealth and UHealth, 2016, 4, e106.	3.7	143
84	Selfâ€help educational booklets for the prevention of smoking relapse following smoking cessation treatment: a randomized controlled trial. Addiction, 2015, 110, 2006-2014.	3.3	13
85	Adaptation and uptake evaluation of an SMS text message smoking cessation programme (MiQuit) for use in antenatal care. BMJ Open, 2015, 5, e008871.	1.9	16
86	Cohort study of Anticoagulation Self-Monitoring (CASM): a prospective study of its effectiveness in the community. British Journal of General Practice, 2015, 65, e428-e437.	1.4	12
87	PRomotion Of Physical activity through structured Education with differing Levels of ongoing Support for people at high risk of type 2 diabetes (PROPELS): study protocol for a randomized controlled trial. Trials, 2015, 16, 289.	1.6	22
88	Adherence to medication in stroke survivors dependent on caregivers. British Journal of General Practice, 2015, 65, e789-e791.	1.4	9
89	Use and effectiveness of lapse prevention strategies among pregnant smokers. Journal of Health Psychology, 2015, 20, 1427-1433.	2.3	11
90	Computer-tailored smoking cessation advice matched to reading ability: Perceptions of participants from the ESCAPE trial. Patient Education and Counseling, 2015, 98, 1577-1584.	2,2	5

#	Article	IF	Citations
91	Supporting patients to self-monitor their oral anticoagulation therapy: recommendations based on a qualitative study of patients' experiences. British Journal of General Practice, 2015, 65, e438-e446.	1.4	2
92	Lack of attentional retraining effects in cigarette smokers attempting cessation: A proof of concept double-blind randomised controlled trial. Drug and Alcohol Dependence, 2015, 149, 158-165.	3.2	31
93	Pilot study to evaluate a tailored text message intervention for pregnant smokers (MiQuit): study protocol for a randomised controlled trial. Trials, 2015, 16, 29.	1.6	17
94	Protocol for Get Moving: a randomised controlled trial to assess the effectiveness of three minimal contact interventions to promote fitness and physical activity in working adults. BMC Public Health, 2015, 15, 296.	2.9	10
95	Development and feasibility study of very brief interventions for physical activity in primary care. BMC Public Health, 2015, 15, 333.	2.9	67
96	Are predictors of making a quit attempt the same as predictors of 3-month abstinence from smoking? Findings from a sample of smokers recruited for a study of computer-tailored smoking cessation advice in primary care. Addiction, 2015, 110, 1653-1664.	3.3	35
97	Which Behavior Change Techniques are Associated with Changes in Physical Activity, Diet and Body Mass Index in People with Recently Diagnosed Diabetes?. Annals of Behavioral Medicine, 2015, 49, 7-17.	2.9	103
98	A Text-Messaging and Pedometer Program to Promote Physical Activity in People at High Risk of Type 2 Diabetes: The Development of the PROPELS Follow-On Support Program. JMIR MHealth and UHealth, 2015, 3, e105.	3.7	34
99	Effectiveness and economic evaluation of self-help educational materials for the prevention of smoking relapse: randomised controlled trial. Health Technology Assessment, 2015, 19, 1-70.	2.8	13
100	Cost-Effectiveness of Computer-Tailored Smoking Cessation Advice in Primary Care: A Randomized Trial (ESCAPE). Nicotine and Tobacco Research, 2014, 16, 270-278.	2.6	16
101	Longitudinal cohort survey of women's smoking behaviour and attitudes in pregnancy: study methods and baseline data. BMJ Open, 2014, 4, e004915.	1.9	23
102	Psychological impact of family history risk assessment in primary care: a mixed methods study. Family Practice, 2014, 31, 409-418.	1.9	7
103	Understanding perceived risk of type 2 diabetes in healthy middle-aged adults: A cross-sectional study of associations with modelled risk, clinical risk factors, and psychological factors. Diabetes Research and Clinical Practice, 2014, 106, 412-419.	2.8	20
104	One-week recall of health risk information and individual differences in attention to bar charts. Health, Risk and Society, 2014, 16, 136-153.	1.7	9
105	Randomized controlled trial to assess the shortâ€term effectiveness of tailored web†and textâ€based facilitation of smoking cessation in primary care (i <scp>Q</scp> uit in <scp>P</scp> ractice). Addiction, 2014, 109, 1184-1193.	3.3	80
106	A general method for handling missing binary outcome data in randomized controlled trials. Addiction, 2014, 109, 1986-1993.	3.3	21
107	Does Electronic Monitoring Influence Adherence to Medication? Randomized Controlled Trial of Measurement Reactivity. Annals of Behavioral Medicine, 2014, 48, 293-299.	2.9	58
108	Multiple behaviour change intervention and outcomes in recently diagnosed type 2 diabetes: the ADDITION-Plus randomised controlled trial. Diabetologia, 2014, 57, 1308-1319.	6.3	32

#	Article	IF	CITATIONS
109	Study protocol for iQuit in Practice: a randomised controlled trial to assess the feasibility, acceptability and effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care. BMC Public Health, 2013, 13, 324.	2.9	19
110	Adherence to and Consumption of Nicotine Replacement Therapy and the Relationship With Abstinence Within a Smoking Cessation Trial in Primary Care. Nicotine and Tobacco Research, 2013, 15, 1537-1544.	2.6	42
111	Attentional bias retraining in cigarette smokers attempting smoking cessation (ARTS): Study protocol for a double blind randomised controlled trial. BMC Public Health, 2013, 13, 1176.	2.9	10
112	Predictors of change in objectively measured and self-reported health behaviours among individuals with recently diagnosed type 2 diabetes: longitudinal results from the ADDITION-Plus trial cohort. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 118.	4.6	6
113	Delivering Smoking Cessation Support by Mobile Phone Text Message: What Information do Smokers Want? A Focus Group Study. Journal of Applied Biobehavioral Research, 2013, 18, 1-23.	2.0	18
114	Constructing multiplicative measures of beliefs in the theory of planned behaviour. British Journal of Health Psychology, 2013, 18, 122-138.	3.5	8
115	Republished research: Effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. British Journal of Sports Medicine, 2013, 47, 27-27.	6.7	12
116	Attitudes towards SMS text message smoking cessation support: a qualitative study of pregnant smokers. Health Education Research, 2013, 28, 911-922.	1.9	68
117	Dissonance and disengagement in pregnant smokers: a qualitative study. Journal of Smoking Cessation, 2013, 8, 24-32.	1.0	20
118	ESCAPE: a randomised controlled trial of computerâ€ŧailored smoking cessation advice in primary care. Addiction, 2013, 108, 811-819.	3.3	18
119	Development and evaluation of a brief self-completed family history screening tool for common chronic disease prevention in primary care. British Journal of General Practice, 2013, 63, e393-e400.	1.4	24
120	Impact of Personalised Feedback about Physical Activity on Change in Objectively Measured Physical Activity (the FAB Study): A Randomised Controlled Trial. PLoS ONE, 2013, 8, e75398.	2.5	21
121	Effectiveness of physical activity promotion based in primary care: systematic review and meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2012, 344, e1389-e1389.	2.3	512
122	Randomized Controlled Trial Evaluation of a Tailored Leaflet and SMS Text Message Self-help Intervention for Pregnant Smokers (MiQuit). Nicotine and Tobacco Research, 2012, 14, 569-577.	2.6	126
123	Factors predicting recruitment to a UK wide primary care smoking cessation study (the ESCAPE trial). Family Practice, 2012, 29, 110-117.	1.9	28
124	Effectiveness of webâ€based tailored smoking cessation advice reports (i <scp>Q</scp> uit): a randomized trial. Addiction, 2012, 107, 2183-2190.	3.3	33
125	Predictors of suboptimal glycaemic control in type 2 diabetes patients: The role of medication adherence and body mass index in the relationship between glycaemia and age. Diabetes Research and Clinical Practice, 2012, 96, 119-128.	2.8	30
126	An explanatory randomised controlled trial of a nurse-led, consultation-based intervention to support patients with adherence to taking glucose lowering medication for type 2 diabetes. BMC Family Practice, 2012, 13, 30.	2.9	49

#	Article	IF	Citations
127	Effect of communicating genetic and phenotypic risk for type 2 diabetes in combination with lifestyle advice on objectively measured physical activity: protocol of a randomised controlled trial. BMC Public Health, 2012, 12, 444.	2.9	20
128	Self-help materials for the prevention of smoking relapse: study protocol for a randomized controlled trial. Trials, 2012, 13, 69.	1.6	9
129	An exploration of the missing data mechanism in an Internet based smoking cessation trial. BMC Medical Research Methodology, 2012, 12, 157.	3.1	12
130	Evaluating the effectiveness of using personal tailored risk information and taster sessions to increase the uptake of smoking cessation services: study protocol for a randomised controlled trial. Trials, 2012, 13, 195.	1.6	8
131	Effect on Adherence to Nicotine Replacement Therapy of Informing Smokers Their Dose Is Determined by Their Genotype: A Randomised Controlled Trial. PLoS ONE, 2012, 7, e35249.	2.5	36
132	Delivering Tailored Smoking Cessation Support via Mobile Phone Text Messaging: A Feasibility and Acceptability Evaluation of the Quittext Program. Journal of Applied Biobehavioral Research, 2012, 17, 38-58.	2.0	7
133	Theory of planned behaviour cognitions do not predict self-reported or objective physical activity levels or change in the ProActive trial. British Journal of Health Psychology, 2011, 16, 135-150.	3.5	34
134	Psychometric Properties of the Processes of Change Scale for Smoking Cessation in UK Adolescents. International Journal of Behavioral Medicine, 2011, 18, 71-78.	1.7	4
135	Protocol for the ADDITION-Plus study: a randomised controlled trial of an individually-tailored behaviour change intervention among people with recently diagnosed type 2 diabetes under intensive UK general practice care. BMC Public Health, 2011, 11, 211.	2.9	21
136	Do increases in physical activity encourage positive beliefs about further change in the ProActive cohort? Psychology and Health, 2011, 26, 899-914.	2.2	4
137	Impact on Decisions to Start or Continue Medicines of Providing Information to Patients about Possible Benefits and/or Harms. Medical Decision Making, 2011, 31, 767-777.	2.4	7
138	The contribution of behavioural science to primary care research: development and evaluation of behaviour change interventions. Primary Health Care Research and Development, 2011, 12, 284-292.	1.2	13
139	Using computer-tailored smoking-cessation advice in community pharmacy: A feasibility study. International Journal of Pharmacy Practice, 2010, 17, 365-368.	0.6	3
140	Reactivity of measurement in health psychology: How much of a problem is it? What can be done about it?. British Journal of Health Psychology, 2010, 15, 453-468.	3.5	162
141	Randomised controlled trial of the effects of physical activity feedback on awareness and behaviourin UK adults: the FAB study protocol [ISRCTN92551397]. BMC Public Health, 2010, 10, 144.	2.9	18
142	Who will increase their physical activity? Predictors of change in objectively measured physical activity over 12 months in the ProActive cohort. BMC Public Health, 2010, 10, 226.	2.9	16
143	Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. BMC Public Health, 2010, 10, 680.	2.9	20
144	Impact of informed-choice invitations on diabetes screening knowledge, attitude and intentions: an analogue study. BMC Public Health, 2010, 10, 768.	2.9	8

#	Article	IF	CITATIONS
145	Commentary on Collins <i>etâ€∫al</i> . (2010): Why readiness to change may not predict behaviour. Addiction, 2010, 105, 1910-1911.	3.3	1
146	Mediation of Personality Influences on Physical Activity within the Theory of Planned Behaviour. Journal of Health Psychology, 2010, 15, 1170-1180.	2.3	31
147	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): randomised trial. BMJ: British Medical Journal, 2010, 340, c2138-c2138.	2.3	44
148	Overestimation of physical activity level is associated with lower BMI: a cross-sectional analysis. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 68.	4.6	73
149	Effects of communicating DNA-based disease risk estimates on risk-reducing behaviours. The Cochrane Library, 2010, , CD007275.	2.8	192
150	Are people with negative diabetes screening tests falsely reassured? Parallel group cohort study embedded in the ADDITION (Cambridge) randomised controlled trial. BMJ: British Medical Journal, 2009, 339, b4535-b4535.	2.3	35
151	Assessing Unrealistic Optimism. Journal of Health Psychology, 2009, 14, 372-377.	2.3	13
152	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): trial protocol. BMC Public Health, 2009, 9, 63.	2.9	10
153	The Factor Structure and Factorial Invariance for the Decisional Balance Scale for Adolescent Smoking. International Journal of Behavioral Medicine, 2009, 16, 158-163.	1.7	18
154	Do the Transtheoretical Model processes of change, decisional balance and temptation predict stage movement? Evidence from smoking cessation in adolescents. Addiction, 2009, 104, 828-838.	3.3	19
155	"Some of These Words I Can't Pronounceâ€. A Qualitative Exploration of the Readability of Generic and Tailored Selfâ€help Material for Quitting Smoking. Journal of Applied Biobehavioral Research, 2009, 14, 1-14.	2.0	3
156	Perception of Computerâ€tailored Feedback for Smoking Cessation: Qualitative Findings from Focus Groups. Journal of Applied Biobehavioral Research, 2009, 14, 15-29.	2.0	1
157	Completing a postal health questionnaire did not affect anxiety or related measures: randomized controlled trial. Journal of Clinical Epidemiology, 2009, 62, 74-80.	5.0	5
158	Impact of a physical activity intervention program on cognitive predictors of behaviour among adults at risk of Type 2 diabetes (ProActive randomised controlled trial). International Journal of Behavioral Nutrition and Physical Activity, 2009, 6, 16.	4.6	40
159	Using Latent Class and Latent Transition Analysis to Examine the Transtheoretical Model Staging Algorithm and Sequential Stage Transition in Adolescent Smoking. Substance Use and Misuse, 2009, 44, 2028-2042.	1.4	23
160	Using computer-tailored smoking-cessation advice in community pharmacy: a feasibility study. International Journal of Pharmacy Practice, 2009, 17, 365-368.	0.6	0
161	Evaluation of an informed choice invitation for type 2 diabetes screening. Patient Education and Counseling, 2008, 72, 232-238.	2.2	25
162	Protocol for SAMS (Support and Advice for Medication Study): A randomised controlled trial of an intervention to support patients with type 2 diabetes with adherence to medication. BMC Family Practice, 2008, 9, 20.	2.9	19

#	Article	IF	CITATIONS
163	Effectiveness of computer-tailored Smoking Cessation Advice in Primary Care (ESCAPE): a Randomised Trial. Trials, 2008, 9, 23.	1.6	19
164	Self-help smoking cessation interventions in pregnancy: a systematic review and meta-analysis. Addiction, 2008, 103, 566-579.	3.3	57
165	Efficacy of a theory-based behavioural intervention to increase physical activity in an at-risk group in primary care (ProActive UK): a randomised trial. Lancet, The, 2008, 371, 41-48.	13.7	172
166	Testing the convergent and discriminant validity of the Decisional Balance Scale of the Transtheoretical Model using the Multi-Trait Multi-Method approach Psychology of Addictive Behaviors, 2008, 22, 288-294.	2.1	34
167	Perceptions of absolute versus relative differences between personal and comparison health risk Health Psychology, 2008, 27, 87-92.	1.6	15
168	Assessing the feasibility of proactive recruitment of smokers to an intervention in general practice for smoking cessation using computer-tailored feedback reports. Family Practice, 2007, 24, 395-400.	1.9	20
169	Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 486.	2.3	119
170	What Do People Think about When They Answer Theory of Planned Behaviour Questionnaires?. Journal of Health Psychology, 2007, 12, 672-687.	2.3	89
171	Allowing for correlations between correlations in random-effects meta-analysis of correlation matrices Psychological Methods, 2007, 12, 434-450.	3. 5	11
172	Planning to change diet: A controlled trial of an implementation intentions training intervention to reduce saturated fat intake among patients after myocardial infarction. Journal of Psychosomatic Research, 2007, 63, 491-497.	2.6	48
173	Effectiveness of individually tailored smoking cessation advice letters as an adjunct to telephone counselling and generic self-help materials: randomized controlled trial. Addiction, 2007, 102, 994-1000.	3.3	48
174	Study comparing two types of screening provision for people with von Hippel-Lindau disease. Familial Cancer, 2007, 6, 103-111.	1.9	6
175	Evaluating the effectiveness of proactive telephone counselling for smoking cessation in a randomized controlled trial. Addiction, 2006, 101, 590-598.	3.3	54
176	NEEDED: MORE MATCH-MISMATCH STUDIES OF WELL-SPECIFIED STAGE THEORIES. A COMMENTARY ON DIJKSTRAETâ€∱AL. (2006). Addiction, 2006, 101, 915-915.	3.3	5
177	Personal and Social Comparison Information about Health Risk. Journal of Health Psychology, 2006, 11, 497-510.	2.3	15
178	Perceived difficulty in the theory of planned behaviour: Perceived behavioural control or affective attitude? British Journal of Social Psychology, 2005, 44, 479-496.	2.8	267
179	ANOTHER NAIL IN THE COFFIN OF THE TRANSTHEORETICAL MODEL? A COMMENT ON WEST (2005). Addiction, 2005, 100, 1043-1046.	3.3	22
180	The Importance of Affective Beliefs and Attitudes in the Theory of Planned Behavior: Predicting Intention to Increase Physical Activity1. Journal of Applied Social Psychology, 2005, 35, 1824-1848.	2.0	169

#	Article	IF	CITATIONS
181	Sociodemographic and attitudinal correlates of cervical screening uptake in a national sample of women in Britain. Social Science and Medicine, 2005, 61, 2460-2465.	3.8	70
182	Are Techniques Used in Cognitive Behaviour Therapy Applicable to Behaviour Change Interventions Based on the Theory of Planned Behaviour?. Journal of Health Psychology, 2005, 10, 7-18.	2.3	45
183	A causal modelling approach to the development of theory-based behaviour change programmes for trial evaluation. Health Education Research, 2005, 20, 676-687.	1.9	240
184	Psychological Impact of Genetic Counseling for Familial Cancer: A Systematic Review and Meta-analysis. Journal of the National Cancer Institute, 2004, 96, 122-133.	6.3	168
185	The ProActivetrial protocol – a randomised controlled trial of the efficacy of a family-based, domiciliary intervention programme to increase physical activity among individuals at high risk of diabetes [ISRCTN61323766]. BMC Public Health, 2004, 4, 48.	2.9	61
186	Eliciting salient beliefs in research on the theory of planned behaviour: The effect of question wording. Current Psychology, 2003, 22, 234-251.	0.4	116
187	Testing attitude-behaviour theories using non-experimental data: An examination of some hidden assumptions. European Review of Social Psychology, 2003, 13, 293-323.	9.4	38
188	Using the Internet to conduct surveys of health professionals: a valid alternative?. Family Practice, 2003, 20, 545-551.	1.9	392
189	Psychological impact of colorectal cancer screening Health Psychology, 2003, 22, 54-59.	1.6	43
190	Increasing attendance at colorectal cancer screening: Testing the efficacy of a mailed, psychoeducational intervention in a community sample of older adults Health Psychology, 2003, 22, 99-105.	1.6	113
191	Increasing attendance at colorectal cancer screening: Testing the efficacy of a mailed, psychoeducational intervention in a community sample of older adults Health Psychology, 2003, 22, 99-105.	1.6	62
192	Intention to Participate in Predictive Genetic Testing for Hereditary Cancer: The Role of Attitude toward Uncertainty. Psychology and Health, 2002, 17, 761-772.	2.2	64
193	Internet-based risk assessment and decision support for the management of familial cancer in primary care: a survey of GPs' attitudes and intentions. Family Practice, 2002, 19, 587-590.	1.9	32
194	Influencing optimism in smokers by giving information about the average smoker. Risk, Decision and Policy, 2002, 7, 165-174.	0.1	17
195	No news is (not necessarily) good news: Impact of preliminary results for BRCA1 mutation searches. Genetics in Medicine, 2002, 4, 353-358.	2.4	34
196	Factors Associated with Breast Cancer Risk Perception and Psychological Distress in a Representative Sample of Middle-aged Finnish Women. Anxiety, Stress and Coping, 2002, 15, 61-73.	2.9	13
197	Assessing â€~stage of change' in current and former smokers. Addiction, 2002, 97, 1171-1182.	3.3	101
198	Transtheoretical model of behaviour change. , 2001, , 228-232.		6

#	Article	IF	Citations
199	Back to the drawing board? A review of applications of the transtheoretical model to substance use. Addiction, 2001, 96, 175-186.	3.3	324
200	Declining the offer of flexible sigmoidoscopy screening for bowel cancer:. Social Science and Medicine, 2001, 53, 679-691.	3.8	80
201	Single blind, randomised trial of efficacy and acceptability of oral Picolax versus self administered phosphate enema in bowel preparation for flexible sigmoidoscopy screening Commentary: participants should have been told they were being randomised Commentary: opportunity for patient partnership was lost. BMI: British Medical Journal. 2000. 320. 1504-1509.	2.3	47
202	Psychosocial Influences on Older Adults' Interest in Participating in Bowel Cancer Screening. Preventive Medicine, 2000, 31, 323-334.	3.4	153
203	Interpreting cross-sectional data on stages of change. Psychology and Health, 2000, 15, 163-171.	2.2	106
204	A comparative test of the theory of reasoned action and the theory of planned behavior in the prediction of condom use intentions in a national sample of English young people Health Psychology, 1999, 18, 72-81.	1.6	111
205	Predicting and Explaining Intentions and Behavior: How Well Are We Doing?. Journal of Applied Social Psychology, 1998, 28, 1317-1338.	2.0	776
206	Predicting intentions and use of dental floss among adolescents: An application of the theory of planned behaviour. Psychology and Health, 1998, 13, 223-236.	2.2	50
207	Can †stages of change†provide guidance in the treatment of addictions? A critical examination of Prochaska and DiClemente's model. , 1996, , 189-205.		75
208	Further support for the stages of change model?. Addiction, 1996, 91, 1287-1289.	3.3	19
209	Anxiety and selfâ€esteem as a function of abstinence time among recovering addicts attending Narcotics Anonymous. British Journal of Clinical Psychology, 1994, 33, 198-200.	3.5	57
210	Is wearing clothes a high risk situation for relapse? The base rate problem in relapse research. Addiction, 1993, 88, 725-727.	3.3	10
211	Shock tactics and the myth of the inverted U. Addiction, 1992, 87, 517-519.	3.3	36
212	Microanalysis of Smokers' Beliefs about the Consequences of Quitting: Results from a Large Population Sample1. Journal of Applied Social Psychology, 1990, 20, 1847-1862.	2.0	30
213	Understanding Seat-Belt Intentions and Behavior: A Decision-Making Approach1. Journal of Applied Social Psychology, 1989, 19, 1310-1325.	2.0	26
214	Understanding the effects of fear-arousing communications: The role of cognitive factors and amount of fear aroused. Journal of Behavioral Medicine, 1988, 11, 353-360.	2.1	24
215	Smoking intervention in the workplace using videotapes and nicotine chewing gum. Preventive Medicine, 1988, 17, 48-59.	3.4	42
216	Behavior In The Complex Environment by S. Streufert and S. C. Streufert. Washington D.C.Winston & Sons. 1978 Behavioural Psychotherapy, 1980, 8, 22-22.	0.5	0

ARTICLE IF CITATIONS
217 Planning Research: Design, Sample, Measures., 0,, 83-103. 2