

# Monica Garcia-Alloza

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7952006/publications.pdf>

Version: 2024-02-01

69  
papers

6,225  
citations

125106

35  
h-index

111975

67  
g-index

71  
all docs

71  
docs citations

71  
times ranked

9628  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Rapid appearance and local toxicity of amyloid- $\beta^2$ plaques in a mouse model of Alzheimer's disease. <i>Nature</i> , 2008, 451, 720-724.  | 13.7 | 916       |
| 2  | Oligomeric amyloid $\beta^2$ associates with postsynaptic densities and correlates with excitatory synapse loss near senile plaques. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4012-4017.       | 3.3  | 734       |
| 3  | Characterization of amyloid deposition in the APP <sup>swe</sup> /PS1 <sup>dE9</sup> mouse model of Alzheimer disease. <i>Neurobiology of Disease</i> , 2006, 24, 516-524.  | 2.1  | 633       |
| 4  | Curcumin labels amyloid pathology in vivo, disrupts existing plaques, and partially restores distorted neurites in an Alzheimer mouse model. <i>Journal of Neurochemistry</i> , 2007, 102, 1095-1104.   | 2.1  | 591       |
| 5  | Increased mitochondrial calcium levels associated with neuronal death in a mouse model of Alzheimer's disease. <i>Nature Communications</i> , 2020, 11, 2146.   | 5.8  | 219       |
| 6  | Cholinergic-serotonergic imbalance contributes to cognitive and behavioral symptoms in Alzheimer's disease. <i>Neuropsychologia</i> , 2005, 43, 442-449.  | 0.7  | 193       |
| 7  | Age-dependent cerebrovascular dysfunction in a transgenic mouse model of cerebral amyloid angiopathy. <i>Brain</i> , 2007, 130, 2310-2319.  | 3.7  | 164       |
| 8  | Cerebrovascular lesions induce transient A-amyloid deposition. <i>Brain</i> , 2011, 134, 3697-3707.   | 3.7  | 156       |
| 9  | Rapid Microglial Response Around Amyloid Pathology after Systemic Anti- $\beta^2$ Antibody Administration in PDAPP Mice. <i>Journal of Neuroscience</i> , 2008, 28, 14156-14164.  | 1.7  | 136       |
| 10 | Differential Involvement of 5-HT <sub>1B/1D</sub> and 5-HT <sub>6</sub> Receptors in Cognitive and Non-cognitive Symptoms in Alzheimer's Disease. <i>Neuropsychopharmacology</i> , 2004, 29, 410-416.   | 2.8  | 128       |
| 11 | Differential central pathology and cognitive impairment in pre-diabetic and diabetic mice. <i>Psychoneuroendocrinology</i> , 2013, 38, 2462-2475.   | 1.3  | 118       |
| 12 | Lack of localization of 5-HT <sub>6</sub> receptors on cholinergic neurons: implication of multiple neurotransmitter systems in 5-HT <sub>6</sub> receptor-mediated acetylcholine release. <i>European Journal of Neuroscience</i> , 2006, 24, 1299-1306. | 1.2  | 110       |
| 13 | Detection of isolated cerebrovascular $\beta^2$ -amyloid with pittsburgh compound B. <i>Annals of Neurology</i> , 2008, 64, 587-591.  | 2.8  | 91        |
| 14 | Rapid $\beta^2$ -Amyloid Deposition and Cognitive Impairment After Cholinergic Denervation in APP/PS1 Mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2013, 72, 272-285.  | 0.9  | 91        |
| 15 | Plaque-Derived Oxidative Stress Mediates Distorted Neurite Trajectories in the Alzheimer Mouse Model. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 1082-1089.  | 0.9  | 85        |
| 16 | Central Proliferation and Neurogenesis Is Impaired in Type 2 Diabetes and Prediabetes Animal Models. <i>PLoS ONE</i> , 2014, 9, e89229.   | 1.1  | 85        |
| 17 | Increased $\beta^2$ production prompts the onset of glucose intolerance and insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E1373-E1380.  | 1.8  | 81        |
| 18 | Human tau increases amyloid $\beta^2$ plaque size but not amyloid $\beta^2$ -mediated synapse loss in a novel mouse model of Alzheimer's disease. <i>European Journal of Neuroscience</i> , 2016, 44, 3056-3066.  | 1.2  | 81        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Empagliflozin reduces vascular damage and cognitive impairment in a mixed murine model of Alzheimer's disease and type 2 diabetes. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 40.                                      | 3.0 | 77        |
| 20 | Kinetics of Cerebral Amyloid Angiopathy Progression in a Transgenic Mouse Model of Alzheimer Disease. <i>Journal of Neuroscience</i> , 2006, 26, 365-371.   | 1.7 | 69        |
| 21 | Evaluation of cholinergic markers in Alzheimer's disease and in a model of cholinergic deficit. <i>Neuroscience Letters</i> , 2005, 375, 37-41.   | 1.0 | 64        |
| 22 | Matrix metalloproteinase inhibition reduces oxidative stress associated with cerebral amyloid angiopathy <i>in vivo</i> in transgenic mice. <i>Journal of Neurochemistry</i> , 2009, 109, 1636-1647.                            | 2.1 | 63        |
| 23 | Central vascular disease and exacerbated pathology in a mixed model of type 2 diabetes and Alzheimer's disease. <i>Psychoneuroendocrinology</i> , 2015, 62, 69-79.  | 1.3 | 57        |
| 24 | Involvement of the GABAergic system in depressive symptoms of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 1110-1117.  | 1.5 | 56        |
| 25 | Existing plaques and neuritic abnormalities in APP:PS1 mice are not affected by administration of the gamma-secretase inhibitor LY-411575. <i>Molecular Neurodegeneration</i> , 2009, 4, 19.                                    | 4.4 | 56        |
| 26 | Antibody-Mediated Clearance of Amyloid- $\beta$ Peptide from Cerebral Amyloid Angiopathy Revealed by Quantitative In Vivo Imaging. <i>Journal of Neuroscience</i> , 2007, 27, 1973-1980.  | 1.7 | 55        |
| 27 | Progression of Cerebral Amyloid Angiopathy in Transgenic Mouse Models of Alzheimer Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2005, 64, 588-594.  | 0.9 | 54        |
| 28 | Prediabetes-induced vascular alterations exacerbate central pathology in APP <sup>swe</sup> /PS1 <sup>dE9</sup> mice. <i>Psychoneuroendocrinology</i> , 2014, 48, 123-135.  | 1.3 | 54        |
| 29 | Progressive Neuronal Pathology and Synaptic Loss Induced by Prediabetes and Type 2 Diabetes in a Mouse Model of Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017, 54, 3428-3438.                                       | 1.9 | 50        |
| 30 | Long-term central pathology and cognitive impairment are exacerbated in a mixed model of Alzheimer's disease and type 2 diabetes. <i>Psychoneuroendocrinology</i> , 2016, 65, 15-25.  | 1.3 | 49        |
| 31 | Triflusal reduces dense-core plaque load, associated axonal alterations and inflammatory changes, and rescues cognition in a transgenic mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2010, 38, 482-491. | 2.1 | 44        |
| 32 | A limited role for microglia in antibody mediated plaque clearance in APP mice. <i>Neurobiology of Disease</i> , 2007, 28, 286-292.   | 2.1 | 40        |
| 33 | Involvement of an Altered 5-HT <sub>6</sub> Receptor Function in Behavioral Symptoms of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2008, 14, 43-50.   | 1.2 | 39        |
| 34 | Alzheimer's Disease and Diabetes: Role of Diet, Microbiota and Inflammation in Preclinical Models. <i>Biomolecules</i> , 2021, 11, 262.   | 1.8 | 39        |
| 35 | Altered NCAM Expression Associated with the Cholinergic System in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 659-668.   | 1.2 | 38        |
| 36 | Specific Serotonergic Denervation Affects tau Pathology and Cognition without Altering Senile Plaques Deposition in APP/PS1 Mice. <i>PLoS ONE</i> , 2013, 8, e79947.  | 1.1 | 38        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Long-Term Mangiferin Extract Treatment Improves Central Pathology and Cognitive Deficits in APP/PS1 Mice. <i>Molecular Neurobiology</i> , 2017, 54, 4696-4704.                                   | 1.9 | 36        |
| 38 | Effect of Selective Cholinergic Denervation on the Serotonergic System: Implications for Learning and Memory. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 1074-1081. | 0.9 | 35        |
| 39 | GABAA receptor antagonists enhance cortical acetylcholine release induced by 5-HT3 receptor blockade in freely moving rats. <i>Brain Research</i> , 2002, 956, 81-85.                            | 1.1 | 34        |
| 40 | Common pathways in dementia and diabetic retinopathy: understanding the mechanisms of diabetes-related cognitive decline. <i>Trends in Endocrinology and Metabolism</i> , 2022, 33, 50-71.       | 3.1 | 34        |
| 41 | Antioxidants have a rapid and long-lasting effect on neuritic abnormalities in APP:PS1 mice. <i>Neurobiology of Aging</i> , 2010, 31, 2058-2068.   | 1.5 | 32        |
| 42 | Increased Spontaneous Central Bleeding and Cognition Impairment in APP/PS1 Mice with Poorly Controlled Diabetes Mellitus. <i>Molecular Neurobiology</i> , 2016, 53, 2685-2697.                   | 1.9 | 32        |
| 43 | Low-voltage pattern and absence of sleep-wake cycles are associated with severe hemorrhage and death in very preterm infants. <i>European Journal of Pediatrics</i> , 2015, 174, 85-90.          | 1.3 | 31        |
| 44 | Mango leaf extract improves central pathology and cognitive impairment in a type 2 diabetes mouse model. <i>Brain Pathology</i> , 2017, 27, 499-507.   | 2.1 | 30        |
| 45 | Antidiabetic Polypill Improves Central Pathology and Cognitive Impairment in a Mixed Model of Alzheimer's Disease and Type 2 Diabetes. <i>Molecular Neurobiology</i> , 2018, 55, 6130-6144.      | 1.9 | 30        |
| 46 | In Vivo Imaging of Microglia With Multiphoton Microscopy. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 218.  | 1.7 | 29        |
| 47 | Amyloid beta and diabetic pathology cooperatively stimulate cytokine expression in an Alzheimer's mouse model. <i>Journal of Neuroinflammation</i> , 2020, 17, 38.                               | 3.1 | 29        |
| 48 | Techniques for Brain Imaging In Vivo. <i>NeuroMolecular Medicine</i> , 2005, 6, 065-078.   | 1.8 | 28        |
| 49 | Germinal Matrix-Intraventricular Hemorrhage of the Preterm Newborn and Preclinical Models: Inflammatory Considerations. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8343.     | 1.8 | 27        |
| 50 | Selective effects of the APOE $\epsilon$ 4 allele on presynaptic cholinergic markers in the neocortex of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2006, 22, 555-561.                | 2.1 | 26        |
| 51 | Flumazenil and tacrine increase the effectiveness of ondansetron on scopolamine-induced impairment of spatial learning in rats. <i>Psychopharmacology</i> , 2003, 169, 35-41.                    | 1.5 | 24        |
| 52 | Review of the Effect of Natural Compounds and Extracts on Neurodegeneration in Animal Models of Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2533.          | 1.8 | 24        |
| 53 | Cognitive Impairment and Brain and Peripheral Alterations in a Murine Model of Intraventricular Hemorrhage in the Preterm Newborn. <i>Molecular Neurobiology</i> , 2018, 55, 4896-4910.          | 1.9 | 19        |
| 54 | Role of liraglutide in Alzheimer's disease pathology. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 112.   | 3.0 | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Facilitation of cholinergic transmission by combined treatment of ondansetron with flumazenil after cortical cholinergic deafferentation. <i>Neuropharmacology</i> , 2004, 47, 225-232.                        | 2.0 | 17        |
| 56 | Intranasal insulin reverts central pathology and cognitive impairment in diabetic mother offspring. <i>Molecular Neurodegeneration</i> , 2017, 12, 57.   | 4.4 | 17        |
| 57 | A novel PKC activating molecule promotes neuroblast differentiation and delivery of newborn neurons in brain injuries. <i>Cell Death and Disease</i> , 2020, 11, 262.  | 2.7 | 17        |
| 58 | Liraglutide Reduces Vascular Damage, Neuronal Loss, and Cognitive Impairment in a Mixed Murine Model of Alzheimer's Disease and Type 2 Diabetes. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 741923.    | 1.7 | 17        |
| 59 | Transcriptional correlates of the pathological phenotype in a Huntington's disease mouse model. <i>Scientific Reports</i> , 2019, 9, 18696.  | 1.6 | 16        |
| 60 | Erythropoietin Improves Atrophy, Bleeding and Cognition in the Newborn Intraventricular Hemorrhage. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 571258.                                      | 1.8 | 13        |
| 61 | Effects of classical PKC activation on hippocampal neurogenesis and cognitive performance: mechanism of action. <i>Neuropsychopharmacology</i> , 2021, 46, 1207-1219.  | 2.8 | 13        |
| 62 | Cell proliferation and neurogenesis alterations in Alzheimer's disease and diabetes mellitus mixed murine models. <i>Journal of Neurochemistry</i> , 2020, 154, 673-692.                                       | 2.1 | 11        |
| 63 | Reducing Available Soluble $\beta$ -Amyloid Prevents Progression of Cerebral Amyloid Angiopathy in Transgenic Mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2012, 71, 1009-1017.         | 0.9 | 9         |
| 64 | Four-dimensional microglia response to anti- $\beta$ treatment in APP/PS1xCX3CR1/GFP mice. <i>Intravital</i> , 2013, 2, e25693.  | 2.0 | 7         |
| 65 | Altered plasma-type gelsolin and amyloid- $\beta$ in neonates with hypoxic-ischaemic encephalopathy under therapeutic hypothermia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1349-1354. | 2.4 | 6         |
| 66 | Mitochondria-ER contacts and glucose: the powerhouse of Alzheimer's disease?. <i>Cell Calcium</i> , 2021, 97, 102434.  | 1.1 | 2         |
| 67 | Prediabetes and type 2 diabetes implication in central proliferation and neurogenesis. <i>Neural Regeneration Research</i> , 2015, 10, 28.   | 1.6 | 2         |
| 68 | Effect of passive immunotherapy on the rate of progression of cerebral amyloid angiopathy (caa) in transgenic mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007, 66, 434-435.           | 0.9 | 0         |
| 69 | EFFECT OF PASSIVE IMMUNOTHERAPY ON THE RATE OF PROGRESSION OF CEREBRAL AMYLOID ANGIOPATHY (CAA) IN TRANSGENIC MICE. <i>FASEB Journal</i> , 2007, 21, A73.  | 0.2 | 0         |