

# Monica Garcia-Alloza

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7952006/publications.pdf>

Version: 2024-02-01

69  
papers

6,225  
citations

125106

35  
h-index

111975

67  
g-index

71  
all docs

71  
docs citations

71  
times ranked

9628  
citing authors

#	ARTICLE	IF	CITATIONS
1	Common pathways in dementia and diabetic retinopathy: understanding the mechanisms of diabetes-related cognitive decline. <i>Trends in Endocrinology and Metabolism</i> , 2022, 33, 50-71.	3.1	34
2	Effects of classical PKC activation on hippocampal neurogenesis and cognitive performance: mechanism of action. <i>Neuropsychopharmacology</i> , 2021, 46, 1207-1219.	2.8	13
3	Alzheimer's Disease and Diabetes: Role of Diet, Microbiota and Inflammation in Preclinical Models. <i>Biomolecules</i> , 2021, 11, 262.	1.8	39
4	Role of liraglutide in Alzheimer's disease pathology. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 112.	3.0	18
5	Mitochondria-ER contacts and glucose: the powerhouse of Alzheimer's disease?. <i>Cell Calcium</i> , 2021, 97, 102434.	1.1	2
6	Liraglutide Reduces Vascular Damage, Neuronal Loss, and Cognitive Impairment in a Mixed Murine Model of Alzheimer's Disease and Type 2 Diabetes. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 741923.	1.7	17
7	Erythropoietin Improves Atrophy, Bleeding and Cognition in the Newborn Intraventricular Hemorrhage. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 571258.	1.8	13
8	Germinal Matrix-Intraventricular Hemorrhage of the Preterm Newborn and Preclinical Models: Inflammatory Considerations. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8343.	1.8	27
9	Increased mitochondrial calcium levels associated with neuronal death in a mouse model of Alzheimer's disease. <i>Nature Communications</i> , 2020, 11, 2146.	5.8	219
10	Cell proliferation and neurogenesis alterations in Alzheimer's disease and diabetes mellitus mixed murine models. <i>Journal of Neurochemistry</i> , 2020, 154, 673-692.	2.1	11
11	A novel PKC activating molecule promotes neuroblast differentiation and delivery of newborn neurons in brain injuries. <i>Cell Death and Disease</i> , 2020, 11, 262.	2.7	17
12	Empagliflozin reduces vascular damage and cognitive impairment in a mixed murine model of Alzheimer's disease and type 2 diabetes. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 40.	3.0	77
13	Amyloid beta and diabetic pathology cooperatively stimulate cytokine expression in an Alzheimer's mouse model. <i>Journal of Neuroinflammation</i> , 2020, 17, 38.	3.1	29
14	Review of the Effect of Natural Compounds and Extracts on Neurodegeneration in Animal Models of Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2533.	1.8	24
15	Transcriptional correlates of the pathological phenotype in a Huntington's disease mouse model. <i>Scientific Reports</i> , 2019, 9, 18696.	1.6	16
16	Altered plasma-type gelsolin and amyloid- $\beta^2$ in neonates with hypoxic-ischaemic encephalopathy under therapeutic hypothermia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1349-1354.	2.4	6
17	Cognitive Impairment and Brain and Peripheral Alterations in a Murine Model of Intraventricular Hemorrhage in the Preterm Newborn. <i>Molecular Neurobiology</i> , 2018, 55, 4896-4910.	1.9	19
18	Antidiabetic Polypill Improves Central Pathology and Cognitive Impairment in a Mixed Model of Alzheimer's Disease and Type 2 Diabetes. <i>Molecular Neurobiology</i> , 2018, 55, 6130-6144.	1.9	30

#	ARTICLE	IF	CITATIONS
19	In Vivo Imaging of Microglia With Multiphoton Microscopy. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 218.	1.7	29
20	Progressive Neuronal Pathology and Synaptic Loss Induced by Prediabetes and Type 2 Diabetes in a Mouse Model of Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017, 54, 3428-3438.	1.9	50
21	Mango leaf extract improves central pathology and cognitive impairment in a type 2 diabetes mouse model. <i>Brain Pathology</i> , 2017, 27, 499-507.	2.1	30
22	Long-Term Mangiferin Extract Treatment Improves Central Pathology and Cognitive Deficits in APP/PS1 Mice. <i>Molecular Neurobiology</i> , 2017, 54, 4696-4704.	1.9	36
23	Intranasal insulin reverts central pathology and cognitive impairment in diabetic mother offspring. <i>Molecular Neurodegeneration</i> , 2017, 12, 57.	4.4	17
24	Human tau increases amyloid $\beta$ plaque size but not amyloid $\beta$ -mediated synapse loss in a novel mouse model of Alzheimer's disease. <i>European Journal of Neuroscience</i> , 2016, 44, 3056-3066.	1.2	81
25	Long-term central pathology and cognitive impairment are exacerbated in a mixed model of Alzheimer's disease and type 2 diabetes. <i>Psychoneuroendocrinology</i> , 2016, 65, 15-25.	1.3	49
26	Increased Spontaneous Central Bleeding and Cognition Impairment in APP/PS1 Mice with Poorly Controlled Diabetes Mellitus. <i>Molecular Neurobiology</i> , 2016, 53, 2685-2697.	1.9	32
27	Central vascular disease and exacerbated pathology in a mixed model of type 2 diabetes and Alzheimer's disease. <i>Psychoneuroendocrinology</i> , 2015, 62, 69-79.	1.3	57
28	Low-voltage pattern and absence of sleep-wake cycles are associated with severe hemorrhage and death in very preterm infants. <i>European Journal of Pediatrics</i> , 2015, 174, 85-90.	1.3	31
29	Prediabetes and type 2 diabetes implication in central proliferation and neurogenesis. <i>Neural Regeneration Research</i> , 2015, 10, 28.	1.6	2
30	Central Proliferation and Neurogenesis Is Impaired in Type 2 Diabetes and Prediabetes Animal Models. <i>PLoS ONE</i> , 2014, 9, e89229.	1.1	85
31	Prediabetes-induced vascular alterations exacerbate central pathology in APP <sup>swe</sup> /PS1 <sup>dE9</sup> mice. <i>Psychoneuroendocrinology</i> , 2014, 48, 123-135.	1.3	54
32	Differential central pathology and cognitive impairment in pre-diabetic and diabetic mice. <i>Psychoneuroendocrinology</i> , 2013, 38, 2462-2475.	1.3	118
33	Four-dimensional microglia response to anti- $\text{A}\beta$ treatment in APP/PS1xCX3CR1/GFP mice. <i>Intravital</i> , 2013, 2, e25693.	2.0	7
34	Rapid $\text{A}\beta$ -Amyloid Deposition and Cognitive Impairment After Cholinergic Denervation in APP/PS1 Mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2013, 72, 272-285.	0.9	91
35	Specific Serotonergic Denervation Affects tau Pathology and Cognition without Altering Senile Plaques Deposition in APP/PS1 Mice. <i>PLoS ONE</i> , 2013, 8, e79947.	1.1	38
36	Reducing Available Soluble $\text{A}\beta$ -Amyloid Prevents Progression of Cerebral Amyloid Angiopathy in Transgenic Mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2012, 71, 1009-1017.	0.9	9

#	ARTICLE	IF	CITATIONS
37	Increased A $\beta$ production prompts the onset of glucose intolerance and insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E1373-E1380.	1.8	81
38	Cerebrovascular lesions induce transient A $\beta$ -amyloid deposition. <i>Brain</i> , 2011, 134, 3697-3707.	3.7	156
39	Triflusal reduces dense-core plaque load, associated axonal alterations and inflammatory changes, and rescues cognition in a transgenic mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2010, 38, 482-491.	2.1	44
40	Antioxidants have a rapid and long-lasting effect on neuritic abnormalities in APP:PS1 mice. <i>Neurobiology of Aging</i> , 2010, 31, 2058-2068.	1.5	32
41	Altered NCAM Expression Associated with the Cholinergic System in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 659-668.	1.2	38
42	Oligomeric amyloid $\beta$ associates with postsynaptic densities and correlates with excitatory synapse loss near senile plaques. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4012-4017.	3.3	734
43	Existing plaques and neuritic abnormalities in APP:PS1 mice are not affected by administration of the gamma-secretase inhibitor LY-411575. <i>Molecular Neurodegeneration</i> , 2009, 4, 19.	4.4	56
44	Matrix metalloproteinase inhibition reduces oxidative stress associated with cerebral amyloid angiopathy <i>in vivo</i> in transgenic mice. <i>Journal of Neurochemistry</i> , 2009, 109, 1636-1647.	2.1	63
45	Detection of isolated cerebrovascular A $\beta$ -amyloid with pittsburgh compound B. <i>Annals of Neurology</i> , 2008, 64, 587-591.	2.8	91
46	Rapid appearance and local toxicity of amyloid- $\beta$ plaques in a mouse model of Alzheimer's disease. <i>Nature</i> , 2008, 451, 720-724.	13.7	916
47	Rapid Microglial Response Around Amyloid Pathology after Systemic Anti-A $\beta$ Antibody Administration in PDAPP Mice. <i>Journal of Neuroscience</i> , 2008, 28, 14156-14164.	1.7	136
48	Involvement of an Altered 5-HT <sub>6</sub> Receptor Function in Behavioral Symptoms of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2008, 14, 43-50.	1.2	39
49	Antibody-Mediated Clearance of Amyloid- $\beta$ Peptide from Cerebral Amyloid Angiopathy Revealed by Quantitative <i>In Vivo</i> Imaging. <i>Journal of Neuroscience</i> , 2007, 27, 1973-1980.	1.7	55
50	Age-dependent cerebrovascular dysfunction in a transgenic mouse model of cerebral amyloid angiopathy. <i>Brain</i> , 2007, 130, 2310-2319.	3.7	164
51	Effect of passive immunotherapy on the rate of progression of cerebral amyloid angiopathy (caa) in transgenic mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007, 66, 434-435.	0.9	0
52	Curcumin labels amyloid pathology <i>in vivo</i> , disrupts existing plaques, and partially restores distorted neurites in an Alzheimer mouse model. <i>Journal of Neurochemistry</i> , 2007, 102, 1095-1104.	2.1	591
53	A limited role for microglia in antibody mediated plaque clearance in APP mice. <i>Neurobiology of Disease</i> , 2007, 28, 286-292.	2.1	40
54	EFFECT OF PASSIVE IMMUNOTHERAPY ON THE RATE OF PROGRESSION OF CEREBRAL AMYLOID ANGIOPATHY (CAA) IN TRANSGENIC MICE. <i>FASEB Journal</i> , 2007, 21, A73.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Involvement of the GABAergic system in depressive symptoms of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 1110-1117.	1.5	56
56	Plaque-Derived Oxidative Stress Mediates Distorted Neurite Trajectories in the Alzheimer Mouse Model. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 1082-1089.	0.9	85
57	Effect of Selective Cholinergic Denervation on the Serotonergic System: Implications for Learning and Memory. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 1074-1081.	0.9	35
58	Lack of localization of 5-HT <sub>6</sub> receptors on cholinergic neurons: implication of multiple neurotransmitter systems in 5-HT <sub>6</sub> receptor-mediated acetylcholine release. <i>European Journal of Neuroscience</i> , 2006, 24, 1299-1306.	1.2	110
59	Selective effects of the APOE $\epsilon$ 4 allele on presynaptic cholinergic markers in the neocortex of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2006, 22, 555-561.	2.1	26
60	Characterization of amyloid deposition in the APP <sup>swe</sup> /PS1 <sup>dE9</sup> mouse model of Alzheimer disease. <i>Neurobiology of Disease</i> , 2006, 24, 516-524.	2.1	633
61	Kinetics of Cerebral Amyloid Angiopathy Progression in a Transgenic Mouse Model of Alzheimer Disease. <i>Journal of Neuroscience</i> , 2006, 26, 365-371.	1.7	69
62	Techniques for Brain Imaging In Vivo. <i>NeuroMolecular Medicine</i> , 2005, 6, 065-078.	1.8	28
63	Cholinergic-serotonergic imbalance contributes to cognitive and behavioral symptoms in Alzheimer's disease. <i>Neuropsychologia</i> , 2005, 43, 442-449.	0.7	193
64	Progression of Cerebral Amyloid Angiopathy in Transgenic Mouse Models of Alzheimer Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2005, 64, 588-594.	0.9	54
65	Evaluation of cholinergic markers in Alzheimer's disease and in a model of cholinergic deficit. <i>Neuroscience Letters</i> , 2005, 375, 37-41.	1.0	64
66	Differential Involvement of 5-HT <sub>1B/1D</sub> and 5-HT <sub>6</sub> Receptors in Cognitive and Non-cognitive Symptoms in Alzheimer's Disease. <i>Neuropsychopharmacology</i> , 2004, 29, 410-416.	2.8	128
67	Facilitation of cholinergic transmission by combined treatment of ondansetron with flumazenil after cortical cholinergic deafferentation. <i>Neuropharmacology</i> , 2004, 47, 225-232.	2.0	17
68	Flumazenil and tacrine increase the effectiveness of ondansetron on scopolamine-induced impairment of spatial learning in rats. <i>Psychopharmacology</i> , 2003, 169, 35-41.	1.5	24
69	GABAA receptor antagonists enhance cortical acetylcholine release induced by 5-HT <sub>3</sub> receptor blockade in freely moving rats. <i>Brain Research</i> , 2002, 956, 81-85.	1.1	34