

Semiha Denktas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7955269/publications.pdf>

Version: 2024-02-01

59
papers

1,307
citations

331670

21
h-index

377865

34
g-index

65
all docs

65
docs citations

65
times ranked

1339
citing authors

#	ARTICLE	IF	CITATIONS
1	Age-friendly neighbourhoods and physical activity of older Surinamese individuals in Rotterdam, the Netherlands. PLoS ONE, 2022, 17, e0261998.	2.5	6
2	Applying Behavioural Insights to Public Policy: An Example From Rotterdam. Global Implementation Research and Applications, 2022, 2, 53-66.	1.1	5
3	Mindfulness as a Protective Factor Against Depression, Anxiety and Psychological Distress During the COVID-19 Pandemic: Emotion Regulation and Insomnia Symptoms as Mediators. Frontiers in Psychology, 2022, 13, 820959.	2.1	10
4	Behaviour change interventions to promote health and well-being among older migrants: A systematic review. PLoS ONE, 2022, 17, e0269778.	2.5	0
5	Change in Lifestyle Behaviors After Preconception Care: A Prospective Cohort Study. American Journal of Health Promotion, 2021, 35, 116-120.	1.7	5
6	When birds of the same feather fly together: the impact of achievement goal compatibility in collaborative learning. Educational Psychology, 2021, 41, 79-98.	2.7	5
7	Combining Web-Based Gamification and Physical Nudges With an App (MoveMore) to Promote Walking Breaks and Reduce Sedentary Behavior of Office Workers: Field Study. Journal of Medical Internet Research, 2021, 23, e19875.	4.3	15
8	Nudging is Ineffective When Attitudes Are Unsupportive: An Example from a Natural Field Experiment. Basic and Applied Social Psychology, 2021, 43, 213-225.	2.1	9
9	Opening the black box of non-pharmacological care in systemic sclerosis: a cross-sectional online survey of Dutch health professionals. Rheumatology International, 2021, 41, 1299-1310.	3.0	2
10	Fear of failure: a polynomial regression analysis of the joint impact of the perceived learning environment and personal achievement goal orientation. Anxiety, Stress and Coping, 2020, 33, 123-139.	2.9	9
11	Effectiveness of behavioral interventions and behavior change techniques for reducing soft drink intake in disadvantaged adolescents: A systematic review and meta-analysis. Obesity Science and Practice, 2020, 6, 708-734.	1.9	6
12	The effect of a preconception care outreach strategy: the Healthy Pregnancy 4 All study. BMC Health Services Research, 2019, 19, 60.	2.2	14
13	Satisfaction with obstetric care in a population of low-educated native Dutch and non-western minority women. Focus group research. PLoS ONE, 2019, 14, e0210506.	2.5	17
14	Ethnicity and Language Proficiency Differences in the Provision of and Intention to Use Prenatal Screening for Downâ€™s Syndrome and Congenital Anomalies. A Prospective, Non-selected, Register-Based Study in the Netherlands. Maternal and Child Health Journal, 2018, 22, 343-354.	1.5	6
15	Antenatal non-medical risk assessment and care pathways to improve pregnancy outcomes: a cluster randomised controlled trial. European Journal of Epidemiology, 2018, 33, 579-589.	5.7	15
16	The BeHealthyR Study: a randomized trial of a multicomponent intervention to reduce stress, smoking and improve financial health of low-income residents in Rotterdam. BMC Public Health, 2018, 18, 891.	2.9	2
17	Effect of culturally competent educational films about prenatal screening on informed decision making of pregnant women in the Netherlands. Patient Education and Counseling, 2017, 100, 776-782.	2.2	14
18	Developing social marketed individual preconception care consultations: Which consumer preferences should it meet?. Health Expectations, 2017, 20, 1106-1113.	2.6	10

#	ARTICLE	IF	CITATIONS
19	Process evaluation of the implementation of scorecard-based antenatal risk assessment, care pathways and interdisciplinary consultation: the Healthy Pregnancy 4 All study. <i>Public Health</i> , 2017, 150, 112-120.	2.9	3
20	Planned home compared with planned hospital births: mode of delivery and Perinatal mortality rates, an observational study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 177.	2.4	18
21	Quality of perinatal care services from the user's perspective: a Dutch study applies the World Health Organization's responsiveness concept. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 327.	2.4	16
22	Different settings of place of midwife-led birth: evaluation of a midwife-led birth centre. <i>SpringerPlus</i> , 2016, 5, 786.	1.2	2
23	Caught in the middle? How women deal with conflicting pregnancy-advice from health professionals and their social networks. <i>Midwifery</i> , 2016, 35, 62-69.	2.3	15
24	Current practice of preconception care by primary caregivers in the Netherlands. <i>European Journal of Contraception and Reproductive Health Care</i> , 2016, 21, 251-258.	1.5	28
25	Analysis of policy towards improvement of perinatal mortality in the Netherlands (2004-2011). <i>Social Science and Medicine</i> , 2016, 157, 156-164.	3.8	24
26	Knowledge on preconceptional folic acid supplementation and intention to seek for preconception care among men and women in an urban city: a population-based cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 340.	2.4	36
27	Differences in perinatal morbidity and mortality on the neighbourhood level in Dutch municipalities: a population based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 201.	2.4	24
28	"Nudges" to Prevent Behavioral Risk Factors Associated With Major Depressive Disorder. <i>American Journal of Public Health</i> , 2015, 105, 2318-2321.	2.7	8
29	The Association of Ethnic Minority Density with Late Entry into Antenatal Care in the Netherlands. <i>PLoS ONE</i> , 2015, 10, e0122720.	2.5	6
30	Preventing major depressive disorder: how behavioural economics can help. <i>European Journal of Public Health</i> , 2015, 25, .	0.3	0
31	The Dutch national summit on preconception care: a summary of definitions, evidence and recommendations. <i>Journal of Community Genetics</i> , 2015, 6, 107-115.	1.2	39
32	Effectiveness of score card-based antenatal risk selection, care pathways, and multidisciplinary consultation in the Healthy Pregnancy 4 All study (HP4ALL): study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2015, 16, 8.	1.6	13
33	Effectiveness of general preconception care accompanied by a recruitment approach: protocol of a community-based cohort study (the Healthy Pregnancy 4 All study). <i>BMJ Open</i> , 2015, 5, e006284-e006284.	1.9	21
34	Assessment and care for non-medical risk factors in current antenatal health care. <i>Midwifery</i> , 2015, 31, 979-985.	2.3	10
35	An instrument for broadened risk assessment in antenatal health care including non-medical issues. <i>International Journal of Integrated Care</i> , 2015, 15, e002.	0.2	23
36	The Association of Neighborhood Social Capital and Ethnic (Minority) Density with Pregnancy Outcomes in the Netherlands. <i>PLoS ONE</i> , 2014, 9, e95873.	2.5	20

#	ARTICLE	IF	CITATIONS
37	Validity of a questionnaire measuring the world health organization concept of health system responsiveness with respect to perinatal services in the dutch obstetric care system. BMC Health Services Research, 2014, 14, 622.	2.2	23
38	Deprived neighborhoods and adverse perinatal outcome: a systematic review and meta-analysis. Acta Obstetrica Et Gynecologica Scandinavica, 2014, 93, 727-740.	2.8	131
39	Evidence-Based Preconceptional Lifestyle Interventions. Epidemiologic Reviews, 2014, 36, 19-30.	3.5	116
40	Design and outline of the Healthy Pregnancy 4 All study. BMC Pregnancy and Childbirth, 2014, 14, 253.	2.4	41
41	Improving interprofessional coordination in Dutch midwifery and obstetrics: a qualitative study. BMC Pregnancy and Childbirth, 2014, 14, 145.	2.4	25
42	Reproductive health peer education for multicultural target groups. Journal for Multicultural Education, 2014, 8, 162-178.	0.7	11
43	Bridging Between Professionals in Perinatal Care: Towards Shared Care in The Netherlands. Maternal and Child Health Journal, 2013, 17, 1981-1989.	1.5	35
44	Determinants of the intention of preconception care use: lessons from a multi-ethnic urban population in the Netherlands. International Journal of Public Health, 2013, 58, 295-304.	2.3	29
45	Social deprivation and adverse perinatal outcomes among Western and non-Western pregnant women in a Dutch urban population. Social Science and Medicine, 2013, 83, 42-49.	3.8	53
46	Perceptions of preconception counselling among women planning a pregnancy: a qualitative study. Family Practice, 2013, 30, 341-346.	1.9	44
47	Improving interprofessional coordination in Dutch midwifery and obstetrics. European Journal of Public Health, 2013, 23, .	0.3	0
48	Women living in deprived neighbourhoods receive less perinatal care compared to women from population-matched non-deprived areas in The Netherlands. European Journal of Public Health, 2013, 23, .	0.3	0
49	Planned Home Compared With Planned Hospital Births in the Netherlands. Obstetrics and Gynecology, 2012, 119, 388-389.	2.4	1
50	Zwangerschap en geboorte in Rotterdam: een lokale gezondheidsrapportage. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2012, 90, 496-503.	0.1	1
51	Mogelijke additionele voordelen van conceptievoorlichting bij de vrouw voor de volksgezondheid. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2012, 90, 539-546.	0.1	0
52	An Urban Perinatal Health Programme of Strategies to Improve Perinatal Health. Maternal and Child Health Journal, 2012, 16, 1553-1558.	1.5	36
53	Urban perinatal health inequalities. Journal of Maternal-Fetal and Neonatal Medicine, 2011, 24, 643-646.	1.5	37
54	Planned Home Compared With Planned Hospital Births in The Netherlands. Obstetrics and Gynecology, 2011, 118, 1037-1046.	2.4	83

#	ARTICLE	IF	CITATIONS
55	Preconception care: An essential preventive strategy to improve children's and women's health. <i>Journal of Public Health Policy</i> , 2011, 32, 367-379.	2.0	40
56	Underutilization of prescribed drugs use among first generation elderly immigrants in the Netherlands. <i>BMC Health Services Research</i> , 2010, 10, 176.	2.2	16
57	Ethnic background and differences in health care use: a national cross-sectional study of native Dutch and immigrant elderly in the Netherlands. <i>International Journal for Equity in Health</i> , 2009, 8, 35.	3.5	53
58	Validity of the single-item question on self-rated health status in first generation Turkish and Moroccans versus native Dutch in the Netherlands. <i>Public Health</i> , 2006, 120, 543-550.	2.9	61
59	No Pyro, No Party: Social factors, deliberate choices, and shared fan culture determine the use of illegal fireworks in a soccer stadium. <i>F1000Research</i> , 0, 10, 498.	1.6	2