
Suzanne Jolley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7957525/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Reasoning, Emotions, and Delusional Conviction in Psychosis Journal of Abnormal Psychology, 2005, 114, 373-384.	1.9	379
2	An experimental investigation of thought suppression. Behaviour Research and Therapy, 1991, 29, 253-257.	3.1	258
3	Neuropsychological functioning and jumping to conclusions in delusions. Schizophrenia Research, 2013, 150, 570-574.	2.0	106
4	Current Paranoid Thinking in Patients With Delusions: The Presence of Cognitive-Affective Biases. Schizophrenia Bulletin, 2013, 39, 1281-1287.	4.3	105
5	Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 414-421.	1.2	104
6	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. Schizophrenia Bulletin, 2015, 41, 400-410.	4.3	102
7	Implementing the NICE guideline for schizophrenia recommendations for psychological therapies: a qualitative analysis of the attitudes of CMHT staff. Clinical Psychology and Psychotherapy, 2011, 18, 48-59.	2.7	87
8	Delusions and decision-making style: Use of the Need for Closure Scale. Behaviour Research and Therapy, 2006, 44, 1147-1158.	3.1	81
9	Differences in Cognitive and Emotional Processes Between Persecutory and Grandiose Delusions. Schizophrenia Bulletin, 2013, 39, 629-639.	4.3	81
10	The feasibility and acceptability of a brief Acceptance and Commitment Therapy (ACT) group intervention for people with psychosis: The †ACT for life' study. Journal of Behavior Therapy and Experimental Psychiatry, 2016, 50, 257-263.	1.2	77
11	A validation of a new measure of activity in psychosis. Schizophrenia Research, 2006, 85, 288-295.	2.0	69
12	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. Schizophrenia Bulletin, 2015, 41, 971-979.	4.3	67
13	Opportunities and challenges in Improving Access to Psychological Therapies for people with Severe Mental Illness (IAPT-SMI): Evaluating the first operational year of the South London and Maudsley (SLaM) demonstration site for psychosis. Behaviour Research and Therapy, 2015, 64, 24-30.	3.1	67
14	Jumping to Conclusions, Neuropsychological Functioning, and Delusional Beliefs in First Episode Psychosis. Schizophrenia Bulletin, 2015, 41, 411-418.	4.3	66
15	Patients' beliefs about the causes, persistence and control of psychotic experiences predict take-up of effective cognitive behaviour therapy for psychosis. Psychological Medicine, 2013, 43, 269-277.	4.5	64
16	Attributional style in psychosis—The role of affect and belief type. Behaviour Research and Therapy, 2006, 44, 1597-1607.	3.1	61
17	Effective elements of cognitive behaviour therapy for psychosis: results of a novel type of subgroup analysis based on principal stratification. Psychological Medicine, 2012, 42, 1057-1068.	4.5	56
18	Low intensity cognitive behavioural therapy for psychosis: A pilot study. Journal of Behavior Therapy and Experimental Psychiatry, 2013, 44, 98-104.	1.2	52

SUZANNE JOLLEY

#	Article	IF	CITATIONS
19	Disruption of the Kamin blocking effect in schizophrenia and in normal subjects following amphetamine. Behavioural Brain Research, 1997, 88, 103-114.	2.2	50
20	Cognitive functioning and GABAA/benzodiazepine receptor binding in schizophrenia: A 1231-iomazenil SPET study. Biological Psychiatry, 1998, 43, 107-117.	1.3	48
21	COGNITIVE THERAPY IN EARLY PSYCHOSIS: A PILOT RANDOMIZED CONTROLLED TRIAL. Behavioural and Cognitive Psychotherapy, 2003, 31, 473-478.	1.2	40
22	Jumping to conclusions: the psychology of delusional reasoning. Advances in Psychiatric Treatment, 2011, 17, 332-339.	0.5	35
23	Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. Behavioural and Cognitive Psychotherapy, 2008, 36, 163-178.	1.2	34
24	Increasing access to psychological therapies for people with psychosis: Predictors of successful training. Behaviour Research and Therapy, 2012, 50, 457-462.	3.1	30
25	Modelling psychosocial influences on the distress and impairment caused by psychotic-like experiences in children and adolescents. European Child and Adolescent Psychiatry, 2014, 23, 715-722.	4.7	27
26	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. Psychiatry Research, 2014, 219, 275-282.	3.3	27
27	Training Frontline Mental Health Staff to Deliver "Low Intensity―Psychological Therapy for Psychosis: A Qualitative Analysis of Therapist and Service User Views on the Therapy and its Future Implementation. Behavioural and Cognitive Psychotherapy, 2015, 43, 298-313.	1.2	26
28	Experiences of outcome monitoring in service users with psychosis: Findings from an Improving Access to Psychological Therapies for people with Severe Mental Illness (<scp>IAPT</scp> â€ <scp>SMI</scp>) demonstration site. British Journal of Clinical Psychology, 2017, 56, 253-272.	3.5	26
29	Selfâ€reported emotion regulation difficulties in people with psychosis compared with nonâ€clinical controls: A systematic literature review. Clinical Psychology and Psychotherapy, 2020, 27, 107-135.	2.7	25
30	Understanding reduced activity in psychosis: the roles of stigma and illness appraisals. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1685-1693.	3.1	24
31	Running acceptance and commitment therapy groups for psychosis in community settings. Journal of Contextual Behavioral Science, 2016, 5, 33-38.	2.6	22
32	The Influence of Schizotypy Traits on Prepulse Inhibition in Young Healthy Controls. Journal of Psychopharmacology, 2004, 18, 181-188.	4.0	21
33	The Coping with Unusual Experiences for Children Study (<scp>CUES</scp>): A pilot randomized controlled evaluation of the acceptability and potential clinical utility of a cognitive behavioural intervention package for young people aged 8–14Âyears with unusual experiences and emotional symptoms. British Journal of Clinical Psychology, 2018, 57, 328-350.	3.5	20
34	Jumping to conclusions and the persistence of delusional beliefs in first episode psychosis. Schizophrenia Research, 2015, 165, 243-246.	2.0	19
35	Psychological interventions for adolescent psychosis: A pilot controlled trial in routine care. European Psychiatry, 2013, 28, 423-426.	0.2	18
36	Psychological characteristics of religious delusions. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1051-1061.	3.1	18

SUZANNE JOLLEY

#	Article	IF	CITATIONS
37	A pilot validation study of a new measure of activity in psychosis. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 905-911.	3.1	17
38	Cognitive Behavioural Therapy for Unusual Experiences in Children: A Case Series. Behavioural and Cognitive Psychotherapy, 2013, 41, 344-358.	1.2	16
39	A preliminary investigation of schematic beliefs and unusual experiences in children. European Psychiatry, 2015, 30, 569-575.	0.2	16
40	Determinants of subjective wellâ€being in people with psychosis referred for psychological therapy in South London. British Journal of Clinical Psychology, 2016, 55, 429-440.	3.5	15
41	Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. Behaviour Research and Therapy, 2019, 116, 104-110.	3.1	15
42	Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. Epidemiology and Psychiatric Sciences, 2014, 23, 389-397.	3.9	14
43	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 459-466.	1.2	14
44	Early intervention in psychosis. Psychiatric Bulletin, 2000, 24, 321-323.	0.3	13
45	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. Behavioural and Cognitive Psychotherapy, 2015, 43, 42-51.	1.2	13
46	Group acceptance and commitment therapy for patients and caregivers in psychosis services: Feasibility of training and a preliminary randomized controlled evaluation. British Journal of Clinical Psychology, 2020, 59, 524-551.	3.5	13
47	Variation in psychosocial influences according to the dimensions and content of children's unusual experiences: potential routes for the development of targeted interventions. European Child and Adolescent Psychiatry, 2016, 25, 311-319.	4.7	12
48	Coping with Unusual ExperienceS for 12–18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. Trials, 2017, 18, 586.	1.6	12
49	Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. Psychiatric Services, 2018, 69, 9-11.	2.0	12
50	The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. Trials, 2014, 15, 255.	1.6	11
51	Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. Journal of Behavior Therapy and Experimental Psychiatry, 2018, 59, 121-128.	1.2	11
52	Cognitive bias and unusual experiences in childhood. European Child and Adolescent Psychiatry, 2015, 24, 949-957.	4.7	10
53	A Pilot Evaluation of Therapist Training in Cognitive Therapy for Psychosis: Therapy Quality and Clinical Outcomes. Behavioural and Cognitive Psychotherapy, 2015, 43, 478-489.	1.2	10
54	Understanding the relationship between schematic beliefs, bullying, and unusual experiences in 8–14 year olds. European Psychiatry, 2015, 30, 920-923.	0.2	10

SUZANNE JOLLEY

#	Article	IF	CITATIONS
55	Balancing ACT: evaluating the effectiveness of psychoeducation and Acceptance and Commitment Therapy (ACT) groups for people with bipolar disorder: study protocol for pilot randomised controlled trial. Trials, 2018, 19, 436.	1.6	10
56	A systematic literature review of childhood externalizing psychopathology and later psychotic symptoms. Clinical Psychology and Psychotherapy, 2021, 28, 56-78.	2.7	10
57	A study of attendance and filling in of pre-appointment questionnaires in an outpatient clinical psychology service. Journal of Mental Health, 1998, 7, 411-424.	1.9	9
58	Selfâ€reported emotion regulation difficulties in psychosis: Psychometric properties of the Difficulties in Emotion Regulation Scale (DERSâ€16). Journal of Clinical Psychology, 2021, 77, 2323-2340.	1.9	9
59	Family interventions in psychosis: a scale to measure therapist adherence. Journal of Family Therapy, 2009, 31, 270-283.	1.0	8
60	Childhood unusual experiences in community Child and Adolescent Mental Health Services in South East London: Prevalence and impact. Schizophrenia Research, 2018, 195, 93-96.	2.0	8
61	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. Schizophrenia Research, 2021, 237, 1-8.	2.0	7
62	Managing emotions in psychosis: Evaluation of a brief DBTâ€informed skills group for individuals with psychosis in routine community services. British Journal of Clinical Psychology, 2022, 61, 735-756.	3.5	7
63	Causal processing and schizotypy. Personality and Individual Differences, 1999, 27, 277-291.	2.9	6
64	Innovations in Practice: CUES â€Ed: an inâ€service evaluation of a new universal cognitive behavioural early mental health intervention programme for primary school children. Child and Adolescent Mental Health, 2019, 24, 187-191.	3.5	6
65	Implementing Cognitive-Behavioral Therapy for People With Psychosis: Local and National Initiatives in the United Kingdom. Psychiatric Services, 2018, 69, 952-955.	2.0	5
66	Understanding and treating amotivation in people with psychosis: An experimental study of the role of guided imagery. Psychiatry Research, 2016, 246, 387-391.	3.3	4
67	Implementing specialist psychological support for caregivers in psychosis services: a preliminary report. Psychosis, 2017, 9, 119-128.	0.8	4
68	Insight and delusions: a cognitive psychological approach. , 2004, , 89-100.		3
69	Identifying and changing cognitive vulnerability in the classroom: preliminary evaluation of CUESâ€Ed, a schoolâ€based universal cognitive behavioural early intervention service for 7–10 year olds. Child and Adolescent Mental Health, 2023, 28, 221-229.	3.5	3
70	Simulation-based training for "front-of-house―staff in psychosis services. Psychosis, 2015, 7, 302-311.	0.8	2
71	Psychological interventions for housebound people with psychosis: service user and therapist perspectives in South East London. Journal of Mental Health, 2016, 25, 204-211.	1.9	2
72	A five-year prospective evaluation of a new community psychosis service in North London: introducing the Recovery and Enablement Track (RET). Psychosis, 2021, 13, 1-12.	0.8	1

#	Article	IF	CITATIONS
73	Cognitive-Behavioral Interventions in Psychosis. , 2015, , .		0