

Magnus Lund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7957638/publications.pdf>

Version: 2024-02-01

63
papers

3,483
citations

147801

31
h-index

149698

56
g-index

79
all docs

79
docs citations

79
times ranked

5350
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental controls on the CO ₂ exchange in north European mires. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 59, 812.	1.6	75
2	Characteristics of summer-time energy exchange in a high Arctic tundra heath 2000–2010. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 66, 21631.	1.6	25
3	Multiple Ecosystem Effects of Extreme Weather Events in the Arctic. <i>Ecosystems</i> , 2021, 24, 122-136.	3.4	29
4	Shallow soils are warmer under trees and tall shrubs across Arctic and Boreal ecosystems. <i>Environmental Research Letters</i> , 2021, 16, 015001.	5.2	39
5	Refining the role of phenology in regulating gross ecosystem productivity across European peatlands. <i>Global Change Biology</i> , 2020, 26, 876-887.	9.5	25
6	Arctic river temperature dynamics in a changing climate. <i>River Research and Applications</i> , 2019, 35, 1212-1227.	1.7	11
7	Evaluation of terrestrial pan-Arctic carbon cycling using a data-assimilation system. <i>Earth System Dynamics</i> , 2019, 10, 233-255.	7.1	21
8	Model-data fusion to assess year-round CO ₂ fluxes for an arctic heath ecosystem in West Greenland (69°N). <i>Agricultural and Forest Meteorology</i> , 2019, 272-273, 176-186.	4.8	23
9	Key indicators of Arctic climate change: 1971–2017. <i>Environmental Research Letters</i> , 2019, 14, 045010.	5.2	471
10	A New Process-Based Soil Methane Scheme: Evaluation Over Arctic Field Sites With the ISBA Land Surface Model. <i>Journal of Advances in Modeling Earth Systems</i> , 2019, 11, 293-326.	3.8	16
11	Large loss of CO ₂ in winter observed across the northern permafrost region. <i>Nature Climate Change</i> , 2019, 9, 852-857.	18.8	225
12	Vulnerability and resilience of the carbon exchange of a subarctic peatland to an extreme winter event. <i>Environmental Research Letters</i> , 2018, 13, 065009.	5.2	13
13	Process-Oriented Modeling of a High Arctic Tundra Ecosystem: Long-Term Carbon Budget and Ecosystem Responses to Interannual Variations of Climate. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 1178-1196.	3.0	12
14	Spatio-temporal dynamics of macroinvertebrate communities in northeast Greenlandic snowmelt streams. <i>Ecohydrology</i> , 2018, 11, e1982.	2.4	10
15	On the relationship between sub-daily instantaneous and daily total gross primary production: Implications for interpreting satellite-based SIF retrievals. <i>Remote Sensing of Environment</i> , 2018, 205, 276-289.	11.0	91
16	Uncovering the unknown climate interactions in a changing arctic tundra. <i>Environmental Research Letters</i> , 2018, 13, 061001.	5.2	3
17	Quantifying snow controls on vegetation greenness. <i>Ecosphere</i> , 2018, 9, e02309.	2.2	31
18	ORCHIDEE-PEAT (revision 4596), a model for northern peatland CO ₂ , water, and energy fluxes on daily to annual scales. <i>Geoscientific Model Development</i> , 2018, 11, 497-519.	3.6	43

#	ARTICLE	IF	CITATIONS
19	Plant Traits are Key Determinants in Buffering the Meteorological Sensitivity of Net Carbon Exchanges of Arctic Tundra. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 2675-2694.	3.0	11
20	Spatiotemporal snowmelt patterns within a high Arctic landscape, with implications for flora and fauna. <i>Arctic, Antarctic, and Alpine Research</i> , 2018, 50, .	1.1	35
21	Towards quantifying the glacial runoff signal in the freshwater input to Tyrolerfjordâ€“Young Sound, NE Greenland. <i>Ambio</i> , 2017, 46, 146-159.	5.5	18
22	Transitions in high-Arctic vegetation growth patterns and ecosystem productivity tracked with automated cameras from 2000 to 2013. <i>Ambio</i> , 2017, 46, 39-52.	5.5	45
23	Vegetation phenology gradients along the west and east coasts of Greenland from 2001 to 2015. <i>Ambio</i> , 2017, 46, 94-105.	5.5	14
24	Hotspots and key periods of Greenland climate change during the past six decades. <i>Ambio</i> , 2017, 46, 3-11.	5.5	29
25	Toward a statistical description of methane emissions from arctic wetlands. <i>Ambio</i> , 2017, 46, 70-80.	5.5	19
26	Warming, shading and a moth outbreak reduce tundra carbon sink strength dramatically by changing plant cover and soil microbial activity. <i>Scientific Reports</i> , 2017, 7, 16035.	3.3	33
27	Larval outbreaks in West Greenland: Instant and subsequent effects on tundra ecosystem productivity and CO ₂ exchange. <i>Ambio</i> , 2017, 46, 26-38.	5.5	41
28	Spatiotemporal variability in surface energy balance across tundra, snow and ice in Greenland. <i>Ambio</i> , 2017, 46, 81-93.	5.5	25
29	Deltas, freshwater discharge, and waves along the Young Sound, NE Greenland. <i>Ambio</i> , 2017, 46, 132-145.	5.5	12
30	Exchange of CO ₂ in Arctic tundra: impacts of meteorological variations and biological disturbance. <i>Biogeosciences</i> , 2017, 14, 4467-4483.	3.3	37
31	Carbon stocks and fluxes in the high latitudes: using site-level data to evaluate Earth system models. <i>Biogeosciences</i> , 2017, 14, 5143-5169.	3.3	43
32	Two years with extreme and little snowfall: effects on energy partitioning and surface energy exchange in a high-Arctic tundra ecosystem. <i>Cryosphere</i> , 2016, 10, 1395-1413.	3.9	32
33	Calculations of automatic chamber flux measurements of methane and carbon dioxide using short time series of concentrations. <i>Biogeosciences</i> , 2016, 13, 903-912.	3.3	41
34	Spatiotemporal Characteristics of Seasonal Snow Cover in Northeast Greenland from in Situ Observations. <i>Arctic, Antarctic, and Alpine Research</i> , 2016, 48, 653-671.	1.1	43
35	Snowpack fluxes of methane and carbon dioxide from high Arctic tundra. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016, 121, 2886-2900.	3.0	26
36	Assessment and simulation of global terrestrial latent heat flux by synthesis of CMIP5 climate models and surface eddy covariance observations. <i>Agricultural and Forest Meteorology</i> , 2016, 223, 151-167.	4.8	25

#	ARTICLE	IF	CITATIONS
37	Controls of spatial and temporal variability in CH ₄ flux in a high arctic fen over three years. <i>Biogeochemistry</i> , 2015, 125, 21-35.	3.5	30
38	Mercury exports from a High-Arctic river basin in Northeast Greenland (74°N) largely controlled by glacial lake outburst floods. <i>Science of the Total Environment</i> , 2015, 514, 83-91.	8.0	39
39	Joint control of terrestrial gross primary productivity by plant phenology and physiology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2788-2793.	7.1	265
40	Empirical estimation of daytime net radiation from shortwave radiation and ancillary information. <i>Agricultural and Forest Meteorology</i> , 2015, 211-212, 23-36.	4.8	38
41	The uncertain climate footprint of wetlands under human pressure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4594-4599.	7.1	171
42	Low impact of dry conditions on the CO ₂ exchange of a Northern-Norwegian blanket bog. <i>Environmental Research Letters</i> , 2015, 10, 025004.	5.2	21
43	Assessing the spatial variability in peak season CO ₂ exchange characteristics across the Arctic tundra using a light response curve parameterization. <i>Biogeosciences</i> , 2014, 11, 4897-4912.	3.3	20
44	Simulation of CO ₂ and Attribution Analysis at Six European Peatland Sites Using the ECOSSE Model. <i>Water, Air, and Soil Pollution</i> , 2014, 225, 1.	2.4	21
45	Divergent apparent temperature sensitivity of terrestrial ecosystem respiration. <i>Journal of Plant Ecology</i> , 2014, 7, 419-428.	2.3	16
46	Latent heat exchange in the boreal and arctic biomes. <i>Global Change Biology</i> , 2014, 20, 3439-3456.	9.5	52
47	Camera derived vegetation greenness index as proxy for gross primary production in a low Arctic wetland area. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2013, 86, 89-99.	11.1	59
48	Modelling of growing season methane fluxes in a high-Arctic wet tundra ecosystem 1997–2010 using in situ and high-resolution satellite data. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2013, 65, 19722.	1.6	24
49	Revisiting factors controlling methane emissions from high-Arctic tundra. <i>Biogeosciences</i> , 2013, 10, 5139-5158.	3.3	103
50	Response of an arctic predator guild to collapsing lemming cycles. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 4417-4422.	2.6	92
51	Effects of drought conditions on the carbon dioxide dynamics in a temperate peatland. <i>Environmental Research Letters</i> , 2012, 7, 045704.	5.2	91
52	Thermal optimality of net ecosystem exchange of carbon dioxide and underlying mechanisms. <i>New Phytologist</i> , 2012, 194, 775-783.	7.3	111
53	Trends in CO ₂ exchange in a high Arctic tundra heath, 2000–2010. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	63
54	Synthesizing greenhouse gas fluxes across nine European peatlands and shrublands – responses to climatic and environmental changes. <i>Biogeosciences</i> , 2012, 9, 3739-3755.	3.3	46

#	ARTICLE	IF	CITATIONS
55	Land-atmosphere exchange of methane from soil thawing to soil freezing in a high Arctic wet tundra ecosystem. <i>Global Change Biology</i> , 2012, 18, 1928-1940.	9.5	89
56	Seasonal variation of photosynthetic model parameters and leaf area index from global Fluxnet eddy covariance data. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	35
57	Thermal adaptation of net ecosystem exchange. <i>Biogeosciences</i> , 2011, 8, 1453-1463.	3.3	30
58	Variability in exchange of CO ₂ across 12 northern peatland and tundra sites. <i>Global Change Biology</i> , 2010, 16, 2436-2448.	9.5	144
59	Estimating northern peatland CO ₂ exchange from MODIS time series data. <i>Remote Sensing of Environment</i> , 2010, 114, 1178-1189.	11.0	69
60	Impact of nutrients on peatland GPP estimations using MODIS time series data. <i>Remote Sensing of Environment</i> , 2010, 114, 2137-2145.	11.0	16
61	Effects of N and P fertilization on the greenhouse gas exchange in two northern peatlands with contrasting N deposition rates. <i>Biogeosciences</i> , 2009, 6, 2135-2144.	3.3	68
62	Estimation of Gross Primary Productivity of an Ombrotrophic Bog in Southern Sweden. , 2008, , .		1
63	Annual CO ₂ balance of a temperate bog. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2007, 59, 804-811.	1.6	62