
## Paul S Buckmaster

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7959953/publications.pdf Version: 2024-02-01



S RUCKMA

#	Article	IF	CITATIONS
1	Cannabinoid receptor 1-labeled boutons in the sclerotic dentate gyrus of epileptic sea lions. Epilepsy Research, 2022, 184, 106965.	1.6	0
2	Non-invasive, neurotoxic surgery reduces seizures in a rat model of temporal lobe epilepsy. Experimental Neurology, 2021, 343, 113761.	4.1	6
3	Lack of Hyperinhibition of Oriens Lacunosum-Moleculare Cells by Vasoactive Intestinal Peptide-Expressing Cells in a Model of Temporal Lobe Epilepsy. ENeuro, 2021, 8, ENEURO.0299-21.2021.	1.9	6
4	lctal onset sites and γâ€aminobutyric acidergic neuron loss in epileptic pilocarpineâ€treated rats. Epilepsia, 2020, 61, 856-867.	5.1	15
5	Proportional loss of parvalbuminâ€immunoreactive synaptic boutons and granule cells from the hippocampus of sea lions with temporal lobe epilepsy. Journal of Comparative Neurology, 2019, 527, 2341-2355.	1.6	12
6	Testing Different Combinations of Acoustic Pressure and Doses of Quinolinic Acid for Induction of Focal Neuron Loss in Mice Using Transcranial Low-Intensity Focused Ultrasound. Ultrasound in Medicine and Biology, 2019, 45, 129-136.	1.5	3
7	A single subconvulsant dose of domoic acid at mid-gestation does not cause temporal lobe epilepsy in mice. NeuroToxicology, 2018, 66, 128-137.	3.0	4
8	Seizure frequency correlates with loss of dentate gyrus GABAergic neurons in a mouse model of temporal lobe epilepsy. Journal of Comparative Neurology, 2017, 525, 2592-2610.	1.6	55
9	Comparative Biology and Species Effects on Expression of Epilepsy. , 2017, , 7-19.		1
10	Naturally Occurring Epilepsy and Status Epilepticus in Sea Lions. , 2017, , 413-425.		1
11	Hilar somatostatin interneuron loss reduces dentate gyrus inhibition in a mouse model of temporal lobe epilepsy. Epilepsia, 2016, 57, 977-983.	5.1	36
12	More Docked Vesicles and Larger Active Zones at Basket Cell-to-Granule Cell Synapses in a Rat Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2016, 36, 3295-3308.	3.6	15
13	Blockade of excitatory synaptogenesis with proximal dendrites of dentate granule cells following rapamycin treatment in a mouse model of temporal lobe epilepsy. Journal of Comparative Neurology, 2015, 523, 281-297.	1.6	26
14	Surviving mossy cells enlarge and receive more excitatory synaptic input in a mouse model of temporal lobe epilepsy. Hippocampus, 2015, 25, 594-604.	1.9	16
15	Unit Activity of Hippocampal Interneurons before Spontaneous Seizures in an Animal Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2015, 35, 6600-6618.	3.6	89
16	Preictal Activity of Subicular, CA1, and Dentate Gyrus Principal Neurons in the Dorsal Hippocampus before Spontaneous Seizures in a Rat Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2014, 34, 16671-16687.	3.6	65
17	Hippocampal neuropathology of domoic acid–induced epilepsy in California sea lions ( <i>Zalophus) Tj ETQq1</i>	1 0,78431 1.6	4 rgBT /Overl
18	Does Mossy Fiber Sprouting Give Rise to the Epileptic State?. Advances in Experimental Medicine and	1.6	73

Biology, 2014, 813, 161-168.

1.673

PAUL S BUCKMASTER

#	Article	IF	CITATIONS
19	Highâ€dose rapamycin blocks mossy fiber sprouting but not seizures in a mouse model of temporal lobe epilepsy. Epilepsia, 2013, 54, 1535-1541.	5.1	104
20	Early Activation of Ventral Hippocampus and Subiculum during Spontaneous Seizures in a Rat Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2013, 33, 11100-11115.	3.6	151
21	Increased Excitatory Synaptic Input to Granule Cells from Hilar and CA3 Regions in a Rat Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2012, 32, 1183-1196.	3.6	58
22	Distinct Neuronal Coding Schemes in Memory Revealed by Selective Erasure of Fast Synchronous Synaptic Transmission. Neuron, 2012, 73, 990-1001.	8.1	165
23	Factors affecting outcomes of pilocarpine treatment in a mouse model of temporal lobe epilepsy. Epilepsy Research, 2012, 102, 153-159.	1.6	39
24	Identification of new epilepsy treatments: Issues in preclinical methodology. Epilepsia, 2012, 53, 571-582.	5.1	219
25	Mossy cell dendritic structure quantified and compared with other hippocampal neurons labeled in rats in vivo. Epilepsia, 2012, 53, 9-17.	5.1	24
26	Mossy Fiber Sprouting in the Dentate Gyrus. , 2012, , 416-431.		40
27	Rapamycin Suppresses Mossy Fiber Sprouting But Not Seizure Frequency in a Mouse Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2011, 31, 2337-2347.	3.6	204
28	Rapamycin suppresses axon sprouting by somatostatin interneurons in a mouse model of temporal lobe epilepsy. Epilepsia, 2011, 52, 2057-2064.	5.1	51
29	Is there a critical period for mossy fiber sprouting in a mouse model of temporal lobe epilepsy?. Epilepsia, 2011, 52, 2326-2332.	5.1	23
30	Initial loss but later excess of GABAergic synapses with dentate granule cells in a rat model of temporal lobe epilepsy. Journal of Comparative Neurology, 2010, 518, 647-667.	1.6	91
31	Mossy fiber sprouting in the dentate gyrus. Epilepsia, 2010, 51, 39-39.	5.1	14
32	Seizure-induced basal dendrites on granule cells. Epilepsia, 2010, 51, 43-43.	5.1	2
33	Stress coping stimulates hippocampal neurogenesis in adult monkeys. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 14823-14827.	7.1	89
34	Excitatory Input Onto Hilar Somatostatin Interneurons Is Increased in a Chronic Model of Epilepsy. Journal of Neurophysiology, 2010, 104, 2214-2223.	1.8	44
35	Dysfunction of the Dentate Basket Cell Circuit in a Rat Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2009, 29, 7846-7856.	3.6	62
36	Surviving Hilar Somatostatin Interneurons Enlarge, Sprout Axons, and Form New Synapses with Granule Cells in a Mouse Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2009, 29, 14247-14256.	3.6	121

PAUL S BUCKMASTER

#	Article	IF	CITATIONS
37	Inhibition of the Mammalian Target of Rapamycin Signaling Pathway Suppresses Dentate Granule Cell Axon Sprouting in a Rodent Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2009, 29, 8259-8269.	3.6	211
38	Prolonged infusion of inhibitors of calcineurin or Lâ€ŧype calcium channels does not block mossy fiber sprouting in a model of temporal lobe epilepsy. Epilepsia, 2009, 50, 56-64.	5.1	10
39	Synaptic input to dentate granule cell basal dendrites in a rat model of temporal lobe epilepsy. Journal of Comparative Neurology, 2008, 509, 190-202.	1.6	53
40	Changes in Granule Cell Firing Rates Precede Locally Recorded Spontaneous Seizures by Minutes in an Animal Model of Temporal Lobe Epilepsy. Journal of Neurophysiology, 2008, 99, 2431-2442.	1.8	79
41	Recurrent Circuits in Layer II of Medial Entorhinal Cortex in a Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2007, 27, 1239-1246.	3.6	72
42	Inherited Epilepsy in Mongolian Gerbils. , 2006, , 273-294.		11
43	GABAA Receptor–Mediated IPSCs and α1 Subunit Expression Are Not Reduced in the Substantia Nigra Pars Reticulata of Gerbils With Inherited Epilepsy. Journal of Neurophysiology, 2006, 95, 2446-2455.	1.8	5
44	Hyperexcitability, Interneurons, and Loss of GABAergic Synapses in Entorhinal Cortex in a Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2006, 26, 4613-4623.	3.6	153
45	Prolonged Infusion of Cycloheximide Does Not Block Mossy Fiber Sprouting in a Model of Temporal Lobe Epilepsy. Epilepsia, 2005, 46, 1017-1020.	5.1	16
46	Stereological analysis of forebrain regions in kainate-treated epileptic rats. Brain Research, 2005, 1057, 141-152.	2.2	41
47	Does a Unique Type of CA3 Pyramidal Cell in Primates Bypass the Dentate Gate?. Journal of Neurophysiology, 2005, 94, 896-900.	1.8	4
48	Prolonged Infusion of Tetrodotoxin Does Not Block Mossy Fiber Sprouting in Pilocarpine-treated Rats. Epilepsia, 2004, 45, 452-458.	5.1	20
49	Dendritic morphology, local circuitry, and intrinsic electrophysiology of principal neurons in the entorhinal cortex of macaque monkeys. Journal of Comparative Neurology, 2004, 470, 317-329.	1.6	45
50	Recurrent excitation of granule cells with basal dendrites and low interneuron density and inhibitory postsynaptic current frequency in the dentate gyrus of macaque monkeys. Journal of Comparative Neurology, 2004, 476, 205-218.	1.6	72
51	Laboratory animal models of temporal lobe epilepsy. Comparative Medicine, 2004, 54, 473-85.	1.0	73
52	Reduced Inhibition and Increased Output of Layer II Neurons in the Medial Entorhinal Cortex in a Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2003, 23, 8471-8479.	3.6	106
53	Reduced Inhibition of Dentate Granule Cells in a Model of Temporal Lobe Epilepsy. Journal of Neuroscience, 2003, 23, 2440-2452.	3.6	340
54	Absence of Temporal Lobe Epilepsy Pathology in Dogs with Medically Intractable Epilepsy. Journal of Veterinary Internal Medicine, 2002, 16, 95-99.	1.6	29

PAUL S BUCKMASTER

#	Article	IF	CITATIONS
55	Evoked Responses of the Dentate Gyrus During Seizures in Developing Gerbils With Inherited Epilepsy. Journal of Neurophysiology, 2002, 88, 783-793.	1.8	29
56	Axon Sprouting in a Model of Temporal Lobe Epilepsy Creates a Predominantly Excitatory Feedback Circuit. Journal of Neuroscience, 2002, 22, 6650-6658.	3.6	280
57	Axon arbors and synaptic connections of a vulnerable population of interneurons in the dentate gyrus in vivo. Journal of Comparative Neurology, 2002, 445, 360-373.	1.6	62
58	Heightened seizure severity in somatostatin knockout mice. Epilepsy Research, 2002, 48, 43-56.	1.6	63
59	Absence of Temporal Lobe Epilepsy Pathology in Dogs with Medically Intractable Epilepsy. Journal of Veterinary Internal Medicine, 2002, 16, 95.	1.6	17
60	Intracellular recording and labeling of mossy cells and proximal CA3 pyramidal cells in macaque monkeys. Journal of Comparative Neurology, 2001, 430, 264-281.	1.6	66
61	Somatostatin-immunoreactive interneurons contribute to lateral inhibitory circuits in the dentate gyrus of control and epileptic rats. Hippocampus, 2001, 11, 418-422.	1.9	18
62	Testing the Disinhibition Hypothesis of Epileptogenesis In Vivo and during Spontaneous Seizures. Journal of Neuroscience, 2000, 20, 6232-6240.	3.6	36
63	In Vivo Intracellular Analysis of Granule Cell Axon Reorganization in Epileptic Rats. Journal of Neurophysiology, 1999, 81, 712-721.	1.8	159
64	Highly Specific Neuron Loss Preserves Lateral Inhibitory Circuits in the Dentate Gyrus of Kainate-Induced Epileptic Rats. Journal of Neuroscience, 1999, 19, 9519-9529.	3.6	250
65	Neuron loss and axon reorganization in the dentate gyrus of cats infected with the feline immunodeficiency virus. Journal of Comparative Neurology, 1999, 411, 563-577.	1.6	19
66	Recurrent spontaneous motor seizures after repeated low-dose systemic treatment with kainate: assessment of a rat model of temporal lobe epilepsy. Epilepsy Research, 1998, 31, 73-84.	1.6	340
67	Network Properties of the Dentate Gyrus in Epileptic Rats With Hilar Neuron Loss and Granule Cell Axon Reorganization. Journal of Neurophysiology, 1997, 77, 2685-2696.	1.8	162
68	Neuron loss, granule cell axon reorganization, and functional changes in the dentate gyrus of epileptic kainateâ€ŧreated rats. Journal of Comparative Neurology, 1997, 385, 385-404.	1.6	454
69	Ultrastructural localization of neurotransmitter immunoreactivity in mossy cell axons and their synaptic targets in the rat dentate gyrus. , 1997, 7, 559-570.		85
70	Axon arbors and synaptic connections of hippocampal mossy cells in the rat in vivo. Journal of Comparative Neurology, 1996, 366, 270-292.	1.6	206
71	Physiological and Morphological Heterogeneity of Dentate Gyrus-Hilus Interneurons in the Gerbil HippocampusIn Vivo. European Journal of Neuroscience, 1995, 7, 1393-1402.	2.6	44
72	Somatostatin-immunoreactivity in the hippocampus of mouse, rat, guinea pig, and rabbit. Hippocampus, 1994, 4, 167-180.	1.9	54

#	Article	IF	CITATIONS
73	Hippocampal mossy cell function: A speculative view. Hippocampus, 1994, 4, 393-402.	1.9	123
74	Mossy cell axonal projections to the dentate gyrus molecular layer in the rat hippocampal slice. Hippocampus, 1992, 2, 349-362.	1.9	155