Lydia Vela-Desojo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/796036/publications.pdf

Version: 2024-02-01

66 papers 3,403 citations

304743 22 h-index 53 g-index

73 all docs 73 docs citations

times ranked

73

4778 citing authors

| # | Article | IF | CITATIONS |
|----|--|--------------------|----------------|
| 1 | Identification of novel risk loci, causal insights, and heritable risk for Parkinson's disease: a meta-analysis of genome-wide association studies. Lancet Neurology, The, 2019, 18, 1091-1102. | 10.2 | 1,414 |
| 2 | Impulse control disorder in patients with Parkinson's disease under dopamine agonist therapy: a multicentre study. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 840-844. | 1.9 | 200 |
| 3 | Focused ultrasound subthalamotomy in patients with asymmetric Parkinson's disease: a pilot study. Lancet Neurology, The, 2018, 17, 54-63. | 10.2 | 163 |
| 4 | Numular headache: A coin-shaped cephalgia. Neurology, 2002, 58, 1678-1679. | 1.1 | 125 |
| 5 | The high prevalence of impulse control behaviors in patients with early-onset Parkinson's disease: A cross-sectional multicenter study. Journal of the Neurological Sciences, 2016, 368, 150-154. | 0.6 | 115 |
| 6 | Randomized Trial of Focused Ultrasound Subthalamotomy for Parkinson's Disease. New England Journal of Medicine, 2020, 383, 2501-2513. | 27.0 | 111 |
| 7 | Nummular Headache: A Prospective Series of 14 New Cases. Headache, 2004, 44, 611-614. | 3.9 | 89 |
| 8 | Incidence and consequences of systemic arterial thrombotic events in COVID-19 patients. Journal of Thrombosis and Thrombolysis, 2020, 50, 543-547. | 2.1 | 76 |
| 9 | Non-motor symptoms burden, mood, and gait problems are the most significant factors contributing to a poor quality of life in non-demented Parkinson's disease patients: Results from the COPPADIS Study Cohort. Parkinsonism and Related Disorders, 2019, 66, 151-157. | 2.2 | 71 |
| 10 | COPPADIS-2015 (COhort of Patients with PArkinson's DIsease in Spain, 2015), a global –clinical evaluations, serum biomarkers, genetic studies and neuroimaging– prospective, multicenter, non-interventional, long-term study on Parkinson's disease progression. BMC Neurology, 2016, 16, 26. | 1.8 | 66 |
| 11 | Objective Assessment of Autonomic Signs During Triggered First Division Trigeminal Neuralgia. Cephalalgia, 2002, 22, 251-255. | 3.9 | 58 |
| 12 | Multiple sclerosis in Móstoles, central Spain. Acta Neurologica Scandinavica, 1998, 98, 238-242. | 2.1 | 55 |
| 13 | The Genetic Architecture of Parkinson Disease in Spain: Characterizing Populationâ€ S pecific Risk, Differential Haplotype Structures, and Providing Etiologic Insight. Movement Disorders, 2019, 34, 1851-1863. | 3.9 | 47 |
| 14 | Cortical disinhibition in Parkinson's disease. Brain, 2020, 143, 3408-3421. | 7.6 | 47 |
| 15 | Axial rigidity and quality of life in patients with Parkinson's disease: a preliminary study. Quality of Life Research, 2011, 20, 817-823. | 3.1 | 40 |
| 16 | Nonâ€motor symptom burden is strongly correlated to motor complications in patients with Parkinson's disease. European Journal of Neurology, 2020, 27, 1210-1223. | 3.3 | 40 |
| 17 | Respiratory chain enzyme activities in isolated mitochondria of lymphocytes from patients with Alzheimer's disease. Neurology, 1997, 48, 636-638. | 1.1 | 32 |
| 18 | <scp>COPPADIS</scp> â€2015 (<scp>CO</scp> hort of Patients with PArkinson's <scp>DI</scp> sease in) Tj ETQ 1000 subjects included. Results from the baseline evaluation. European Journal of Neurology, 2019, 26, 1399-1407. |)q0 0 0 rgB 3.3 | 3T /Overlock I |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Agonistas dopaminérgicos en la enfermedad de Parkinson. NeurologÃa, 2014, 29, 230-241. | 0.7 | 30 |
| 20 | Transcranial Magnetic Resonance-Guided Focused Ultrasound Thalamotomy in Essential Tremor: A Comprehensive Lesion Characterization. Neurosurgery, 2020, 87, 256-265. | 1.1 | 28 |
| 21 | Camptocormia induced by atypical antipsychotics and resolved by electroconvulsive therapy. Movement Disorders, 2006, 21, 1977-1980. | 3.9 | 27 |
| 22 | Microstructural changes of the dentatoâ€rubroâ€thalamic tract after transcranial MR guided focused ultrasound ablation of the posteroventral VIM in essential tremor. Human Brain Mapping, 2019, 40, 2933-2942. | 3.6 | 26 |
| 23 | Concomitant Medication Usage with <scp>Levodopaâ€Carbidopa</scp> Intestinal Gel: Results from the <scp>COSMOS</scp> Study. Movement Disorders, 2021, 36, 1853-1862. | 3.9 | 24 |
| 24 | Senile chorea: a multicenter prospective study. Acta Neurologica Scandinavica, 1997, 95, 180-183. | 2.1 | 22 |
| 25 | Thermal and mechanical pain thresholds in patients with fluctuating Parkinson's disease. Parkinsonism and Related Disorders, 2012, 18, 953-957. | 2.2 | 21 |
| 26 | Motor Onset Topography and Progression in Parkinson's Disease: the Upper Limb Is First. Movement Disorders, 2021, 36, 905-915. | 3.9 | 21 |
| 27 | Behavioral addictions in early-onset Parkinson disease are associated with DRD3 variants. Parkinsonism and Related Disorders, 2018, 49, 100-103. | 2.2 | 20 |
| 28 | Sexual Dysfunction in Early-Onset Parkinson's Disease: A Cross-Sectional, Multicenter Study. Journal of Parkinson's Disease, 2020, 10, 1621-1629. | 2.8 | 20 |
| 29 | Use of mirror dystonia as guidance for injection of botulinum toxin in writing dysfunction. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 1608-1609. | 1.9 | 19 |
| 30 | Chorea and contraceptives: Case report with pet study and review of the literature. Movement Disorders, 2004, 19, 349-352. | 3.9 | 18 |
| 31 | Evolution of dose and response to botulinum toxin A in cervical dystonia: a multicenter study. Journal of Neurology, 2011, 258, 1055-1057. | 3.6 | 18 |
| 32 | Trunk Range of Motion Is Related to Axial Rigidity, Functional Mobility and Quality of Life in Parkinson's Disease: An Exploratory Study. Sensors, 2020, 20, 2482. | 3.8 | 18 |
| 33 | Predictors of clinically significant quality of life impairment in Parkinson's disease. Npj Parkinson's Disease, 2021, 7, 118. | 5.3 | 17 |
| 34 | Pain–pressure threshold in patients with Parkinson's disease with and without dyskinesia. Parkinsonism and Related Disorders, 2007, 13, 189-192. | 2.2 | 16 |
| 35 | Sleep Problems Are Related to a Worse Quality of Life and a Greater Non-Motor Symptoms Burden in Parkinson's Disease. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 642-658. | 2.3 | 15 |
| 36 | Unilateral nasal pain with migraine features. Cephalalgia, 2013, 33, 1055-1058. | 3.9 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Axial rigidity is related to the risk of falls inÂpatients with Parkinson's disease. NeuroRehabilitation, 2017, 40, 569-577. | 1.3 | 13 |
| 38 | The impact of freezing of gait on functional dependency in Parkinson's disease with regard to motor phenotype. Neurological Sciences, 2020, 41, 2883-2892. | 1.9 | 13 |
| 39 | Antidepresivos en la enfermedad de Parkinson. Recomendaciones del grupo de trastornos del movimiento de la Asociación Madrileña de NeurologÃa. NeurologÃa, 2018, 33, 395-402. | 0.7 | 11 |
| 40 | Quality of life and non-motor symptoms in Parkinson's disease patients with subthreshold depression. Journal of the Neurological Sciences, 2020, 418, 117109. | 0.6 | 11 |
| 41 | Platelet-activating factor antagonists do not protect against the development of experimental autoimmune encephalomyelitis. Journal of Neuroimmunology, 1991, 33, 81-86. | 2.3 | 10 |
| 42 | Creativity related to dopaminergic treatment: A multicenter study. Parkinsonism and Related Disorders, 2019, 63, 169-173. | 2.2 | 10 |
| 43 | Staging Parkinson's Disease Combining Motor and Nonmotor Symptoms Correlates with Disability and Quality of Life. Parkinson's Disease, 2021, 2021, 1-16. | 1.1 | 10 |
| 44 | Predictors of Global Non-Motor Symptoms Burden Progression in Parkinson's Disease. Results from the COPPADIS Cohort at 2-Year Follow-Up. Journal of Personalized Medicine, 2021, 11, 626. | 2.5 | 10 |
| 45 | Neurologic Outcomes of Toxic Oil Syndrome Patients 18 Years after the Epidemic. Environmental Health Perspectives, 2003, 111, 1326-1334. | 6.0 | 10 |
| 46 | Constipation Predicts Cognitive Decline in Parkinson's Disease: Results from the COPPADIS Cohort at 2-Year Follow-up and Comparison with a Control Group. Journal of Parkinson's Disease, 2022, 12, 315-331. | 2.8 | 10 |
| 47 | Objective assessment of bilateral conjunctival injection during cluster headache attacks. Neurology, 2007, 68, 75-76. | 1.1 | 9 |
| 48 | Aberrant Salient and Corticolimbic Connectivity in Hypersexual Parkinson's Disease. Brain Connectivity, 2021, 11, 639-650. | 1.7 | 9 |
| 49 | Predictors of Loss of Functional Independence in Parkinson's Disease: Results from the COPPADIS Cohort at 2-Year Follow-Up and Comparison with a Control Group. Diagnostics, 2021, 11, 1801. | 2.6 | 9 |
| 50 | Intracranial pressure monitoring in acute disseminated encephalomyelitis in childhood. Critical Care Medicine, 1990, 18, 1481-1483. | 0.9 | 8 |
| 51 | Isokinetic dynamometry as a technologic assessment tool for trunk rigidity in Parkinson's disease patients. NeuroRehabilitation, 2014, 35, 493-501. | 1.3 | 8 |
| 52 | Hemifacial Spasm Induced by Trigeminal Stimuli and Coupled With Ipsilateral Migraine: A Spasmodic Migraine. Cephalalgia, 2006, 26, 1150-1152. | 3.9 | 7 |
| 53 | Mood in Parkinson's disease: From early―to lateâ€stage disease. International Journal of Geriatric Psychiatry, 2021, 36, 627-646. | 2.7 | 7 |
| 54 | Identifying comorbidities and lifestyle factors contributing to the cognitive profile of early Parkinson's disease. BMC Neurology, 2021, 21, 477. | 1.8 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Nonmotor Disorders and Their Correlation With Dopamine. Neurologist, 2011, 17, S9-S17. | 0.7 | 6 |
| 56 | Non-motor symptom burden in patients with Parkinson's disease with impulse control disorders and compulsive behaviours: results from the COPPADIS cohort. Scientific Reports, 2020, 10, 16893. | 3.3 | 6 |
| 57 | Effects of contemporary dance and physiotherapy intervention on balance and postural control in Parkinson's disease. Disability and Rehabilitation, 2022, 44, 2632-2639. | 1.8 | 5 |
| 58 | Falls Predict Acute Hospitalization in Parkinson's Disease. Journal of Parkinson's Disease, 2021, , 1-20. | 2.8 | 5 |
| 59 | Motor Fluctuations Development Is Associated with Non-Motor Symptoms Burden Progression in Parkinson's Disease Patients: A 2-Year Follow-Up Study. Diagnostics, 2022, 12, 1147. | 2.6 | 5 |
| 60 | Adult-onset subacute sclerosing panencephalitis first seen as craniocervical myoclonus. Movement Disorders, 1997, 12, 462-464. | 3.9 | 4 |
| 61 | Cluster Headache: Orbital Hemodynamic Changes During Valsalva Maneuver. Headache, 2006, 46, 298-305. | 3.9 | 3 |
| 62 | Parkinson's Disease Motor Subtypes Change with the Progression of the Disease: Results from the COPPADIS Cohort at 2-Year Follow-Up. Journal of Parkinson's Disease, 2022, 12, 935-955. | 2.8 | 3 |
| 63 | Diplopia Is Frequent and Associated with Motor and Non-Motor Severity in Parkinson's Disease: Results from the COPPADIS Cohort at 2-Year Follow-Up. Diagnostics, 2021, 11, 2380. | 2.6 | 2 |
| 64 | The Spectrum of Movement Disorders in 18â€p Deletion Syndrome. Movement Disorders Clinical Practice, 2019, 6, 729-730. | 1.5 | 1 |
| 65 | Non-Motor Symptoms in PLA2G6-Associated Dystonia-Parkinsonism: A Case Report and Literature Review. Journal of Clinical Medicine, 2022, 11, 1590. | 2.4 | 1 |
| 66 | Reply to: Motor Features in a Peruvian Cohort of Parkinson's Disease Patients. Movement Disorders, 2021, 36, 1994-1995. | 3.9 | 0 |