

# Shuguang Lyu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7962747/publications.pdf>

Version: 2024-02-01

68  
papers

1,823  
citations

218677

26  
h-index

289244

40  
g-index

68  
all docs

68  
docs citations

68  
times ranked

1217  
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of recyclable nano zero-valent iron encapsulated L-cysteine catalytic cylinder product for degradation of BTEX in groundwater by persulfate oxidation. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 555-573.	2.1	5
2	Insights into naphthalene degradation in aqueous solution and soil slurry medium: Performance and mechanisms. <i>Chemosphere</i> , 2022, 291, 132761.	8.2	16
3	Quantitatively identifying the emission sources of pharmaceutically active compounds (PhACs) in the surface water: Method development, verification and application in Huangpu River, China. <i>Science of the Total Environment</i> , 2022, 815, 152783.	8.0	5
4	Efficient catalytic degradation of trichloroethylene in persulfate system by Ca-Fe <sub>2</sub> O <sub>3</sub> and Cu-Fe <sub>2</sub> O <sub>3</sub> nanoparticles: Mechanistic insights. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107196.	6.7	8
5	Comparative studies on trichloroethylene degradation by Fe foam catalyzing three hydrogen peroxide-based oxidants. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107335.	6.7	1
6	Effective degradation of 1,2-dichloroethane in calcium peroxide activated by Fe(III): performance and mechanisms. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 5589-5602.	2.1	3
7	Mechanism of trichloroethylene degradation in Fe(II)-activated peroxymonosulfate coupled with citric acid system in the presence of surfactants. <i>Environmental Science and Pollution Research</i> , 2022, 29, 53176-53190.	5.3	2
8	Insights into the role of nanoscale zero-valent iron in Fenton oxidation and its application in naphthalene degradation from water and slurry systems. <i>Water Environment Research</i> , 2022, 94, e10710.	2.7	7
9	Efficient naphthalene degradation in FeS <sub>2</sub> -activated nano calcium peroxide system: Performance and mechanisms. <i>Journal of Hazardous Materials</i> , 2022, 432, 128693.	12.4	12
10	Elucidating the effect of different desorbents on naphthalene desorption and degradation: Performance and kinetics investigation. <i>Journal of Hazardous Materials</i> , 2022, 434, 128803.	12.4	3
11	Fluoranthene removal in aqueous phase by Fe(II) activated sodium percarbonate: mechanisms and degradation pathways. <i>Research on Chemical Intermediates</i> , 2022, 48, 1645-1663.	2.7	4
12	Insights into the enhanced fluoranthene degradation in citric acid coupled Fe(II)-activated sodium persulfate system. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 4822-4838.	2.1	2
13	Insights into the removal of organic contaminants by calcium sulfite activation with Fe(III): Performance, kinetics, and mechanisms. <i>Water Research</i> , 2022, 221, 118792.	11.3	45
14	Study the activation mechanism of peroxymonosulfate in iron copper systems for trichloroethane degradation. <i>Chemical Engineering Journal Advances</i> , 2022, 11, 100343.	5.2	2
15	Synergistic strengthening of SPC/Fe(II) system by CA coupled with mZVI for trichloroethylene degradation in SDS-containing aqueous solution. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108276.	6.7	5
16	A recyclable polydopamine-functionalized reduced graphene oxide/Fe nanocomposite (PDA@Fe/rGO) for the enhanced degradation of 1,1,1-trichloroethane. <i>Chemical Engineering Journal</i> , 2021, 403, 126405.	12.7	41
17	Identification of indicator PPCPs in landfill leachates and livestock wastewaters using multi-residue analysis of 70 PPCPs: Analytical method development and application in Yangtze River Delta, China. <i>Science of the Total Environment</i> , 2021, 753, 141653.	8.0	60
18	Synthesis of nZVI-Ni@BC composite as a stable catalyst to activate persulfate: Trichloroethylene degradation and insight mechanism. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104808.	6.7	68

#	ARTICLE	IF	CITATIONS
19	Mechanism of surfactant in trichloroethene degradation in aqueous solution by sodium persulfate activated with chelated-Fe(II). <i>Journal of Hazardous Materials</i> , 2021, 407, 124814.	12.4	41
20	Advancement in Fenton-like reactions using PVA coated calcium peroxide/FeS system: Pivotal role of sulfide ion in regenerating the Fe(II) ions and improving trichloroethylene degradation. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104591.	6.7	18
21	Trichloroethylene degradation by PVA-coated calcium peroxide nanoparticles in Fe(II)-based catalytic systems: enhanced performance by citric acid and nanoscale iron sulfide. <i>Environmental Science and Pollution Research</i> , 2021, 28, 3121-3135.	5.3	7
22	Rainfall Influences Occurrence of Pharmaceutical and Personal Care Products in Landfill Leachates: Evidence from Seasonal Variations and Extreme Rainfall Episodes. <i>Environmental Science &amp; Technology</i> , 2021, 55, 4822-4830.	10.0	30
23	Degradation of BTEX in groundwater by nano-CaO <sub>2</sub> particles activated with L-cysteine chelated Fe(III): enhancing or inhibiting hydroxyl radical generation. <i>Water Science and Technology: Water Supply</i> , 2021, 21, 4429-4441.	2.1	1
24	Naphthalene degradation in aqueous solution by Fe(II) activated persulfate coupled with citric acid. <i>Separation and Purification Technology</i> , 2021, 264, 118441.	7.9	46
25	Mechanism of carbon tetrachloride reduction in Fe(II) activated percarbonate system in the environment of sodium dodecyl sulfate. <i>Separation and Purification Technology</i> , 2021, 266, 118549.	7.9	21
26	Unveiling the catalytic ability of carbonaceous materials in Fenton-like reaction by controlled-release CaO <sub>2</sub> nanoparticles for trichloroethylene degradation. <i>Journal of Hazardous Materials</i> , 2021, 416, 125935.	12.4	26
27	Highly efficient degradation of trichloroethylene in groundwater based on persulfate activation by polyvinylpyrrolidone functionalized Fe/Cu bimetallic nanoparticles. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105341.	6.7	28
28	Insights into enhanced removal of 1,2-dichloroethane by amorphous boron-enhanced Fenton system: Performances and mechanisms. <i>Journal of Hazardous Materials</i> , 2021, 420, 126589.	12.4	22
29	Mechanism of contaminants degradation in aqueous solution by persulfate in different Fe(II)-based synergistic activation environments: Taking chlorinated organic compounds and benzene series as the targets. <i>Separation and Purification Technology</i> , 2021, 273, 118990.	7.9	20
30	Degradation of trichloroethene by citric acid chelated Fe(II) catalyzing sodium percarbonate in the environment of sodium dodecyl sulfate aqueous solution. <i>Chemosphere</i> , 2021, 281, 130798.	8.2	25
31	Enhanced trichloroethylene degradation in the presence of surfactant: Pivotal role of Fe(II)/nZVI catalytic synergy in persulfate system. <i>Separation and Purification Technology</i> , 2021, 272, 118885.	7.9	19
32	Influence of preparation method on copper ferrite characteristics for the efficient degradation of trichloroethylene in persulfate activated system. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106044.	6.7	7
33	Role of Cysteine in Enhanced Degradation of Trichloroethane under Ferrous Percarbonate System. <i>Chemical Engineering Journal</i> , 2021, 423, 130221.	12.7	24
34	Enhancement in reactivity via sulfidation of FeNi@BC for efficient removal of trichloroethylene: Insight mechanism and the role of reactive oxygen species. <i>Science of the Total Environment</i> , 2021, 794, 148674.	8.0	11
35	Comparison of naphthalene removal performance using H <sub>2</sub> O <sub>2</sub> , sodium percarbonate and calcium peroxide oxidants activated by ferrous ions and degradation mechanism. <i>Chemosphere</i> , 2021, 283, 131209.	8.2	26
36	Enhanced trichloroethene degradation performance in innovative nanoscale CaO <sub>2</sub> coupled with bisulfite system and mechanism investigation. <i>Separation and Purification Technology</i> , 2021, 278, 119539.	7.9	6

#	ARTICLE	IF	CITATIONS
37	The performance of chlorobenzene degradation in groundwater: comparison of hydrogen peroxide, nanoscale calcium peroxide and sodium percarbonate activated with ferrous iron. <i>Water Science and Technology</i> , 2021, 83, 344-357.	2.5	19
38	Cysteine-modified Fe <sub>3</sub> O <sub>4</sub> nanoparticles as a novel heterogeneous catalyst for persulfate activation on BTEX removal. <i>Water Environment Research</i> , 2021, 93, 3023-3036.	2.7	1
39	Insight into Naphthalene Degradation by Nano-calcium Peroxide in Fe(II)-Citric Acid Catalytic Environment. <i>Water, Air, and Soil Pollution</i> , 2021, 232, 1.	2.4	11
40	Utilization of formic acid in nanoscale zero valent iron-catalyzed Fenton system for carbon tetrachloride degradation. <i>Chemical Engineering Journal</i> , 2020, 380, 122537.	12.7	45
41	The performance of nCaO <sub>2</sub> for BTEX removal: Hydroxyl radical generation pattern and the influences of co-existing environmental pollutants. <i>Water Environment Research</i> , 2020, 92, 622-630.	2.7	7
42	Enhanced carbon tetrachloride degradation by hydroxylamine in ferrous ion activated calcium peroxide in the presence of formic acid. <i>Frontiers of Environmental Science and Engineering</i> , 2020, 14, 1.	6.0	4
43	Do high levels of PPCPs in landfill leachates influence the water environment in the vicinity of landfills? A case study of the largest landfill in China. <i>Environment International</i> , 2020, 135, 105404.	10.0	34
44	Application of glutamate to enhance carbon tetrachloride (CT) degradation by Fe(II) activated calcium peroxide in the presence of methanol: CT removal performance and mechanism. <i>Separation and Purification Technology</i> , 2020, 236, 116259.	7.9	6
45	Efficient removal of trichloroethylene in surfactant amended solution by nano FeO-Nickel bimetallic composite activated sodium persulfate process. <i>Chemical Engineering Journal</i> , 2020, 386, 123995.	12.7	43
46	Enhancement of benzene degradation by persulfate oxidation: synergistic effect by nanoscale zero-valent iron (nZVI) and thermal activation. <i>Water Science and Technology</i> , 2020, 82, 998-1008.	2.5	4
47	Degradation of trichloroethylene in aqueous solution by sodium percarbonate activated with Fe(II)-citric acid complex in the presence of surfactant Tween-80. <i>Chemosphere</i> , 2020, 257, 127223.	8.2	34
48	How to detect small microplastics (20–100 µm) in freshwater, municipal wastewaters and landfill leachates? A trial from sampling to identification. <i>Science of the Total Environment</i> , 2020, 733, 139218.	8.0	57
49	Tracking emission sources of PAHs in a region with pollution-intensive industries, Taihu Basin: From potential pollution sources to surface water. <i>Environmental Pollution</i> , 2020, 264, 114674.	7.5	30
50	Municipal Solid Waste Landfills: An Underestimated Source of Pharmaceutical and Personal Care Products in the Water Environment. <i>Environmental Science &amp; Technology</i> , 2020, 54, 9757-9768.	10.0	157
51	Source apportionment of phenolic compounds based on a simultaneous monitoring of surface water and emission sources: A case study in a typical region adjacent to Taihu Lake watershed. <i>Science of the Total Environment</i> , 2020, 722, 137946.	8.0	16
52	Mechanistic insights into the degradation of trichloroethylene by controlled release nano calcium peroxide activated by iron species coupled with nano iron sulfide. <i>Chemical Engineering Journal</i> , 2020, 399, 125754.	12.7	40
53	Trichloroethylene degradation performance in aqueous solution by Fe(II) activated sodium percarbonate in the presence of surfactant sodium dodecyl sulfate. <i>Water Environment Research</i> , 2020, 92, 1142-1151.	2.7	13
54	Synthesis of controlled release calcium peroxide nanoparticles (CR-nCPs): Characterizations, H <sub>2</sub> O <sub>2</sub> liberate performances and pollutant degradation efficiency. <i>Separation and Purification Technology</i> , 2020, 241, 116729.	7.9	34

#	ARTICLE	IF	CITATIONS
55	Efficient removal of trichloroethene in oxidative environment by anchoring nano FeS on reduced graphene oxide supported nZVI catalyst: The role of FeS on oxidant decomposition and iron leakage. <i>Journal of Hazardous Materials</i> , 2020, 392, 122328.	12.4	27
56	Trichloroethene degradation by nanoscale CaO <sub>2</sub> activated with Fe(II)/FeS: The role of FeS and the synergistic activation mechanism of Fe(II)/FeS. <i>Chemical Engineering Journal</i> , 2020, 394, 124830.	12.7	44
57	Enhanced redox degradation of chlorinated hydrocarbons by the Fe(II)-catalyzed calcium peroxide system in the presence of formic acid and citric acid. <i>Journal of Hazardous Materials</i> , 2019, 368, 506-513.	12.4	37
58	Degradation of trichloroethylene in aqueous solution by nanoscale calcium peroxide in the Fe(II)-based catalytic environments. <i>Separation and Purification Technology</i> , 2019, 226, 13-21.	7.9	41
59	Mechanism of carbon tetrachloride reduction in ferrous ion activated calcium peroxide system in the presence of methanol. <i>Chemical Engineering Journal</i> , 2019, 362, 243-250.	12.7	29
60	Insight into CaO <sub>2</sub> -based Fenton and Fenton-like systems: Strategy for CaO <sub>2</sub> -based oxidation of organic contaminants. <i>Chemical Engineering Journal</i> , 2019, 361, 919-928.	12.7	44
61	The impact of surface properties and dominant ions on the effectiveness of G-nZVI heterogeneous catalyst for environmental remediation. <i>Science of the Total Environment</i> , 2019, 651, 1182-1188.	8.0	22
62	Electrolytic control of hydrogen peroxide release from calcium peroxide in aqueous solution. <i>Electrochemistry Communications</i> , 2018, 93, 81-85.	4.7	14
63	Pharmaceuticals and personal care products in the urban river across the megacity Shanghai: Occurrence, source apportionment and a snapshot of influence of rainfall. <i>Journal of Hazardous Materials</i> , 2018, 359, 429-436.	12.4	62
64	Enhanced degradation of trichloroethylene in oxidative environment by nZVI/PDA functionalized rGO catalyst. <i>Journal of Hazardous Materials</i> , 2018, 359, 157-165.	12.4	33
65	Insight on the generation of reactive oxygen species in the CaO <sub>2</sub> /Fe(II) Fenton system and the hydroxyl radical advancing strategy. <i>Chemical Engineering Journal</i> , 2018, 353, 657-665.	12.7	67
66	Degradation of phenanthrene in sulfate radical based oxidative environment by nZVI-PDA functionalized rGO catalyst. <i>Chemical Engineering Journal</i> , 2018, 354, 541-552.	12.7	109
67	Ethanol enhanced carbon tetrachloride degradation in Fe(II) activated calcium peroxide system. <i>Separation and Purification Technology</i> , 2018, 205, 105-112.	7.9	20
68	Elucidation of the oxidation mechanisms and pathways of sulfamethoxazole degradation under Fe(II) activated percarbonate treatment. <i>Science of the Total Environment</i> , 2018, 640-641, 973-980.	8.0	52