

Mirosław Szafran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7963727/publications.pdf>

Version: 2024-02-01

63
papers

823
citations

516710

16
h-index

580821

25
g-index

63
all docs

63
docs citations

63
times ranked

451
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystal and molecular structure of 8-hydroxyquinoline betaine monohydrate studied by X-ray, FTIR, NMR and DFT. <i>Journal of Molecular Structure</i> , 2022, 1248, 131421.	3.6	4
2	Interactions of pyridoxine (Vitamin B6) with squaric acid and water. Experimental and theoretical studies. <i>Journal of Molecular Structure</i> , 2022, 1251, 131773.	3.6	4
3	A new diastereomeric type of N-morpholino-spiro derivative. Structural, spectroscopic and computational studies. <i>Journal of Molecular Structure</i> , 2021, 1232, 130018.	3.6	0
4	Hydrogen-bonding aggregation of N-methylpyrrolidine betaine with p-hydroxybenzoic acid. <i>Journal of Molecular Structure</i> , 2020, 1206, 127695.	3.6	4
5	Centrosymmetric and asymmetric dimers of 5-(quinolinium)-valeric acid bromide monohydrate in crystal field and in silico. <i>Journal of Molecular Structure</i> , 2020, 1222, 128912.	3.6	0
6	Cooperative hydrogen bond between piperidine-ethanol and 2,6-dichloro-4-nitrophenol. <i>Journal of Molecular Structure</i> , 2019, 1184, 468-478.	3.6	7
7	Effect of alkyl chain length in 2-(quinuclidinium)-alkanocarboxylates on structures of their complexes with 2,6-dichloro-4-nitrophenol. <i>Journal of Molecular Structure</i> , 2019, 1180, 812-825.	3.6	0
8	Effects of donor-acceptor groups on structural and spectroscopic properties of hydrogen-bonded complex of 2-(hydroxymethyl)-1-methyl-piperidine with p-hydroxybenzoic acid and water. <i>Vibrational Spectroscopy</i> , 2018, 96, 67-73.	2.2	2
9	Tautomers of N-ethyl-3-oxopyridinium and its adduct with squaric acid studied by X-ray, Raman, FTIR, NMR and DFT methods. <i>Vibrational Spectroscopy</i> , 2017, 89, 102-112.	2.2	4
10	Conformational flexibility and pseudosymmetric aggregation in a betainium salt hydrate. <i>Structural Chemistry</i> , 2017, 28, 859-865.	2.0	4
11	Structural, vibrational and DFT studies of di-(pipercolinium acid) squarate. <i>Vibrational Spectroscopy</i> , 2017, 88, 106-116.	2.2	10
12	Spectroscopic and theoretical studies of the H-bonded complex of quinuclidine with 2,6-dichloro-4-nitrophenol. <i>Vibrational Spectroscopy</i> , 2017, 93, 29-35.	2.2	4
13	Three-component complex of piperidine-ethanol, p-hydroxybenzoic acid and water studied by X-ray, Raman, FTIR and DFT. <i>Vibrational Spectroscopy</i> , 2017, 92, 194-199.	2.2	6
14	Structure, spectroscopy and DFT calculations of 1,2-di(3-hydroxymethylpyridinium)ethane dibromide. <i>Journal of Molecular Structure</i> , 2016, 1120, 341-350.	3.6	4
15	Disproportional proton tautomers of pipercolic acid and 2,6-dichloro-4-nitrophenol in a 2:3 complex. <i>Chemical Physics</i> , 2016, 477, 88-95.	1.9	6
16	Synthesis, spectroscopic and theoretical studies of (R/S)-piperidinium-3-carboxylic acid 2,6-dichloro-4-nitrophenolate. <i>Vibrational Spectroscopy</i> , 2016, 83, 46-56.	2.2	6
17	Spectroscopic studies of the 1:1 complex of piperidine-4-carboxylic acid (isonipecotic acid) with 2,6-dichloro-4-nitrophenol. <i>Vibrational Spectroscopy</i> , 2016, 85, 35-42.	2.2	8
18	Structure of the complex of dimethylphenyl betaine with dichloroacetic acid studied by X-ray diffraction, DFT calculations, infrared and Raman spectra. <i>Vibrational Spectroscopy</i> , 2016, 84, 92-100.	2.2	15

#	ARTICLE	IF	CITATIONS
19	Spectroscopic studies of the 1:1 adduct of N-methylmorpholinium-acetate with hydrobromic acid in the crystalline and gaseous state. <i>Vibrational Spectroscopy</i> , 2015, 80, 36-41.	2.2	1
20	Rare stoichiometry of carboxylate-carboxylate betaine complexes: in vitro versus in silico. <i>CrystEngComm</i> , 2015, 17, 4143-4149.	2.6	2
21	Spectroscopic and theoretical studies of bis(dimethylphenyl betaine) hydrochloride monohydrate. <i>Vibrational Spectroscopy</i> , 2015, 79, 16-23.	2.2	8
22	Structural and spectroscopic properties of piperidinium-4-carboxylic acid hydrogen squarate. <i>Vibrational Spectroscopy</i> , 2015, 81, 13-21.	2.2	8
23	Spectroscopic, structural and theoretical investigation of bis(4-trimethylammoniumbenzoate) hydroiodide hydrate. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 136, 1149-1156.	3.9	5
24	Structural, spectroscopic and theoretical studies of dimethylphenyl betaine complex with two molecules of 2,6-dichloro-4-nitro-phenol. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 136, 1216-1226.	3.9	10
25	NH ⁺ and OH ⁻ interactions of glycine derivatives with squaric acid. <i>New Journal of Chemistry</i> , 2014, 38, 3556-3568.	2.8	19
26	Structural, spectroscopic and computational studies of the 2:1 complex of nipecotic acid with squaric acid. <i>Chemical Physics</i> , 2014, 444, 7-14.	1.9	9
27	Structural, spectroscopic, and theoretical studies of a very short OHO hydrogen bond in bis(4-methylpiperidinium)butyrate hydrobromide. <i>Journal of Physical Organic Chemistry</i> , 2009, 22, 356-361.	1.9	9
28	Hydrogen bonds in 1:1 complex of piperidine-3-carboxylic acid with salicylic acid. <i>Journal of Molecular Structure</i> , 2009, 920, 68-74.	3.6	14
29	Experimental and theoretical studies of 4-hydroxy-1-methylpiperidinium perchlorate. <i>Journal of Molecular Structure</i> , 2008, 889, 344-351.	3.6	7
30	Crystal and molecular structure of 3-(2-amino-pyridinium)-propionate monohydrate. <i>Journal of Molecular Structure</i> , 2006, 786, 25-32.	3.6	16
31	Structure of 3-hydroxy-3-phenyl-pyrido[2,1-c][1,4]dihydrooxazinium bromide studied by X-ray, FTIR, ¹ H, ¹³ C and ¹⁵ N NMR, and DFT methods. <i>Journal of Molecular Structure</i> , 2006, 792-793, 36-49.	3.6	3
32	THEORETICAL AND EXPERIMENTAL ¹ H AND ¹³ C NMR SPECTRA OF 3-HYDROXYPYRIDINE, 3-METHOXYPYRIDINE, AND N-ETHYL-3-OXYPYRIDINIUM BETAINES*. <i>Computational Methods in Science and Technology</i> , 2004, 10, 47-56.	0.3	3
33	Crystal and molecular structure of N-methylpiperidine betaine hydrobromide. <i>Journal of Molecular Structure</i> , 2002, 605, 319-324.	3.6	24
34	Molecular structures and hydrogen bonding of 1:1 and 2:1 complexes of quinoline betaine with perchloric acid. <i>Journal of Molecular Structure</i> , 2002, 609, 19-28.	3.6	30
35	Bis(N-methylpiperidine betaine) hydrobromide: crystal structure and hydrogen bonding. <i>Journal of Molecular Structure</i> , 2002, 615, 33-43.	3.6	20
36	FTIR studies of complexes of N-methylmorpholine betaine with phenols. <i>Journal of Molecular Structure</i> , 2002, 614, 189-194.	3.6	13

#	ARTICLE	IF	CITATIONS
37	Differences in protonâ€“proton coupling constants of N+â€“CH2â€“CH2 protons of some betaines, N+â€“(CH2)2-3â€“COOâ€”, and their complexes in aqueous solution. Journal of Molecular Structure, 2001, 563-564, 555-564.	3.6	7
38	Conformational preferences of isostructural N-methylpiperidine betaine and (1-methylcyclohexyl)acetic acid studied by PM3 and B3LYP calculations. The effect of electrostatic interactions on the rotation barrier. Journal of Molecular Structure, 2001, 598, 251-260.	3.6	10
39	Crystal structure and vibrational spectrum of N-methylpiperidine betaine hexafluorosilicate. Journal of Molecular Structure, 2001, 598, 267-276.	3.6	24
40	1H and 13C NMR spectra of betaines, >N+(CH2)nCOOâ€”, and their hydrogen halides. Additivity rules for carbon-13 chemical shifts. Magnetic Resonance in Chemistry, 2000, 38, 43-50.	1.9	29
41	Molecular structure and vibrational spectrum of N-methylpyrrolidine betaine hydrogen chloride: experimental and DFT study. Vibrational Spectroscopy, 2000, 23, 1-11.	2.2	16
42	Structures and hydrogen bonding in the 1:1 and 1:2 complexes of trimethylamine Nâ€“oxide with pentachlorophenol. Journal of Molecular Structure, 1999, 477, 49-60.	3.6	4
43	Comparison of low-barrier hydrogen bonds in acid salts of carboxylic acids and basic salts of betaines â€“ FTIR study. Journal of Molecular Structure, 1999, 484, 117-124.	3.6	13
44	Conformational analysis of 5-piperidinevaleric acid, 5-(N-methylpiperidine)valerate and their hydrogen halides by MO calculations, X-ray diffraction and FTIR spectroscopy. Journal of Molecular Structure, 1999, 484, 125-138.	3.6	9
45	Deprotonation of 1-(carbethoxyalkyl)pyridinium halides with strong N-bases. Journal of Physical Organic Chemistry, 1999, 12, 39-46.	1.9	14
46	Conformations of, and NHO hydrogen bond in, piperidine-1-valeric acid and its dihydrate. Journal of the Chemical Society Perkin Transactions II, 1999, , 1967-1971.	0.9	6
47	Influence of Electrostatic Interactions on Complexes with Short Oâ€“â€“O Hydrogen Bonds in Basic Salts of Pyridine Betaines and Acid Salts of Phenylalkanoic Acids. Israel Journal of Chemistry, 1999, 39, 253-260.	2.3	26
48	Structure, conformation and hydrogen bonding of some pyridiniumpropionate complexes. Journal of Molecular Structure, 1998, 448, 77-89.	3.6	7
49	Conformational Analysis of N-Methylpyrrolidine Betaine Hydrochloride by X-Ray Diffraction and Ab Initio Calculations. Journal of Chemical Research Synopses, 1998, , 296-297.	0.3	6
50	Electrostatic Interactions and Conformations of Zwitterionic Pyridinium Alkanoates. Journal of Organic Chemistry, 1998, 63, 2898-2908.	3.2	61
51	Hydrogen bonding and proton localization in complexes of carboxybetaines with phenols and carboxylic acids. Journal of Molecular Structure, 1997, 404, 13-23.	3.6	25
52	X-ray, phase transition, IR and Raman studies of the solid complex of bis(pyridine betaine)-sulphuric acid. Journal of Molecular Structure, 1997, 406, 127-135.	3.6	24
53	X-Ray, FTIR and quantum chemical studies of short and asymmetric hydrogen bonds in bis(2,6-dimethylpyridine-N-oxide) sulphate [2,6-(CH3)2C5H3N+â€“,OH]2[SO2â€“4]. Journal of Molecular Structure, 1997, 416, 81-90.	3.6	8
54	Structure and vibrational spectra of pyridine betaine hydrochloride. Journal of Molecular Structure, 1997, 436-437, 123-142.	3.6	28

#	ARTICLE	IF	CITATIONS
55	Crystal structure and vibrational spectra of the 1:1 and 1:2 complexes of pyridine betaine with pentachlorophenol. <i>Journal of Molecular Structure</i> , 1997, 436-437, 143-151.	3.6	14
56	Structure and FTIR spectra of 3 : 2 complexes of trimethylamine N-oxide and 4-dimethylamine-2,6-dimethylpyridine N-oxide with perchloric acid. <i>Journal of Molecular Structure</i> , 1996, 375, 197-206.	3.6	5
57	Recent aspects of the proton transfer reaction in H-bonded complexes. <i>Journal of Molecular Structure</i> , 1996, 381, 39-64.	3.6	63
58	Differences between the N-H...O and O-H...O hydrogen bonds in complexes of 2,6-dichloro-4-nitrophenol with pyridines and pyridine N-oxides. <i>Journal of Molecular Structure</i> , 1996, 381, 107-125.	3.6	33
59	Calculation of the vibrational spectra of pyridine betaine. <i>Journal of Molecular Structure</i> , 1996, 381, 157-167.	3.6	21
60	FT-IR, UV-vis and X-ray studies of complexes of pyridine N-oxides with pentachlorophenol. <i>Journal of Molecular Structure</i> , 1995, 356, 169-182.	3.6	11
61	X-ray, FTIR, ¹ H and ¹³ C NMR, PM3 and AM1 studies of (N≡H...N) ⁺ and (O≡H...O) ⁺ hydrogen bonds in a complex of 1,8-diaminonaphthalene with maleic acid: proton cavity and basicity of proton sponges. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1995, 91, 87-92.	1.7	16
62	Strong hydrogen bonds in 1:1 and 2:1 complexes of pyridine betaine with strong acids. <i>Journal of Molecular Structure</i> , 1994, 322, 297-308.	3.6	48
63	Formation of the homoconjugated cation (N≡O≡H...O≡N) ⁺ of N-dodecyl-N,N-dimethylamine oxide in carbon tetrachloride. <i>Journal of Molecular Structure</i> , 1990, 239, 1-11.	3.6	6