

Samuel I Miller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7965267/publications.pdf>

Version: 2024-02-01

115
papers

18,340
citations

15504

65
h-index

20961

115
g-index

120
all docs

120
docs citations

120
times ranked

14515
citing authors

#	ARTICLE	IF	CITATIONS
1	Gastrointestinal Factors Associated With Hospitalization in Infants With Cystic Fibrosis: Results From the Baby Observational and Nutrition Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021, 73, 395-402.	1.8	7
2	Structure and lipid dynamics in the maintenance of lipid asymmetry inner membrane complex of <i>A. baumannii</i> . <i>Communications Biology</i> , 2021, 4, 817.	4.4	31
3	Infants with cystic fibrosis have altered fecal functional capacities with potential clinical and metabolic consequences. <i>BMC Microbiology</i> , 2021, 21, 247.	3.3	6
4	Toxin Glycan Binding: Lectin Keys Unlocking Host and Tissue Specificity. <i>Cell Host and Microbe</i> , 2020, 27, 851-853.	11.0	3
5	Fecal dysbiosis in infants with cystic fibrosis is associated with early linear growth failure. <i>Nature Medicine</i> , 2020, 26, 215-221.	30.7	65
6	CFTR dysregulation drives active selection of the gut microbiome. <i>PLoS Pathogens</i> , 2020, 16, e1008251.	4.7	57
7	Structure of an Inner Membrane Protein Required for PhoPQ-Regulated Increases in Outer Membrane Cardiolipin. <i>MBio</i> , 2020, 11, .	4.1	24
8	Xenophagy: Pathogen-Containing Vacuoles Are Hard to Digest. <i>Current Biology</i> , 2019, 29, R1086-R1088.	3.9	4
9	The cellular microbiology of <i>Salmonellae</i> interactions with macrophages. <i>Cellular Microbiology</i> , 2019, 21, e13116.	2.1	10
10	<i>Salmonella</i> Translocated Effectors Recruit OSBP1 to the Phagosome to Promote Vacuolar Membrane Integrity. <i>Cell Reports</i> , 2019, 27, 2147-2156.e5.	6.4	28
11	Dietary therapy for <i>Clostridium difficile</i> colonization: A case series. <i>Anaerobe</i> , 2019, 57, 1-3.	2.1	5
12	Cyclic-di-GMP regulation promotes survival of a slow-replicating subpopulation of intracellular <i>Salmonella</i> Typhimurium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 6335-6340.	7.1	43
13	Oral health and plaque microbial profile in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2019, 17, 81.	2.1	18
14	Identification of Small-Molecule Modulators of Diguanylate Cyclase by FRET-Based High-Throughput Screening. <i>ChemBioChem</i> , 2019, 20, 394-407.	2.6	14
15	Inhibiting the Evolution of Antibiotic Resistance. <i>Molecular Cell</i> , 2019, 73, 157-165.e5.	9.7	139
16	The <i>Acinetobacter baumannii</i> Mla system and glycerophospholipid transport to the outer membrane. <i>ELife</i> , 2019, 8, .	6.0	81
17	Adaptation of commensal proliferating <i>Escherichia coli</i> to the intestinal tract of young children with cystic fibrosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1605-1610.	7.1	41
18	β -Barrel outer membrane proteins suppress mTORC2 activation and induce autophagic responses. <i>Science Signaling</i> , 2018, 11, .	3.6	5

#	ARTICLE	IF	CITATIONS
19	Multi-drug resistant non-typhoidal Salmonella associated with invasive disease in western Kenya. PLoS Neglected Tropical Diseases, 2018, 12, e0006156.	3.0	29
20	Multidrug-Resistant Acinetobacter baumannii Chloramphenicol Resistance Requires an Inner Membrane Permease. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	17
21	The gram-negative bacterial periplasm: Size matters. PLoS Biology, 2018, 16, e2004935.	5.6	102
22	Editorial overview: Host-microbe interactions: Bacteria. Current Opinion in Microbiology, 2017, 35, v-viii.	5.1	1
23	Expression level of human TLR4 rather than sequence is the key determinant of LPS responsiveness. PLoS ONE, 2017, 12, e0186308.	2.5	16
24	A Cellular GWAS Approach to Define Human Variation in Cellular Pathways Important to Inflammation. Pathogens, 2016, 5, 39.	2.8	7
25	Human Diversity in a Cell Surface Receptor that Inhibits Autophagy. Current Biology, 2016, 26, 1791-1801.	3.9	11
26	Pyomelanin-producing <i>Pseudomonas aeruginosa</i> selected during chronic infections have a large chromosomal deletion which confers resistance to pyocins. Environmental Microbiology, 2016, 18, 3482-3493.	3.8	57
27	Metagenomic evidence for taxonomic dysbiosis and functional imbalance in the gastrointestinal tracts of children with cystic fibrosis. Scientific Reports, 2016, 6, 22493.	3.3	107
28	Next-Generation High-Throughput Functional Annotation of Microbial Genomes. MBio, 2016, 7, .	4.1	19
29	Antibiotic Resistance and Regulation of the Gram-Negative Bacterial Outer Membrane Barrier by Host Innate Immune Molecules. MBio, 2016, 7, .	4.1	154
30	Genomic Analysis of Salmonella enterica Serovar Typhimurium Characterizes Strain Diversity for Recent U.S. Salmonellosis Cases and Identifies Mutations Linked to Loss of Fitness under Nitrosative and Oxidative Stress. MBio, 2016, 7, e00154.	4.1	26
31	GUTSS: An Alignment-Free Sequence Comparison Method for Use in Human Intestinal Microbiome and Fecal Microbiota Transplantation Analysis. PLoS ONE, 2016, 11, e0158897.	2.5	8
32	Acidic pH and divalent cation sensing by PhoQ are dispensable for systemic salmonellae virulence. ELife, 2015, 4, e06792.	6.0	34
33	Low Level Engraftment and Improvement following a Single Colonoscopic Administration of Fecal Microbiota to Patients with Ulcerative Colitis. PLoS ONE, 2015, 10, e0133925.	2.5	58
34	Backbone chemical shift assignments for the sensor domain of the Burkholderia pseudomallei histidine kinase RisS: α -resonances at the dimer interface. Biomolecular NMR Assignments, 2015, 9, 381-385.	0.8	3
35	A direct screen for c-di-GMP modulators reveals a <i>Salmonella</i> Typhimurium periplasmic γ -arginine sensing pathway. Science Signaling, 2015, 8, ra57.	3.6	76
36	HAMP Domain Rotation and Tilting Movements Associated with Signal Transduction in the PhoQ Sensor Kinase. MBio, 2015, 6, e00616-15.	4.1	54

#	ARTICLE	IF	CITATIONS
37	S. Typhimurium strategies to resist killing by cationic antimicrobial peptides. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015, 1848, 3021-3025.	2.6	63
38	Salmonellae interactions with host processes. <i>Nature Reviews Microbiology</i> , 2015, 13, 191-205.	28.6	414
39	Delivery of Cardiolipins to the Salmonella Outer Membrane Is Necessary for Survival within Host Tissues and Virulence. <i>Cell Host and Microbe</i> , 2015, 17, 441-451.	11.0	85
40	<i>S</i> almonella modulation of the phagosome membrane, role of SseJ. <i>Cellular Microbiology</i> , 2015, 17, 333-341.	2.1	26
41	PhoPQ regulates acidic glycerophospholipid content of the <i>Salmonella</i> Typhimurium outer membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 1963-1968.	7.1	133
42	Escherichia coli Dysbiosis Correlates With Gastrointestinal Dysfunction in Children With Cystic Fibrosis. <i>Clinical Infectious Diseases</i> , 2014, 58, 396-399.	5.8	82
43	A cellular genome-wide association study reveals human variation in microtubule stability and a role in inflammatory cell death. <i>Molecular Biology of the Cell</i> , 2014, 25, 76-86.	2.1	33
44	Gastrointestinal Pathology in Juvenile and Adult CFTR-Knockout Ferrets. <i>American Journal of Pathology</i> , 2014, 184, 1309-1322.	3.8	63
45	Salmonellae PhoPQ regulation of the outer membrane to resist innate immunity. <i>Current Opinion in Microbiology</i> , 2014, 17, 106-113.	5.1	178
46	Pseudomonas aeruginosa Phenotypes Associated With Eradication Failure in Children With Cystic Fibrosis. <i>Clinical Infectious Diseases</i> , 2014, 59, 624-631.	5.8	64
47	Temporal and Anatomical Host Resistance to Chronic Salmonella Infection Is Quantitatively Dictated by Nramp1 and Influenced by Host Genetic Background. <i>PLoS ONE</i> , 2014, 9, e111763.	2.5	37
48	A Refined Model of the Prototypical Salmonella SPI-1 T3SS Basal Body Reveals the Molecular Basis for Its Assembly. <i>PLoS Pathogens</i> , 2013, 9, e1003307.	4.7	76
49	c-di-GMP heterogeneity is generated by the chemotaxis machinery to regulate flagellar motility. <i>ELife</i> , 2013, 2, e01402.	6.0	103
50	Humanized TLR4/MD-2 Mice Reveal LPS Recognition Differentially Impacts Susceptibility to Yersinia pestis and Salmonella enterica. <i>PLoS Pathogens</i> , 2012, 8, e1002963.	4.7	64
51	A Salmonella typhimurium-translocated Glycerophospholipid:Cholesterol Acyltransferase Promotes Virulence by Binding to the RhoA Protein Switch Regions. <i>Journal of Biological Chemistry</i> , 2012, 287, 29654-29663.	3.4	30
52	The response threshold of <i>S</i> almonella PilZ domain proteins is determined by their binding affinities for c-di-GMP. <i>Molecular Microbiology</i> , 2012, 86, 1424-1440.	2.5	84
53	Functional genetic screen of human diversity reveals that a methionine salvage enzyme regulates inflammatory cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2343-52.	7.1	59
54	Evolution of Burkholderia pseudomallei in Recurrent Melioidosis. <i>PLoS ONE</i> , 2012, 7, e36507.	2.5	96

#	ARTICLE	IF	CITATIONS
55	The bacterial second messenger c-di-GMP: mechanisms of signalling. <i>Cellular Microbiology</i> , 2011, 13, 1122-1129.	2.1	109
56	Inflammation for growth. <i>Nature</i> , 2010, 467, 410-411.	27.8	4
57	Antimicrobial Peptides Activate the Rcs Regulon through the Outer Membrane Lipoprotein RcsF. <i>Journal of Bacteriology</i> , 2010, 192, 4894-4903.	2.2	109
58	Asymmetrical Distribution of the Second Messenger c-di-GMP upon Bacterial Cell Division. <i>Science</i> , 2010, 328, 1295-1297.	12.6	245
59	Activation of a Bacterial Virulence Protein by the GTPase RhoA. <i>Science Signaling</i> , 2009, 2, ra71.	3.6	50
60	Analysis of the Genome of the <i>Escherichia coli</i> O157:H7 2006 Spinach-Associated Outbreak Isolate Indicates Candidate Genes That May Enhance Virulence. <i>Infection and Immunity</i> , 2009, 77, 3713-3721.	2.2	163
61	A Genome-wide In Vitro Bacterial-Infection Screen Reveals Human Variation in the Host Response Associated with Inflammatory Disease. <i>American Journal of Human Genetics</i> , 2009, 85, 214-227.	6.2	80
62	Salmonellae interplay with host cells. <i>Nature Reviews Microbiology</i> , 2008, 6, 53-66.	28.6	708
63	The Salmonellae PhoQ sensor: mechanisms of detection of phagosome signals. <i>Cellular Microbiology</i> , 2008, 10, 576-582.	2.1	151
64	Structure and Function of Salmonella SifA Indicate that Its Interactions with SKIP, SseJ, and RhoA Family GTPases Induce Endosomal Tubulation. <i>Cell Host and Microbe</i> , 2008, 4, 434-446.	11.0	159
65	PhoPQ-Mediated Regulation Produces a More Robust Permeability Barrier in the Outer Membrane of <i>Salmonella enterica</i> Serovar Typhimurium. <i>Journal of Bacteriology</i> , 2007, 189, 7213-7222.	2.2	140
66	Activation of the Bacterial Sensor Kinase PhoQ by Acidic pH. <i>Molecular Cell</i> , 2007, 26, 165-174.	9.7	251
67	Metal Bridges between the PhoQ Sensor Domain and the Membrane Regulate Transmembrane Signaling. <i>Journal of Molecular Biology</i> , 2006, 356, 1193-1206.	4.2	116
68	Visualization of Vacuolar Acidification-induced Transcription of Genes of Pathogens inside Macrophages. <i>Molecular Biology of the Cell</i> , 2006, 17, 498-510.	2.1	105
69	LPS, TLR4 and infectious disease diversity. <i>Nature Reviews Microbiology</i> , 2005, 3, 36-46.	28.6	826
70	Aminoglycoside antibiotics induce bacterial biofilm formation. <i>Nature</i> , 2005, 436, 1171-1175.	27.8	1,112
71	SseJ Deacylase Activity by <i>Salmonella enterica</i> Serovar Typhimurium Promotes Virulence in Mice. <i>Infection and Immunity</i> , 2005, 73, 6249-6259.	2.2	102
72	Salmonella-Induced Filament Formation Is a Dynamic Phenotype Induced by Rapidly Replicating <i>Salmonella enterica</i> Serovar Typhimurium in Epithelial Cells. <i>Infection and Immunity</i> , 2005, 73, 1204-1208.	2.2	58

#	ARTICLE	IF	CITATIONS
73	Inhibition of <i>Salmonella enterica</i> Serovar Typhimurium Lipopolysaccharide Deacylation by Aminoarabinose Membrane Modification. <i>Journal of Bacteriology</i> , 2005, 187, 2448-2457.	2.2	61
74	Recognition of Antimicrobial Peptides by a Bacterial Sensor Kinase. <i>Cell</i> , 2005, 122, 461-472.	28.9	495
75	3-O-Deacylation of Lipid A by PagL, a PhoP/PhoQ-regulated Deacylase of <i>Salmonella typhimurium</i> , Modulates Signaling through Toll-like Receptor 4. <i>Journal of Biological Chemistry</i> , 2004, 279, 20044-20048.	3.4	149
76	Cyclic di-GMP as a bacterial second messenger. <i>Microbiology (United Kingdom)</i> , 2004, 150, 2497-2502.	1.8	205
77	Regulation of <i>Salmonella typhimurium</i> virulence gene expression by cationic antimicrobial peptides. <i>Molecular Microbiology</i> , 2003, 50, 219-230.	2.5	242
78	Bacterial Vesicle Formation as a Mechanism of Protein Transfer to Animals. <i>Cell</i> , 2003, 115, 2-3.	28.9	11
79	The <i>Salmonella enterica</i> Serovar Typhimurium Translocated Effectors SseJ and SifB Are Targeted to the <i>Salmonella</i> -Containing Vacuole. <i>Infection and Immunity</i> , 2003, 71, 418-427.	2.2	123
80	mig - 14 Is a <i>Salmonella</i> Gene That Plays a Role in Bacterial Resistance to Antimicrobial Peptides. <i>Journal of Bacteriology</i> , 2002, 184, 3203-3213.	2.2	75
81	Human Toll-like receptor 4 recognizes host-specific LPS modifications. <i>Nature Immunology</i> , 2002, 3, 354-359.	14.5	548
82	<i>Salmonella</i> : A Model for Bacterial Pathogenesis. <i>Annual Review of Medicine</i> , 2001, 52, 259-274.	12.2	354
83	Lipid A Modifications in Polymyxin-resistant <i>Salmonella typhimurium</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 43111-43121.	3.4	206
84	A PhoP/PhoQ-induced Lipase (PagL) That Catalyzes 3-O-Deacylation of Lipid A Precursors in Membranes of <i>Salmonella typhimurium</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 9083-9092.	3.4	182
85	Transfer of palmitate from phospholipids to lipid A in outer membranes of Gram-negative bacteria. <i>EMBO Journal</i> , 2000, 19, 5071-5080.	7.8	325
86	A PhoP-Regulated Outer Membrane Protease of <i>Salmonella enterica</i> Serovar Typhimurium Promotes Resistance to Alpha-Helical Antimicrobial Peptides. <i>Journal of Bacteriology</i> , 2000, 182, 4077-4086.	2.2	307
87	A conserved amino acid sequence directing intracellular type III secretion by <i>Salmonella typhimurium</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 7539-7544.	7.1	256
88	Genetic and Functional Analysis of a PmrA-PmrB-Regulated Locus Necessary for Lipopolysaccharide Modification, Antimicrobial Peptide Resistance, and Oral Virulence of <i>Salmonella enterica</i> Serovar Typhimurium. <i>Infection and Immunity</i> , 2000, 68, 6139-6146.	2.2	356
89	InvB Is a Type III Secretion Chaperone Specific for SspA. <i>Journal of Bacteriology</i> , 2000, 182, 6638-6644.	2.2	68
90	Genetic and Functional Analysis of a PmrA-PmrB-Regulated Locus Necessary for Lipopolysaccharide Modification, Antimicrobial Peptide Resistance, and Oral Virulence of <i>Salmonella enterica</i> Serovar Typhimurium. <i>Infection and Immunity</i> , 2000, 68, 6139-6146.	2.2	37

#	ARTICLE	IF	CITATIONS
91	Lipid A mutant Salmonella with suppressed virulence and TNF α induction retain tumor-targeting in vivo. <i>Nature Biotechnology</i> , 1999, 17, 37-41.	17.5	382
92	Specific Lipopolysaccharide Found in Cystic Fibrosis Airway Pseudomonas aeruginosa. <i>Science</i> , 1999, 286, 1561-1565.	12.6	471
93	A HilA-Independent Pathway to <i>Salmonella typhimurium</i> Invasion Gene Transcription. <i>Journal of Bacteriology</i> , 1999, 181, 3096-3104.	2.2	91
94	PmrA-regulated genes necessary for 4-aminoarabinose lipid A modification and polymyxin resistance. <i>Molecular Microbiology</i> , 1998, 27, 1171-1182.	2.5	569
95	Lipid A Acylation and Bacterial Resistance against Vertebrate Antimicrobial Peptides. <i>Cell</i> , 1998, 95, 189-198.	28.9	569
96	Identification of PhoP-PhoQ activated genes within a duplicated region of the Salmonella typhimurium chromosome. <i>Microbial Pathogenesis</i> , 1998, 25, 77-90.	2.9	70
97	Regulation of Lipid A Modifications by Salmonella typhimurium Virulence Genes phoP-phoQ. <i>Science</i> , 1997, 276, 250-253.	12.6	544
98	phoP/phoQ-Deleted Salmonella typhi (Ty800) Is a Safe and Immunogenic Single Dose Typhoid Fever Vaccine in Volunteers. <i>Journal of Infectious Diseases</i> , 1996, 173, 1408-1414.	4.0	256
99	Evaluation of a phoP/phoQ-deleted, aroA-deleted live oral Salmonella typhi vaccine strain in human volunteers. <i>Vaccine</i> , 1996, 14, 19-24.	3.8	111
100	PhoP-PhoQ activates transcription of pmrAB, encoding a two-component regulatory system involved in Salmonella typhimurium antimicrobial peptide resistance. <i>Journal of Bacteriology</i> , 1996, 178, 6857-6864.	2.2	392
101	Transcriptional activation of Salmonella typhimurium invasion genes by a member of the phosphorylated response regulator superfamily. <i>Molecular Microbiology</i> , 1996, 22, 715-727.	2.5	209
102	Rapid and complete fusion of macrophage lysosomes with phagosomes containing Salmonella typhimurium. <i>Infection and Immunity</i> , 1996, 64, 3877-3883.	2.2	118
103	Salmonella typhimurium secreted invasion determinants are homologous to Shigella lpa proteins. <i>Molecular Microbiology</i> , 1995, 18, 479-490.	2.5	155
104	Spacious phagosome formation within mouse macrophages correlates with Salmonella serotype pathogenicity and host susceptibility. <i>Infection and Immunity</i> , 1995, 63, 4456-4462.	2.2	99
105	Salmonella stimulate macrophage macropinocytosis and persist within spacious phagosomes. <i>Journal of Experimental Medicine</i> , 1994, 179, 601-608.	8.5	336
106	Further characterization of the PhoP regulon: identification of new PhoP-activated virulence loci. <i>Infection and Immunity</i> , 1994, 62, 5095-5101.	2.2	115
107	Salmonella typhimurium activates virulence gene transcription within acidified macrophage phagosomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 10079-10083.	7.1	438
108	Purification and primary structure of murine cryptdin-1, a Paneth cell defensin. <i>FEBS Letters</i> , 1992, 304, 146-148.	2.8	77

#	ARTICLE	IF	CITATIONS
109	A Salmonella typhimurium virulence protein is similar to a Yersinia enterocolitica invasion protein and a bacteriophage lambda outer membrane protein. Journal of Bacteriology, 1991, 173, 86-93.	2.2	165
110	PhoP/PhoQ: macrophage-specific modulators of Salmonella virulence?. Molecular Microbiology, 1991, 5, 2073-2078.	2.5	138
111	Constitutive expression of the phoP regulon attenuates Salmonella virulence and survival within macrophages. Journal of Bacteriology, 1990, 172, 2485-2490.	2.2	406
112	Salmonella vaccines with mutations in the phoP Virulence regulon. Research in Microbiology, 1990, 141, 817-821.	2.1	27
113	Characterization of defensin resistance phenotypes associated with mutations in the phoP virulence regulon of Salmonella typhimurium. Infection and Immunity, 1990, 58, 3706-3710.	2.2	140
114	Strategies for the Development of Vaccines for Typhoid Fever, Shigellosis, and Cholera. Annals of the New York Academy of Sciences, 1989, 569, 145-154.	3.8	3
115	A two-component regulatory system (phoP phoQ) controls Salmonella typhimurium virulence.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 5054-5058.	7.1	914