

Sheng Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7968802/publications.pdf>

Version: 2024-02-01

82
papers

4,585
citations

94433

37
h-index

102487

66
g-index

82
all docs

82
docs citations

82
times ranked

6418
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailored amorphous titanium oxide and carbon composites for enhanced pseudocapacitive sodium storage. <i>Journal of Energy Chemistry</i> , 2022, 65, 127-132.	12.9	7
2	Rational design of Ni ₃ (HITP) ₂ @GO composite for lithium-sulfur cathode. <i>Applied Surface Science</i> , 2022, 572, 151479.	6.1	7
3	Optimizing the microstructure of carbon nano-honeycombs for high-energy sodium-ion capacitor. <i>Electrochimica Acta</i> , 2022, 403, 139675.	5.2	11
4	Fast Intercalation in Locally Ordered Carbon Nanocrystallites for Superior Potassium Ions Storage. <i>Advanced Functional Materials</i> , 2022, 32, 2109672.	14.9	18
5	Hydrophilic silica spheres layer as ions shunt for enhanced Zn metal anode. <i>Chemical Engineering Journal</i> , 2022, 431, 133931.	12.7	33
6	Boosting selective H ₂ sensing of ZnO derived from ZIF-8 by rGO functionalization. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 599-606.	6.0	10
7	Fabrication of Two-Dimensional Metal-Organic Framework Nanosheets through Crystal Dissolution-Growth Kinetics. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 7192-7199.	8.0	13
8	Hierarchical porous N, S co-doped carbon derived from fish scales for enhanced membrane capacitive deionization. <i>Electrochimica Acta</i> , 2022, 409, 139983.	5.2	12
9	Interfacial engineering for metal oxide/nitride nano-heterojunctions towards high-rate lithium-ion storage. <i>Journal of Materials Chemistry A</i> , 2022, 10, 7391-7398.	10.3	18
10	Frontiers and Structural Engineering for Building Flexible Zinc-Air Batteries. <i>Advanced Science</i> , 2022, 9, e2103954.	11.2	20
11	A leather-based electrolyte for all-in-one configured flexible supercapacitors. <i>Chemical Communications</i> , 2022, 58, 7070-7073.	4.1	1
12	Modifiers versus Channels: Creating Shape-Selective Catalysis of Metal Nanoparticles/Porous Nanomaterials. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 976-982.	13.8	30
13	Modifiers versus Channels: Creating Shape-Selective Catalysis of Metal Nanoparticles/Porous Nanomaterials. <i>Angewandte Chemie</i> , 2021, 133, 989-995.	2.0	3
14	Operando mechanistic and dynamic studies of N/P co-doped hard carbon nanofibers for efficient sodium storage. <i>Chemical Communications</i> , 2021, 57, 9610-9613.	4.1	24
15	Oxygen vacancies boosted the electrochemical kinetics of Nb ₂ O ₅ for superior lithium storage. <i>Chemical Communications</i> , 2021, 57, 8182-8185.	4.1	14
16	The Role of Defects in Metal-Organic Frameworks for Nitrogen Reduction Reaction: When Defects Switch to Features. <i>Advanced Functional Materials</i> , 2021, 31, 2010052.	14.9	92
17	SnS Nanoparticles Grown on Sn-Atom-Modified N,S-Codoped Mesoporous Carbon Nanosheets as Electrocatalysts for CO ₂ Reduction to Formate. <i>ACS Applied Nano Materials</i> , 2021, 4, 2257-2264.	5.0	11
18	Rational Design of the CoS/Co ₉ S ₈ @NC Composite Enabling High-Rate Sodium-Ion Storage. <i>ACS Applied Energy Materials</i> , 2021, 4, 5574-5582.	5.1	27

#	ARTICLE	IF	CITATIONS
19	Regulating Electronic Status of Platinum Nanoparticles by Metal-Organic Frameworks for Selective Catalysis. <i>CCS Chemistry</i> , 2021, 3, 1607-1614.	7.8	21
20	The Encounter of Biomolecules in Metal-Organic Framework Micro/Nano Reactors. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 52215-52233.	8.0	12
21	Fe ₂ TiO ₅ nanochains as anode for high-performance lithium-ion capacitor. <i>Rare Metals</i> , 2021, 40, 2424-2431.	7.1	41
22	Simultaneous Efficient Decontamination of Bacteria and Heavy Metals via Capacitive Deionization Using Polydopamine/Polyhexamethylene Guanidine Co-deposited Activated Carbon Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 61669-61680.	8.0	16
23	Three-Dimensional Multilayered Interconnected Network of Conjugated Carbon Nanofibers Encapsulated Silicon/Graphene Oxide for Lithium Storage. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2020, 30, 801-807.	3.7	5
24	Polar, catalytic, and conductive CoSe ₂ /C frameworks for performance enhanced S cathode in Li-S batteries. <i>Journal of Energy Chemistry</i> , 2020, 48, 128-135.	12.9	61
25	SnSe ₂ Nanoparticles Chemically Embedded in a Carbon Shell for High-Rate Sodium-Ion Storage. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 2346-2353.	8.0	77
26	Metal-Organic Frameworks as Metal Ion Precursors for the Synthesis of Nanocomposites for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2020, 132, 4793-4799.	2.0	7
27	Metal-Organic Frameworks as Metal Ion Precursors for the Synthesis of Nanocomposites for Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 4763-4769.	13.8	52
28	CNT@leather-based electronic bidirectional pressure sensor. <i>Science China Technological Sciences</i> , 2020, 63, 2137-2146.	4.0	8
29	Rational Design of CoNiSe ₂ @N-Doped Carbon Hollow Structure for Enhanced Li-S Battery Performance. <i>Energy Technology</i> , 2020, 8, 2000302.	3.8	14
30	One-step turning leather wastes into heteroatom doped carbon aerogel for performance enhanced capacitive deionization. <i>Microporous and Mesoporous Materials</i> , 2020, 303, 110303.	4.4	45
31	Co nanoparticles combined with nitrogen-doped graphitic carbon anchored on carbon fibers as a self-standing air electrode for flexible zinc-air batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7184-7191.	10.3	28
32	Co ₃ O ₄ nanoparticles embedded in nitrogen-doped graphitic carbon fibers as a free-standing electrode for promotion of lithium ion storage with capacitive contribution. <i>Chemical Communications</i> , 2020, 56, 5767-5770.	4.1	16
33	Thermal Shrinkage Behavior of Metal-Organic Frameworks. <i>Advanced Functional Materials</i> , 2020, 30, 2001389.	14.9	35
34	Hydrophilic nano-porous carbon derived from egg whites for highly efficient capacitive deionization. <i>Applied Surface Science</i> , 2020, 512, 145740.	6.1	31
35	Oxygen-Vacancy-Enhanced Peroxidase-like Activity of Reduced Co ₃ O ₄ Nanocomposites for the Colorimetric Detection of H ₂ O ₂ and Glucose. <i>Inorganic Chemistry</i> , 2020, 59, 3152-3159.	4.0	92
36	Transitional MOFs: Exposing Metal Sites with Porosity for Enhancing Catalytic Reaction Performance. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 23968-23975.	8.0	20

#	ARTICLE	IF	CITATIONS
37	An <i>in situ</i> decorated cathode with LiF and F@C for performance enhanced Li-S batteries. <i>Chemical Communications</i> , 2020, 56, 6444-6447.	4.1	5
38	Recent progress of structural designs of silicon for performance-enhanced lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2020, 397, 125380.	12.7	89
39	3D-conductive pathway written on leather for highly sensitive and durable electronic whisker. <i>Journal of Materials Chemistry C</i> , 2020, 8, 9748-9754.	5.5	15
40	Hybrid fluorophores-based fluorogenic paper device for visually high-throughput detection of Cu ²⁺ in real samples. <i>Dyes and Pigments</i> , 2019, 170, 107639.	3.7	11
41	Multiple Active Sites of Carbon for High-Rate Surface-Capacitive Sodium-Ion Storage. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 13584-13589.	13.8	98
42	Multiple Active Sites of Carbon for High-Rate Surface-Capacitive Sodium-Ion Storage. <i>Angewandte Chemie</i> , 2019, 131, 13718-13723.	2.0	28
43	Advances in Sn-Based Catalysts for Electrochemical CO ₂ Reduction. <i>Nano-Micro Letters</i> , 2019, 11, 62.	27.0	176
44	Leather-Based Strain Sensor with Hierarchical Structure for Motion Monitoring. <i>Advanced Materials Technologies</i> , 2019, 4, 1900442.	5.8	37
45	Regenerating leather waste for flexible pressure sensing applications. <i>Journal of Leather Science and Engineering</i> , 2019, 1, .	6.0	14
46	Regulation of Cobalt-Nickel LDHs Structure and Components for Optimizing the Performance of an Electrochemical Sensor. <i>ACS Applied Nano Materials</i> , 2019, 2, 6387-6396.	5.0	33
47	Dual-component Li _x TiO ₂ @silica functional coating in one layer for performance enhanced LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode. <i>Nano Energy</i> , 2019, 58, 673-679.	16.0	84
48	Rational design of multi-functional CoS@rGO composite for performance enhanced Li-S cathode. <i>Journal of Power Sources</i> , 2019, 421, 132-138.	7.8	54
49	Wearable Leather-Based Electronics for Respiration Monitoring. <i>ACS Applied Bio Materials</i> , 2019, 2, 1427-1431.	4.6	39
50	Conductive MOF-Modified Separator for Mitigating the Shuttle Effect of Lithium-Sulfur Battery through a Filtration Method. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 11459-11465.	8.0	141
51	Rambutan-Inspired Yolk-Shell Silica@Carbon Frameworks from Biomass for Long-Life Anode Materials. <i>ChemistrySelect</i> , 2019, 4, 14075-14081.	1.5	5
52	Designing Li-protective layer via SOCl ₂ additive for stabilizing lithium-sulfur battery. <i>Energy Storage Materials</i> , 2019, 18, 222-228.	18.0	84
53	Bi ₂ S ₃ Nanorods Bonding on Reduced Graphene Oxide Surface as Advanced Anode Materials for Sodium-Ion Batteries. <i>Energy Technology</i> , 2019, 7, 1800876.	3.8	15
54	Repurposed Leather with Sensing Capabilities for Multifunctional Electronic Skin. <i>Advanced Science</i> , 2019, 6, 1801283.	11.2	119

#	ARTICLE	IF	CITATIONS
55	Multicomponent metal-organic framework derivatives for optimizing the selective catalytic performance of styrene epoxidation reaction. <i>Nanoscale</i> , 2018, 10, 8772-8778.	5.6	40
56	Fe ₂ O ₃ nanoplates with superior electrochemical performance for lithium-ion batteries. <i>Green Energy and Environment</i> , 2018, 3, 156-162.	8.7	34
57	Hollow NiCo ₂ Embedded in Nitrogen-Doped Carbon Nanocomposites Derived from Metal-Organic Frameworks for High-Rate Anodes. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 38845-38852.	8.0	51
58	Compartmentalization within Self-Assembled Metal-Organic Framework Nanoparticles for Tandem Reactions. <i>Advanced Functional Materials</i> , 2018, 28, 1802479.	14.9	55
59	Designing MOFs-Derived FeS ₂ @Carbon Composites for High-Rate Sodium Ion Storage with Capacitive Contributions. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33097-33104.	8.0	126
60	Metal-organic framework derived leaf-like CoSNC nanocomposites for supercapacitor electrodes. <i>Nanoscale</i> , 2018, 10, 17958-17964.	5.6	23
61	Dual modification of TiO ₂ nanorods for selective photoelectrochemical detection of organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2017, 250, 307-314.	7.8	24
62	Bismuth nano-spheres encapsulated in porous carbon network for robust and fast sodium storage. <i>Chemical Engineering Journal</i> , 2017, 320, 300-307.	12.7	72
63	Fabrication of Flexible Transparent Electrode with Enhanced Conductivity from Hierarchical Metal Grids. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 39110-39115.	8.0	52
64	Dual-functional gum arabic binder for silicon anodes in lithium ion batteries. <i>Nano Energy</i> , 2015, 12, 178-185.	16.0	236
65	Low cost and environmentally benign crack-blocking structures for long life and high power Si electrodes in lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2036-2042.	10.3	53
66	Surface capacitive contributions: Towards high rate anode materials for sodium ion batteries. <i>Nano Energy</i> , 2015, 12, 224-230.	16.0	371
67	Multifunctional SA-PPProDOT Binder for Lithium Ion Batteries. <i>Nano Letters</i> , 2015, 15, 4440-4447.	9.1	97
68	Anchoring ultra-fine TiO ₂ @SnO ₂ solid solution particles onto graphene by one-pot ball-milling for long-life lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9700-9706.	10.3	47
69	Pseudocapacitance of amorphous TiO ₂ @nitrogen doped graphene composite for high rate lithium storage. <i>Electrochimica Acta</i> , 2015, 180, 112-119.	5.2	60
70	Microporous bamboo biochar for lithium-sulfur batteries. <i>Nano Research</i> , 2015, 8, 129-139.	10.4	284
71	Enhanced photoelectrocatalytic performance of etched 3C-SiC thin film for water splitting under visible light. <i>RSC Advances</i> , 2014, 4, 54441-54446.	3.6	10
72	High-performance amorphous carbon-graphene nanocomposite anode for lithium-ion batteries. <i>RSC Advances</i> , 2014, 4, 18899.	3.6	16

#	ARTICLE	IF	CITATIONS
73	Blue hydrogenated lithium titanate as a high-rate anode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 6353.	10.3	58
74	SnO ₂ decorated graphene nanocomposite anode materials prepared via an up-scalable wet-mechanochemical process for sodium ion batteries. <i>RSC Advances</i> , 2014, 4, 50148-50152.	3.6	43
75	Resilient mesoporous TiO ₂ /graphene nanocomposite for high rate performance lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2014, 256, 247-254.	12.7	107
76	Directional synthesis of tin oxide@graphene nanocomposites via a one-step up-scalable wet-mechanochemical route for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10211-10217.	10.3	54
77	Hydrogenation Synthesis of Blue TiO ₂ for High-Performance Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2014, 118, 8824-8830.	3.1	167
78	Photoelectrochemical Characterization of Hydrogenated TiO ₂ Nanotubes as Photoanodes for Sensing Applications. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 11129-11135.	8.0	108
79	An environmentally benign LIB fabrication process using a low cost, water soluble and efficient binder. <i>Journal of Materials Chemistry A</i> , 2013, 1, 11543.	10.3	42
80	Photocatalytic Synthesis of TiO ₂ and Reduced Graphene Oxide Nanocomposite for Lithium Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 3636-3642.	8.0	276
81	Layer Structured Sulfur/Expanded Graphite Composite as Cathode for Lithium Battery. <i>Electrochemical and Solid-State Letters</i> , 2011, 14, A105-A107.	2.2	45
82	Synthesis and photocatalytic properties of the graphene@La ₂ Ti ₂ O ₇ nanocomposites. <i>Chemical Engineering Journal</i> , 2011, 178, 468-474.	12.7	55