Fei-Yuan Hsiao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7976083/publications.pdf

Version: 2024-02-01

218677 315739 2,267 125 26 38 h-index citations g-index papers 129 129 129 3442 citing authors docs citations times ranked all docs

#	Article	lF	Citations
1	Effect of polypharmacy, potentially inappropriate medications and anticholinergic burden on clinical outcomes: a retrospective cohort study. Cmaj, 2015, 187, E130-E137.	2.0	164
2	Modeling healthcare data using multiple-channel latent Dirichlet allocation. Journal of Biomedical Informatics, 2016, 60, 210-223.	4.3	57
3	Risk of Bladder Cancer in Diabetic Patients Treated with Rosiglitazone or Pioglitazone: A Nested Case–Control Study. Drug Safety, 2013, 36, 643-649.	3.2	56
4	Cumulative Burden of Glucocorticoid-related Adverse Events in Patients with Systemic Lupus Erythematosus: Findings from a 12-year Longitudinal Study. Journal of Rheumatology, 2018, 45, 83-89.	2.0	56
5	Risk of hospitalization and healthcare cost associated with Diabetes Complication Severity Index in Taiwan's National Health Insurance Research Database. Journal of Diabetes and Its Complications, 2014, 28, 612-616.	2.3	52
6	Comparative Associations Between Measures of Anti-cholinergic Burden and Adverse Clinical Outcomes. Annals of Family Medicine, 2017, 15, 561-569.	1.9	52
7	Serotonergic antidepressant use and the risk of fracture: a population-based nested case–control study. Osteoporosis International, 2016, 27, 57-63.	3.1	50
8	Cardiovascular events associated with the use of four nonselective NSAIDs (Etodolac, Nabumetone,) Tj ETQq0 0 in taiwanese adults. Clinical Therapeutics, 2006, 28, 1827-1836.	0 rgBT /O 2.5	verlock 10 Tf ! 49
9	Predicting mortality and hospitalization of older adults by the multimorbidity frailty index. PLoS ONE, 2017, 12, e0187825.	2.5	47
10	Bisphosphonate Use and the Risk of Undergoing Total Knee Arthroplasty in Osteoporotic Patients with Osteoarthritis. Journal of Bone and Joint Surgery - Series A, 2017, 99, 938-946.	3.0	43
11	Thiazolidinediones and Cardiovascular Events in Patients with Type 2 Diabetes Mellitus. Drug Safety, 2009, 32, 675-690.	3.2	42
12	Osteoporosis treatment and atrial fibrillation. Menopause, 2010, 17, 57-63.	2.0	42
13	A comparison of aspirin and clopidogrel with or without proton pump inhibitors for the secondary prevention of cardiovascular events in patients at high risk for gastrointestinal bleeding. Clinical Therapeutics, 2009, 31, 2038-2047.	2.5	40
14	Acute Respiratory Infection and Use of Nonsteroidal Anti-Inflammatory Drugs on Risk of Acute Myocardial Infarction: A Nationwide Case-Crossover Study. Journal of Infectious Diseases, 2017, 215, 503-509.	4.0	40
15	Acute Pancreatitis in Patients with Type 2 Diabetes Mellitus Treated with Dipeptidyl Peptidase-4 Inhibitors: A Population-Based Nested Case-Control Study. Drug Safety, 2014, 37, 521-528.	3.2	37
16	Hip and Subtrochanteric or Diaphyseal Femoral Fractures in Alendronate Users: A 10-Year, Nationwide Retrospective Cohort Study in Taiwanese Women. Clinical Therapeutics, 2011, 33, 1659-1667.	2.5	36
17	Survey of Medication Knowledge and Behaviors Among College Students in Taiwan. American Journal of Pharmaceutical Education, 2006, 70, 30.	2.1	35
18	Subtypes of physical frailty and their longâ€ŧerm outcomes: a longitudinal cohort study. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 1223-1231.	7.3	34

#	Article	IF	CITATIONS
19	Cardiovascular Events Associated with Long-Term Use of Celecoxib, Rofecoxib and Meloxicam in Taiwan. Drug Safety, 2006, 29, 261-272.	3.2	33
20	Care Needs and Clinical Outcomes of Older People with Dementia: A Population-Based Propensity Score-Matched Cohort Study. PLoS ONE, 2015, 10, e0124973.	2.5	31
21	Benzodiazepines, z-Hypnotics, and Risk of Dementia: Special Considerations of Half-Lives and Concomitant Use. Neurotherapeutics, 2020, 17, 156-164.	4.4	31
22	Ten-year trend in prescriptions of z-hypnotics among the elderly: A nationwide, cross-sectional study in Taiwan. Journal of Clinical Gerontology and Geriatrics, 2013, 4, 37-41.	0.7	30
23	Recurrent falls and its risk factors among older men living in the veterans retirement communities: A cross-sectional study. Archives of Gerontology and Geriatrics, 2017, 70, 214-218.	3.0	30
24	Increasing age- and gender-specific burden and complexity of multimorbidity in Taiwan, 2003–2013: a cross-sectional study based on nationwide claims data. BMJ Open, 2019, 9, e028333.	1.9	30
25	Use of Hypoprothrombinemia-Inducing Cephalosporins and the Risk of Hemorrhagic Events: A Nationwide Nested Case-Control Study. PLoS ONE, 2016, 11, e0158407.	2.5	30
26	Domperidone, cytochrome P450 3A4 isoenzyme inhibitors and ventricular arrhythmia: a nationwide case-crossover study. Pharmacoepidemiology and Drug Safety, 2015, 24, 841-848.	1.9	29
27	Combined Effects of Frailty and Polypharmacy on Health Outcomes in Older Adults: Frailty Outweighs Polypharmacy. Journal of the American Medical Directors Association, 2021, 22, 606.e7-606.e18.	2.5	29
28	Cardiovascular and gastrointestinal events of three antiplatelet therapies: clopidogrel, clopidogrel plus proton-pump inhibitors, and aspirin plus proton-pump inhibitors in patients with previous gastrointestinal bleeding. Journal of Gastroenterology, 2011, 46, 39-45.	5.1	27
29	Relationship between cardiovascular outcomes and proton pump inhibitor use in patients receiving dual antiplatelet therapy after acute coronary syndrome. Pharmacoepidemiology and Drug Safety, 2011, 20, 1043-1049.	1.9	27
30	The cost-saving effect and prevention of medication errors by clinical pharmacist intervention in a nephrology unit. Medicine (United States), 2017, 96, e7883.	1.0	27
31	Urinary Incontinence and Its Association with Frailty Among Men Aged 80 Years or Older in Taiwan: A Cross-Sectional Study. Rejuvenation Research, 2017, 20, 111-117.	1.8	27
32	Functional Outcomes, Subsequent Healthcare Utilization, and Mortality of Stroke Postacute Care Patients in Taiwan: A Nationwide Propensity Score-matched Study. Journal of the American Medical Directors Association, 2017, 18, 990.e7-990.e12.	2.5	25
33	Age- and gender-specific epidemiology, treatment patterns, and economic burden of osteoporosis and associated fracture in Taiwan between 2009 and 2013. Archives of Osteoporosis, 2017, 12, 92.	2.4	24
34	Temporal trends and patterns in carbamazepine use, related severe cutaneous adverse reactions, and <scp>HLA</scp> â€B*15:02 screening: A nationwide study. Epilepsia, 2018, 59, 2325-2339.	5.1	24
35	Use of Antipsychotics and Risk of Cerebrovascular Events in Schizophrenic Patients. Journal of Clinical Psychopharmacology, 2013, 33, 299-305.	1.4	23
36	Epidemiology, clinical profile and treatment patterns of venous thromboembolism in cancer patients in Taiwan: a population-based study. BMC Cancer, 2015, 15, 298.	2.6	23

#	Article	IF	CITATIONS
37	Risk of stroke associated with use of nonsteroidal antiâ€inflammatory drugs during acute respiratory infection episode. Pharmacoepidemiology and Drug Safety, 2018, 27, 645-651.	1.9	23
38	Muscleâ€ŧoâ€ŧat ratio identifies functional impairments and cardiometabolic risk and predicts outcomes: biomarkers of sarcopenic obesity. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 368-376.	7.3	23
39	Clinical Outcomes of Vertebroplasty or Kyphoplasty for Patients With Vertebral Compression Fractures: A Nationwide Cohort Study. Journal of the American Medical Directors Association, 2013, 14, 41-47.	2.5	22
40	Association between the risk of lung cancer and influenza: A population-based nested case-control study. International Journal of Infectious Diseases, 2019, 88, 8-13.	3.3	22
41	Comparisons Between Hypothesis- and Data-Driven Approaches for Multimorbidity Frailty Index: A Machine Learning Approach. Journal of Medical Internet Research, 2020, 22, e16213.	4.3	22
42	Comparisons of annual health care utilization, drug consumption, and medical expenditure between the elderly and general population in Taiwan. Journal of Clinical Gerontology and Geriatrics, 2016, 7, 44-47.	0.7	21
43	Alendronate and Risk of Esophageal Cancer: A Nationwide Populationâ€Based Study in <scp>T</scp> aiwan. Journal of the American Geriatrics Society, 2011, 59, 2379-2381.	2.6	20
44	Dose-Responsive Effect of Psychotropic Drug Use and Subsequent Dementia: A Nationwide Propensity Score Matched Case-Control Study in Taiwan. Journal of the American Medical Directors Association, 2014, 15, 509-513.	2.5	20
45	Changes in physicians' practice of prescribing cyclooxygenase-2 inhibitor after market withdrawal of rofecoxib: A retrospective study of physician-patient pairs in Taiwan. Clinical Therapeutics, 2009, 31, 2618-2627.	2.5	19
46	Comparative Effectiveness of Different Chemotherapeutic Regimens on Survival of People Aged 66 and Older with Stage III Colon Cancer: A "Real World―Analysis Using Surveillance, Epidemiology, and End Results–Medicare Data. Journal of the American Geriatrics Society, 2011, 59, 1717-1723.	2.6	19
47	Age, Dementia and Care Patterns after Admission for Acute Coronary Syndrome. Drugs and Aging, 2012, 29, 819-828.	2.7	19
48	Epidemiology and long-term disease burden of herpes zoster and postherpetic neuralgia in Taiwan: a population-based, propensity score-matched cohort study. BMC Public Health, 2018, 18, 369.	2.9	19
49	Increased fracture risk after discontinuation of antiâ€osteoporosis medications among hip fracture patients: A populationâ€based cohort study. Journal of Internal Medicine, 2021, 290, 1194-1205.	6.0	19
50	Biological Features of the Outcome-Based Intrinsic Capacity Composite Scores From a Population-Based Cohort Study: Pas de Deux of Biological and Functional Aging. Frontiers in Medicine, 2022, 9, 851882.	2.6	19
51	Epidemiology of post-transplant malignancy in Asian renal transplant recipients: a population-based study. International Urology and Nephrology, 2014, 46, 833-838.	1.4	18
52	Risk of cutaneous adverse reactions associated with allopurinol or febuxostat in realâ€world patients: A nationwide study. International Journal of Clinical Practice, 2019, 73, e13316.	1.7	18
53	Does Longâ€Term Proton Pump Inhibitor Use Increase Risk of Dementia? Not Really! Results of the Groupâ€Based Trajectory Analysis. Clinical Pharmacology and Therapeutics, 2019, 106, 616-622.	4.7	18
54	Economic burden of cancers in Taiwan: a direct and indirect cost estimate for 2007–2017. BMJ Open, 2020, 10, e036341.	1.9	18

#	Article	IF	CITATIONS
55	Risk of Heart Failure Associated with Dopamine Agonists: A Nested Case–Control Study. Drugs and Aging, 2013, 30, 739-745.	2.7	17
56	Statins and the risk of liver injury: a populationâ€based caseâ€control study. Pharmacoepidemiology and Drug Safety, 2014, 23, 719-725.	1.9	17
57	Changes in prevalence of diabetic complications and associated healthcare costs during a 10-year follow-up period among a nationwide diabetic cohort. Journal of Diabetes and Its Complications, 2015, 29, 523-528.	2.3	17
58	Potentially high-risk medication categories and unplanned hospitalizations: a case–time–control study. Scientific Reports, 2017, 7, 41035.	3.3	17
59	Nonsteroidal Anti-Inflammatory Drugs and Risk of First Hospitalization for Heart Failure in Patients with No History of Heart Failure: A Population-Based Case-Crossover Study. Drug Safety, 2019, 42, 67-75.	3.2	17
60	Age and sex differences in associations between self-reported health, physical function, mental function and mortality. Archives of Gerontology and Geriatrics, 2022, 98, 104537.	3.0	17
61	Changes of the prescription of hormone therapy in menopausal women: An observational study in Taiwan. BMC Public Health, 2007, 7, 56.	2.9	16
62	Development of frailty index using ICD-10 codes to predict mortality and rehospitalization of older adults: An update of the multimorbidity frailty index. Archives of Gerontology and Geriatrics, 2022, 100, 104646.	3.0	15
63	Impact of Ezetimibe Coadministered With Statins on Cardiovascular Events Following Acute Coronary Syndrome: A 3-Year Population-Based Retrospective Cohort Study in Taiwan. Clinical Therapeutics, 2011, 33, 1120-1131.	2.5	14
64	Subtypeâ€specific epidemiology of lymphoid malignancies in Taiwan compared to Japan and the United States, 2002â€2012. Cancer Medicine, 2018, 7, 5820-5831.	2.8	14
65	Safety of deferasirox: a retrospective cohort study on the risks of gastrointestinal, liver and renal events. Pharmacoepidemiology and Drug Safety, 2014, 23, 1176-1182.	1.9	13
66	Comparative and costâ€effectiveness of oxaliplatinâ€based or irinotecanâ€based regimens compared with 5â€fluorouracil/leucovorin alone among US elderly stage IV colon cancer patients. Cancer, 2012, 118, 3173-3181.	4.1	12
67	Price regulation, new entry, and information shock on pharmaceutical market in Taiwan: a nationwide data-based study from 2001 to 2004. BMC Health Services Research, 2010, 10, 218.	2.2	11
68	Relationship between cumulative dose of thiazolidinediones and clinical outcomes in type 2 diabetic patients with history of heart failure: a population-based cohort study in Taiwan. Pharmacoepidemiology and Drug Safety, 2010, 19, 786-791.	1.9	11
69	Effect ofHelicobacter pyloriEradication Therapy on Risk of Hospitalization for a Major Ulcer Event. Pharmacotherapy, 2011, 31, 239-247.	2.6	11
70	Cost and effectiveness of video-assisted thoracoscopic surgery for clinical stage I non-small cell lung cancer: a population-based analysis. Journal of Thoracic Disease, 2014, 6, 1690-6.	1.4	11
71	Functional and Mental Health Outcomes of the Joint Effects ofÂSpousal Health: The Potential Threats of "Concordant Frailty― Journal of the American Medical Directors Association, 2016, 17, 324-330.	2.5	10
72	Statin Use and the Risk for Incident Diabetes Mellitus in Patients with Acute Coronary Syndrome after Percutaneous Coronary Intervention: A Population-Based Retrospective Cohort Study in Taiwan. Canadian Journal of Diabetes, 2016, 40, 264-269.	0.8	10

#	Article	IF	Citations
73	Nationwide trends in incidence, healthcare utilization, and mortality in hospitalized heart failure patients in Taiwan. ESC Heart Failure, 2020, 7, 3653-3666.	3.1	10
74	Impact of Multiple Prescriptions With Anticholinergic Properties on Adverse Clinical Outcomes in the Elderly: A Longitudinal Cohort Study in Taiwan. Clinical Pharmacology and Therapeutics, 2021, 110, 966-974.	4.7	10
75	Post-acute care regains quality of life among middle-aged and older stroke patients in Taiwan. Archives of Gerontology and Geriatrics, 2019, 83, 271-276.	3.0	9
76	Sarcojoint $\hat{A}^{@}$, the branched-chain amino acid-based supplement, plus resistance exercise improved muscle mass in adults aged 50 \hat{A} years and older: A double-blinded randomized controlled trial. Experimental Gerontology, 2022, 157, 111644.	2.8	9
77	Comparative risks for cancer associated with use of calcitonin, bisphosphonates or selective estrogen receptor modulators among osteoporosis patients: a population-based cohort study. Japanese Journal of Clinical Oncology, 2017, 47, 935-941.	1.3	8
78	Effects of anti-osteoporosis medications on total hip arthroplasty risks in osteoporotic patients with hip osteoarthritis in Taiwan: a nationwide cohort study. Archives of Osteoporosis, 2018, 13, 107.	2.4	8
79	Epidemiology, treatment patterns and survival of chronic lymphocytic leukaemia/small lymphocytic lymphoma (CLL/SLL) in Taiwan, 2006â€2015. International Journal of Clinical Practice, 2021, 75, e14258.	1.7	8
80	Detecting Suspected Prescribing Cascades by Prescription Sequence Symmetry Analysis of Nationwide Real-World Data. Journal of the American Medical Directors Association, 2022, 23, 468-474.e6.	2.5	8
81	Timing of anti-osteoporosis medications initiation after a hip fracture affects the risk of subsequent fracture: A nationwide cohort study. Bone, 2020, 138, 115452.	2.9	8
82	Rituximab maintenance improves overall survival in follicular lymphoma: A retrospective nationwide realâ€world analysis from Taiwan Cancer Registry Database. Cancer Medicine, 2018, 7, 3582-3591.	2.8	7
83	A Group-based Trajectory Analysis of Longitudinal Psychotropic Agent Use and Adverse Outcomes Among Older People. Journal of the American Medical Directors Association, 2019, 20, 1579-1586.e3.	2.5	7
84	Antiviral prophylaxis for hepatitis B carriers improves the prognosis of diffuse large Bâ€cell lymphoma in Taiwan – a populationâ€based study. British Journal of Haematology, 2021, 192, 110-118.	2.5	7
85	All-cause mortality, cardiovascular mortality, major cardiovascular events and hypoglycaemia of patients with diabetes onset at an older age: results from the 10-year nationwide cohort study. Age and Ageing, 2021, 50, 2094-2104.	1.6	7
86	Impact of Frailty on Survivals of Prostate Cancer Patients Treated with Radiotherapy. Archives of Gerontology and Geriatrics, 2022, 100, 104651.	3.0	7
87	Decision to adopt medical technology under the <scp>N</scp> ational <scp>H</scp> ealth <scp>I</scp> nsurance <scp>S</scp> ystem in <scp>T</scp> aiwan: case study of new molecular targeted drugs among nonâ€small cell lung cancer patients. Journal of Evaluation in Clinical Practice, 2015, 21, 808-816.	1.8	6
88	Visualisation of the unmet treatment need of osteoporotic fracture in Taiwan: A nationwide cohort study. International Journal of Clinical Practice, 2018, 72, e13246.	1.7	6
89	Tyrosine Kinase Inhibitors and Vascular Adverse Events in Patients with Chronic Myeloid Leukemia: A <scp>Population-Based</scp> , Propensity <scp>Score-Matched</scp> Cohort Study. Oncologist, 2021, 26, 974-982.	3.7	6
90	Antidepressants and Valvular Heart Disease. Medicine (United States), 2016, 95, e3172.	1.0	5

#	Article	IF	Citations
91	Concomitant use of calcium channel blockers with dual antiplatelet therapy and reâ€hospitalization for acute coronary syndrome. Pharmacoepidemiology and Drug Safety, 2017, 26, 229-238.	1.9	5
92	Women with Diffuse Large B Cell Lymphoma Benefit More from Rituximab-Containing Chemotherapy. Journal of Women's Health, 2019, 28, 203-211.	3.3	5
93	Risk of cardiovascular events associated with dipeptidyl peptidase-4 inhibitors in patients with diabetes with and without chronic kidney disease: A nationwide cohort study. PLoS ONE, 2019, 14, e0215248.	2.5	5
94	Use of dipeptidyl peptidaseâ€4 inhibitors and the risk of arthralgia: Populationâ€based cohort and nested case–control studies. Pharmacoepidemiology and Drug Safety, 2019, 28, 500-506.	1.9	5
95	Reimbursement Lag of New Drugs Under Taiwan's National Health Insurance System Compared With United Kingdom, Canada, Australia, Japan, and South Korea. Clinical and Translational Science, 2020, 13, 916-922.	3.1	5
96	Identifying Unmet Treatment Needs for Patients With Osteoporotic Fracture: Feasibility Study for an Electronic Clinical Surveillance System. Journal of Medical Internet Research, 2018, 20, e142.	4.3	5
97	Predicting neuropsychiatric symptoms of persons with dementia in a day care center using a facial expression recognition system. Aging, 2022, 14, .	3.1	5
98	The potentially inappropriate prescription of new drug: thiazolidinediones for patients with type II diabetes in Taiwan. Pharmacoepidemiology and Drug Safety, 2011, 20, 20-29.	1.9	4
99	Suboptimal Duration of Granulocyte Colony–stimulating Factor Use and Chemotherapy-induced Neutropenia in Women Diagnosed With Breast Cancer. Clinical Therapeutics, 2014, 36, 1287-1294.	2.5	4
100	Treatment patterns of lipidâ€lowering therapies and possible statin intolerance among statin users with clinical atherosclerotic cardiovascular disease (ASCVD) or diabetes mellitus (DM) in Taiwan. Journal of Evaluation in Clinical Practice, 2020, 26, 1171-1180.	1.8	4
101	Frontline treatments in extremely elderly patients with diffuse large B-cell lymphoma: a population-based study in Taiwan, 2010–2015. Immunity and Ageing, 2020, 17, 17.	4.2	4
102	Clinical characteristics and 10-year outcomes of diabetes in adults with advancing age at onset: A population cohort. Archives of Gerontology and Geriatrics, 2020, 88, 104039.	3.0	4
103	The epidemiology, treatment patterns, healthcare utilizations and costs of Acute Myeloid Leukaemia (AML) in Taiwan. PLoS ONE, 2022, 17, e0261871.	2.5	4
104	Impact of Safety-Related Regulations on Codeine Use in Children: A Quasi-Experimental Study Using Taiwan's National Health Insurance Research Database. Drug Safety, 2017, 40, 615-627.	3.2	3
105	Costâ€effectiveness of granulocyte colonyâ€stimulating factor prophylaxis in chemotherapyâ€induced febrile neutropenia among breast cancer and Nonâ€Hodgkin's lymphoma patients under Taiwan's national health insurance system. Journal of Evaluation in Clinical Practice, 2017, 23, 288-293.	1.8	3
106	Development and Validation of a Risk Scoring System for Cephamycin-Associated Hemorrhagic Events. Scientific Reports, 2019, 9, 12905.	3.3	3
107	Epidemiology, treatment patterns and healthcare utilizations in multiple sclerosis in Taiwan. Scientific Reports, 2021, 11, 7727.	3.3	3
108	Impact of safety-related regulation on use of parenteral ketorolac in a nationally representative population. Journal of Pharmaceutical Health Services Research, 2014, 5, 127-134.	0.6	2

#	Article	IF	CITATIONS
109	Duration of dual antiplatelet therapy following percutaneous coronary intervention on re-hospitalization for acute coronary syndrome. BMC Cardiovascular Disorders, 2014, 14, 21.	1.7	2
110	Medication appropriateness for patients with dementia approaching the end of their life. Geriatrics and Gerontology International, 2017, 17, 65-74.	1.5	2
111	Using realâ€world evidence for pharmacovigilance and drug safetyâ€related decision making by a resourceâ€limited health authority: 10 years of experience in Taiwan. Pharmacoepidemiology and Drug Safety, 2020, 29, 1402-1413.	1.9	2
112	Factors Affecting Usage Levels and Trends of Innovative Oncology Drugs Upon and After Reimbursement Under Taiwan National Health Insurance: Interrupted Time Series Analysis. Clinical and Translational Science, 2020, 13, 1288-1297.	3.1	2
113	Impact of the Requirement of Bone Mineral Density Evidence on Utilization of Anti-osteoporosis Medications, Clinical Outcome and Medical Expenditures of Patient With Hip Fracture in Taiwan. International Journal of Health Policy and Management, 2020, , .	0.9	2
114	Drug use at the end of life in older adults. BMJ Supportive and Palliative Care, 2022, 12, e803-e812.	1.6	1
115	Prognostic Impact of Delirium in Older People with/without Dementia: A Retrospective Cohort Study in Taiwan. Journal of Nutrition, Health and Aging, 2020, 24, 951-958.	3.3	1
116	A Web-Based Clinical System for Cohort Surveillance of Specific Clinical Effectiveness and Safety Outcomes: A Cohort Study of Non–Vitamin K Antagonist Oral Anticoagulants and Warfarin. JMIR Medical Informatics, 2019, 7, e13329.	2.6	1
117	Impact of changing reimbursement criteria on statin treatment patterns among patients with atherosclerotic cardiovascular disease or cardiovascular risk factors. Journal of Clinical Pharmacy and Therapeutics, 2021, 46, 415-423.	1.5	1
118	The authors respond:. Clinical Therapeutics, 2011, 33, 2092.	2.5	O
119	Prolonged risk of subtrochanteric and diaphyseal femur fractures after discontinuing alendronate treatment: A nationwide nested case-control study in Taiwan. Journal of Clinical Gerontology and Geriatrics, 2015, 6, 54-58.	0.7	0
120	Polypharmacy and clinical outcomes. Cmaj, 2015, 187, 827.2-827.	2.0	0
121	Characterization of patients with duplicated z-hypnotic use: A population-based study in Taiwan. Journal of Clinical Gerontology and Geriatrics, 2016, 7, 60-63.	0.7	O
122	Prognostic Impact of Delirium in Older People With/Without Dementia: A Retrospective Cohort Study in Taiwan. Journal of Nutrition, Health and Aging, 2020, 24, 951-958.	3.3	0
123	Real-World Outcomes of Patients with Acute Myeloid Leukemia in Taiwan: A Nationwide Population-Based Study, 2011-2015. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, e649-e657.	0.4	0
124	Differential moderation effects of ApoE and 5-HTTLPR genotypes on social vulnerability in predicting mortality among community-dwelling middle-aged and older adults: a nationwide population-based study. Aging, 2021, 13, 23348-23360.	3.1	0
125	Comparative Effectiveness and Safety of Different Combinations of Antithrombotic Regimens in Atrial Fibrillation Patients With Stent Insertions. Clinical Pharmacology and Therapeutics, 2022, 112, 864-872.	4.7	0