

Fei-Yuan Hsiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7976083/publications.pdf>

Version: 2024-02-01

125
papers

2,267
citations

218677

26
h-index

315739

38
g-index

129
all docs

129
docs citations

129
times ranked

3442
citing authors

#	ARTICLE	IF	CITATIONS
1	Drug use at the end of life in older adults. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, e803-e812.	1.6	1
2	Detecting Suspected Prescribing Cascades by Prescription Sequence Symmetry Analysis of Nationwide Real-World Data. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 468-474.e6.	2.5	8
3	Age and sex differences in associations between self-reported health, physical function, mental function and mortality. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104537.	3.0	17
4	Sarcojoint [®] , the branched-chain amino acid-based supplement, plus resistance exercise improved muscle mass in adults aged 50 years and older: A double-blinded randomized controlled trial. <i>Experimental Gerontology</i> , 2022, 157, 111644.	2.8	9
5	The epidemiology, treatment patterns, healthcare utilizations and costs of Acute Myeloid Leukaemia (AML) in Taiwan. <i>PLoS ONE</i> , 2022, 17, e0261871.	2.5	4
6	Development of frailty index using ICD-10 codes to predict mortality and rehospitalization of older adults: An update of the multimorbidity frailty index. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104646.	3.0	15
7	Impact of Frailty on Survivals of Prostate Cancer Patients Treated with Radiotherapy. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104651.	3.0	7
8	Predicting neuropsychiatric symptoms of persons with dementia in a day care center using a facial expression recognition system. <i>Aging</i> , 2022, 14, .	3.1	5
9	Biological Features of the Outcome-Based Intrinsic Capacity Composite Scores From a Population-Based Cohort Study: Pas de Deux of Biological and Functional Aging. <i>Frontiers in Medicine</i> , 2022, 9, 851882.	2.6	19
10	Muscle-to-fat ratio identifies functional impairments and cardiometabolic risk and predicts outcomes: biomarkers of sarcopenic obesity. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 368-376.	7.3	23
11	Comparative Effectiveness and Safety of Different Combinations of Antithrombotic Regimens in Atrial Fibrillation Patients With Stent Insertions. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 112, 864-872.	4.7	0
12	Combined Effects of Frailty and Polypharmacy on Health Outcomes in Older Adults: Frailty Outweighs Polypharmacy. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 606.e7-606.e18.	2.5	29
13	Antiviral prophylaxis for hepatitis B carriers improves the prognosis of diffuse large B-cell lymphoma in Taiwan – a population-based study. <i>British Journal of Haematology</i> , 2021, 192, 110-118.	2.5	7
14	All-cause mortality, cardiovascular mortality, major cardiovascular events and hypoglycaemia of patients with diabetes onset at an older age: results from the 10-year nationwide cohort study. <i>Age and Ageing</i> , 2021, 50, 2094-2104.	1.6	7
15	Impact of Multiple Prescriptions With Anticholinergic Properties on Adverse Clinical Outcomes in the Elderly: A Longitudinal Cohort Study in Taiwan. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 966-974.	4.7	10
16	Epidemiology, treatment patterns and healthcare utilizations in multiple sclerosis in Taiwan. <i>Scientific Reports</i> , 2021, 11, 7727.	3.3	3
17	Epidemiology, treatment patterns and survival of chronic lymphocytic leukaemia/small lymphocytic lymphoma (CLL/SLL) in Taiwan, 2006-2015. <i>International Journal of Clinical Practice</i> , 2021, 75, e14258.	1.7	8
18	Real-World Outcomes of Patients with Acute Myeloid Leukemia in Taiwan: A Nationwide Population-Based Study, 2011-2015. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e649-e657.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Increased fracture risk after discontinuation of anti-osteoporosis medications among hip fracture patients: A population-based cohort study. <i>Journal of Internal Medicine</i> , 2021, 290, 1194-1205.	6.0	19
20	Tyrosine Kinase Inhibitors and Vascular Adverse Events in Patients with Chronic Myeloid Leukemia: A Population-Based, Propensity Score-Matched Cohort Study. <i>Oncologist</i> , 2021, 26, 974-982.	3.7	6
21	Differential moderation effects of ApoE and 5-HTTLPR genotypes on social vulnerability in predicting mortality among community-dwelling middle-aged and older adults: a nationwide population-based study. <i>Aging</i> , 2021, 13, 23348-23360.	3.1	0
22	Impact of changing reimbursement criteria on statin treatment patterns among patients with atherosclerotic cardiovascular disease or cardiovascular risk factors. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 415-423.	1.5	1
23	Treatment patterns of lipid-lowering therapies and possible statin intolerance among statin users with clinical atherosclerotic cardiovascular disease (ASCVD) or diabetes mellitus (DM) in Taiwan. <i>Journal of Evaluation in Clinical Practice</i> , 2020, 26, 1171-1180.	1.8	4
24	Benzodiazepines, z-Hypnotics, and Risk of Dementia: Special Considerations of Half-Lives and Concomitant Use. <i>Neurotherapeutics</i> , 2020, 17, 156-164.	4.4	31
25	Using real-world evidence for pharmacovigilance and drug safety-related decision making by a resource-limited health authority: 10 years of experience in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1402-1413.	1.9	2
26	Prognostic Impact of Delirium in Older People with/without Dementia: A Retrospective Cohort Study in Taiwan. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 951-958.	3.3	1
27	Nationwide trends in incidence, healthcare utilization, and mortality in hospitalized heart failure patients in Taiwan. <i>ESC Heart Failure</i> , 2020, 7, 3653-3666.	3.1	10
28	Economic burden of cancers in Taiwan: a direct and indirect cost estimate for 2007-2017. <i>BMJ Open</i> , 2020, 10, e036341.	1.9	18
29	Prognostic Impact of Delirium in Older People With/Without Dementia: A Retrospective Cohort Study in Taiwan. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 951-958.	3.3	0
30	Frontline treatments in extremely elderly patients with diffuse large B-cell lymphoma: a population-based study in Taiwan, 2010-2015. <i>Immunity and Ageing</i> , 2020, 17, 17.	4.2	4
31	Subtypes of physical frailty and their long-term outcomes: a longitudinal cohort study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 1223-1231.	7.3	34
32	Reimbursement Lag of New Drugs Under Taiwan's National Health Insurance System Compared With United Kingdom, Canada, Australia, Japan, and South Korea. <i>Clinical and Translational Science</i> , 2020, 13, 916-922.	3.1	5
33	Factors Affecting Usage Levels and Trends of Innovative Oncology Drugs Upon and After Reimbursement Under Taiwan National Health Insurance: Interrupted Time Series Analysis. <i>Clinical and Translational Science</i> , 2020, 13, 1288-1297.	3.1	2
34	Clinical characteristics and 10-year outcomes of diabetes in adults with advancing age at onset: A population cohort. <i>Archives of Gerontology and Geriatrics</i> , 2020, 88, 104039.	3.0	4
35	Timing of anti-osteoporosis medications initiation after a hip fracture affects the risk of subsequent fracture: A nationwide cohort study. <i>Bone</i> , 2020, 138, 115452.	2.9	8
36	Comparisons Between Hypothesis- and Data-Driven Approaches for Multimorbidity Frailty Index: A Machine Learning Approach. <i>Journal of Medical Internet Research</i> , 2020, 22, e16213.	4.3	22

#	ARTICLE	IF	CITATIONS
37	Impact of the Requirement of Bone Mineral Density Evidence on Utilization of Anti-osteoporosis Medications, Clinical Outcome and Medical Expenditures of Patient With Hip Fracture in Taiwan. <i>International Journal of Health Policy and Management</i> , 2020, , .	0.9	2
38	Women with Diffuse Large B Cell Lymphoma Benefit More from Rituximab-Containing Chemotherapy. <i>Journal of Women's Health</i> , 2019, 28, 203-211.	3.3	5
39	A Group-based Trajectory Analysis of Longitudinal Psychotropic Agent Use and Adverse Outcomes Among Older People. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1579-1586.e3.	2.5	7
40	Association between the risk of lung cancer and influenza: A population-based nested case-control study. <i>International Journal of Infectious Diseases</i> , 2019, 88, 8-13.	3.3	22
41	Development and Validation of a Risk Scoring System for Cephamycin-Associated Hemorrhagic Events. <i>Scientific Reports</i> , 2019, 9, 12905.	3.3	3
42	Risk of cutaneous adverse reactions associated with allopurinol or febuxostat in real-world patients: A nationwide study. <i>International Journal of Clinical Practice</i> , 2019, 73, e13316.	1.7	18
43	Risk of cardiovascular events associated with dipeptidyl peptidase-4 inhibitors in patients with diabetes with and without chronic kidney disease: A nationwide cohort study. <i>PLoS ONE</i> , 2019, 14, e0215248.	2.5	5
44	Post-acute care regains quality of life among middle-aged and older stroke patients in Taiwan. <i>Archives of Gerontology and Geriatrics</i> , 2019, 83, 271-276.	3.0	9
45	Does Long-Term Proton Pump Inhibitor Use Increase Risk of Dementia? Not Really! Results of the Group-Based Trajectory Analysis. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 616-622.	4.7	18
46	Use of dipeptidyl peptidase-4 inhibitors and the risk of arthralgia: Population-based cohort and nested case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 500-506.	1.9	5
47	Increasing age- and gender-specific burden and complexity of multimorbidity in Taiwan, 2003-2013: a cross-sectional study based on nationwide claims data. <i>BMJ Open</i> , 2019, 9, e028333.	1.9	30
48	Nonsteroidal Anti-Inflammatory Drugs and Risk of First Hospitalization for Heart Failure in Patients with No History of Heart Failure: A Population-Based Case-Crossover Study. <i>Drug Safety</i> , 2019, 42, 67-75.	3.2	17
49	A Web-Based Clinical System for Cohort Surveillance of Specific Clinical Effectiveness and Safety Outcomes: A Cohort Study of Non-Vitamin K Antagonist Oral Anticoagulants and Warfarin. <i>JMIR Medical Informatics</i> , 2019, 7, e13329.	2.6	1
50	Risk of stroke associated with use of nonsteroidal anti-inflammatory drugs during acute respiratory infection episode. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 645-651.	1.9	23
51	Epidemiology and long-term disease burden of herpes zoster and postherpetic neuralgia in Taiwan: a population-based, propensity score-matched cohort study. <i>BMC Public Health</i> , 2018, 18, 369.	2.9	19
52	Cumulative Burden of Glucocorticoid-related Adverse Events in Patients with Systemic Lupus Erythematosus: Findings from a 12-year Longitudinal Study. <i>Journal of Rheumatology</i> , 2018, 45, 83-89.	2.0	56
53	Subtype-specific epidemiology of lymphoid malignancies in Taiwan compared to Japan and the United States, 2002-2012. <i>Cancer Medicine</i> , 2018, 7, 5820-5831.	2.8	14
54	Temporal trends and patterns in carbamazepine use, related severe cutaneous adverse reactions, and HLA-B*15:02 screening: A nationwide study. <i>Epilepsia</i> , 2018, 59, 2325-2339.	5.1	24

#	ARTICLE	IF	CITATIONS
55	Effects of anti-osteoporosis medications on total hip arthroplasty risks in osteoporotic patients with hip osteoarthritis in Taiwan: a nationwide cohort study. <i>Archives of Osteoporosis</i> , 2018, 13, 107.	2.4	8
56	Rituximab maintenance improves overall survival in follicular lymphoma: A retrospective nationwide real-world analysis from Taiwan Cancer Registry Database. <i>Cancer Medicine</i> , 2018, 7, 3582-3591.	2.8	7
57	Visualisation of the unmet treatment need of osteoporotic fracture in Taiwan: A nationwide cohort study. <i>International Journal of Clinical Practice</i> , 2018, 72, e13246.	1.7	6
58	Identifying Unmet Treatment Needs for Patients With Osteoporotic Fracture: Feasibility Study for an Electronic Clinical Surveillance System. <i>Journal of Medical Internet Research</i> , 2018, 20, e142.	4.3	5
59	Concomitant use of calcium channel blockers with dual antiplatelet therapy and re-hospitalization for acute coronary syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 229-238.	1.9	5
60	Recurrent falls and its risk factors among older men living in the veterans retirement communities: A cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2017, 70, 214-218.	3.0	30
61	Medication appropriateness for patients with dementia approaching the end of their life. <i>Geriatrics and Gerontology International</i> , 2017, 17, 65-74.	1.5	2
62	Bisphosphonate Use and the Risk of Undergoing Total Knee Arthroplasty in Osteoporotic Patients with Osteoarthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 938-946.	3.0	43
63	Impact of Safety-Related Regulations on Codeine Use in Children: A Quasi-Experimental Study Using Taiwan's National Health Insurance Research Database. <i>Drug Safety</i> , 2017, 40, 615-627.	3.2	3
64	Potentially high-risk medication categories and unplanned hospitalizations: a case-time-control study. <i>Scientific Reports</i> , 2017, 7, 41035.	3.3	17
65	Comparative risks for cancer associated with use of calcitonin, bisphosphonates or selective estrogen receptor modulators among osteoporosis patients: a population-based cohort study. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 935-941.	1.3	8
66	Age- and gender-specific epidemiology, treatment patterns, and economic burden of osteoporosis and associated fracture in Taiwan between 2009 and 2013. <i>Archives of Osteoporosis</i> , 2017, 12, 92.	2.4	24
67	The cost-saving effect and prevention of medication errors by clinical pharmacist intervention in a nephrology unit. <i>Medicine (United States)</i> , 2017, 96, e7883.	1.0	27
68	Functional Outcomes, Subsequent Healthcare Utilization, and Mortality of Stroke Postacute Care Patients in Taiwan: A Nationwide Propensity Score-matched Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 990.e7-990.e12.	2.5	25
69	Cost-effectiveness of granulocyte colony-stimulating factor prophylaxis in chemotherapy-induced febrile neutropenia among breast cancer and Non-Hodgkin's lymphoma patients under Taiwan's national health insurance system. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 288-293.	1.8	3
70	Urinary Incontinence and Its Association with Frailty Among Men Aged 80 Years or Older in Taiwan: A Cross-Sectional Study. <i>Rejuvenation Research</i> , 2017, 20, 111-117.	1.8	27
71	Acute Respiratory Infection and Use of Nonsteroidal Anti-Inflammatory Drugs on Risk of Acute Myocardial Infarction: A Nationwide Case-Crossover Study. <i>Journal of Infectious Diseases</i> , 2017, 215, 503-509.	4.0	40
72	Comparative Associations Between Measures of Anti-cholinergic Burden and Adverse Clinical Outcomes. <i>Annals of Family Medicine</i> , 2017, 15, 561-569.	1.9	52

#	ARTICLE	IF	CITATIONS
73	Predicting mortality and hospitalization of older adults by the multimorbidity frailty index. PLoS ONE, 2017, 12, e0187825.	2.5	47
74	Antidepressants and Valvular Heart Disease. Medicine (United States), 2016, 95, e3172.	1.0	5
75	Characterization of patients with duplicated z-hypnotic use: A population-based study in Taiwan. Journal of Clinical Gerontology and Geriatrics, 2016, 7, 60-63.	0.7	0
76	Functional and Mental Health Outcomes of the Joint Effects of Spousal Health: The Potential Threats of Concordant Frailty. Journal of the American Medical Directors Association, 2016, 17, 324-330.	2.5	10
77	Comparisons of annual health care utilization, drug consumption, and medical expenditure between the elderly and general population in Taiwan. Journal of Clinical Gerontology and Geriatrics, 2016, 7, 44-47.	0.7	21
78	Statin Use and the Risk for Incident Diabetes Mellitus in Patients with Acute Coronary Syndrome after Percutaneous Coronary Intervention: A Population-Based Retrospective Cohort Study in Taiwan. Canadian Journal of Diabetes, 2016, 40, 264-269.	0.8	10
79	Modeling healthcare data using multiple-channel latent Dirichlet allocation. Journal of Biomedical Informatics, 2016, 60, 210-223.	4.3	57
80	Serotonergic antidepressant use and the risk of fracture: a population-based nested case-control study. Osteoporosis International, 2016, 27, 57-63.	3.1	50
81	Use of Hypoprothrombinemia-Inducing Cephalosporins and the Risk of Hemorrhagic Events: A Nationwide Nested Case-Control Study. PLoS ONE, 2016, 11, e0158407.	2.5	30
82	Decision to adopt medical technology under the National Health Insurance System in Taiwan: case study of new molecular targeted drugs among non-small cell lung cancer patients. Journal of Evaluation in Clinical Practice, 2015, 21, 808-816.	1.8	6
83	Domperidone, cytochrome P450 3A4 isoenzyme inhibitors and ventricular arrhythmia: a nationwide case-crossover study. Pharmacoepidemiology and Drug Safety, 2015, 24, 841-848.	1.9	29
84	Care Needs and Clinical Outcomes of Older People with Dementia: A Population-Based Propensity Score-Matched Cohort Study. PLoS ONE, 2015, 10, e0124973.	2.5	31
85	Epidemiology, clinical profile and treatment patterns of venous thromboembolism in cancer patients in Taiwan: a population-based study. BMC Cancer, 2015, 15, 298.	2.6	23
86	Effect of polypharmacy, potentially inappropriate medications and anticholinergic burden on clinical outcomes: a retrospective cohort study. Cmaj, 2015, 187, E130-E137.	2.0	164
87	Changes in prevalence of diabetic complications and associated healthcare costs during a 10-year follow-up period among a nationwide diabetic cohort. Journal of Diabetes and Its Complications, 2015, 29, 523-528.	2.3	17
88	Prolonged risk of subtrochanteric and diaphyseal femur fractures after discontinuing alendronate treatment: A nationwide nested case-control study in Taiwan. Journal of Clinical Gerontology and Geriatrics, 2015, 6, 54-58.	0.7	0
89	Polypharmacy and clinical outcomes. Cmaj, 2015, 187, 827.2-827.	2.0	0
90	Impact of safety-related regulation on use of parenteral ketorolac in a nationally representative population. Journal of Pharmaceutical Health Services Research, 2014, 5, 127-134.	0.6	2

#	ARTICLE	IF	CITATIONS
91	Statins and the risk of liver injury: a population-based case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 719-725.	1.9	17
92	Safety of deferasirox: a retrospective cohort study on the risks of gastrointestinal, liver and renal events. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1176-1182.	1.9	13
93	Suboptimal Duration of Granulocyte Colony-stimulating Factor Use and Chemotherapy-induced Neutropenia in Women Diagnosed With Breast Cancer. <i>Clinical Therapeutics</i> , 2014, 36, 1287-1294.	2.5	4
94	Epidemiology of post-transplant malignancy in Asian renal transplant recipients: a population-based study. <i>International Urology and Nephrology</i> , 2014, 46, 833-838.	1.4	18
95	Acute Pancreatitis in Patients with Type 2 Diabetes Mellitus Treated with Dipeptidyl Peptidase-4 Inhibitors: A Population-Based Nested Case-Control Study. <i>Drug Safety</i> , 2014, 37, 521-528.	3.2	37
96	Duration of dual antiplatelet therapy following percutaneous coronary intervention on re-hospitalization for acute coronary syndrome. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 21.	1.7	2
97	Dose-Responsive Effect of Psychotropic Drug Use and Subsequent Dementia: A Nationwide Propensity Score Matched Case-Control Study in Taiwan. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 509-513.	2.5	20
98	Risk of hospitalization and healthcare cost associated with Diabetes Complication Severity Index in Taiwan's National Health Insurance Research Database. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 612-616.	2.3	52
99	Cost and effectiveness of video-assisted thoracoscopic surgery for clinical stage I non-small cell lung cancer: a population-based analysis. <i>Journal of Thoracic Disease</i> , 2014, 6, 1690-6.	1.4	11
100	Risk of Heart Failure Associated with Dopamine Agonists: A Nested Case-Control Study. <i>Drugs and Aging</i> , 2013, 30, 739-745.	2.7	17
101	Risk of Bladder Cancer in Diabetic Patients Treated with Rosiglitazone or Pioglitazone: A Nested Case-Control Study. <i>Drug Safety</i> , 2013, 36, 643-649.	3.2	56
102	Clinical Outcomes of Vertebroplasty or Kyphoplasty for Patients With Vertebral Compression Fractures: A Nationwide Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 41-47.	2.5	22
103	Ten-year trend in prescriptions of z-hypnotics among the elderly: A nationwide, cross-sectional study in Taiwan. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2013, 4, 37-41.	0.7	30
104	Use of Antipsychotics and Risk of Cerebrovascular Events in Schizophrenic Patients. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 299-305.	1.4	23
105	Age, Dementia and Care Patterns after Admission for Acute Coronary Syndrome. <i>Drugs and Aging</i> , 2012, 29, 819-828.	2.7	19
106	Comparative and cost-effectiveness of oxaliplatin-based or irinotecan-based regimens compared with 5-fluorouracil/leucovorin alone among US elderly stage IV colon cancer patients. <i>Cancer</i> , 2012, 118, 3173-3181.	4.1	12
107	Comparative Effectiveness of Different Chemotherapeutic Regimens on Survival of People Aged 66 and Older with Stage III Colon Cancer: A "Real World" Analysis Using Surveillance, Epidemiology, and End Results Medicare Data. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1717-1723.	2.6	19
108	Alendronate and Risk of Esophageal Cancer: A Nationwide Population-Based Study in Taiwan. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 2379-2381.	2.6	20

#	ARTICLE	IF	CITATIONS
109	Effect of Helicobacter pylori Eradication Therapy on Risk of Hospitalization for a Major Ulcer Event. <i>Pharmacotherapy</i> , 2011, 31, 239-247.	2.6	11
110	Impact of Ezetimibe Coadministered With Statins on Cardiovascular Events Following Acute Coronary Syndrome: A 3-Year Population-Based Retrospective Cohort Study in Taiwan. <i>Clinical Therapeutics</i> , 2011, 33, 1120-1131.	2.5	14
111	Hip and Subtrochanteric or Diaphyseal Femoral Fractures in Alendronate Users: A 10-Year, Nationwide Retrospective Cohort Study in Taiwanese Women. <i>Clinical Therapeutics</i> , 2011, 33, 1659-1667.	2.5	36
112	The authors respond. <i>Clinical Therapeutics</i> , 2011, 33, 2092.	2.5	0
113	Cardiovascular and gastrointestinal events of three antiplatelet therapies: clopidogrel, clopidogrel plus proton-pump inhibitors, and aspirin plus proton-pump inhibitors in patients with previous gastrointestinal bleeding. <i>Journal of Gastroenterology</i> , 2011, 46, 39-45.	5.1	27
114	The potentially inappropriate prescription of new drug: thiazolidinediones for patients with type II diabetes in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 20-29.	1.9	4
115	Relationship between cardiovascular outcomes and proton pump inhibitor use in patients receiving dual antiplatelet therapy after acute coronary syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 1043-1049.	1.9	27
116	Osteoporosis treatment and atrial fibrillation. <i>Menopause</i> , 2010, 17, 57-63.	2.0	42
117	Price regulation, new entry, and information shock on pharmaceutical market in Taiwan: a nationwide data-based study from 2001 to 2004. <i>BMC Health Services Research</i> , 2010, 10, 218.	2.2	11
118	Relationship between cumulative dose of thiazolidinediones and clinical outcomes in type 2 diabetic patients with history of heart failure: a population-based cohort study in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 786-791.	1.9	11
119	A comparison of aspirin and clopidogrel with or without proton pump inhibitors for the secondary prevention of cardiovascular events in patients at high risk for gastrointestinal bleeding. <i>Clinical Therapeutics</i> , 2009, 31, 2038-2047.	2.5	40
120	Changes in physicians' practice of prescribing cyclooxygenase-2 inhibitor after market withdrawal of rofecoxib: A retrospective study of physician-patient pairs in Taiwan. <i>Clinical Therapeutics</i> , 2009, 31, 2618-2627.	2.5	19
121	Thiazolidinediones and Cardiovascular Events in Patients with Type 2 Diabetes Mellitus. <i>Drug Safety</i> , 2009, 32, 675-690.	3.2	42
122	Changes of the prescription of hormone therapy in menopausal women: An observational study in Taiwan. <i>BMC Public Health</i> , 2007, 7, 56.	2.9	16
123	Cardiovascular Events Associated with Long-Term Use of Celecoxib, Rofecoxib and Meloxicam in Taiwan. <i>Drug Safety</i> , 2006, 29, 261-272.	3.2	33
124	Cardiovascular events associated with the use of four nonselective NSAIDs (Etodolac, Nabumetone,) in Taiwanese adults. <i>Clinical Therapeutics</i> , 2006, 28, 1827-1836.	2.5	49
125	Survey of Medication Knowledge and Behaviors Among College Students in Taiwan. <i>American Journal of Pharmaceutical Education</i> , 2006, 70, 30.	2.1	35