Romina Mizrahi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/798147/publications.pdf

Version: 2024-02-01

143 papers

8,046 citations

44069 48 h-index 85 g-index

147 all docs

147 docs citations

147 times ranked

9570 citing authors

#	Article	IF	CITATIONS
1	Role of Translocator Protein Density, a Marker of Neuroinflammation, in the Brain During Major Depressive Episodes. JAMA Psychiatry, 2015, 72, 268.	11.0	700
2	From dopamine to salience to psychosisâ€"linking biology, pharmacology and phenomenology of psychosis. Schizophrenia Research, 2005, 79, 59-68.	2.0	433
3	Postmortem evidence of cerebral inflammation in schizophrenia: a systematic review. Molecular Psychiatry, 2016, 21, 1009-1026.	7.9	272
4	A prospective longitudinal study of apathy in Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 8-11.	1.9	270
5	Differential Effects of Aripiprazole on D ₂ , 5-HT ₂ , and 5-HT _{1A} Receptor Occupancy in Patients With Schizophrenia: A Triple Tracer PET Study. American Journal of Psychiatry, 2007, 164, 1411-1417.	7. 2	235
6	The Construct of Minor and Major Depression in Alzheimer's Disease. American Journal of Psychiatry, 2005, 162, 2086-2093.	7.2	230
7	Increased Stress-Induced Dopamine Release in Psychosis. Biological Psychiatry, 2012, 71, 561-567.	1.3	222
8	On the overlap between apathy and depression in dementia. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 1070-1074.	1.9	204
9	Association of translocator protein total distribution volume with duration of untreated major depressive disorder: a cross-sectional study. Lancet Psychiatry,the, 2018, 5, 339-347.	7.4	192
10	A diagnostic formulation for anosognosia in Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 719-725.	1.9	190
11	lmaging Neuroinflammation in Gray and White Matter in Schizophrenia: An In-Vivo PET Study With [18F]-FEPPA. Schizophrenia Bulletin, 2015, 41, 85-93.	4.3	158
12	White matter hyperintensities are significantly associated with cortical atrophy in Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 822-827.	1.9	146
13	Binding characteristics and sensitivity to endogenous dopamine of $[11C]$ -(+)-PHNO, a new agonist radiotracer for imaging the high-affinity state of D2 receptors in vivo using positron emission tomography. Journal of Neurochemistry, 2006, 97, 1089-1103.	3.9	145
14	Adverse Subjective Experience With Antipsychotics and Its Relationship to Striatal and Extrastriatal D ₂ Receptors: a PET Study in Schizophrenia. American Journal of Psychiatry, 2007, 164, 630-637.	7.2	141
15	Inflammation in the Neurocircuitry of Obsessive-Compulsive Disorder. JAMA Psychiatry, 2017, 74, 833.	11.0	132
16	Translocator Protein (18 kDa) Polymorphism (rs6971) Explains <i>in-vivo</i> Brain Binding Affinity of the PET Radioligand [¹⁸ F]-FEPPA. Journal of Cerebral Blood Flow and Metabolism, 2012, 32, 968-972.	4.3	131
17	Neuroinflammation and Oxidative Stress in Psychosis and Psychosis Risk. International Journal of Molecular Sciences, 2017, 18, 651.	4.1	124
18	Insight and danger in Alzheimer's disease. European Journal of Neurology, 2007, 14, 455-460.	3.3	114

#	Article	IF	Citations
19	The Dopamine D2 Receptors in High-Affinity State and D3 Receptors in Schizophrenia: A Clinical [11C]-(+)-PHNO PET Study. Neuropsychopharmacology, 2009, 34, 1078-1086.	5.4	109
20	Neuroimaging Correlates of Apathy and Depression in Alzheimer's Disease. Journal of Neuropsychiatry and Clinical Neurosciences, 2009, 21, 259-265.	1.8	103
21	Imaging Microglial Activation in Untreated First-Episode Psychosis: A PET Study With [¹⁸ F]FEPPA. American Journal of Psychiatry, 2017, 174, 118-124.	7.2	103
22	Positron Emission Tomography Studies of the Glial Cell Marker Translocator Protein in Patients With Psychosis: A Meta-analysis Using Individual Participant Data. Biological Psychiatry, 2018, 84, 433-442.	1.3	103
23	In-vivo imaging of grey and white matter neuroinflammation in Alzheimer's disease: a positron emission tomography study with a novel radioligand, [18F]-FEPPA. Molecular Psychiatry, 2015, 20, 1579-1587.	7.9	101
24	Quantitation of Translocator Protein Binding in Human Brain with the Novel Radioligand [¹⁸ F]-FEPPA and Positron Emission Tomography. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 1807-1816.	4.3	98
25	â€Jumping to conclusions' and delusions in psychosis: Relationship and response to treatment. Schizophrenia Research, 2008, 98, 225-231.	2.0	97
26	The Effect of Antipsychotics on the High-Affinity State of D2 and D3 Receptors. Archives of General Psychiatry, 2009, 66, 606.	12.3	97
27	Brain region binding of the D2/3 agonist $[11C]$ -(+)-PHNO and the D2/3 antagonist $[11C]$ raclopride in healthy humans. Human Brain Mapping, 2008, 29, 400-410.	3.6	95
28	Imaging Striatal Microglial Activation in Patients with Parkinson's Disease. PLoS ONE, 2015, 10, e0138721.	2.5	95
29	Depression in Alzheimer's disease: Phenomenology, clinical correlates and treatment. International Review of Psychiatry, 2008, 20, 382-388.	2.8	90
30	Stress-Induced Dopamine Response in Subjects at Clinical High Risk for Schizophrenia with and without Concurrent Cannabis Use. Neuropsychopharmacology, 2014, 39, 1479-1489.	5.4	86
31	Kinetic Modeling of the Monoamine Oxidase B Radioligand [$<$ sup $>$ 11 $<$ /sup $>$ C]SL25.1188 in Human Brain with High-Resolution Positron Emission Tomography. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 883-889.	4.3	83
32	Social Stress and Psychosis Risk: Common Neurochemical Substrates?. Neuropsychopharmacology, 2016, 41, 666-674.	5.4	79
33	Effects of antipsychotics on D3 receptors: A clinical PET study in first episode antipsychotic naive patients with schizophrenia using [11C]-(+)-PHNO. Schizophrenia Research, 2011, 131, 63-68.	2.0	78
34	How antipsychotics workâ€"From receptors to reality. NeuroRx, 2006, 3, 10-21.	6.0	77
35	Molecular imaging of neuroinflammation in Alzheimer's disease and mild cognitive impairment. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 80, 123-131.	4.8	76
36	Monoamine Oxidase B Total Distribution Volume in the Prefrontal Cortex of Major Depressive Disorder. JAMA Psychiatry, 2019, 76, 634.	11.0	74

3

#	Article	IF	Citations
37	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. JAMA Psychiatry, 2021, 78, 753.	11.0	74
38	Correspondences between theory of mind, jumping to conclusions, neuropsychological measures and the symptoms of schizophrenia. Psychiatry Research, 2009, 170, 119-123.	3.3	72
39	Heterogeneity of Striatal Dopamine Function in Schizophrenia: Meta-analysis of Variance. Biological Psychiatry, 2020, 87, 215-224.	1.3	69
40	Mapping Human Brain Fatty Acid Amide Hydrolase Activity with PET. Journal of Cerebral Blood Flow and Metabolism, 2013, 33, 407-414.	4.3	65
41	The effect of antipsychotic treatment on Theory of Mind. Psychological Medicine, 2007, 37, 595.	4.5	64
42	Depression in Alzheimer's disease. Expert Review of Neurotherapeutics, 2006, 6, 887-895.	2.8	58
43	The Fatty Acid Amide Hydrolase C385A Variant Affects Brain Binding of the Positron Emission Tomography Tracer [¹¹ C]CURB. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 1237-1240.	4.3	58
44	Neuroinflammation in healthy aging: A PET study using a novel Translocator Protein 18kDa (TSPO) radioligand, [18F]-FEPPA. NeuroImage, 2014, 84, 868-875.	4.2	56
45	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies—PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. Schizophrenia Bulletin, 2020, 46, 432-441.	4.3	56
46	Antidepressant therapy in post-stroke depression. Expert Opinion on Pharmacotherapy, 2008, 9, 1291-1298.	1.8	55
47	Disrupted Nodal and Hub Organization Account for Brain Network Abnormalities in Parkinson's Disease. Frontiers in Aging Neuroscience, 2016, 8, 259.	3.4	53
48	Fatty Acid Amide Hydrolase Binding in Brain of Cannabis Users: Imaging With the Novel Radiotracer [11C]CURB. Biological Psychiatry, 2016, 80, 691-701.	1.3	53
49	The selective effect of antipsychotics on the different dimensions of the experience of psychosis in schizophrenia spectrum disorders. Schizophrenia Research, 2006, 88, 111-118.	2.0	52
50	The relationship between subjective well-being and dopamine D2 receptors in patients treated with a dopamine partial agonist and full antagonist antipsychotics. International Journal of Neuropsychopharmacology, 2009, 12, 715.	2.1	52
51	Imaging Microglial Activation in Individuals at Clinical High Risk for Psychosis: an In Vivo PET Study with [18F]FEPPA. Neuropsychopharmacology, 2017, 42, 2474-2481.	5.4	47
52	Dopamine Response to Psychosocial Stress in Chronic Cannabis Users: A PET Study With [11C]-(+)-PHNO. Neuropsychopharmacology, 2013, 38, 673-682.	5.4	45
53	Elevated Striatal Dopamine Function in Immigrants and Their Children: A Risk Mechanism for Psychosis. Schizophrenia Bulletin, 2017, 43, sbw181.	4.3	44
54	Phenomenology and Clinical Correlates of Delusions in Alzheimer Disease. American Journal of Geriatric Psychiatry, 2006, 14, 573-581.	1.2	41

#	Article	IF	Citations
55	Imaging changes associated with cognitive abnormalities in Parkinson's disease. Brain Structure and Function, 2015, 220, 2249-2261.	2.3	41
56	Impaired Prefrontal Cortical Dopamine Release in Schizophrenia During a Cognitive Task: A [11C]FLB 457 Positron Emission Tomography Study. Schizophrenia Bulletin, 2019, 45, 670-679.	4.3	39
57	The four dimensions: a model for the social aetiology of psychosis. British Journal of Psychiatry, 2011, 199, 11-14.	2.8	37
58	Dopamine D2 and D3 binding in people at clinical high risk for schizophrenia, antipsychotic-naive patients and healthy controls while performing a cognitive task. Journal of Psychiatry and Neuroscience, 2013, 38, 98-106.	2.4	36
59	Event-Related Potentials in the Clinical High-Risk (CHR) State for Psychosis: A Systematic Review. Clinical EEG and Neuroscience, 2018, 49, 215-225.	1.7	36
60	Meta-analysis of the Glial Marker TSPO in Psychosis Revisited: Reconciling Inconclusive Findings of Patient–Control Differences. Biological Psychiatry, 2021, 89, e5-e8.	1.3	36
61	In Vivo Imaging of Translocator Protein in Long-term Cannabis Users. JAMA Psychiatry, 2019, 76, 1305.	11.0	34
62	Hippocampal glutamate metabolites and glial activation in clinical high risk and first episode psychosis. Neuropsychopharmacology, 2018, 43, 2249-2255.	5.4	33
63	A systematic review of phytocannabinoid exposure on the endocannabinoid system: Implications for psychosis. European Neuropsychopharmacology, 2019, 29, 330-348.	0.7	33
64	Cortical stress regulation is disrupted in schizophrenia but not in clinical high risk for psychosis. Brain, 2018, 141, 2213-2224.	7.6	32
65	Relationships between cognitive event-related brain potential measures in patients at clinical high risk for psychosis. Schizophrenia Research, 2020, 226, 84-94.	2.0	31
66	Specificity of Symptoms of Depression in Alzheimer Disease: A Longitudinal Analysis. American Journal of Geriatric Psychiatry, 2005, 13, 802-807.	1.2	30
67	How antipsychotics work: The patients' perspective. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 859-864.	4.8	30
68	Attribution style as a factor in psychosis and symptom resolution. Schizophrenia Research, 2008, 104, 220-227.	2.0	30
69	Imaging microglial activation and amyloid burden in amnestic mild cognitive impairment. Journal of Cerebral Blood Flow and Metabolism, 2018, 38, 1885-1895.	4.3	29
70	Endocannabinoid system in psychotic and mood disorders, a review of human studies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 106, 110096.	4.8	29
71	The prevalence, clinical correlates and treatment of apathy in Alzheimer's disease. European Journal of Psychiatry, 2006, 20, .	1.3	29
72	Blocking of Fatty Acid Amide Hydrolase Activity with PF-04457845 in Human Brain: A Positron Emission Tomography Study with the Novel Radioligand [¹¹ C]CURB. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 1827-1835.	4.3	28

#	Article	IF	CITATIONS
73	Glutathione, the Major Redox Regulator, in the Prefrontal Cortex of Individuals at Clinical High Risk for Psychosis. International Journal of Neuropsychopharmacology, 2018, 21, 311-318.	2.1	28
74	Dopamine response to psychosocial stress in humans and its relationship toÂindividual differences in personality traits. Journal of Psychiatric Research, 2012, 46, 890-897.	3.1	26
75	Nigral Stress-Induced Dopamine Release in Clinical High Risk and Antipsychotic-NaÃ-ve Schizophrenia. Schizophrenia Bulletin, 2018, 44, 542-551.	4.3	26
76	GABA levels and TSPO expression in people at clinical high risk for psychosis and healthy volunteers: a PET-MRS study. Journal of Psychiatry and Neuroscience, 2019, 44, 111-119.	2.4	26
77	Evaluation of a novel radiotracer for positron emission tomography imaging of reactive oxygen species in the central nervous system. Nuclear Medicine and Biology, 2017, 53, 14-20.	0.6	25
78	Human Kinetic Modeling of the 5HT6 PET Radioligand ¹¹ C-GSK215083 and Its Utility for Determining Occupancy at Both 5HT6 and 5HT2A Receptors by SB742457 as a Potential Therapeutic Mechanism of Action in Alzheimer Disease. Journal of Nuclear Medicine, 2015, 56, 1901-1909.	5.0	24
79	Mechanisms contributing to cognitive deficits in cannabis users. Neuropharmacology, 2017, 124, 84-88.	4.1	24
80	Whole Body Biodistribution and Radiation Dosimetry in Humans of a New PET Ligand, [18F]-FEPPA, to Image Translocator Protein (18ÂkDa). Molecular Imaging and Biology, 2013, 15, 353-359.	2.6	23
81	Mitochondrial function in individuals at clinical high risk for psychosis. Scientific Reports, 2018, 8, 6216.	3.3	23
82	Elevated fatty acid amide hydrolase in the prefrontal cortex of borderline personality disorder: a [11C]CURB positron emission tomography study. Neuropsychopharmacology, 2020, 45, 1834-1841.	5.4	23
83	Specificity of Symptoms of Depression in Alzheimer Disease: A Longitudinal Analysis. American Journal of Geriatric Psychiatry, 2005, 13, 802-807.	1.2	23
84	Interaction between TSPOâ€"a neuroimmune markerâ€"and redox status in clinical high risk for psychosis: a PETâ€"MRS study. Neuropsychopharmacology, 2018, 43, 1700-1705.	5.4	22
85	A systematic review of the role of the nociceptin receptor system in stress, cognition, and reward: relevance to schizophrenia. Translational Psychiatry, 2018, 8, 38.	4.8	22
86	Fatty acid amide hydrolase is lower in young cannabis users. Addiction Biology, 2021, 26, e12872.	2.6	21
87	Corticotropin-releasing hormone and dopamine release in healthy individuals. Psychoneuroendocrinology, 2017, 76, 192-196.	2.7	20
88	Feasibility study of TSPO quantification with [18F]FEPPA using population-based input function. PLoS ONE, 2017, 12, e0177785.	2.5	20
89	Side Effects Profile in Humans of ¹¹ C-(+)-PHNO, a Dopamine D _{2/3} Agonist Ligand for PET. Journal of Nuclear Medicine, 2010, 51, 496-497.	5.0	19
90	Peripheral cytokine and fatty acid associations with neuroinflammation in AD and aMCI patients: An exploratory study. Brain, Behavior, and Immunity, 2020, 87, 679-688.	4.1	19

#	Article	IF	Citations
91	Imaging Brain Fatty Acid Amide Hydrolase in Untreated Patients With Psychosis. Biological Psychiatry, 2020, 88, 727-735.	1.3	18
92	Quantitative imaging of neuroinflammation in human white matter: A positron emission tomography study with translocator protein 18 kDa radioligand, [¹⁸ F]â€FEPPA. Synapse, 2014, 68, 536-547.	1.2	17
93	TSPO expression and brain structure in the psychosis spectrum. Brain, Behavior, and Immunity, 2018, 74, 79-85.	4.1	17
94	Whole-Body Radiation Dosimetry of ¹¹ C-Carbonyl-URB694: A PET Tracer for Fatty Acid Amide Hydrolase. Journal of Nuclear Medicine, 2014, 55, 1993-1997.	5.0	15
95	Epidemiology and Management of Apathy in Patients with Alzheimer??s Disease. Drugs and Aging, 2007, 24, 547-554.	2.7	14
96	Stress precedes negative symptom exacerbations in clinical high risk and early psychosis: A time-lagged experience sampling study. Schizophrenia Research, 2019, 210, 52-58.	2.0	14
97	Negative symptoms in the clinical highâ€risk state for psychosis: Connection with cognition and primacy in impacting functioning. Microbial Biotechnology, 2020, 14, 188-195.	1.7	14
98	Concentration, distribution, and influence of aging on the 18 kDa translocator protein in human brain: Implications for brain imaging studies. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 1061-1076.	4.3	13
99	Lower amygdala fatty acid amide hydrolase in violent offenders with antisocial personality disorder: an [11C]CURB positron emission tomography study. Translational Psychiatry, 2021, 11, 57.	4.8	13
100	Genetically Predicted Brain C4A Expression Is Associated With TSPO and Hippocampal Morphology. Biological Psychiatry, 2021, 90, 652-660.	1.3	12
101	Maladaptive personality traits in patients identified at lower-risk and higher-risk for psychosis. Psychiatry Research, 2018, 268, 348-353.	3.3	11
102	N400 event-related brain potential evidence for semantic priming deficits in persons at clinical high risk for psychosis. Schizophrenia Research, 2019, 204, 434-436.	2.0	11
103	Image Derived Input Function for [18F]-FEPPA: Application to Quantify Translocator Protein (18 kDa) in the Human Brain. PLoS ONE, 2014, 9, e115768.	2.5	11
104	Voxel-Based Imaging of Translocator Protein 18Kda (TSPO) in High-Resolution PET. Journal of Cerebral Blood Flow and Metabolism, 2013, 33, 348-350.	4.3	10
105	Inhibition of fatty acid amide hydrolase by BIA 10-2474 in rat brain. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 3635-3639.	4.3	10
106	Microglia imaging in methamphetamine use disorder: a positron emission tomography study with the 18 kDa translocator protein radioligand [F \hat{a} ∈ 18]FEPPA. Addiction Biology, 2021, 26, e12876.	2.6	10
107	In vivo imaging translocator protein (TSPO) in autism spectrum disorder. Neuropsychopharmacology, 2022, 47, 1421-1427.	5.4	10
108	Amyloid deposition in semantic dementia: a positron emission tomography study. International Journal of Geriatric Psychiatry, 2016, 31, 1064-1074.	2.7	9

#	Article	IF	CITATIONS
109	Normal glutathione levels in autopsied brain of chronic users of heroin and of cocaine. Drug and Alcohol Dependence, 2018, 190, 20-28.	3.2	9
110	Stressâ€induced cortical dopamine response is altered in subjects at clinical high risk for psychosis using cannabis. Addiction Biology, 2020, 25, e12812.	2.6	9
111	Advances in PET analyses of stress and dopamine. Neuropsychopharmacology, 2010, 35, 348-349.	5.4	8
112	Preliminary data indicating a connection between stress-induced prefrontal dopamine release and hippocampal TSPO expression in the psychosis spectrum. Schizophrenia Research, 2019, 213, 80-86.	2.0	8
113	Biodistribution and Radiation Dosimetry of the Serotonin 5-HT6 Ligand [11C]GSK215083 Determined from Human Whole-Body PET. Molecular Imaging and Biology, 2012, 14, 517-521.	2.6	7
114	Evidence That Cannabis Exposure, Abuse, and Dependence Are Related to Glutamate Metabolism and Glial Function in the Anterior Cingulate Cortex: A 1H-Magnetic Resonance Spectroscopy Study. Frontiers in Psychiatry, 2020, 11, 764.	2.6	7
115	Decreased Gamma Auditory Steady-State Response Is Associated With Impaired Real-World Functioning in Unmedicated Patients at Clinical High Risk for Psychosis. Clinical EEG and Neuroscience, 2021, 52, 400-405.	1.7	7
116	Neuropsychological Correlates of Normal Variation in Emotional Response to Visual Stimuli. Journal of Nervous and Mental Disease, 2007, 195, 112-118.	1.0	6
117	Using molecular imaging to understand early schizophrenia-related psychosis neurochemistry: a review of human studies. International Review of Psychiatry, 2017, 29, 555-566.	2.8	6
118	Validating mitochondrial electron transport chain content in individuals at clinical high risk for psychosis. Scientific Reports, 2019, 9, 12695.	3.3	6
119	N400 eventâ€related brain potential as an index of realâ€world and neurocognitive function in patients at clinical high risk for schizophrenia. Microbial Biotechnology, 2021, 15, 68-75.	1.7	6
120	Cerebrovascular and microglial states are not altered by functional neuroinflammatory gene variant. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 819-830.	4.3	5
121	Towards an Integrated View of Early Molecular Changes Underlying Vulnerability to Social Stress in Psychosis. Modern Problems of Pharmacopsychiatry, 2017, 31, 96-106.	2.5	5
122	<scp>N400</scp> eventâ€related brain potential and functional outcome in persons at clinical high risk for psychosis: A longitudinal study. Psychiatry and Clinical Neurosciences, 2022, 76, 114-121.	1.8	5
123	Voxel level quantification of [11C]CURB, a radioligand for Fatty Acid Amide Hydrolase, using high resolution positron emission tomography. PLoS ONE, 2018, 13, e0192410.	2.5	3
124	Serum lipid analysis and isotopic enrichment is suggestive of greater lipogenesis in young longâ€ŧerm cannabis users: A secondary analysis of a case–control study. Lipids, 2022, 57, 125-140.	1.7	3
125	High stress, low resilience in people at clinical high risk for psychosis: Should we consider a strengths-based approach?. Canadian Psychology, 2015, 56, 332-347.	2.1	2
126	Prefrontal cortical dopamine release in clinical high risk for psychosis during a cognitive task: a [11C]FLB457 positron emission tomography study. European Neuropsychopharmacology, 2019, 29, 1023-1032.	0.7	2

#	Article	IF	CITATIONS
127	Whole-Body Distribution and Radiation Dosimetry of ¹¹ C-(+)-PHNO, a D _{2/3} Agonist Ligand. Journal of Nuclear Medicine, 2012, 53, 1802-1806.	5.0	1
128	F209. Semantic Processing Abnormalities and Their Relationship to Symptoms in Persons at Clinical High Risk for Schizophrenia: An Event-Related Brain Potential Study. Biological Psychiatry, 2018, 83, S320.	1.3	1
129	Personality traits in psychosis and psychosis risk linked to TSPO expression: a neuroimmune marker. Personality Neuroscience, 2020, 3, e14.	1.6	1
130	Identifying Electroencephalography Biomarkers in Individuals at Clinical High Risk for Psychosis in an International Multi-Site Study. Frontiers in Psychiatry, 2022, 13, 828376.	2.6	1
131	Increased Metaphor Production in Open-Ended Speech Samples of Patients With Prodromal and Developed Schizophrenia Detected with NLP. Biological Psychiatry, 2022, 91, S50.	1.3	1
132	Management of post-stroke depression., 0,, 107-115.		0
133	PIB-Positive PET in Individuals with Early- but Not Late-Onset Frontotemporal Dementia. American Journal of Geriatric Psychiatry, 2014, 22, S81-S82.	1.2	0
134	Imaging neuroinflammation in schizophrenia and depression with PET. European Neuropsychopharmacology, 2016, 26, S134.	0.7	0
135	191. Semantic Priming Deficits in Persons at Clinical High Risk for Schizophrenia: Evidence from Event-Related Brain Potentials. Biological Psychiatry, 2017, 81, S79.	1.3	0
136	Stress Response in Cannabis Users and Psychosis. , 2017, , 278-287.		0
137	F134. Association of Neuroinflammation With Duration of Untreated Major Depressive Disorder. Biological Psychiatry, 2019, 85, S265.	1.3	0
138	Money talksâ€"Philanthropists can foster gender and racial equity. EBioMedicine, 2019, 49, 23.	6.1	O
139	Investigating Nociceptin/Orphanin Fq (N/OFQ) Function via Nop Receptor in Cannabis Users. Biological Psychiatry, 2020, 87, S81.	1.3	O
140	Imaging Nociceptin Receptor Expression in First Episode Psychosis (FEP) Using Positron Emission Tomography With the Novel Ligand [11C] NOP-1A. Biological Psychiatry, 2020, 87, S184.	1.3	0
141	TSPO Imaging in Psychiatric Disorders. , 2021, , 589-606.		0
142	P473. Estimating Self-Disturbance in Psychosis and Its Risk States Using Natural Language Processing Analysis of Open-Ended Interviews. Biological Psychiatry, 2022, 91, S280.	1.3	0
143	P556. N400 Event-Related Brain Potential as a Predictor of Symptomatic Outcome in Persons at Clinical High Risk for Psychosis. Biological Psychiatry, 2022, 91, S314.	1.3	0