

Taishi Hata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7985525/publications.pdf>

Version: 2024-02-01

98
papers

1,579
citations

331670

21
h-index

377865

34
g-index

102
all docs

102
docs citations

102
times ranked

2843
citing authors

#	ARTICLE	IF	CITATIONS
1	Oncogene c-Myc promotes epitranscriptome m6A reader YTHDF1 expression in colorectal cancer. <i>Oncotarget</i> , 2018, 9, 7476-7486.	1.8	188
2	Concurrent Targeting of KRAS and AKT by MiR-4689 Is a Novel Treatment Against Mutant KRAS Colorectal Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2015, 4, e231.	5.1	78
3	Sox2 is associated with cancer stem-like properties in colorectal cancer. <i>Scientific Reports</i> , 2018, 8, 17639.	3.3	75
4	Down-Regulation of microRNA-132 is Associated with Poor Prognosis of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 599-608.	1.5	63
5	Fructose-bisphosphate aldolase A is a key regulator of hypoxic adaptation in colorectal cancer cells and involved in treatment resistance and poor prognosis. <i>International Journal of Oncology</i> , 2017, 50, 525-534.	3.3	55
6	Cancer Stem-like Properties in Colorectal Cancer Cells with Low Proteasome Activity. <i>Clinical Cancer Research</i> , 2016, 22, 5277-5286.	7.0	49
7	Circulating miR-199a-3p as a novel serum biomarker for colorectal cancer. <i>Oncology Reports</i> , 2014, 32, 2354-2358.	2.6	46
8	Circulating miR-103 and miR-720 as novel serum biomarkers for patients with colorectal cancer. <i>International Journal of Oncology</i> , 2015, 47, 1097-1102.	3.3	39
9	Role of p21waf1/cip1 in effects of oxaliplatin in colorectal cancer cells. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 1585-1594.	4.1	37
10	MicroRNA-29b is a Novel Prognostic Marker in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1410-1418.	1.5	36
11	Efficacy and Safety of Regorafenib or TAS-102 in Patients with Metastatic Colorectal Cancer Refractory to Standard Therapies. <i>Anticancer Research</i> , 2016, 36, 4299-306.	1.1	36
12	BRAFV600E inhibition stimulates AMP-activated protein kinase-mediated autophagy in colorectal cancer cells. <i>Scientific Reports</i> , 2016, 6, 18949.	3.3	33
13	Photodynamic Therapy Using Indocyanine Green Loaded on Super Carbonate Apatite as Minimally Invasive Cancer Treatment. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 1613-1622.	4.1	33
14	A miR-29b Byproduct Sequence Exhibits Potent Tumor-Suppressive Activities via Inhibition of NF- κ B Signaling in KRAS-Mutant Colon Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 977-987.	4.1	33
15	Innovative Delivery of siRNA to Solid Tumors by Super Carbonate Apatite. <i>PLoS ONE</i> , 2015, 10, e0116022.	2.5	29
16	Adipose-Derived Stem Cells Ameliorate Experimental Murine Colitis via TSP-1-Dependent Activation of Latent TGF- β 2. <i>Digestive Diseases and Sciences</i> , 2017, 62, 1963-1974.	2.3	27
17	The Supercarbonate Apatite-MicroRNA Complex Inhibits Dextran Sodium Sulfate-Induced Colitis. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 658-671.	5.1	27
18	SCGB2A1 is a novel prognostic marker for colorectal cancer associated with chemoresistance and radioresistance. <i>International Journal of Oncology</i> , 2014, 44, 1521-1528.	3.3	26

#	ARTICLE	IF	CITATIONS
19	Evaluation of invasiveness in single-site laparoscopic colectomy, using the PainVision [®] system for quantitative analysis of pain sensation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 3216-3223.	2.4	25
20	Full-length LGR5-positive cells have chemoresistant characteristics in colorectal cancer. <i>British Journal of Cancer</i> , 2016, 114, 1251-1260.	6.4	25
21	Identification of microRNA-487b as a negative regulator of liver metastasis by regulation of KRAS in colorectal cancer. <i>International Journal of Oncology</i> , 2017, 50, 487-496.	3.3	24
22	A novel endoscopic fluorescent clip visible with near-infrared imaging during laparoscopic surgery in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 1984-1990.	2.4	22
23	A Cancer Reprogramming Method Using MicroRNAs as a Novel Therapeutic Approach against Colon Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1394-1401.	1.5	22
24	Phase II trial of capecitabine plus oxaliplatin (CAPOX) as perioperative therapy for locally advanced rectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 82, 707-716.	2.3	22
25	The Severity of Anastomotic Leakage May Negatively Impact the Long-term Prognosis of Colorectal Cancer. <i>Anticancer Research</i> , 2018, 38, 533-539.	1.1	19
26	Efficacy and safety of anticoagulant prophylaxis for prevention of postoperative venous thromboembolism in Japanese patients undergoing laparoscopic colorectal cancer surgery. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 568-575.	2.4	18
27	Adherence to an elemental diet for preventing postoperative recurrence of Crohn's disease. <i>Surgery Today</i> , 2017, 47, 1519-1525.	1.5	16
28	Clinical benefits of single-incision laparoscopic surgery for postoperative delirium in elderly colon cancer patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 1434-1440.	2.4	16
29	Neoadjuvant CapeOx therapy followed by sphincter-preserving surgery for lower rectal cancer. <i>Surgery Today</i> , 2017, 47, 1372-1377.	1.5	15
30	Clinical Significance of Histone Demethylase NO66 in Invasive Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 841-849.	1.5	15
31	Frequency and risk factors for venous thromboembolism after gastroenterological surgery based on the Japanese National Clinical Database (516217 cases). <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 534-543.	2.4	15
32	Safety of fondaparinux to prevent venous thromboembolism in Japanese patients undergoing colorectal cancer surgery: a multicenter study. <i>Surgery Today</i> , 2014, 44, 2116-2123.	1.5	14
33	Platelet Activation Markers Are Associated with Crohn's Disease Activity in Patients with Low C-Reactive Protein. <i>Digestive Diseases and Sciences</i> , 2015, 60, 3418-3423.	2.3	14
34	Patient Body Image and Satisfaction with Surgical Wound Appearance After Reduced Port Surgery for Colorectal Diseases. <i>World Journal of Surgery</i> , 2016, 40, 1748-1754.	1.6	14
35	Multicenter randomized phase II clinical trial of oxaliplatin reintroduction as a third- or later-line therapy for metastatic colorectal cancer: biweekly versus standard triweekly XELOX (The ORION) Tj ETQq1 1 0.78.4314 rgB11/Overl	2.4	14
36	Capecitabine and oxaliplatin combined with bevacizumab are feasible for treating selected Japanese patients at least 75 years of age with metastatic colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 786.	2.6	13

#	ARTICLE	IF	CITATIONS
37	Single-incision laparoscopic surgery for stricturing and penetrating Crohn's disease. <i>Surgery Today</i> , 2016, 46, 203-208.	1.5	13
38	Preoperative Chemoradiation Followed by Extensive Pelvic Surgery Improved the Outcome of Posterior Invasive Locally Recurrent Rectal Cancer without Deteriorating Surgical Morbidities: A Retrospective, Single-Institution Analysis. <i>Annals of Surgical Oncology</i> , 2015, 22, 4325-4334.	1.5	12
39	Long-term outcome of adrenalectomy for metastasis resulting from colorectal cancer with other metastatic sites: A report of 3 cases. <i>Oncology Letters</i> , 2016, 12, 1649-1654.	1.8	12
40	High expression of ADAMTS5 is a potent marker for lymphatic invasion and lymph node metastasis in colorectal cancer. <i>Molecular and Clinical Oncology</i> , 2017, 6, 130-134.	1.0	12
41	Downregulation of serum metabolite GTA-446 as a novel potential marker for early detection of colorectal cancer. <i>British Journal of Cancer</i> , 2017, 117, 227-232.	6.4	12
42	The short-term outcomes of laparoscopic multivisceral resection for locally advanced colorectal cancer: our experience of 39 cases. <i>Surgery Today</i> , 2017, 47, 575-580.	1.5	12
43	Hypoxia stimulates the cytoplasmic localization of oncogenic long noncoding RNA LINC00152 in colorectal cancer. <i>International Journal of Oncology</i> , 2017, 52, 453-460.	3.3	11
44	Postoperative XELOX therapy for patients with curatively resected high-risk stage II and stage III rectal cancer without preoperative chemoradiation: a prospective, multicenter, open-label, single-arm phase II study. <i>BMC Cancer</i> , 2019, 19, 929.	2.6	11
45	Cumulative Inflammation Could Be a Risk Factor for Intestinal Failure in Crohn's Disease. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2280-2285.	2.3	11
46	Characteristics of carbonic anhydrase 9 expressing cells in human intestinal crypt base. <i>International Journal of Oncology</i> , 2016, 48, 115-122.	3.3	10
47	Inspection of Perirectal Lymph Nodes by One-Step Nucleic Acid Amplification Predicts Lateral Lymph Node Metastasis in Advanced Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 3850-3856.	1.5	9
48	Metastasis from a primary hepatic angiosarcoma to the colon: A case report and literature review. <i>Oncology Letters</i> , 2017, 13, 2765-2769.	1.8	9
49	A Phase II Study of Combined Chemotherapy with 5-Week Cycles of S-1 and CPT-11 plus Bevacizumab in Patients with Metastatic Colon Cancer. <i>Oncology</i> , 2013, 85, 317-322.	1.9	8
50	Effect of pH adjustment by mixing steroid for venous pain in colorectal cancer patients receiving oxaliplatin through peripheral vein: a multicenter randomized phase II study (APOLLO). <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 76, 1209-1215.	2.3	8
51	A glucose carbonate apatite complex exhibits in vitro and in vivo anti-tumour effects. <i>Scientific Reports</i> , 2015, 5, 7742.	3.3	8
52	Regeneration of peritoneal mesothelial cells after placement of hyaluronate carboxymethyl-cellulose (Septrafil [®]). <i>Surgery Today</i> , 2017, 47, 130-136.	1.5	8
53	Interim analysis of a phase II trial evaluating the safety and efficacy of capecitabine plus oxaliplatin (XELOX) as adjuvant therapy in Japanese patients with operated stage III colon cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 80, 777-785.	2.3	8
54	Low expression of the GOPC is a poor prognostic marker in colorectal cancer. <i>Oncology Letters</i> , 2017, 14, 4483-4490.	1.8	8

#	ARTICLE	IF	CITATIONS
55	A Novel Predictive Nomogram for Early Endoscopic Recurrence after Intestinal Resection for Crohn's Disease. <i>Digestion</i> , 2019, 100, 269-276.	2.3	8
56	Predicting lateral pelvic lymph node metastasis based on magnetic resonance imaging before and after neoadjuvant chemotherapy for patients with locally advanced lower rectal cancer. <i>Surgery Today</i> , 2020, 50, 292-297.	1.5	8
57	Efficacy of positron emission tomography in diagnosis of lateral lymph node metastases in patients with rectal Cancer: a retrospective study. <i>BMC Cancer</i> , 2021, 21, 520.	2.6	8
58	Single-Photon Emission Computed Tomography in the Screening for Postoperative Pulmonary Embolism. <i>Digestive Diseases and Sciences</i> , 2006, 51, 2073-2080.	2.3	7
59	Impact of stereotactic body radiotherapy on colorectal cancer with distant metastases. <i>Oncology Reports</i> , 2014, 31, 795-799.	2.6	7
60	¹⁸ F-Fluorodeoxyglucose positron emission tomography (¹⁸ F-FDG PET) for the early detection of response to neoadjuvant chemotherapy for locally advanced rectal cancer. <i>Surgery Today</i> , 2016, 46, 1152-1158.	1.5	7
61	Conversion during laparoscopic anterior resection for rectal cancer with a congenital solitary pelvic kidney: a case report. <i>Asian Journal of Endoscopic Surgery</i> , 2018, 11, 56-59.	0.9	7
62	A Phase I Study of Neoadjuvant Capecitabine, Oxaliplatin, and Irinotecan (XELOXIRI) in Patients with Locally Advanced Rectal Cancer. <i>Oncology</i> , 2019, 97, 211-216.	1.9	7
63	A Single Institutional Analysis of Systemic Therapy for Unresectable or Recurrent Small Bowel Adenocarcinoma. <i>Anticancer Research</i> , 2017, 37, 1495-1500.	1.1	7
64	Impact of capecitabine and S-1 on anticoagulant activity of warfarin in patients with gastrointestinal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 389-396.	2.3	6
65	A novel physical colonoscopy simulator based on analysis of data from computed tomography colonography. <i>Surgery Today</i> , 2017, 47, 1153-1162.	1.5	6
66	Identification and Characterization of CD107a as a Marker of Low Reactive Oxygen Species in Chemoresistant Cells in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1110-1119.	1.5	6
67	Survival outcomes of appendiceal mucinous neoplasms by histological type and stage: Analysis of 266 cases in a multicenter collaborative retrospective clinical study. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 291-300.	2.4	6
68	Successful treatment of rectal cancer with perineal invasion: Three case reports. <i>Molecular and Clinical Oncology</i> , 2014, 2, 497-500.	1.0	5
69	Effect of particle beam radiotherapy on locally recurrent rectal cancer: Three case reports. <i>Molecular and Clinical Oncology</i> , 2015, 3, 765-769.	1.0	5
70	The efficacy of active drainage for preventing postoperative organ/space surgical site infections in patients with Crohn's disease. <i>Surgery Today</i> , 2018, 48, 25-32.	1.5	5
71	The features of adipose-derived stem cells in patients with inflammatory bowel diseases. <i>Surgery Today</i> , 2018, 48, 352-358.	1.5	5
72	A rare case of pelvic bronchogenic cyst treated by laparoscopic surgery. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 227-230.	0.9	5

#	ARTICLE	IF	CITATIONS
73	Administration Method of Adjuvant Tegafur-Uracil and Leucovorin Calcium in Patients with Resected Colorectal Cancer: A Phase III Study. <i>Oncologist</i> , 2021, 26, e735-e741.	3.7	5
74	Clinical significance of invasion distance relative to prognosis in pathological T3 colorectal cancer. <i>Oncology Letters</i> , 2019, 18, 5614-5620.	1.8	5
75	The efficiency of 18F-FDG-PET/CT in the assessment of tumor response to preoperative chemoradiation therapy for locally recurrent rectal cancer. <i>BMC Cancer</i> , 2021, 21, 1132.	2.6	5
76	Safety of Single-Site Laparoscopic Surgery Requiring Perioperative Heparinization in Colorectal Cancer: Propensity Score-Matched Analysis. <i>Annals of Surgical Oncology</i> , 2019, 26, 4390-4396.	1.5	4
77	Risk factors for postoperative proximal deep vein thrombosis and pulmonary embolism after laparoscopic colorectal cancer surgery: analysis of a multicenter randomized controlled trial. <i>Surgery Today</i> , 2022, 52, 881-888.	1.5	4
78	A phase II study evaluating the feasibility of a 5-week cycle of S-1 plus irinotecan (IRIS) in patients with advanced and recurrent colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 71, 1657-1663.	2.3	3
79	Single-site laparoscopic colectomy for rectosigmoid cancer with middle aortic syndrome: report of a case. <i>Surgical Case Reports</i> , 2015, 1, 53.	0.6	3
80	Colonic ischemia developed after laparoscopic colectomy for rectosigmoid cancer with focal infrarenal aortic stenosis. <i>Asian Journal of Endoscopic Surgery</i> , 2018, 11, 270-273.	0.9	3
81	Adjuvant Chemotherapy after Neoadjuvant Chemotherapy and Long-term Outcomes of CAPOX Plus Bevacizumab Followed by TME for High-risk Localized Rectal Cancer. <i>Journal of the Anus, Rectum and Colon</i> , 2020, 4, 108-113.	1.1	3
82	Randomized phase II study of S-1 dosing schedule for resected colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 452.	2.6	2
83	Case of laparoscopic right hemicolectomy for ascending colon cancer after aortic graft replacement and revascularization of the superior mesenteric artery. <i>Asian Journal of Endoscopic Surgery</i> , 2018, 11, 266-269.	0.9	2
84	Diverticular colitis with progression to ulcerative colitis after sigmoidectomy. <i>Clinical Journal of Gastroenterology</i> , 2018, 11, 42-47.	0.8	2
85	Effects of Goshajinkigan (TJ-107) for oxaliplatin-induced peripheral neurotoxicity using the functional assessment of cancer therapy/gynecologic oncology group 12-item neurotoxicity questionnaire in a Phase II, multicenter, randomized, double-blind, placebo-controlled trial. <i>Journal of Cancer Research and Therapeutics</i> , 2021, 17, 1473.	0.9	2
86	Complications and Management of Umbilical Diverting Loop-Ileostomy in the Treatment of Rectal Cancer. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2015, 68, 287-292.	0.0	1
87	Short-term outcomes of laparoscopic surgery for Crohn's disease patients treated with anti-tumor necrosis factor alpha agents. <i>Surgery Today</i> , 2017, 47, 320-327.	1.5	1
88	Rectal Cancer in a Patient with Bartter Syndrome: A Case Report. <i>Genes</i> , 2017, 8, 139.	2.4	1
89	Innate Myeloid Cell Subset-Specific Gene Expression Patterns in the Human Colon are Altered in Crohn's Disease Patients. <i>Digestion</i> , 2019, 99, 194-204.	2.3	1
90	Laparoscopic Surgery for Afferent Limb Syndrome after Total Proctocolectomy and Ileal Pouch Anal Anastomosis Occurring after Pregnancy Delivery. <i>Japanese Journal of Gastroenterological Surgery</i> , 2019, 52, 536-543.	0.1	1

#	ARTICLE	IF	CITATIONS
91	A Case of Jejuno-colic Fistula Due to a Cancer of Transverse Colon. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 2016, 41, 63-69.	0.0	0
92	A case of adenocarcinoma arising in an ileal diverticulum resected by laparoscopic surgery. Surgical Case Reports, 2016, 2, 135.	0.6	0
93	Interpretation of Anticoagulation Therapy Dependent on Human Race Specificity. Journal of the American College of Surgeons, 2020, 231, 509-510.	0.5	0
94	Postoperative Pulmonary Embolism in Gastrointestinal Malignancies. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 2003, 28, 2-6.	0.0	0
95	Acute Pulmonary Embolism after Resection of Large Desmoid Tumor. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 2003, 28, 1011-1016.	0.0	0
96	Inferior Mesenteric Artery Lymph Node Metastasis Is an Independent Prognostic Factor for Stage III Sigmoid Colon and Rectal Cancer. International Surgery, 2021, 105, 234-240.	0.1	0
97	Reduced Port Surgery for a Pregnant Woman With Strangulated Small Bowel Obstruction: A Case Report. International Surgery, 2019, 104, 251-254.	0.1	0
98	Short-Term Outcome of Laparoscopic Surgery in Elderly Colorectal Cancer Patients. International Surgery, 2019, 104, 329-332.	0.1	0