

Puneet Agarwal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7989186/publications.pdf>

Version: 2024-02-01

20
papers

738
citations

933447

10
h-index

940533

16
g-index

20
all docs

20
docs citations

20
times ranked

1395
citing authors

#	ARTICLE	IF	CITATIONS
1	TNF- α -induced alterations in stromal progenitors enhance leukemic stem cell growth via CXCR2 signaling. Cell Reports, 2021, 36, 109386.	6.4	15
2	CXCR4 Signaling Has a CXCL12-Independent Essential Role in Murine MLL-AF9-Driven Acute Myeloid Leukemia. Cell Reports, 2020, 31, 107684.	6.4	28
3	TIFA and TIFAB: FHA-domain proteins involved in inflammation, hematopoiesis, and disease. Experimental Hematology, 2020, 90, 18-29.	0.4	20
4	Mapping Distinct Bone Marrow Niche Populations and Their Differentiation Paths. Cell Reports, 2019, 28, 302-311.e5.	6.4	167
5	Mesenchymal Niche-Specific Expression of Cxcl12 Controls Quiescence of Treatment-Resistant Leukemia Stem Cells. Cell Stem Cell, 2019, 24, 769-784.e6.	11.1	141
6	SIRT1 regulates metabolism and leukemogenic potential in CML stem cells. Journal of Clinical Investigation, 2019, 129, 2685-2701.	8.2	56
7	Role of Autophagy in Resistance of FLT3-ITD AML Stem Cells to FLT3 TKI Treatment. Blood, 2019, 134, 2548-2548.	1.4	1
8	Role of Enhanced Autophagy in Resistance of FLT3-ITD AML Stem Cells to FLT3 TKI Treatment. Blood, 2018, 132, 1358-1358.	1.4	4
9	SIRT1 Mediates Enhanced Mitochondrial Oxidative Phosphorylation in Chronic Myelogenous Leukemia Stem Cells. Blood, 2018, 132, 932-932.	1.4	2
10	Association of Gene Expression Patterns in Bone Marrow Cells with Likelihood of Treatment Free Remission after TKI Discontinuation. Blood, 2018, 132, 1721-1721.	1.4	0
11	TNF- α -Induced Bone Marrow Stromal Progenitor Alterations Enhance Leukemic Stem Cell Growth and Treatment Resistance Via Increased CXCL1-CXCR2 Signaling. Blood, 2018, 132, 875-875.	1.4	1
12	CXCR4 Has a CXCL12-Independent Essential Role in MLL-AF9 Driven Acute Myeloid Leukemia. Blood, 2018, 132, 774-774.	1.4	0
13	Enhanced targeting of CML stem and progenitor cells by inhibition of porcupine acyltransferase in combination with TKI. Blood, 2017, 129, 1008-1020.	1.4	58
14	Inhibition of interleukin-1 signaling enhances elimination of tyrosine kinase inhibitor-treated CML stem cells. Blood, 2016, 128, 2671-2682.	1.4	89
15	Role of CXCL12-Expressing Bone Marrow Populations in Leukemic Stem Cell Regulation. Blood, 2016, 128, 26-26.	1.4	5
16	Leukemia-Induced Dysregulation of Bone Marrow Skeletal Stem Cells (SSC) Subpopulations and Their Hematopoietic Supportive Function. Blood, 2016, 128, 935-935.	1.4	0
17	Inhibition of CML Development Following Conditional SIRT1 Deletion in Transgenic BCR-ABL Mice. Blood, 2016, 128, 931-931.	1.4	0
18	Osteoblast ablation reduces normal long-term hematopoietic stem cell self-renewal but accelerates leukemia development. Blood, 2015, 125, 2678-2688.	1.4	111

#	ARTICLE	IF	CITATIONS
19	Influence of Bone Marrow Microenvironment on Leukemic Stem Cells. <i>Advances in Cancer Research</i> , 2015, 127, 227-252.	5.0	37
20	Inhibition of CML Stem Cell Renewal By the Porcupine Inhibitor WNT974. <i>Blood</i> , 2015, 126, 54-54.	1.4	3