

Lars Alfredsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7989317/publications.pdf>

Version: 2024-02-01

510
papers

51,400
citations

1463

107
h-index

2127

203
g-index

527
all docs

527
docs citations

527
times ranked

47893
citing authors

#	ARTICLE	IF	CITATIONS
1	High antibody levels against human herpesvirus-6A interact with lifestyle factors in multiple sclerosis development. <i>Multiple Sclerosis Journal</i> , 2022, 28, 383-392.	3.0	6
2	Common Genetic Variation and Age of Onset of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 368-378.	2.2	10
3	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	1.3	114
4	Sleep problems in rheumatoid arthritis over 12 years from diagnosis: results from the Swedish EIRA study. <i>RMD Open</i> , 2022, 8, e001800.	3.8	7
5	Allergic conditions and risk of rheumatoid arthritis: a Swedish case-control study. <i>RMD Open</i> , 2022, 8, e002018.	3.8	3
6	Unmet Needs in Rheumatoid Arthritis: A Subgroup of Patients With High Levels of Pain, Fatigue, and Psychosocial Distress 3 Years After Diagnosis. <i>ACR Open Rheumatology</i> , 2022, , .	2.1	1
7	Smoking Attributable Risk in Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2022, 13, 840158.	4.8	11
8	Antibodies to a Citrullinated Porphyromonas gingivalis Epitope Are Increased in Early Rheumatoid Arthritis, and Can Be Produced by Gingival Tissue B Cells: Implications for a Bacterial Origin in RA Etiology. <i>Frontiers in Immunology</i> , 2022, 13, 804822.	4.8	11
9	Multiomics analysis of rheumatoid arthritis yields sequence variants that have large effects on risk of the seropositive subset. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1085-1095.	0.9	26
10	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022, 19, 100417.	5.6	4
11	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021, 26, 4179-4190.	7.9	58
12	No association between moist oral snuff (snus) use and oral cancer: pooled analysis of nine prospective observational studies. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 833-840.	2.3	7
13	Higher body mass index at ages 16 to 20 years is associated with increased risk of a multiple sclerosis diagnosis in subsequent adulthood among men. <i>Multiple Sclerosis Journal</i> , 2021, 27, 147-150.	3.0	7
14	Shared genetic risk between eating disorder and substance use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880.	2.6	28
15	Swedish snus use is associated with mortality: a pooled analysis of eight prospective studies. <i>International Journal of Epidemiology</i> , 2021, 49, 2041-2050.	1.9	15
16	Respiratory Diseases as Risk Factors for Seropositive and Seronegative Rheumatoid Arthritis and in Relation to Smoking. <i>Arthritis and Rheumatology</i> , 2021, 73, 61-68.	5.6	25
17	Obesity-Related Traits and the Development of Rheumatoid Arthritis: Evidence From Genetic Data. <i>Arthritis and Rheumatology</i> , 2021, 73, 203-211.	5.6	21
18	The spectrum of association in HLA region with rheumatoid arthritis in a diverse Asian population: evidence from the MyEIRA case-control study. <i>Arthritis Research and Therapy</i> , 2021, 23, 46.	3.5	7

#	ARTICLE	IF	CITATIONS
19	DRB1â€“environment interactions in multiple sclerosis etiology: results from two Swedish caseâ€“control studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 717-722.	1.9	6
20	Combined lifestyle factors and the risk of LADA and type 2 diabetes â€“ Results from a Swedish population-based case-control study. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108760.	2.8	8
21	Age at menarche, age at natural menopause, and risk of rheumatoid arthritis â€” a Mendelian randomization study. <i>Arthritis Research and Therapy</i> , 2021, 23, 108.	3.5	16
22	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
23	Factors affecting the risk of relapsing-onset and progressive-onset multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 1096-1102.	1.9	8
24	A Comprehensive Evaluation of the Relationship Between Different IgG and IgA Anti-Modified Protein Autoantibodies in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2021, 12, 627986.	4.8	23
25	The genetic structure of Norway. <i>European Journal of Human Genetics</i> , 2021, 29, 1710-1718.	2.8	10
26	Alcohol Consumption and Risk of Common Autoimmune Inflammatory Diseasesâ€”Evidence From a Large-Scale Genetic Analysis Totaling 1 Million Individuals. <i>Frontiers in Genetics</i> , 2021, 12, 687745.	2.3	12
27	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021, 374, n1804.	6.0	28
28	Is tea consumption associated with reduction of risk of rheumatoid arthritis? A Swedish case-control study. <i>Arthritis Research and Therapy</i> , 2021, 23, 209.	3.5	10
29	Reply. <i>Arthritis and Rheumatology</i> , 2021, 73, 1944-1945.	5.6	0
30	A validated generally applicable approach using the systematic assessment of disease modules by GWAS reveals a multi-omic module strongly associated with risk factors in multiple sclerosis. <i>BMC Genomics</i> , 2021, 22, 631.	2.8	5
31	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe, The</i> , 2021, 11, 100212.	5.6	21
32	Low sun exposure acts synergistically with high Epsteinâˆ“Barr nuclear antigen 1 (EBNAâ€“1) antibody levels in multiple sclerosis etiology. <i>European Journal of Neurology</i> , 2021, 28, 4146-4152.	3.3	5
33	Consumption of red meat, genetic susceptibility, and risk of LADA and type 2 diabetes. <i>European Journal of Nutrition</i> , 2021, 60, 769-779.	3.9	9
34	The increased risk of multiple sclerosis associated with HLA-DRB1*15:01 and smoking is modified by alcohol consumption. <i>Scientific Reports</i> , 2021, 11, 21237.	3.3	6
35	Overweight/obesity in young adulthood interacts with aspects of EBV infection in MS etiology. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2021, 8, .	6.0	7
36	Long-term risk of a major cardiovascular event by apoB, apoA-1, and the apoB/apoA-1 ratioâ€”Experience from the Swedish AMORIS cohort: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003853.	8.4	22

#	ARTICLE	IF	CITATIONS
37	Rheumatoid arthritis autoantibodies and their association with age and sex. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 879-882.	0.8	1
38	Genotypes of HLA, TCF7L2, and FTO as potential modifiers of the association between sweetened beverage consumption and risk of LADA and type 2 diabetes. <i>European Journal of Nutrition</i> , 2020, 59, 127-135.	3.9	6
39	The influence of human leukocyte antigen-DRB1*15:01 and its interaction with smoking in MS development is dependent on DQA1*01:01 status. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1638-1646.	3.0	6
40	Confounding effect of blood volume and body mass index on blood neurofilament light chain levels. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 139-143.	3.7	126
41	Low sun exposure increases multiple sclerosis risk both directly and indirectly. <i>Journal of Neurology</i> , 2020, 267, 1045-1052.	3.6	24
42	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	3.4	29
43	Cigarette smoking patterns preceding primary Sjögren's syndrome. <i>RMD Open</i> , 2020, 6, e001402.	3.8	9
44	The DQB1*03:02 Genotype and Treatment for Pain in People With and Without Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020, 11, 993.	2.4	0
45	Presence of autoantibodies in seronegative rheumatoid arthritis associates with classical risk factors and high disease activity. <i>Arthritis Research and Therapy</i> , 2020, 22, 170.	3.5	48
46	Insufficient Sun Exposure Has Become a Real Public Health Problem. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5014.	2.6	71
47	Pregnancy does not modify the risk of MS in genetically susceptible women. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2020, 7, .	6.0	2
48	Perceived cognitive impairment is associated with sexual dysfunction in people with multiple sclerosis: A 2.5-year follow-up study of a large international cohort. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 45, 102410.	2.0	8
49	Hospital diagnosed pneumonia before age 20 years and multiple sclerosis risk. <i>BMJ Neurology Open</i> , 2020, 2, e000044.	1.6	4
50	Physical Activity, Genetic Susceptibility, and the Risk of Latent Autoimmune Diabetes in Adults and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4112-e4123.	3.6	11
51	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	5.9	18
52	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	3.7	13
53	Anti-Citrullinated Protein Antibody Specificities, Rheumatoid Factor Isotypes, and Incident Cardiovascular Events in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1658-1667.	5.6	20
54	Plasma neurofilament light levels are associated with risk of disability in multiple sclerosis. <i>Neurology</i> , 2020, 94, e2457-e2467.	1.1	61

#	ARTICLE	IF	CITATIONS
55	FLT3 stop mutation increases FLT3 ligand level and risk of autoimmune thyroid disease. <i>Nature</i> , 2020, 584, 619-623.	27.8	81
56	Modifiable environmental exposure and risk of rheumatoid arthritis—current evidence from genetic studies. <i>Arthritis Research and Therapy</i> , 2020, 22, 154.	3.5	25
57	Smoking and Epstein-Barr virus infection in multiple sclerosis development. <i>Scientific Reports</i> , 2020, 10, 10960.	3.3	11
58	Blood neurofilament light levels segregate treatment effects in multiple sclerosis. <i>Neurology</i> , 2020, 94, e1201-e1212.	1.1	88
59	Machine-learning-based knowledge discovery in rheumatoid arthritis-related registry data to identify predictors of persistent pain. <i>Pain</i> , 2020, 161, 114-126.	4.2	21
60	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	5.1	140
61	Low fish consumption is associated with a small increased risk of MS. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2020, 7, .	6.0	5
62	Occupational physical workload and development of anti-collagen type II antibodies in rheumatoid arthritis: results from the Swedish EIRA population-based case-control study. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 1029-1030.	0.8	0
63	Lifestyle and Environmental Factors in Multiple Sclerosis. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2019, 9, a028944.	6.2	103
64	Molecular mimicry between Anoctamin 2 and Epstein-Barr virus nuclear antigen 1 associates with multiple sclerosis risk. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16955-16960.	7.1	120
65	Environmental and genetic risk factors for MS: an integrated review. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 1905-1922.	3.7	165
66	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950 000 adults. <i>International Journal of Epidemiology</i> , 2019, 48, 2018-2025.	1.9	21
67	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214.	21.4	641
68	IL-22 Binding Protein Promotes the Disease Process in Multiple Sclerosis. <i>Journal of Immunology</i> , 2019, 203, 888-898.	0.8	13
69	Different epigenetic clocks reflect distinct pathophysiological features of multiple sclerosis. <i>Epigenomics</i> , 2019, 11, 1429-1439.	2.1	22
70	Distinct HLA Associations with Rheumatoid Arthritis Subsets Defined by Serological Subphenotype. <i>American Journal of Human Genetics</i> , 2019, 105, 616-624.	6.2	27
71	Multiple sclerosis genomic map implicates peripheral immune cells and microglia in susceptibility. <i>Science</i> , 2019, 365, .	12.6	710
72	Interplay between obesity and smoking with regard to RA risk. <i>RMD Open</i> , 2019, 5, e000856.	3.8	4

#	ARTICLE	IF	CITATIONS
73	Interplay between alcohol, smoking and HLA genes in RA aetiology. <i>RMD Open</i> , 2019, 5, e000893.	3.8	16
74	Interaction Between Overweight and Genotypes of HLA, TCF7L2, and FTO in Relation to the Risk of Latent Autoimmune Diabetes in Adults and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4815-4826.	3.6	22
75	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586.	1.3	43
76	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.3	168
77	Complex Relationships of Smoking, HLA-DRB1 Genes, and Serologic Profiles in Patients With Early Rheumatoid Arthritis: Update From a Swedish Population-Based Case-Control Study. <i>Arthritis and Rheumatology</i> , 2019, 71, 1504-1511.	5.6	38
78	FR10071-ANTI-CITRULLINATED PROTEIN ANTIBODY SPECIFICITIES, RHEUMATOID FACTOR ISOTYPES AND RISK OF MAJOR ADVERSE CARDIOVASCULAR EVENTS. , 2019, , .		1
79	SAT0046-ARE SENSE OF SOCIAL SUPPORT AND LOW DECISION LATITUDE AT WORK LINKED TO RISK OF RHEUMATOID ARTHRITIS, AND IF SO, HOW DO THEY RELATE TO OTHER RISK FACTORS? RESULTS FROM THE SWEDISH EIRA STUDY. , 2019, , .		0
80	AB1285-IGA RF IS ASSOCIATED WITH HIGH AGE OF RHEUMATOID ARTHRITIS ONSET. , 2019, , .		0
81	THU0066-IN EARLY RHEUMATOID ARTHRITIS ANTI-CITRULLINATED PEPTIDE ANTIBODIES ASSOCIATE WITH LOWER NUMBER OF AFFECTED JOINTS, AND IGM RHEUMATOID FACTOR WITH SYSTEMIC INFLAMMATION IN AN ANTI-CITRULLINE DEPENDENT MANNER. , 2019, , .		0
82	Occupational exposure to organic dusts and risk of developing rheumatoid arthritis: findings from a Swedish population-based case-control study. <i>RMD Open</i> , 2019, 5, e001049.	3.8	14
83	Occupational exposure to asbestos and silica and risk of developing rheumatoid arthritis: findings from a Swedish population-based case-control study. <i>RMD Open</i> , 2019, 5, e000978.	3.8	28
84	Increased Serological Response Against Human Herpesvirus 6A Is Associated With Risk for Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2019, 10, 2715.	4.8	63
85	A Gene-Environment Interaction Between Smoking and Gene polymorphisms Provides a High Risk of Two Subgroups of Sarcoidosis. <i>Scientific Reports</i> , 2019, 9, 18633.	3.3	34
86	High Levels of Epstein-Barr Virus Nuclear Antigen-1-Specific Antibodies and Infectious Mononucleosis Act Both Independently and Synergistically to Increase Multiple Sclerosis Risk. <i>Frontiers in Neurology</i> , 2019, 10, 1368.	2.4	49
87	The association between multiple sclerosis and pain medications. <i>Pain</i> , 2019, 160, 424-432.	4.2	12
88	Amount of smoking, duration of smoking cessation and their interaction with silica exposure in the risk of rheumatoid arthritis among males: results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis (EIRA) study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrhumdis-2017-212145.	0.9	16
89	Smoking and susceptibility to rheumatoid arthritis in a Swedish population-based case-control study. <i>European Journal of Epidemiology</i> , 2018, 33, 415-423.	5.7	72
90	Exposure to passive smoking and rheumatoid arthritis risk: results from the Swedish EIRA study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 970-972.	0.9	21

#	ARTICLE	IF	CITATIONS
91	Environmental modifiable risk factors for multiple sclerosis: Report from the 2016ECTRIMS focused workshop. Multiple Sclerosis Journal, 2018, 24, 590-603.	3.0	101
92	Dietary Intake of Polyunsaturated Fatty Acids and Pain in Spite of Inflammatory Control Among Methotrexate-Treated Early Rheumatoid Arthritis Patients. Arthritis Care and Research, 2018, 70, 205-212.	3.4	34
93	Increased cardiovascular mortality in people with schizophrenia: a 24-year national register study. Epidemiology and Psychiatric Sciences, 2018, 27, 519-527.	3.9	114
94	Reply. Arthritis Care and Research, 2018, 70, 1276-1276.	3.4	1
95	Genetic risk factors for pediatric-onset multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 1825-1834.	3.0	37
96	Work overcommitment: Is it a trait or a state?. International Archives of Occupational and Environmental Health, 2018, 91, 1-11.	2.3	17
97	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. Alzheimer's and Dementia, 2018, 14, 601-609.	0.8	284
98	Anticitrullinated protein/peptide antibody multiplexing defines an extended group of ACPA-positive rheumatoid arthritis patients with distinct genetic and environmental determinants. Annals of the Rheumatic Diseases, 2018, 77, 203-211.	0.9	42
99	Occupation and Risk of Developing Rheumatoid Arthritis: Results From a Population-Based Case-Control Study. Arthritis Care and Research, 2018, 70, 499-509.	3.4	35
100	Age at Menarche and Risk of Multiple Sclerosis: Current Progress From Epidemiological Investigations. Frontiers in Immunology, 2018, 9, 2600.	4.8	14
101	Low-Frequency and Rare-Coding Variation Contributes to Multiple Sclerosis Risk. Cell, 2018, 175, 1679-1687.e7.	28.9	115
102	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. Lancet Public Health, The, 2018, 3, e490-e497.	10.0	241
103	Coffee consumption, genetic susceptibility and risk of latent autoimmune diabetes in adults: A population-based case-control study. Diabetes and Metabolism, 2018, 44, 354-360.	2.9	10
104	Ancient genomes from Iceland reveal the making of a human population. Science, 2018, 360, 1028-1032.	12.6	62
105	Organic solvents and MS susceptibility. Neurology, 2018, 91, e455-e462.	1.1	37
106	Systematic approach demonstrates enrichment of multiple interactions between non- <i>HLA</i> risk variants and <i>HLA-DRB1</i> risk alleles in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2018, 77, 1454-1462.	0.9	19
107	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
108	Association of Pre-Disease Body Mass Index With Multiple Sclerosis Prognosis. Frontiers in Neurology, 2018, 9, 232.	2.4	31

#	ARTICLE	IF	CITATIONS
109	Incorporating machine learning approaches to assess putative environmental risk factors for multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 24, 135-141.	2.0	10
110	Mediterranean diet and risk of rheumatoid arthritis: a population-based case-control study. <i>Arthritis Research and Therapy</i> , 2018, 20, 175.	3.5	63
111	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 705-713.	11.4	100
112	Seropositivity combined with smoking is associated with increased prevalence of periodontitis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2017-212091.	0.9	15
113	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	3.4	135
114	Moist smokeless tobacco (Snus) use and risk of Parkinson's disease. <i>International Journal of Epidemiology</i> , 2017, 46, dyw294.	1.9	14
115	VAV1 regulates experimental autoimmune arthritis and is associated with anti-CCP negative rheumatoid arthritis. <i>Genes and Immunity</i> , 2017, 18, 48-56.	4.1	15
116	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017, 47, 1342-1356.	4.5	314
117	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease. <i>Epidemiology</i> , 2017, 28, 619-626.	2.7	224
118	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.	7.2	410
119	Use of moist oral snuff (snus) and pancreatic cancer: Pooled analysis of nine prospective observational studies. <i>International Journal of Cancer</i> , 2017, 141, 687-693.	5.1	22
120	Overexpression of the Cytokine BAFF and Autoimmunity Risk. <i>New England Journal of Medicine</i> , 2017, 376, 1615-1626.	27.0	301
121	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health</i> , 2017, 2, e277-e285.	10.0	375
122	Are dietary vitamin D, omega-3 fatty acids and folate associated with treatment results in patients with early rheumatoid arthritis? Data from a Swedish population-based prospective study. <i>BMJ Open</i> , 2017, 7, e016154.	1.9	16
123	DNA methylation mediates genotype and smoking interaction in the development of anti-citrullinated peptide antibody-positive rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 71.	3.5	48
124	Anticollagen type II antibodies are associated with an acute onset rheumatoid arthritis phenotype and prognosticate lower degree of inflammation during 5 years follow-up. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1529-1536.	0.9	30
125	Evidence for a causal relationship between low vitamin D, high BMI, and pediatric-onset MS. <i>Neurology</i> , 2017, 88, 1623-1629.	1.1	138
126	Interactions between genetic, lifestyle and environmental risk factors for multiple sclerosis. <i>Nature Reviews Neurology</i> , 2017, 13, 25-36.	10.1	730

#	ARTICLE	IF	CITATIONS
127	2017 European League Against Rheumatism/American College of Rheumatology classification criteria for adult and juvenile idiopathic inflammatory myopathies and their major subgroups. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1955-1964.	0.9	754
128	Reply to "Concussion may not cause multiple sclerosis". <i>Annals of Neurology</i> , 2017, 82, 652-653.	5.3	2
129	Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 741-748.	2.3	7
130	Relationship between shift work and the onset of rheumatoid arthritis. <i>RMD Open</i> , 2017, 3, e000475.	3.8	25
131	Working in cold environment and risk of developing rheumatoid arthritis: results from the Swedish EIRA case-control study. <i>RMD Open</i> , 2017, 3, e000488.	3.8	14
132	Fourteen sequence variants that associate with multiple sclerosis discovered by meta-analysis informed by genetic correlations. <i>Npj Genomic Medicine</i> , 2017, 2, 24.	3.8	16
133	Concussion in adolescence and risk of multiple sclerosis. <i>Annals of Neurology</i> , 2017, 82, 554-561.	5.3	41
134	Identification of a Genetic Variation in ERAP1 Aminopeptidase that Prevents Human Cytomegalovirus miR-UL112-5p-Mediated Immuno-evasion. <i>Cell Reports</i> , 2017, 20, 846-853.	6.4	28
135	Oral contraceptives, breastfeeding and the risk of developing rheumatoid arthritis: results from the Swedish EIRA study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1845-1852.	0.9	43
136	EULAR/ACR classification criteria for adult and juvenile idiopathic inflammatory myopathies and their major subgroups: a methodology report. <i>RMD Open</i> , 2017, 3, e000507.	3.8	115
137	Age-related associations between work over-commitment and zest for work among Swedish employees from a cross-sectional and longitudinal perspective. <i>Work</i> , 2017, 57, 269-279.	1.1	1
138	Smoking induces DNA methylation changes in Multiple Sclerosis patients with exposure-response relationship. <i>Scientific Reports</i> , 2017, 7, 14589.	3.3	55
139	2017 European League Against Rheumatism/American College of Rheumatology Classification Criteria for Adult and Juvenile Idiopathic Inflammatory Myopathies and Their Major Subgroups. <i>Arthritis and Rheumatology</i> , 2017, 69, 2271-2282.	5.6	391
140	The interaction between smoking and HLA genes in multiple sclerosis: replication and refinement. <i>European Journal of Epidemiology</i> , 2017, 32, 909-919.	5.7	45
141	Causal Effect of Genetic Variants Associated With Body Mass Index on Multiple Sclerosis Susceptibility. <i>American Journal of Epidemiology</i> , 2017, 185, 162-171.	3.4	46
142	Family history of type 1 and type 2 diabetes and risk of latent autoimmune diabetes in adults (LADA). <i>Diabetes and Metabolism</i> , 2017, 43, 536-542.	2.9	26
143	Economic Evaluation in Duchenne Muscular Dystrophy: Model Frameworks for Cost-Effectiveness Analysis. <i>Pharmacoeconomics</i> , 2017, 35, 249-258.	3.3	24
144	Differences in the Spectrum of Anti-Citrullinated Protein Antibody Fine Specificities Between Malaysian and Swedish Patients With Rheumatoid Arthritis: Implications for Disease Pathogenesis. <i>Arthritis and Rheumatology</i> , 2017, 69, 58-69.	5.6	14

#	ARTICLE	IF	CITATIONS
145	Domestic work division and satisfaction in cohabiting adults: Associations with life satisfaction and self-rated health. <i>Scandinavian Journal of Occupational Therapy</i> , 2017, 24, 24-31.	1.7	7
146	A General Framework for and New Normalization of Attributable Proportion. <i>Epidemiologic Methods</i> , 2017, 6, .	0.9	2
147	Physical workload is associated with increased risk of rheumatoid arthritis: results from a Swedish population-based caseâ€“control study. <i>RMD Open</i> , 2017, 3, e000324.	3.8	14
148	Low levels of antibodies against common viruses associate with anti-citrullinated protein antibody-positive rheumatoid arthritis; implications for disease aetiology. <i>Arthritis Research and Therapy</i> , 2017, 19, 219.	3.5	15
149	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	2.2	76
150	Quantifying and estimating additive measures of interaction from case-control data. <i>Modern Stochastics: Theory and Applications</i> , 2017, 4, 109-125.	0.4	0
151	P229â€“...Weak associations between occupational physical activity and myocardial infarction. , 2016, , .		0
152	Prevalence of Periodontitis in Patients with Established Rheumatoid Arthritis: A Swedish Population Based Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0155956.	2.5	64
153	Environmental factors and their interactions with risk genotypes in MS susceptibility. <i>Current Opinion in Neurology</i> , 2016, 29, 293-298.	3.6	33
154	Antibodies to <i>Porphyromonas gingivalis</i> Indicate Interaction Between Oral Infection, Smoking, and Risk Genes in Rheumatoid Arthritis Etiology. <i>Arthritis and Rheumatology</i> , 2016, 68, 604-613.	5.6	119
155	Occupational exposure to textile dust increases the risk of rheumatoid arthritis: results from a Malaysian population-based caseâ€“control study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 997-1002.	0.9	78
156	High consumption of coffee is associated with decreased multiple sclerosis risk; results from two independent studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 454-460.	1.9	60
157	Inflammatory lung disease a potential risk factor for onset of idiopathic inflammatory myopathies: results from a pilot study. <i>RMD Open</i> , 2016, 2, e000342.	3.8	9
158	A genetic risk score composed of rheumatoid arthritis risk alleles, HLA-DRB1 haplotypes, and response to TNFi therapy â€“ results from a Swedish cohort study. <i>Arthritis Research and Therapy</i> , 2016, 18, 288.	3.5	7
159	The impact of work related physical activity and leisure physical activity on the risk and prognosis of neck pain â€“ a population based cohort study on workers. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 219.	1.9	20
160	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	6.4	17
161	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	2.0	47
162	Mendelian randomization shows a causal effect of low vitamin D on multiple sclerosis risk. <i>Neurology: Genetics</i> , 2016, 2, e97.	1.9	166

#	ARTICLE	IF	CITATIONS
163	TGFÎ² regulates persistent neuroinflammation by controlling Th1 polarization and ROS production via monocyte-derived dendritic cells. <i>Glia</i> , 2016, 64, 1925-1937.	4.9	22
164	Remaining Pain in Early Rheumatoid Arthritis Patients Treated With Methotrexate. <i>Arthritis Care and Research</i> , 2016, 68, 1061-1068.	3.4	77
165	Correlates of Leisure Time Physical Inactivity in a Scandinavian Population: A Basis for Interventions. <i>Journal of Physical Activity and Health</i> , 2016, 13, 1236-1242.	2.0	0
166	Multiple sclerosis risk loci and disease severity in 7,125 individuals from 10 studies. <i>Neurology: Genetics</i> , 2016, 2, e87.	1.9	76
167	Association between occupational physical activity and myocardial infarction: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e012692.	1.9	19
168	Antibodies to carbamylated Î±-enolase epitopes in rheumatoid arthritis also bind citrullinated epitopes and are largely indistinct from anti-citrullinated protein antibodies. <i>Arthritis Research and Therapy</i> , 2016, 18, 96.	3.5	54
169	Expectations of recovery: A prognostic factor in patients with neck pain undergoing manual therapy treatment. <i>European Journal of Pain</i> , 2016, 20, 1384-1391.	2.8	20
170	Familial aggregation of arthritis-related diseases in seropositive and seronegative rheumatoid arthritis: a register-based case-control study in Sweden. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 183-189.	0.9	36
171	Anoctamin 2 identified as an autoimmune target in multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 2188-2193.	7.1	86
172	High sodium chloride consumption enhances the effects of smoking but does not interact with SGK1 polymorphisms in the development of ACPA-positive status in patients with RA. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 943-946.	0.9	24
173	An Immunochip-based interaction study of contrasting interaction effects with smoking in ACPA-positive versus ACPA-negative rheumatoid arthritis. <i>Rheumatology</i> , 2016, 55, 149-155.	1.9	26
174	Smoking is a major preventable risk factor for multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1021-1026.	3.0	74
175	Body mass index during adolescence, rather than childhood, is critical in determining MS risk. <i>Multiple Sclerosis Journal</i> , 2016, 22, 878-883.	3.0	68
176	Comparative analysis of first-year fingolimod and natalizumab drug discontinuation among Swedish patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 85-93.	3.0	32
177	Associations With Smoking and Shared Epitope Differ Between IgA and IgG Class Antibodies to Cyclic Citrullinated Peptides in Early Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2032-2037.	5.6	48
178	Higher education is associated with a better rheumatoid arthritis outcome concerning for pain and function but not disease activity: results from the EIRA cohort and Swedish rheumatology register. <i>Arthritis Research and Therapy</i> , 2015, 17, 317.	3.5	42
179	Parity influences the severity of ACPA-negative early rheumatoid arthritis: a cohort study based on the Swedish EIRA material. <i>Arthritis Research and Therapy</i> , 2015, 17, 358.	3.5	3
180	Interactions Between Amino Acid-Defined Major Histocompatibility Complex Class II Variants and Smoking in Seropositive Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2611-2623.	5.6	58

#	ARTICLE	IF	CITATIONS
181	Risk Factors for the Rapid Increase in Risk of Acute Coronary Events in Patients With New-onset Rheumatoid Arthritis: A Nested Case-control Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 2845-2854.	5.6	42
182	The Association between Job Strain and Atrial Fibrillation: Results from the Swedish WOLF Study. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	29
183	Postmenopausal hormone therapy and the risk of rheumatoid arthritis: results from the Swedish EIRA population-based case-control study. <i>European Journal of Epidemiology</i> , 2015, 30, 449-457.	5.7	46
184	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	2.0	97
185	Identification of secreted phosphoprotein 1 gene as a new rheumatoid arthritis susceptibility gene. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e19-e19.	0.9	24
186	Obesity interacts with infectious mononucleosis in risk of multiple sclerosis. <i>European Journal of Neurology</i> , 2015, 22, 578.	3.3	38
187	Genetic variants are major determinants of CSF antibody levels in multiple sclerosis. <i>Brain</i> , 2015, 138, 632-643.	7.6	54
188	Recent infections are associated with decreased risk of rheumatoid arthritis: a population-based case-control study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 904-907.	0.9	36
189	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ</i> , The, 2015, 350, g7772-g7772.	6.0	152
190	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222,120 individuals. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 27-34.	11.4	197
191	Shift work influences multiple sclerosis risk. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1195-1199.	3.0	48
192	Recommended drug use after acute myocardial infarction by migration status and education level. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 499-505.	1.9	4
193	Genetic risk scores and number of autoantibodies in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 762-768.	0.9	14
194	Identification of anticitrullinated protein antibody reactivities in a subset of anti-CCP-negative rheumatoid arthritis: association with cigarette smoking and HLA-DRB1 "shared epitope" alleles. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 579-586.	0.9	62
195	The Role of Environment and Lifestyle in Determining the Risk of Multiple Sclerosis. <i>Current Topics in Behavioral Neurosciences</i> , 2015, 26, 87-104.	1.7	25
196	Differences in undergoing cardiac procedures within three months after first myocardial infarction by country of birth in women and men: A Swedish national cohort study. <i>Acute Cardiac Care</i> , 2015, 17, 5-13.	0.2	1
197	Low birthweight is associated with an increased risk of LADA and type 2 diabetes: results from a Swedish case-control study. <i>Diabetologia</i> , 2015, 58, 2525-2532.	6.3	16
198	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603,838 individuals. <i>Lancet</i> , The, 2015, 386, 1739-1746.	13.7	529

#	ARTICLE	IF	CITATIONS
199	Effect of Smoking Cessation on Multiple Sclerosis Prognosis. <i>JAMA Neurology</i> , 2015, 72, 1117.	9.0	124
200	Class II HLA interactions modulate genetic risk for multiple sclerosis. <i>Nature Genetics</i> , 2015, 47, 1107-1113.	21.4	312
201	A validated gene regulatory network and GWAS identifies early regulators of T cell-associated diseases. <i>Science Translational Medicine</i> , 2015, 7, 313ra178.	12.4	66
202	To What Extent Is the Familial Risk of Rheumatoid Arthritis Explained by Established Rheumatoid Arthritis Risk Factors?. <i>Arthritis and Rheumatology</i> , 2015, 67, 352-362.	5.6	32
203	Improved performance of epidemiologic and genetic risk models for rheumatoid arthritis serologic phenotypes using family history. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1522-1529.	0.9	43
204	Identity-by-descent mapping in a Scandinavian multiple sclerosis cohort. <i>European Journal of Human Genetics</i> , 2015, 23, 688-692.	2.8	17
205	Gene-Environment Interaction in Rheumatoid Arthritis. , 2014, , 85-100.		0
206	Variability in the CIITA gene interacts with HLA in multiple sclerosis. <i>Genes and Immunity</i> , 2014, 15, 162-167.	4.1	10
207	Silica exposure is associated with an increased risk of developing ACPA-positive rheumatoid arthritis in an Asian population: evidence from the Malaysian MyEIRA case-control study. <i>Modern Rheumatology</i> , 2014, 24, 271-274.	1.8	39
208	JC Polyomavirus Infection Is Strongly Controlled by Human Leucocyte Antigen Class II Variants. <i>PLoS Pathogens</i> , 2014, 10, e1004084.	4.7	49
209	Interaction between passive smoking and two HLA genes with regard to multiple sclerosis risk. <i>International Journal of Epidemiology</i> , 2014, 43, 1791-1798.	1.9	57
210	Does a healthy lifestyle behaviour influence the prognosis of low back pain among men and women in a general population? A population-based cohort study. <i>BMJ Open</i> , 2014, 4, e005713.	1.9	46
211	Sex as a determinant of prehospital ECG in ST- and non-ST elevation myocardial infarction patients: Table 1. <i>Heart</i> , 2014, 100, 1817-1818.	2.9	2
212	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014, 44, 247-251.	6.7	11
213	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 775-783.	5.7	18
214	Response to: "Obesity and comorbidity are independently associated with a failure to achieve remission in patients with established rheumatoid arthritis" by Ellerby et al. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, e79-e79.	0.9	0
215	Overweight decreases the chance of achieving good response and low disease activity in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2029-2033.	0.9	125
216	Snus (Swedish smokeless tobacco) use and risk of stroke: pooled analyses of incidence and survival. <i>Journal of Internal Medicine</i> , 2014, 276, 87-95.	6.0	43

#	ARTICLE	IF	CITATIONS
217	Association Between Life Events and Rheumatoid Arthritis: Results From a Population-Based Case-Control Study. <i>Arthritis Care and Research</i> , 2014, 66, 844-851.	3.4	8
218	Patients with regular physical activity before onset of rheumatoid arthritis present with milder disease. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1541-1544.	0.9	37
219	Smoking and risk of treatment-induced neutralizing antibodies to interferon β -1a. <i>Multiple Sclerosis Journal</i> , 2014, 20, 445-450.	3.0	46
220	Cytomegalovirus seropositivity is negatively associated with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 165-173.	3.0	98
221	Progress report on development of classification criteria for adult and juvenile idiopathic inflammatory myopathies. <i>Pediatric Rheumatology</i> , 2014, 12, .	2.1	2
222	Smoking and Risk of Multiple Sclerosis. <i>Epidemiology</i> , 2014, 25, 605-614.	2.7	61
223	Use of Scandinavian Moist Smokeless Tobacco (Snus) and the Risk of Atrial Fibrillation. <i>Epidemiology</i> , 2014, 25, 872-876.	2.7	24
224	Fatty fish intake is associated with decreased occurrence of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 726-732.	3.0	80
225	Alcohol as a Modifiable Lifestyle Factor Affecting Multiple Sclerosis Risk. <i>JAMA Neurology</i> , 2014, 71, 300.	9.0	89
226	Non-HLA genes PTPN22, CDK6 and PADI4 are associated with specific autoantibodies in HLA-defined subgroups of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, 414.	3.5	23
227	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 249-256.	2.3	46
228	Obesity during childhood and adolescence increases susceptibility to multiple sclerosis after accounting for established genetic and environmental risk factors. <i>Obesity Research and Clinical Practice</i> , 2014, 8, e435-e447.	1.8	95
229	A47: Progress Report on the Development of New Classification Criteria for Adult and Juvenile Idiopathic Inflammatory Myopathies. <i>Arthritis and Rheumatology</i> , 2014, 66, S70-S71.	5.6	14
230	Genetic and Environmental Risk Factors for Multiple Sclerosis—A Role for Interaction Analysis. , 2014, , 101-114.		1
231	Smokeless Tobacco (Moist Snuff) Use and the Risk of Developing Rheumatoid Arthritis: Results From a Case-Control Study. <i>Arthritis Care and Research</i> , 2014, 66, 1582-1586.	3.4	22
232	The HLA locus contains novel foetal susceptibility alleles for congenital heart block with significant paternal influence. <i>Journal of Internal Medicine</i> , 2014, 275, 640-651.	6.0	25
233	Interaction between adolescent obesity and HLA risk genes in the etiology of multiple sclerosis. <i>Neurology</i> , 2014, 82, 865-872.	1.1	181
234	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	8.6	185

#	ARTICLE	IF	CITATIONS
235	Reverse causality behind the association between reproductive history and MS. <i>Multiple Sclerosis Journal</i> , 2014, 20, 406-411.	3.0	43
236	Parity and the risk of developing rheumatoid arthritis: results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 752-755.	0.9	45
237	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014, 19, 1085-1094.	7.9	282
238	Oligoclonal band phenotypes in MS differ in their HLA class II association, while specific KIR ligands at HLA class I show association to MS in general. <i>Journal of Neuroimmunology</i> , 2014, 274, 174-179.	2.3	7
239	Neonatal vitamin D status and risk of multiple sclerosis. <i>Annals of Neurology</i> , 2014, 76, 338-346.	5.3	60
240	Anti-CarP antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors, cigarette smoking and other autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1761-1768.	0.9	111
241	HLA-A*02, gender and tobacco smoking, but not multiple sclerosis, affects the IgG antibody response against human herpesvirus 6. <i>Human Immunology</i> , 2014, 75, 524-530.	2.4	7
242	A1.28...Anti-carp antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors and smoking. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A11.3-A12.	0.9	1
243	Job Strain and the Risk of Inflammatory Bowel Diseases: Individual-Participant Meta-Analysis of 95,000 Men and Women. <i>PLoS ONE</i> , 2014, 9, e88711.	2.5	17
244	Cigarette smoking and smoking cessation in relation to risk of rheumatoid arthritis in women. <i>Arthritis Research and Therapy</i> , 2013, 15, R56.	3.5	52
245	Genetic evidence for involvement of adaptive immunity in the development of IgA nephropathy: MHC class II alleles are protective in a Caucasian population. <i>Human Immunology</i> , 2013, 74, 957-960.	2.4	6
246	The influence of self-reported leisure time physical activity and the body mass index on recovery from persistent back pain among men and women: a population-based cohort study. <i>BMC Public Health</i> , 2013, 13, 385.	2.9	14
247	Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. <i>Nature Genetics</i> , 2013, 45, 1353-1360.	21.4	1,213
248	Familial Risks and Heritability of Rheumatoid Arthritis: Role of Rheumatoid Factor/Anti-Citrullinated Protein Antibody Status, Number and Type of Affected Relatives, Sex, and Age. <i>Arthritis and Rheumatism</i> , 2013, 65, 2773-2782.	6.7	153
249	Silica exposure is associated with an increased risk of developing ACPA-positive rheumatoid arthritis in an Asian population: evidence from the Malaysian MyEIRA case-control study. <i>Modern Rheumatology</i> , 2013, , 1.	1.8	3
250	Smoking and multiple sclerosis susceptibility. <i>European Journal of Epidemiology</i> , 2013, 28, 867-874.	5.7	138
251	Exposure to anaesthetic agents does not affect multiple sclerosis risk. <i>European Journal of Neurology</i> , 2013, 20, 735-739.	3.3	14
252	Ambient air pollution exposures and risk of rheumatoid arthritis: results from the Swedish EIRA case-control study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 888-894.	0.9	90

#	ARTICLE	IF	CITATIONS
253	Epigenome-wide association data implicate DNA methylation as an intermediary of genetic risk in rheumatoid arthritis. <i>Nature Biotechnology</i> , 2013, 31, 142-147.	17.5	874
254	Association between body mass index and anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis: Results from a population-based case-control study. <i>Arthritis Care and Research</i> , 2013, 65, 107-112.	3.4	82
255	Progress report on the development of new classification criteria for adult and juvenile idiopathic inflammatory myopathies. <i>Journal of the Neurological Sciences</i> , 2013, 333, e458.	0.6	0
256	Rare, Low-Frequency, and Common Variants in the Protein-Coding Sequence of Biological Candidate Genes from GWASs Contribute to Risk of Rheumatoid Arthritis. <i>American Journal of Human Genetics</i> , 2013, 92, 15-27.	6.2	83
257	Association of Environmental and Genetic Factors and Gene-Environment Interactions With Risk of Developing Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2013, 65, 1147-1156.	3.4	41
258	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2013, 347, f4746-f4746.	6.0	181
259	Cardiovascular mortality in bipolar disorder: a population-based cohort study in Sweden. <i>BMJ Open</i> , 2013, 3, e002373.	1.9	154
260	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ, The</i> , 2013, 346, f165-f165.	6.0	112
261	Cohort Profile: The Stockholm Public Health Cohort. <i>International Journal of Epidemiology</i> , 2013, 42, 1263-1272.	1.9	129
262	Genetic and environmental determinants for disease risk in subsets of rheumatoid arthritis defined by the anticitrullinated protein/peptide antibody fine specificity profile. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 652-658.	0.9	137
263	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	2.0	95
264	Low serum levels of vitamin D in idiopathic inflammatory myopathies. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 512-516.	0.9	45
265	Serum levels of LIGHT in MS. <i>Multiple Sclerosis Journal</i> , 2013, 19, 871-876.	3.0	17
266	Occurrence and relative risk of stroke in incident and prevalent contemporary rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 541-546.	0.9	43
267	Ambient Air Pollution Exposures and Risk of Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2013, 65, 1190-1196.	3.4	62
268	Nicotine might have a protective effect in the etiology of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1009-1013.	3.0	67
269	Anti-JC virus antibody prevalence in a multinational multiple sclerosis cohort. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1533-1538.	3.0	92
270	Regional differences regarding risk of developing rheumatoid arthritis in Stockholm County, Sweden: results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis (EIRA) study. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 337-343.	1.1	9

#	ARTICLE	IF	CITATIONS
271	Soluble IL7R α potentiates IL-7 bioactivity and promotes autoimmunity. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E1761-70.	7.1	129
272	A7.23 α ...The HLA Locus Contains Novel Foetal Susceptibility Alleles for Congenital Heart Block with Significant Paternal Influence. Annals of the Rheumatic Diseases, 2013, 72, A56.1-A56.	0.9	0
273	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118 \times 1000 Working Adults. American Journal of Public Health, 2013, 103, 2090-2097.	2.7	114
274	Oligoclonal Band Status in Scandinavian Multiple Sclerosis Patients Is Associated with Specific Genetic Risk Alleles. PLoS ONE, 2013, 8, e58352.	2.5	45
275	Likelihood of Treatment in a Coronary Care Unit for a First-Time Myocardial Infarction in Relation to Sex, Country of Birth and Socioeconomic Position in Sweden. PLoS ONE, 2013, 8, e62316.	2.5	2
276	Short and Long Term Mortality after Coronary Artery Bypass Grafting (CABG) Is Influenced by Socioeconomic Position but Not by Migration Status in Sweden, 1995 \sim 2007. PLoS ONE, 2013, 8, e63877.	2.5	9
277	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. F1000Research, 2013, 2, 233.	1.6	3
278	Job Strain and Cardiovascular Disease Risk Factors: Meta-Analysis of Individual-Participant Data from 47,000 Men and Women. PLoS ONE, 2013, 8, e67323.	2.5	144
279	Breast cancer among shift workers: results of the WOLF longitudinal cohort study. Scandinavian Journal of Work, Environment and Health, 2013, 39, 170-177.	3.4	94
280	Incidence and case fatality after day 28 of first time myocardial infarction in Sweden 1987 \sim 2008. European Journal of Preventive Cardiology, 2012, 19, 1304-1315.	1.8	38
281	Does income matter for troublesome neck pain? A population-based study on risk and prognosis. Journal of Epidemiology and Community Health, 2012, 66, 1063-1070.	3.7	19
282	Interaction of HLA-DRB1*03 and smoking for the development of anti-Jo-1 antibodies in adult idiopathic inflammatory myopathies: a European-wide case study. Annals of the Rheumatic Diseases, 2012, 71, 961-965.	0.9	100
283	Long term alcohol intake and risk of rheumatoid arthritis in women: a population based cohort study. BMJ, The, 2012, 345, e4230-e4230.	6.0	87
284	Lack of replication of interaction between EBNA1 IgG and smoking in risk for multiple sclerosis. Neurology, 2012, 79, 1363-1368.	1.1	28
285	High body mass index before age 20 is associated with increased risk for multiple sclerosis in both men and women. Multiple Sclerosis Journal, 2012, 18, 1334-1336.	3.0	291
286	Development of heart block in children of SSA/SSB-autoantibody-positive women is associated with maternal age and displays a season-of-birth pattern. Annals of the Rheumatic Diseases, 2012, 71, 334-340.	0.9	60
287	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. American Journal of Epidemiology, 2012, 176, 1078-1089.	3.4	198
288	Smoking interacts with HLA-DRB1 shared epitope in the development of ACPA-positive rheumatoid arthritis: a case-control study from Malaysian epidemiological investigation of rheumatoid arthritis (MyEIRA). Annals of the Rheumatic Diseases, 2012, 71, A57.1-A57.	0.9	0

#	ARTICLE	IF	CITATIONS
289	Identification of novel genetic risk loci determine fetal outcome in congenital heart block. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A60.2-A60.	0.9	0
290	Genetic variation in the serotonin receptor gene affects immune responses. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A93-A93.	0.9	0
291	High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. <i>Nature Genetics</i> , 2012, 44, 1336-1340.	21.4	558
292	Age-dependent variation of genotypes in MHC II transactivator gene (CIITA) in controls and association to type 1 diabetes. <i>Genes and Immunity</i> , 2012, 13, 632-640.	4.1	24
293	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012, 380, 1491-1497.	13.7	786
294	Epidemiology of environmental exposures and human autoimmune diseases: Findings from a National Institute of Environmental Health Sciences Expert Panel Workshop. <i>Journal of Autoimmunity</i> , 2012, 39, 259-271.	6.5	288
295	Smoking is associated with an increased risk of developing ACPA-positive but not ACPA-negative rheumatoid arthritis in Asian populations: evidence from the Malaysian MyEIRA case-control study. <i>Modern Rheumatology</i> , 2012, 22, 524-531.	1.8	32
296	Use of snus and acute myocardial infarction: pooled analysis of eight prospective observational studies. <i>European Journal of Epidemiology</i> , 2012, 27, 771-779.	5.7	80
297	Bayesian inference analyses of the polygenic architecture of rheumatoid arthritis. <i>Nature Genetics</i> , 2012, 44, 483-489.	21.4	402
298	Predicting changes in sleep complaints from baseline values and changes in work demands, work control, and work preoccupation – The WOLF-project. <i>Sleep Medicine</i> , 2012, 13, 73-80.	1.6	68
299	Polymorphisms in peptidylarginine deiminase (PADI) associate with rheumatoid arthritis in diverse Asian populations: evidence from MyEIRA study and meta-analysis. <i>Arthritis Research and Therapy</i> , 2012, 14, R250.	3.5	45
300	Smoking interacts with HLA-DRB1 shared epitope in the development of anti-citrullinated protein antibody-positive rheumatoid arthritis: results from the Malaysian Epidemiological Investigation of Rheumatoid Arthritis (MyEIRA). <i>Arthritis Research and Therapy</i> , 2012, 14, R89.	3.5	61
301	Usage of skin care products and risk of rheumatoid arthritis: results from the Swedish EIRA study. <i>Arthritis Research and Therapy</i> , 2012, 14, R41.	3.5	2
302	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	2.5	102
303	Importance of Human Leukocyte Antigen (HLA) Class I and II Alleles on the Risk of Multiple Sclerosis. <i>PLoS ONE</i> , 2012, 7, e36779.	2.5	53
304	Five amino acids in three HLA proteins explain most of the association between MHC and seropositive rheumatoid arthritis. <i>Nature Genetics</i> , 2012, 44, 291-296.	21.4	768
305	Variants Within STAT Genes Reveal Association with Anticitrullinated Protein Antibody-negative Rheumatoid Arthritis in 2 European Populations. <i>Journal of Rheumatology</i> , 2012, 39, 1509-1516.	2.0	23
306	CIITA gene variants are associated with rheumatoid arthritis in Scandinavian populations. <i>Genes and Immunity</i> , 2012, 13, 431-436.	4.1	20

#	ARTICLE	IF	CITATIONS
307	Very high levels of anti-citrullinated protein antibodies are associated with HLA-DRB1*15 non-shared epitope allele in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2012, 64, 2078-2084.	6.7	40
308	Job strain in relation to body mass index: pooled analysis of 160,000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012, 272, 65-73.	6.0	132
309	Sunlight is associated with decreased multiple sclerosis risk: no interaction with human leukocyte antigen-DRB1*15. <i>European Journal of Neurology</i> , 2012, 19, 955-962.	3.3	109
310	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	2.9	137
311	Smoking is associated with an increased risk of developing ACPA-positive but not ACPA-negative rheumatoid arthritis in Asian populations: evidence from the Malaysian MyEIRA case-control study. <i>Modern Rheumatology</i> , 2012, 22, 524-531.	1.8	23
312	Interaction Analysis between HLA-DRB1 Shared Epitope Alleles and MHC Class II Transactivator CIITA Gene with Regard to Risk of Rheumatoid Arthritis. <i>PLoS ONE</i> , 2012, 7, e32861.	2.5	12
313	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	2.5	93
314	Exposure to environmental tobacco smoke is associated with increased risk for multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2011, 17, 788-793.	3.0	102
315	Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. <i>Nature</i> , 2011, 476, 214-219.	27.8	2,400
316	Mannan Binding Lectin (MBL) genotypes coding for high MBL serum levels are associated with rheumatoid factor negative rheumatoid arthritis in never smokers. <i>Arthritis Research and Therapy</i> , 2011, 13, R65.	3.5	7
317	Smoking, citrullination and genetic variability in the immunopathogenesis of rheumatoid arthritis. <i>Seminars in Immunology</i> , 2011, 23, 92-98.	5.6	195
318	No evidence of IL21 association with multiple sclerosis in a Swedish population. <i>Tissue Antigens</i> , 2011, 78, 271-274.	1.0	3
319	Response to acne, isotretinoin and suicide attempts: a critical appraisal. <i>British Journal of Dermatology</i> , 2011, 164, 1185-1186.	1.5	0
320	Variants of gene for microsomal prostaglandin E2 synthase show association with disease and severe inflammation in rheumatoid arthritis. <i>European Journal of Human Genetics</i> , 2011, 19, 908-914.	2.8	13
321	GEIRA: gene-environment and gene-gene interaction research application. <i>European Journal of Epidemiology</i> , 2011, 26, 557-561.	5.7	15
322	A combined analysis of genome-wide association studies in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 717-727.	2.5	90
323	Patterns of background factors related to early RA patients' conceptions of the cause of their disease. <i>Clinical Rheumatology</i> , 2011, 30, 347-352.	2.2	3
324	Shift work at young age is associated with increased risk for multiple sclerosis. <i>Annals of Neurology</i> , 2011, 70, 733-741.	5.3	122

#	ARTICLE	IF	CITATIONS
325	Patients with early rheumatoid arthritis who smoke are less likely to respond to treatment with methotrexate and tumor necrosis factor inhibitors: Observations from the Epidemiological Investigation of Rheumatoid Arthritis and the Swedish Rheumatology Register cohorts. <i>Arthritis and Rheumatism</i> , 2011, 63, 26-36.	6.7	200
326	A genome-wide association study suggests contrasting associations in ACPA-positive versus ACPA-negative rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 259-265.	0.9	238
327	Smoking is a major preventable risk factor for rheumatoid arthritis: estimations of risks after various exposures to cigarette smoke. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 508-511.	0.9	309
328	Smoking and two human leukocyte antigen genes interact to increase the risk for multiple sclerosis. <i>Brain</i> , 2011, 134, 653-664.	7.6	210
329	Development of heart block in SSA/SSB autoantibody-positive pregnancies is associated with maternal age and display a season-of-birth pattern. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A87-A88.	0.9	2
330	Covert coping with unfair treatment at work and risk of incident myocardial infarction and cardiac death among men: prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 420-425.	3.7	10
331	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. <i>PLoS Genetics</i> , 2011, 7, e1001378.	3.5	93
332	Effects of GSTM1 in Rheumatoid Arthritis; Results from the Swedish EIRA study. <i>PLoS ONE</i> , 2011, 6, e17880.	2.5	9
333	Shared Epitope Alleles Remain A Risk Factor for Anti-Citrullinated Proteins Antibody (ACPA) â€œ Positive Rheumatoid Arthritis in Three Asian Ethnic Groups. <i>PLoS ONE</i> , 2011, 6, e21069.	2.5	42
334	Low mortality and myocardial infarction incidence among flying personnel during working career and beyond. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 219-226.	3.4	15
335	Donâ€™t split your data. <i>European Journal of Epidemiology</i> , 2010, 25, 283-284.	5.7	4
336	The long-term effects of naprapathic manual therapy on back and neck pain - Results from a pragmatic randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 26.	1.9	21
337	Protection against antiâ€œcitrullinated protein antibodyâ€œpositive rheumatoid arthritis is predominantly associated with HLAâ€œDRB1*1301: A metaâ€œanalysis of HLAâ€œDRB1 associations with antiâ€œcitrullinated protein antibodyâ€œpositive and antiâ€œcitrullinated protein antibodyâ€œnegative rheumatoid arthritis in four European populations. <i>Arthritis and Rheumatism</i> , 2010, 62, 1236-1245.	6.7	135
338	Rheumatoid arthritis risk allele <i>PTPRC</i> is also associated with response to antiâ€œtumor necrosis factor Î± therapy. <i>Arthritis and Rheumatism</i> , 2010, 62, 1849-1861.	6.7	95
339	Effect of interactions of glutathione Sâ€œtransferase T1, M1, and P1 and HMOX1 gene promoter polymorphisms with heavy smoking on the risk of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 3196-3210.	6.7	45
340	Rapid increase in myocardial infarction risk following diagnosis of rheumatoid arthritis amongst patients diagnosed between 1995 and 2006. <i>Journal of Internal Medicine</i> , 2010, 268, 578-585.	6.0	112
341	Confirmation of association between multiple sclerosis and CYP27B1. <i>European Journal of Human Genetics</i> , 2010, 18, 1349-1352.	2.8	102
342	Evidence for interaction between 5-hydroxytryptamine (serotonin) receptor 2A and MHC type II molecules in the development of rheumatoid arthritis. <i>European Journal of Human Genetics</i> , 2010, 18, 821-826.	2.8	20

#	ARTICLE	IF	CITATIONS
343	RGMA and IL21R show association with experimental inflammation and multiple sclerosis. <i>Genes and Immunity</i> , 2010, 11, 279-293.	4.1	61
344	Genetic variants of CC chemokine genes in experimental autoimmune encephalomyelitis, multiple sclerosis and rheumatoid arthritis. <i>Genes and Immunity</i> , 2010, 11, 142-154.	4.1	23
345	IL12A, MPHOSPH9/CDK2AP1 and RGS1 are novel multiple sclerosis susceptibility loci. <i>Genes and Immunity</i> , 2010, 11, 397-405.	4.1	70
346	Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. <i>Nature Genetics</i> , 2010, 42, 508-514.	21.4	1,132
347	Reply to "Gene-environment interaction influences the reactivity of autoantibodies to citrullinated antigens in rheumatoid arthritis". <i>Nature Genetics</i> , 2010, 42, 816-816.	21.4	1
348	Analysis of Neuropeptide S Receptor Gene (NPSR1) Polymorphism in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2010, 5, e9315.	2.5	30
349	Common vaccinations among adults do not increase the risk of developing rheumatoid arthritis: results from the Swedish EIRA study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1831-1833.	0.9	42
350	IL-22RA2 Associates with Multiple Sclerosis and Macrophage Effector Mechanisms in Experimental Neuroinflammation. <i>Journal of Immunology</i> , 2010, 185, 6883-6890.	0.8	68
351	Cumulative association of 22 genetic variants with seropositive rheumatoid arthritis risk. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1077-1085.	0.9	87
352	Association of suicide attempts with acne and treatment with isotretinoin: retrospective Swedish cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c5812-c5812.	2.3	151
353	SLEEP AND SLEEPINESS: IMPACT OF ENTERING OR LEAVING SHIFTWORK—A PROSPECTIVE STUDY. <i>Chronobiology International</i> , 2010, 27, 987-996.	2.0	72
354	Silica exposure among male current smokers is associated with a high risk of developing ACPA-positive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1072-1076.	0.9	133
355	A genome-wide association scan on estrogen receptor-negative breast cancer. <i>Breast Cancer Research</i> , 2010, 12, R93.	5.0	35
356	Non-participation in EIRA: a population-based case-control study of rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 344-346.	1.1	32
357	Environmental Risk Factors for Rheumatoid Arthritis. , 2009, , 28-34.		1
358	Is smoking and alcohol consumption associated with long-term sick leave due to unspecific back or neck pain among employees in the public sector? Results of a three-year follow-up cohort study. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 550-556.	1.1	32
359	A physical fitness programme during paid working hours—impact on health and work ability among women working in the social service sector: A three year follow up study. <i>Work</i> , 2009, 34, 339-344.	1.1	14
360	Psychosocial Stress at Work and the Risk of Developing Rheumatoid Arthritis: Results from the Swedish EIRA Study. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 193-194.	8.8	19

#	ARTICLE	IF	CITATIONS
361	A Role for <i>VAV1</i> in Experimental Autoimmune Encephalomyelitis and Multiple Sclerosis. <i>Science Translational Medicine</i> , 2009, 1, 10ra21.	12.4	52
362	Alcohol consumption is associated with decreased risk of rheumatoid arthritis: results from two Scandinavian case-control studies. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 222-227.	0.9	166
363	Mapping of multiple susceptibility variants within the MHC region for 7 immune-mediated diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 18680-18685.	7.1	231
364	Patients' conceptions of the cause of their rheumatoid arthritis: A qualitative study. <i>Musculoskeletal Care</i> , 2009, 7, 243-255.	1.4	9
365	Different patterns of associations with anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis in the extended major histocompatibility complex region. <i>Arthritis and Rheumatism</i> , 2009, 60, 30-38.	6.7	113
366	Specific association of type 1 diabetes mellitus with cyclic citrullinated peptide-positive rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 653-660.	6.7	76
367	Opposing effects of HLA-DRB1*13 alleles on the risk of developing anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 924-930.	6.7	64
368	The <i>PRL</i> 1149 G/T polymorphism and rheumatoid arthritis susceptibility. <i>Arthritis and Rheumatism</i> , 2009, 60, 1250-1254.	6.7	23
369	Gene-environment interaction between the DRB1 shared epitope and smoking in the risk of anti-citrullinated protein antibody-positive rheumatoid arthritis: All alleles are important. <i>Arthritis and Rheumatism</i> , 2009, 60, 1597-1603.	6.7	129
370	No increased occurrence of ischemic heart disease prior to the onset of rheumatoid arthritis: Results from two Swedish population-based rheumatoid arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2009, 60, 2861-2869.	6.7	64
371	Comparisons between five self-administered instruments predicting sick leaves in a 4-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 227-234.	2.3	27
372	On the origins of complex immune-mediated disease: the example of rheumatoid arthritis. <i>Journal of Molecular Medicine</i> , 2009, 87, 357-362.	3.9	11
373	Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. <i>Nature Genetics</i> , 2009, 41, 1313-1318.	21.4	306
374	Specific interaction between genotype, smoking and autoimmunity to citrullinated α -enolase in the etiology of rheumatoid arthritis. <i>Nature Genetics</i> , 2009, 41, 1319-1324.	21.4	282
375	The risk of venous thromboembolism associated with the use of tranexamic acid and other drugs used to treat menorrhagia: a case-control study using the General Practice Research Database. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 91-97.	2.3	117
376	Managerial leadership and ischaemic heart disease among employees: the Swedish WOLF study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 51-55.	2.8	106
377	Tobacco smoking, but not Swedish snuff use, increases the risk of multiple sclerosis. <i>Neurology</i> , 2009, 73, 696-701.	1.1	254
378	Environmental influences on risk for rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2009, 21, 279-283.	4.3	157

#	ARTICLE	IF	CITATIONS
379	Dietary Fish and Fish Oil and the Risk of Rheumatoid Arthritis. <i>Epidemiology</i> , 2009, 20, 896-901.	2.7	104
380	Traffic-Generated Air Pollution and Myocardial Infarction. <i>Epidemiology</i> , 2009, 20, 265-271.	2.7	53
381	Incidence and predictors of severe bleeding during warfarin treatment. <i>Journal of Thrombosis and Thrombolysis</i> , 2008, 25, 151-159.	2.1	48
382	Immunity to Citrullinated Proteins in Rheumatoid Arthritis. <i>Annual Review of Immunology</i> , 2008, 26, 651-675.	21.8	400
383	Common variants at CD40 and other loci confer risk of rheumatoid arthritis. <i>Nature Genetics</i> , 2008, 40, 1216-1223.	21.4	476
384	OR.103. Combined Analysis of Three Genome-wide Scans Reveals Additional Loci Associated with Rheumatoid Arthritis. <i>Clinical Immunology</i> , 2008, 127, S41.	3.2	0
385	Indications of recall bias found in a retrospective study of physical activity and myocardial infarction. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 840-847.	5.0	30
386	Job strain and ischaemic disease: does the inclusion of older employees in the cohort dilute the association? The WOLF Stockholm Study. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 372-374.	3.7	42
387	Comparisons of self-reported and register data on sickness absence among public employees in Sweden. <i>Occupational and Environmental Medicine</i> , 2008, 65, 61-67.	2.8	150
388	The influence of household work and of having children on sickness absence among publicly employed women in Sweden. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 564-572.	2.3	31
389	Outcome After Leg Bypass Surgery for Critical Limb Ischemia Is Poor in Patients With Diabetes. <i>Diabetes Care</i> , 2008, 31, 887-892.	8.6	84
390	The same factors influence job turnover and long spells of sick leave—a 3-year follow-up of Swedish nurses. <i>European Journal of Public Health</i> , 2008, 18, 380-385.	0.3	99
391	Genetic variations in the serotonin 5-HT2A receptor gene (HTR2A) are associated with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 1111-1115.	0.9	30
392	Behavioral Stress Is Affected by the Mode of Tube Feeding in Very Low Birth Weight Infants. <i>Clinical Journal of Pain</i> , 2008, 24, 447-455.	1.9	23
393	Influence of self-reported work conditions and health on full, partial and no return to work after long-term sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008, 34, 430-437.	3.4	28
394	Life events and the risk of low back and neck/shoulder pain of the kind people are seeking care for: results from the MUSIC-Norrtälje case-control study. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 356-361.	3.7	16
395	A Candidate Gene Approach Identifies the TRAF1/C5 Region as a Risk Factor for Rheumatoid Arthritis. <i>PLoS Medicine</i> , 2007, 4, e278.	8.4	232
396	TRAF1/C5 as a Risk Locus for Rheumatoid Arthritis—A Genomewide Study. <i>New England Journal of Medicine</i> , 2007, 357, 1199-1209.	27.0	729

#	ARTICLE	IF	CITATIONS
397	Naprapathic Manual Therapy or Evidence-based Care for Back and Neck Pain. <i>Clinical Journal of Pain</i> , 2007, 23, 431-439.	1.9	57
398	Smoking as a trigger for inflammatory rheumatic diseases. <i>Current Opinion in Rheumatology</i> , 2007, 19, 49-54.	4.3	162
399	Gene-Gene and Gene-Environment Interactions Involving HLA-DRB1, PTPN22, and Smoking in Two Subsets of Rheumatoid Arthritis. <i>American Journal of Human Genetics</i> , 2007, 80, 867-875.	6.2	374
400	<i>STAT4</i> and the Risk of Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>New England Journal of Medicine</i> , 2007, 357, 977-986.	27.0	914
401	A case-control study of rheumatoid arthritis identifies an associated single nucleotide polymorphism in the NCF4 gene, supporting a role for the NADPH-oxidase complex in autoimmunity. <i>Arthritis Research and Therapy</i> , 2007, 9, R98.	3.5	84
402	The Role of Coping Style in the Onset of a New Episode of Low Back and Neck/Shoulder Pain. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 253-255.	8.8	0
403	Association of a haplotype in the promoter region of the interferon regulatory factor 5 gene with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 2202-2210.	6.7	174
404	Association of arthritis with a gene complex encoding C-type lectin-like receptors. <i>Arthritis and Rheumatism</i> , 2007, 56, 2620-2632.	6.7	93
405	Two independent alleles at 6q23 associated with risk of rheumatoid arthritis. <i>Nature Genetics</i> , 2007, 39, 1477-1482.	21.4	497
406	Long-term use of Swedish moist snuff and the risk of myocardial infarction amongst men. <i>Journal of Internal Medicine</i> , 2007, 262, 351-359.	6.0	104
407	Predicting long-term sickness absence from sleep and fatigue. <i>Journal of Sleep Research</i> , 2007, 16, 341-345.	3.2	99
408	The influence of work-related exposures on the prognosis of neck/shoulder pain. <i>European Spine Journal</i> , 2007, 16, 2083-2091.	2.2	55
409	Complexity of a complex disease; understanding genes, environment and immunity in rheumatoid arthritis development. <i>Future Rheumatology</i> , 2007, 2, 485-492.	0.2	0
410	Mechanisms of Disease: genetic susceptibility and environmental triggers in the development of rheumatoid arthritis. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 425-433.	3.2	170
411	The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury. <i>Pain</i> , 2006, 125, 244-256.	4.2	88
412	Acid-suppressing drugs and gastroesophageal reflux disease as risk factors for acute pancreatitis—results from a Swedish Case-Control Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 141-149.	1.9	25
413	Genes, environment and immunity in the development of rheumatoid arthritis. <i>Current Opinion in Immunology</i> , 2006, 18, 650-655.	5.5	153
414	Calculating measures of biological interaction using R. <i>European Journal of Epidemiology</i> , 2006, 21, 571-573.	5.7	37

#	ARTICLE	IF	CITATIONS
415	Effortâ€“reward imbalance, sleep disturbances and fatigue. International Archives of Occupational and Environmental Health, 2006, 79, 371-378.	2.3	73
416	The effect of leisure-time physical activity on the risk of acute myocardial infarction depending on Body Mass Index: a population-based case-control study. BMC Public Health, 2006, 6, 296.	2.9	8
417	A new model for an etiology of rheumatoid arthritis: Smoking may trigger HLAâ€“DR (shared) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Rheumatism, 2006, 54, 38-46.	6.7	1,233
418	Retaining the ability to workâ€“associated factors at work*. European Journal of Public Health, 2006, 16, 470-475.	0.3	32
419	Promoting excellent work ability and preventing poor work ability: the same determinants? Results from the Swedish HAKuL study. Occupational and Environmental Medicine, 2006, 63, 113-120.	2.8	60
420	Incidence of asthma among workers exposed to sulphur dioxide and other irritant gases. European Respiratory Journal, 2006, 27, 720-725.	6.7	59
421	Several-fold increase in risk of overanticoagulation by CYP2C9 mutations. Clinical Pharmacology and Therapeutics, 2005, 78, 540-550.	4.7	58
422	MHC2TA is associated with differential MHC molecule expression and susceptibility to rheumatoid arthritis, multiple sclerosis and myocardial infarction. Nature Genetics, 2005, 37, 486-494.	21.4	276
423	Coping with critical life events and lack of controlâ€“the exertion of control. Psychoneuroendocrinology, 2005, 30, 1027-1032.	2.7	22
424	Interaction: A word with two meanings creates confusion. European Journal of Epidemiology, 2005, 20, 563-564.	5.7	183
425	Calculating measures of biological interaction. European Journal of Epidemiology, 2005, 20, 575-579.	5.7	1,111
426	Long-term sick-listing among women in the public sector and its associations with age, social situation, lifestyle, and work factors: A three-year follow-up study. Scandinavian Journal of Public Health, 2005, 33, 370-375.	2.3	81
427	Silica exposure is associated with increased risk of developing rheumatoid arthritis: results from the Swedish EIRA study. Annals of the Rheumatic Diseases, 2005, 64, 582-586.	0.9	164
428	Socioeconomic status and the risk of developing rheumatoid arthritis: results from the Swedish EIRA study. Annals of the Rheumatic Diseases, 2005, 64, 1588-1594.	0.9	153
429	Replication of Putative Candidate-Gene Associations with Rheumatoid Arthritis in >4,000 Samples from North America and Sweden: Association of Susceptibility with PTPN22, CTLA4, and PADI4. American Journal of Human Genetics, 2005, 77, 1044-1060.	6.2	494
430	Continuous Feeding Promotes Gastrointestinal Tolerance and Growth in Very Low Birth Weight Infants. Journal of Pediatrics, 2005, 147, 43-49.	1.8	77
431	Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. Arthritis Research and Therapy, 2005, 7, R1296.	3.5	80
432	Total mortality and cause-specific mortality of Swedish shift- and dayworkers in the pulp and paper industry in 1952-2001. Scandinavian Journal of Work, Environment and Health, 2005, 31, 30-35.	3.4	115

#	ARTICLE	IF	CITATIONS
433	Occupational chronic neck and shoulder pain: Study conducted in Sweden. <i>Occupational Ergonomics</i> , 2005, 5, 79-88.	0.3	4
434	Organizational instability and cardiovascular risk factors in white-collar employees: An analysis of correlates of structural instability of workplace organization on risk factors for coronary heart disease in a sample of 3,904 white collar employees in the Stockholm region. <i>European Journal of Public Health</i> , 2004, 14, 37-42.	0.3	43
435	The Risk of Acute Myocardial Infarction. <i>Epidemiology</i> , 2004, 15, 573-582.	2.7	74
436	Job strain and plasminogen activator inhibitor-1: results from the Swedish WOLF study. <i>International Archives of Occupational and Environmental Health</i> , 2004, 77, 341-344.	2.3	5
437	Association of the PD-1.3A allele of thePDCD1gene in patients with rheumatoid arthritis negative for rheumatoid factor and the shared epitope. <i>Arthritis and Rheumatism</i> , 2004, 50, 1770-1773.	6.7	146
438	A gene-environment interaction between smoking and shared epitope genes in HLA-DR provides a high risk of seropositive rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2004, 50, 3085-3092.	6.7	546
439	Mental fatigue, work and sleep. <i>Journal of Psychosomatic Research</i> , 2004, 57, 427-433.	2.6	203
440	Seeking Care for Neck/Shoulder Pain: A Prospective Study of Work-Related Risk Factors in a Healthy Population. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 138-146.	1.7	36
441	Metabolic disturbances in male workers with rotating three-shift work. Results of the WOLF study. <i>International Archives of Occupational and Environmental Health</i> , 2003, 76, 424-430.	2.3	255
442	Association of boiled and filtered coffee with incidence of first nonfatal myocardial infarction: the SHEEP and the VHEEP study. <i>Journal of Internal Medicine</i> , 2003, 253, 653-659.	6.0	58
443	Abstention, alcohol use and risk of myocardial infarction in men and women taking account of social support and working conditions: the SHEEP case-control study. <i>Addiction</i> , 2003, 98, 1453-1462.	3.3	17
444	Occupant- and Crash-Related Factors Associated with the Risk of Whiplash Injury. <i>Annals of Epidemiology</i> , 2003, 13, 66-72.	1.9	59
445	Quantification of the influence of cigarette smoking on rheumatoid arthritis: results from a population based case-control study, using incident cases. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 835-841.	0.9	496
446	Population-Based Twin Study of the Effects of Migration From Finland to Sweden on Endothelial Function and Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 832-837.	2.4	56
447	Migration and mortality: a 20 year follow up of Finnish twin pairs with migrant co-twins in Sweden. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 362-366.	3.7	38
448	Work organisation and unintentional sleep: results from the WOLF study. <i>Occupational and Environmental Medicine</i> , 2002, 59, 595-600.	2.8	68
449	Work environment and neck and shoulder pain: the influence of exposure time. Results from a population based case-control study. <i>Occupational and Environmental Medicine</i> , 2002, 59, 182-188.	2.8	75
450	Seeking Care for Low Back Pain in the General Population. <i>Spine</i> , 2002, 27, 2159-2165.	2.0	77

#	ARTICLE	IF	CITATIONS
451	Genes and environment in arthritis: can RA be prevented?. Arthritis Research, 2002, 4, S31.	2.0	20
452	Sleep disturbances, work stress and work hours. Journal of Psychosomatic Research, 2002, 53, 741-748.	2.6	573
453	Job strain and major risk factors for coronary heart disease among employed males and females in a Swedish study on work, lipids and fibrinogen. Scandinavian Journal of Work, Environment and Health, 2002, 28, 238-248.	3.4	87
454	Cancer incidence in airline and military pilots in Sweden 1961-1996. Aviation, Space, and Environmental Medicine, 2002, 73, 2-7.	0.5	24
455	The association between exposure to a rear-end collision and future health complaints. Journal of Clinical Epidemiology, 2001, 54, 851-856.	5.0	100
456	The Influence on Seeking Care Because of Neck and Shoulder Disorders from Work-Related Exposures. Epidemiology, 2001, 12, 537-545.	2.7	57
457	Effects of drop out in a longitudinal study of musculoskeletal disorders. Occupational and Environmental Medicine, 2001, 58, 194-199.	2.8	30
458	Sex differences in survival after myocardial infarction in Sweden. Data from the Swedish National Acute Myocardial Infarction register. European Heart Journal, 2001, 22, 314-322.	2.2	129
459	Coping with Unfair Treatment at Work – What Is the Relationship between Coping and Hypertension in Middle-Aged Men and Women?. Psychotherapy and Psychosomatics, 2000, 69, 86-94.	8.8	56
460	To What Extent Do Current and Past Physical and Psychosocial Occupational Factors Explain Care-Seeking for Low Back Pain in a Working Population?. Spine, 2000, 25, 493-500.	2.0	111
461	Physical and Psychosocial Factors Related to Low Back Pain During a 24-Year Period. Spine, 2000, 25, 369-375.	2.0	68
462	Risk factors for neck and shoulder disorders: A nested case-control study covering a 24-year period. American Journal of Industrial Medicine, 2000, 38, 516-528.	2.1	56
463	Attack rate, mortality and case fatality for acute myocardial infarction in Sweden during 1987-95. Results from the National AMI Register in Sweden. Journal of Internal Medicine, 2000, 248, 159-164.	6.0	81
464	Occupational and nonoccupational risk indicators for incident and chronic low back pain in a sample of the swedish general population during a 4-year period: An influence of depression?. International Journal of Behavioral Medicine, 2000, 7, 372-392.	1.7	29
465	The association between exposure to a rear-end collision and future neck or shoulder pain:. Journal of Clinical Epidemiology, 2000, 53, 1089-1094.	5.0	88
466	Risk factors for neck and upper limb disorders: results from 24 years of follow up [published erratum appears in Occup Environ Med 1999 May;56(5):358]. Occupational and Environmental Medicine, 1999, 56, 59-66.	2.8	105
467	Interview versus questionnaire for assessing physical loads in the population-based MUSIC-Norrköping study. , 1999, 35, 441-455.		61
468	Age and gender differences in exposure patterns and low back pain in the MUSIC-Norrköping study. , 1999, 36, 26-28.		3

#	ARTICLE	IF	CITATIONS
469	Physical capacity in relation to present and past physical load at work: A study of 484 men and women aged 41 to 58 years. , 1999, 36, 388-400.		49
470	Evaluation of questionnaire-based information on previous physical work loads. Scandinavian Journal of Work, Environment and Health, 1999, 25, 246-254.	3.4	51
471	Does a stressful psychosocial work environment mediate the effects of shift work on cardiovascular risk factors?. Scandinavian Journal of Work, Environment and Health, 1999, 25, 376-381.	3.4	90
472	Retrospective versus original information on physical and psychosocial exposure at work. Scandinavian Journal of Work, Environment and Health, 1999, 25, 410-414.	3.4	28
473	Could time trends in myocardial infarction incidence be due to diagnostic inconsistency? A study of the validity of hospital discharge diagnoses. Journal of Internal Medicine, 1998, 244, 357-358.	6.0	5
474	Myocardial infarction in male and female dominated occupations. Occupational and Environmental Medicine, 1998, 55, 642-644.	2.8	17
475	High effort, low reward, and cardiovascular risk factors in employed Swedish men and women: baseline results from the WOLF Study. Journal of Epidemiology and Community Health, 1998, 52, 540-547.	3.7	218
476	Job strain, social support at work, and incidence of myocardial infarction. Occupational and Environmental Medicine, 1998, 55, 548-553.	2.8	105
477	Psychosocial and physical risk factors associated with low back pain: a 24 year follow up among women and men in a broad range of occupations. Occupational and Environmental Medicine, 1998, 55, 84-90.	2.8	70
478	An Epidemiologic Study of Severe Anaphylactic and Anaphylactoid Reactions among Hospital Patients. Epidemiology, 1998, 9, 141-146.	2.7	60
479	Osteoarthritis of the Hip in Women and Its Relationship to Physical Load from Sports Activities. American Journal of Sports Medicine, 1998, 26, 78-82.	4.2	68
480	Alcoholism in social classes and occupations in Sweden. International Journal of Epidemiology, 1997, 26, 584-591.	1.9	75
481	Osteoarthritis of the hip in women and its relation to physical load at work and in the home. Annals of the Rheumatic Diseases, 1997, 56, 293-298.	0.9	68
482	Lifestyle factors and hip arthrosis: A case referent study of body mass index, smoking and hormone therapy in 503 Swedish women. Acta Orthopaedica, 1997, 68, 216-220.	1.4	68
483	Reproducibility of a questionnaire for assessment of present and past physical activities. International Archives of Occupational and Environmental Health, 1997, 70, 107-118.	2.3	38
484	Alcohol consumption, drinking pattern and acute myocardial infarction. A case referent study based on the Swedish Twin Register. Journal of Internal Medicine, 1997, 241, 125-131.	6.0	25
485	Possible bias from rating behavior when subjects rate both exposure and outcome. Scandinavian Journal of Work, Environment and Health, 1997, 23, 370-377.	3.4	50
486	Evaluation of perceived and self-reported manual forces exerted in occupational materials handling. Applied Ergonomics, 1996, 27, 231-239.	3.1	40

#	ARTICLE	IF	CITATIONS
487	Cancer incidence among male railway engine-drivers and conductors in Sweden, 1976-90. <i>Cancer Causes and Control</i> , 1996, 7, 377-381.	1.8	29
488	An Interview Technique for Recording Work Postures in Epidemiological Studies. <i>International Journal of Epidemiology</i> , 1996, 25, 171-180.	1.9	25
489	Myocardial infarction among male bus, taxi, and lorry drivers in middle Sweden.. <i>Occupational and Environmental Medicine</i> , 1996, 53, 235-240.	2.8	67
490	Bolinder and Alfredsson Respond. <i>American Journal of Public Health</i> , 1995, 85, 118-119.	2.7	0
491	Self-administered examination versus conventional medical examination of the musculoskeletal system in the neck, shoulders, and upper limbs. <i>Journal of Clinical Epidemiology</i> , 1995, 48, 1473-1483.	5.0	20
492	Musculoskeletal disorders in former athletes:A cohort study in 114 track and field champions. <i>Acta Orthopaedica</i> , 1995, 66, 289-291.	1.4	49
493	Job Characteristics and the Incidence of Myocardial Infarction. <i>International Journal of Epidemiology</i> , 1994, 23, 277-284.	1.9	75
494	Occupation, Occupational Exposure to Chemicals and Rheumatological Disease:A register based cohort study. <i>Scandinavian Journal of Rheumatology</i> , 1994, 23, 305-310.	1.1	73
495	Etiologic fractions for physical work load, sports and overweight in the occurrence of coxarthrosis.. <i>Scandinavian Journal of Work, Environment and Health</i> , 1994, 20, 184-188.	3.4	51
496	Nonsteroidal anti-inflammatory drug use in relation to major upper gastrointestinal bleeding. <i>Clinical Pharmacology and Therapeutics</i> , 1993, 53, 485-494.	4.7	123
497	Incidence of Myocardial Infarction and Mortality from Specific Causes among Bus Drivers in Sweden. <i>International Journal of Epidemiology</i> , 1993, 22, 57-61.	1.9	110
498	Sports and osteoarthritis of the hip. <i>American Journal of Sports Medicine</i> , 1993, 21, 195-200.	4.2	176
499	Time Trends in Survival from Myocardial Infarction in Stockholm County 1976-1984. <i>International Journal of Epidemiology</i> , 1992, 21, 1090-1096.	1.9	19
500	Differences in the incidence of myocardial infarction among occupational groups.. <i>Scandinavian Journal of Work, Environment and Health</i> , 1992, 18, 178-185.	3.4	58
501	Self-reported health and well-being amongst night security guards: a comparison with the working population. <i>Ergonomics</i> , 1991, 34, 525-530.	2.1	39
502	Occupation and Osteoarthritis of the Hip and Knee: A Register-Based Cohort Study. <i>International Journal of Epidemiology</i> , 1991, 20, 1025-1031.	1.9	192
503	Coxarthrosis and physical work load.. <i>Scandinavian Journal of Work, Environment and Health</i> , 1991, 17, 104-109.	3.4	75
504	Industry-related urothelial carcinogens: Application of a job-exposure matrix to census data. <i>American Journal of Industrial Medicine</i> , 1989, 16, 209-224.	2.1	44

#	ARTICLE	IF	CITATIONS
505	RE: "BINOMIAL REGRESSION IN GLIM: ESTIMATING RISK RATIOS AND RISK DIFFERENCES" American Journal of Epidemiology, 1987, 125, 925-925.	3.4	1
506	IN-UTERO EXPOSURE TO BENZODIAZEPINES. Lancet, The, 1987, 329, 627-628.	13.7	15
507	Type of Occupation and Near-Future Hospitalization for Myocardial Infarction and Some Other Diagnoses. International Journal of Epidemiology, 1985, 14, 378-388.	1.9	238
508	Job characteristics of occupations and myocardial infarction risk: Effect of possible confounding factors. Social Science and Medicine, 1983, 17, 1497-1503.	3.8	65
509	Incidence of Myocardial Infarction among Male Finnish Immigrants in Relation to Length of Stay in Sweden. International Journal of Epidemiology, 1982, 11, 225-228.	1.9	29
510	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. F1000Research, 0, 2, 233.	1.6	1