

Sarah Faubel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7989330/publications.pdf>

Version: 2024-02-01

76
papers

5,058
citations

94433

37
h-index

91884

69
g-index

77
all docs

77
docs citations

77
times ranked

6109
citing authors

#	ARTICLE	IF	CITATIONS
1	Creatinine elevations from baseline at the time of cardiac surgery are associated with postoperative complications. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 163, 1378-1387.	0.8	8
2	Platelet Decreases following Continuous Renal Replacement Therapy Initiation as a Novel Risk Factor for Renal Nonrecovery. <i>Blood Purification</i> , 2022, 51, 559-566.	1.8	2
3	Female and male mice have differential longterm cardiorenal outcomes following a matched degree of ischemiaâ€“reperfusion acute kidney injury. <i>Scientific Reports</i> , 2022, 12, 643.	3.3	18
4	Experimental models of acute kidney injury for translational research. <i>Nature Reviews Nephrology</i> , 2022, 18, 277-293.	9.6	32
5	Stage 1 acute kidney injury is independently associated with infection following cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 161, 1346-1355.e3.	0.8	29
6	Acute Kidney Injury Results in Long-Term Diastolic Dysfunction That Is Prevented by Histone Deacetylase Inhibition. <i>JACC Basic To Translational Science</i> , 2021, 6, 119-133.	4.1	17
7	Acute Kidney Injury and Acute Respiratory Distress Syndrome. <i>Critical Care Clinics</i> , 2021, 37, 835-849.	2.6	20
8	The Association of Platelet Decrease Following Continuous Renal Replacement Therapy Initiation and Increased Rates of Secondary Infections. <i>Critical Care Medicine</i> , 2021, 49, e130-e139.	0.9	8
9	Current Status of Novel Biomarkers for the Diagnosis of Acute Kidney Injury: A Historical Perspective. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 415-424.	2.8	23
10	Thrombocytopenia After Cardiopulmonary Bypass Is Associated With Increased Morbidity and Mortality. <i>Annals of Thoracic Surgery</i> , 2020, 110, 50-57.	1.3	31
11	IL-6-mediated hepatocyte production is the primary source of plasma and urine neutrophil gelatinaseâ€“associated lipocalin during acute kidney injury. <i>Kidney International</i> , 2020, 97, 966-979.	5.2	40
12	Postoperative Complications Are Not Elevated in Well-Compensated ESRD Patients Undergoing Cardiac Surgery: End-Stage Renal Disease Cardiac Surgery Outcomes. <i>Journal of Surgical Research</i> , 2020, 247, 136-143.	1.6	3
13	The author replies. <i>Kidney International</i> , 2020, 97, 1301-1302.	5.2	0
14	Infection Post-AKI: Should We Worry?. <i>Nephron</i> , 2020, 144, 673-676.	1.8	9
15	Effects of hyperchloremia on renal recovery in critically ill children with acute kidney injury. <i>Pediatric Nephrology</i> , 2020, 35, 1331-1339.	1.7	16
16	SuPAR: a potential predictive biomarker for acute kidney injury. <i>Nature Reviews Nephrology</i> , 2020, 16, 375-376.	9.6	8
17	Continuous Renal Replacement Therapy Dosing in Critically Ill Patients: A Quality Improvement Initiative. <i>American Journal of Kidney Diseases</i> , 2019, 74, 727-735.	1.9	20
18	Metabolomics assessment reveals oxidative stress and altered energy production in the heart after ischemic acute kidney injury in mice. <i>Kidney International</i> , 2019, 95, 590-610.	5.2	61

#	ARTICLE	IF	CITATIONS
19	Incident infection following acute kidney injury with recovery to baseline creatinine: A propensity score matched analysis. <i>PLoS ONE</i> , 2019, 14, e0217935.	2.5	17
20	Matching Human Unilateral AKI, a Reverse Translational Approach to Investigate Kidney Recovery after Ischemia. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 990-1005.	6.1	30
21	Biomarkers of Drug-Induced Kidney Toxicity. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 213-226.	2.0	156
22	Effects of Baseline Thrombocytopenia and Platelet Decrease Following Renal Replacement Therapy Initiation in Patients With Severe Acute Kidney Injury*. <i>Critical Care Medicine</i> , 2019, 47, e325-e331.	0.9	15
23	Pulmonary Consequences of Acute Kidney Injury. <i>Seminars in Nephrology</i> , 2019, 39, 3-16.	1.6	37
24	Hyperchloremia is independently associated with mortality in critically ill children who ultimately require continuous renal replacement therapy. <i>Pediatric Nephrology</i> , 2018, 33, 1079-1085.	1.7	26
25	Acute kidney injury is associated with subsequent infection in neonates after the Norwood procedure: a retrospective chart review. <i>Pediatric Nephrology</i> , 2018, 33, 1235-1242.	1.7	28
26	Acute Kidney Injury Biomarkers Predict an Increase in Serum Milrinone Concentration Earlier Than Serum Creatinine—Defined Acute Kidney Injury in Infants After Cardiac Surgery. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 186-194.	2.0	17
27	Fluid Management With Peritoneal Dialysis After Pediatric Cardiac Surgery. <i>World Journal for Pediatric & Congenital Heart Surgery</i> , 2018, 9, 696-704.	0.8	18
28	Increase in chloride from baseline is independently associated with mortality in critically ill children. <i>Intensive Care Medicine</i> , 2018, 44, 2183-2191.	8.2	35
29	Acute Kidney Injury Defined by Fluid Corrected Creatinine in Neonates After the Norwood Procedure. <i>World Journal for Pediatric & Congenital Heart Surgery</i> , 2018, 9, 513-521.	0.8	27
30	Circulating IL-6 upregulates IL-10 production in splenic CD4+ T cells and limits acute kidney injury—induced lung inflammation. <i>Kidney International</i> , 2017, 91, 1057-1069.	5.2	43
31	A model-specific role of microRNA-223 as a mediator of kidney injury during experimental sepsis. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F553-F559.	2.7	34
32	Kinetics of the cell cycle arrest biomarkers (TIMP-2*IGFBP-7) for prediction of acute kidney injury in infants after cardiac surgery. <i>Pediatric Nephrology</i> , 2017, 32, 1611-1619.	1.7	50
33	Early peritoneal dialysis reduces lung inflammation in mice with ischemic acute kidney injury. <i>Kidney International</i> , 2017, 92, 365-376.	5.2	17
34	Optimal Role of the Nephrologist in the Intensive Care Unit. <i>Blood Purification</i> , 2017, 43, 68-77.	1.8	31
35	Delivery of interleukin-10 via injectable hydrogels improves renal outcomes and reduces systemic inflammation following ischemic acute kidney injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F362-F372.	2.7	50
36	Clinical Use of the Urine Biomarker [TIMP-2]— [IGFBP7] for Acute Kidney Injury Risk Assessment. <i>American Journal of Kidney Diseases</i> , 2016, 68, 19-28.	1.9	172

#	ARTICLE	IF	CITATIONS
37	Mechanisms and mediators of lung injury after acute kidney injury. <i>Nature Reviews Nephrology</i> , 2016, 12, 48-60.	9.6	148
38	Shank2 Regulates Renal Albumin Endocytosis. <i>Physiological Reports</i> , 2015, 3, e12510.	1.7	10
39	A pan caspase inhibitor decreases caspase-1, IL-1 β and IL-1 γ , and protects against necrosis of cisplatin-treated freshly isolated proximal tubules. <i>Renal Failure</i> , 2015, 37, 144-150.	2.1	16
40	Promoting Kidney Function Recovery in Patients with AKI Requiring RRT. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1859-1867.	4.5	98
41	Local immunotherapy via delivery of interleukin-10 and transforming growth factor β 2 antagonist for treatment of chronic kidney disease. <i>Journal of Controlled Release</i> , 2015, 206, 131-139.	9.9	60
42	Outpatient Dialysis for Patients with AKI. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1868-1874.	4.5	24
43	Bridging Translation by Improving Preclinical Study Design in AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2905-2916.	6.1	90
44	Preparing for Renal Replacement Therapy in Patients with the Ebola Virus Disease. <i>Blood Purification</i> , 2014, 38, 276-285.	1.8	9
45	Prolonged acute kidney injury exacerbates lung inflammation at 7 days post-acute kidney injury. <i>Physiological Reports</i> , 2014, 2, e12084.	1.7	33
46	Dual Therapy Difficulties in Angiotensin Blockade for Proteinuria. <i>JAMA Internal Medicine</i> , 2014, 174, 1429.	5.1	1
47	Renal Relevant Radiology. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 382-394.	4.5	95
48	The Daily Burden of Acute Kidney Injury: A Survey of US Nephrologists on World Kidney Day. <i>American Journal of Kidney Diseases</i> , 2014, 64, 394-401.	1.9	56
49	Have We Reached the Limit of Mortality Benefit With Our Approach to Renal Replacement Therapy in Acute Kidney Injury?. <i>American Journal of Kidney Diseases</i> , 2013, 62, 1030-1033.	1.9	2
50	AKI Transition of Care. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 476-483.	4.5	181
51	Heparanase mediates renal dysfunction during early sepsis in mice. <i>Physiological Reports</i> , 2013, 1, e00153.	1.7	61
52	Endocytosis of Albumin by Podocytes Elicits an Inflammatory Response and Induces Apoptotic Cell Death. <i>PLoS ONE</i> , 2013, 8, e54817.	2.5	70
53	Intratracheal IL-6 Protects against Lung Inflammation in Direct, but Not Indirect, Causes of Acute Lung Injury in Mice. <i>PLoS ONE</i> , 2013, 8, e61405.	2.5	65
54	Acute Lung Injury and Acute Kidney Injury Are Established by Four Hours in Experimental Sepsis and Are Improved with Pre, but Not Post, Sepsis Administration of TNF α Antibodies. <i>PLoS ONE</i> , 2013, 8, e79037.	2.5	76

#	ARTICLE	IF	CITATIONS
55	Ongoing Clinical Trials in AKI. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 861-873.	4.5	76
56	Depletion of Macrophages and Dendritic Cells in Ischemic Acute Kidney Injury. <i>American Journal of Nephrology</i> , 2012, 35, 181-190.	3.1	50
57	Cytokine production increases and cytokine clearance decreases in mice with bilateral nephrectomy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 4339-4347.	0.7	82
58	Complement activation and toll-like receptor-2 signaling contribute to cytokine production after renal ischemia/reperfusion. <i>Molecular Immunology</i> , 2012, 52, 249-257.	2.2	39
59	In Critically Ill Patients Requiring CRRT, AKI Is Associated with Increased Respiratory Failure and Death Versus ESRD. <i>Renal Failure</i> , 2011, 33, 935-942.	2.1	37
60	Apoptosis and Autophagy in Cold Preservation Ischemia. <i>Transplantation</i> , 2011, 91, 1192-1197.	1.0	43
61	IL-33 Exacerbates Acute Kidney Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 2057-2067.	6.1	128
62	Serum Interleukin-6 and interleukin-8 are early biomarkers of acute kidney injury and predict prolonged mechanical ventilation in children undergoing cardiac surgery: a case-control study. <i>Critical Care</i> , 2009, 13, R104.	5.8	182
63	Interleukin-6 mediates lung injury following ischemic acute kidney injury or bilateral nephrectomy. <i>Kidney International</i> , 2008, 74, 901-909.	5.2	225
64	Pulmonary Complications After Acute Kidney Injury. <i>Advances in Chronic Kidney Disease</i> , 2008, 15, 284-296.	1.4	86
65	Increased Macrophage Infiltration and Fractalkine Expression in Cisplatin-Induced Acute Renal Failure in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 324, 111-117.	2.5	97
66	Acute Renal Failure after Bilateral Nephrectomy Is Associated with Cytokine-Mediated Pulmonary Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 155-164.	6.1	256
67	Proximal tubules from caspase-1-deficient mice are protected against hypoxia-induced membrane injury. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1052-1061.	0.7	37
68	Cisplatin-Induced Acute Renal Failure Is Associated with an Increase in the Cytokines Interleukin (IL)-1 β , IL-18, IL-6, and Neutrophil Infiltration in the Kidney. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 322, 8-15.	2.5	364
69	Ischemic Acute Renal Failure following Nephrectomy Impairs Long-Term Renal Function. <i>Transplantation</i> , 2006, 81, 800-803.	1.0	4
70	Peripheral CD4 T-Cell Depletion Is Not Sufficient to Prevent Ischemic Acute Renal Failure. <i>Transplantation</i> , 2005, 80, 643-649.	1.0	49
71	Pathways of caspase-mediated apoptosis in autosomal-dominant polycystic kidney disease (ADPKD). <i>Kidney International</i> , 2005, 67, 909-919.	5.2	31
72	Caspase inhibition reduces tubular apoptosis and proliferation and slows disease progression in polycystic kidney disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6954-6959.	7.1	101

#	ARTICLE	IF	CITATIONS
73	Caspase-1-deficient mice are protected against cisplatin-induced apoptosis and acute tubular necrosis. <i>Kidney International</i> , 2004, 66, 2202-2213.	5.2	168
74	Caspase Inhibition Prevents the Increase in Caspase-3, -2, -8 and -9 Activity and Apoptosis in the Cold Ischemic Mouse Kidney. <i>American Journal of Transplantation</i> , 2004, 4, 1246-1254.	4.7	63
75	Urinary interleukin-18 is a marker of human acute tubular necrosis. <i>American Journal of Kidney Diseases</i> , 2004, 43, 405-414.	1.9	462
76	Neutrophil-independent mechanisms of caspase-1 and IL-18-mediated ischemic acute tubular necrosis in mice. <i>Journal of Clinical Investigation</i> , 2002, 110, 1083-1091.	8.2	186