

Elisabete Moreira Assaf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7994023/publications.pdf>

Version: 2024-02-01

121
papers

4,653
citations

66343

42
h-index

114465

63
g-index

122
all docs

122
docs citations

122
times ranked

4081
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of operating parameters on H ₂ /CO ₂ conversion to methanol over Cu-Zn oxide supported on ZrO ₂ polymorph catalysts: Characterization and kinetics. <i>Chemical Engineering Journal</i> , 2022, 427, 130947.	12.7	29
2	Insights into the alloy-support synergistic effects for the CO ₂ hydrogenation towards methanol on oxide-supported Ni ₅ Ga ₃ catalysts: An experimental and DFT study. <i>Applied Catalysis B: Environmental</i> , 2022, 302, 120842.	20.2	29
3	Production of light hydrocarbons at atmospheric pressure from CO ₂ hydrogenation using CexZr(1-x)O ₂ iron-based catalysts. <i>Journal of CO₂ Utilization</i> , 2022, 55, 101805.	6.8	5
4	Syngas production by methane tri-reforming: Effect of Ni/CeO ₂ synthesis method on oxygen vacancies and coke formation. <i>Journal of CO₂ Utilization</i> , 2022, 56, 101853.	6.8	20
5	Ethanol Steam Reforming by Ni Catalysts for H ₂ Production: Evaluation of Gd Effect in CeO ₂ Support. <i>Catalysis Letters</i> , 2022, 152, 3125-3145.	2.6	9
6	Catalysts applied in biogas reforming: phases behavior study during the H ₂ reduction and dry reforming by in situ X-ray diffraction. <i>Brazilian Journal of Chemical Engineering</i> , 2022, 39, 645-659.	1.3	1
7	Promoting effects of indium doped Cu/CeO ₂ catalysts on CO ₂ hydrogenation to methanol. <i>Reaction Chemistry and Engineering</i> , 2022, 7, 1589-1602.	3.7	14
8	Synthesis-Gas Production from Methane over Ni/CeO ₂ Catalysts Synthesized by Co-Precipitation Method in Different Solvents. <i>Methane</i> , 2022, 1, 72-81.	2.2	2
9	Influence of Al, Cr, Ga, or Zr as promoters on the performance of Cu/ZnO catalyst for CO ₂ hydrogenation to methanol. <i>Molecular Catalysis</i> , 2022, 528, 112512.	2.0	2
10	Active copper species of co-precipitated copper-ceria catalysts in the CO-PROX reaction: An in situ XANES and DRIFTS study. <i>Catalysis Today</i> , 2021, 381, 42-49.	4.4	24
11	Low-pressure hydrogenation of CO ₂ to methanol over Ni-Ga alloys synthesized by a surfactant-assisted co-precipitation method and a proposed mechanism by DRIFTS analysis. <i>Catalysis Today</i> , 2021, 381, 261-271.	4.4	17
12	Effect of Mg substitution on La _{1-x} Mg _x O ₃ catalysts for improving the C ₂ selectivity of the oxidative coupling of methane. <i>Catalysis Science and Technology</i> , 2021, 11, 283-296.	4.1	20
13	Overall Insights into Sustainable Utilization of Methane and Carbon Dioxide in Heterogeneous Catalysis. <i>Engineering Materials</i> , 2021, , 237-270.	0.6	0
14	Exploiting oxidative coupling of methane performed over La ₂ (Ce _{1-x} Mg _x) ₂ O ₇ catalysts with disordered defective cubic fluorite structure. <i>Catalysis Science and Technology</i> , 2021, 11, 4471-4481.	4.1	11
15	Statistical modeling applied to the oxidative coupling of methane reaction over porous (SrxLa1-x)CeO mixed oxides for optimization of C ₂ yield, C ₂ selectivity, and C ₂ H ₄ selectivity. <i>Chemical Engineering Journal Advances</i> , 2021, 7, 100119.	5.2	2
16	Effect of the Synthesis Method on Physicochemical Properties and Performance of Cu/ZnO/Nb ₂ O ₅ Catalysts for CO ₂ Hydrogenation to Methanol. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 18750-18758.	3.7	10
17	Cu-Modified SrTiO ₃ Perovskites Toward Enhanced Water-Gas Shift Catalysis: A Combined Experimental and Computational Study. <i>ACS Applied Energy Materials</i> , 2021, 4, 452-461.	5.1	15
18	CeO ₂ -Nb ₂ O ₅ photocatalysts for degradation of organic pollutants in water. <i>Rare Metals</i> , 2020, 39, 230-240.	7.1	49

#	ARTICLE	IF	CITATIONS
19	Structural transformation of vanadate nanotubes into vanadate oxides nanostructures during the dry reforming of methane. <i>Molecular Catalysis</i> , 2020, 480, 110641.	2.0	6
20	Stabilization of atomically dispersed rhodium sites on ceria-based supports under reaction conditions probed by in situ infrared spectroscopy. <i>Materials Letters</i> , 2020, 277, 128354.	2.6	7
21	Adjusting Process Variables in Methane Tri-reforming to Achieve Suitable Syngas Quality and Low Coke Deposition. <i>Energy & Fuels</i> , 2020, 34, 16522-16531.	5.1	16
22	Insights into the methanol synthesis mechanism via CO ₂ hydrogenation over Cu-ZnO-ZrO ₂ catalysts: Effects of surfactant/Cu-Zn-Zr molar ratio. <i>Journal of CO₂ Utilization</i> , 2020, 41, 101215.	6.8	51
23	Methane tri-reforming for synthesis gas production using Ni/CeZrO ₂ /MgAl ₂ O ₄ catalysts: Effect of Zr/Ce molar ratio. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 8418-8432.	7.1	31
24	Effect of preparation method on the performance of Ni/MgO SiO ₂ catalysts for glycerol steam reforming. <i>Journal of the Energy Institute</i> , 2019, 92, 947-958.	5.3	18
25	Ni/CaO-SiO ₂ catalysts for assessment in steam reforming reaction of acetol. <i>Fuel</i> , 2019, 254, 115592.	6.4	10
26	Photocatalytic activity of Nb heterostructure (NaNbO ₃ /Na ₂ Nb ₄ O ₁₁) and Nb/clay materials in the degradation of organic compounds. <i>Solar Energy</i> , 2019, 194, 37-46.	6.1	16
27	Surface interaction of CO ₂ /H ₂ mixture on mesoporous ZrO ₂ : Effect of crystalline polymorph phases. <i>Applied Surface Science</i> , 2019, 496, 143671.	6.1	19
28	X-ZrO ₂ addition (X= Ce, La, Y and Sm) on Ni/MgAl ₂ O ₄ applied to methane tri-reforming for syngas production. <i>Journal of CO₂ Utilization</i> , 2019, 33, 273-283.	6.8	28
29	New insights about the effect of the synthesis method on the CuO CeO ₂ redox properties and catalytic performance towards CO-PROX reaction for fuel cell applications. <i>Journal of Environmental Management</i> , 2019, 242, 272-278.	7.8	19
30	Effect of ionic liquid in Ni/ZrO ₂ catalysts applied to syngas production by methane tri-reforming. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 9316-9327.	7.1	44
31	Syngas for Fischer-Tropsch synthesis by methane tri-reforming using nickel supported on MgAl ₂ O ₄ promoted with Zr, Ce and Ce-Zr. <i>Applied Surface Science</i> , 2019, 481, 747-760.	6.1	36
32	Study of Ni/CeO ₂ –ZnO catalysts in the production of H ₂ from acetone steam reforming. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 12628-12635.	7.1	10
33	Synthesis of Novel Catalytic Materials: Titania Nanotubes and Transition Metal Carbides, Nitrides, and Sulfides. , 2019, , 13-40.		2
34	Biogas reforming over Ni catalysts dispersed in different mixed oxides containing Zn ²⁺ , Al ³⁺ and Zr ⁴⁺ cations. <i>Materials Research Bulletin</i> , 2018, 102, 186-195.	5.2	10
35	NiMgAlCe Catalysts Applied to Reforming of a Model Biogas for Syngas Production. <i>Catalysis Letters</i> , 2018, 148, 979-991.	2.6	10
36	CuFe and CuCo supported on pillared clay as catalysts for CO ₂ hydrogenation into value-added products in one-step. <i>Molecular Catalysis</i> , 2018, 458, 297-306.	2.0	32

#	ARTICLE	IF	CITATIONS
37	Synthesis of NiO/Y ₂ O ₃ /ZrO ₂ Catalysts Prepared by One-Step Polymerization Method and Their Use in the Syngas Production from Methane. <i>International Journal of Chemical Engineering</i> , 2018, 2018, 1-11.	2.4	2
38	Influence of the preparation method on the structural properties of mixed metal oxides. <i>Science and Technology of Materials</i> , 2018, 30, 166-173.	0.8	4
39	Structural, vibrational and morphological properties of layered double hydroxides containing Ni ²⁺ , Zn ²⁺ , Al ³⁺ and Zr ⁴⁺ cations. <i>Materials Characterization</i> , 2017, 125, 29-36.	4.4	22
40	Hexagonal-Nb ₂ O ₅ /Anatase-TiO ₂ mixtures and their applications in the removal of Methylene Blue dye under various conditions. <i>Materials Chemistry and Physics</i> , 2017, 198, 331-340.	4.0	37
41	Influence of MgO content as an additive on the performance of Ni/MgO SiO ₂ catalysts for the steam reforming of glycerol. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 16979-16990.	7.1	32
42	Renewable hydrogen from glycerol reforming over nickel aluminate-based catalysts. <i>Catalysis Today</i> , 2017, 289, 96-104.	4.4	48
43	Catalytic hydrogenation of CO ₂ into methanol and dimethyl ether over Cu-X/V-Al PILC (X = Ce and Nb) catalysts. <i>Catalysis Today</i> , 2017, 289, 173-180.	4.4	18
44	Hydrotalcites derived catalysts for syngas production from biogas reforming: Effect of nickel and cerium load. <i>Catalysis Today</i> , 2017, 289, 78-88.	4.4	31
45	OXIDATIVE-REFORMING OF METHANE AND PARTIAL OXIDATION OF METHANE REACTIONS OVER NiO/PrO ₂ /ZrO ₂ CATALYSTS: EFFECT OF NICKEL CONTENT. <i>Brazilian Journal of Chemical Engineering</i> , 2016, 33, 627-636.	1.3	12
46	Effect of the active metal on the catalytic activity of the titanate nanotubes for dry reforming of methane. <i>Chemical Engineering Journal</i> , 2016, 290, 438-453.	12.7	38
47	Alternative route for the synthesis of high surface-area γ -Al ₂ O ₃ /Nb ₂ O ₅ catalyst from aluminum waste. <i>Materials Chemistry and Physics</i> , 2016, 184, 23-30.	4.0	8
48	Methanol to C ₂ and C ₄ fuels over (Nb/Al)-pillared clay catalysts. <i>RSC Advances</i> , 2016, 6, 27915-27921.	3.6	3
49	In situ study of copper reduction in SrTi _{1-x} Cu _x O ₃ nanoparticles. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 2070-2079.	2.8	14
50	Bio-ethanol steam reforming for hydrogen production over Co ₃ O ₄ /CeO ₂ catalysts synthesized by one-step polymerization method. <i>Fuel Processing Technology</i> , 2016, 142, 182-191.	7.2	75
51	Cu and Ni Catalysts Supported on γ -Al ₂ O ₃ and SiO ₂ Assessed in Glycerol Steam Reforming Reaction. <i>Journal of the Brazilian Chemical Society</i> , 2014, , .	0.6	5
52	Nanosized Pt-containing Al ₂ O ₃ as an efficient catalyst to avoid coking and sintering in steam reforming of glycerol. <i>RSC Advances</i> , 2014, 4, 61771-61780.	3.6	18
53	Catalytic features of Ni supported on CeO ₂ -ZrO ₂ solid solution in the steam reforming of glycerol for syngas production. <i>RSC Advances</i> , 2014, 4, 31142.	3.6	33
54	Effects of adding basic oxides of La and/or Ce to SiO ₂ -supported Co catalysts for ethanol steam reforming. <i>RSC Advances</i> , 2014, 4, 43839-43849.	3.6	19

#	ARTICLE	IF	CITATIONS
55	Dry reforming of ethanol over supported Ni catalysts prepared by impregnation with methanolic solution. <i>Fuel Processing Technology</i> , 2014, 128, 432-440.	7.2	52
56	Oxidative-reforming of model biogas over NiO/Al ₂ O ₃ catalysts: The influence of the variation of support synthesis conditions. <i>Applied Surface Science</i> , 2014, 317, 350-359.	6.1	20
57	Hydrogen production by steam reforming of ethanol over Co ₃ O ₄ /La ₂ O ₃ /CeO ₂ catalysts synthesized by one-step polymerization method. <i>Applied Catalysis A: General</i> , 2014, 483, 52-62.	4.3	35
58	Hydrogen production from oxidative reforming of methane on Ni/γ-Al ₂ O ₃ catalysts: Effect of support promotion with La, La-Ce and La-Zr. <i>Fuel Processing Technology</i> , 2014, 127, 97-104.	7.2	23
59	Study of Co/CeO ₂ -γ-Al ₂ O ₃ catalysts for steam and oxidative reforming of ethanol for hydrogen production. <i>Fuel Processing Technology</i> , 2014, 128, 134-145.	7.2	43
60	Reforming of a model sulfur-free biogas on Ni catalysts supported on Mg(Al)O derived from hydrotalcite precursors: Effect of La and Rh addition. <i>Biomass and Bioenergy</i> , 2014, 60, 8-17.	5.7	48
61	Catalytic steam reforming of acetic acid as a model compound of bio-oil. <i>Applied Catalysis B: Environmental</i> , 2014, 160-161, 188-199.	20.2	79
62	Ni/La ₂ O ₃ -SiO ₂ Catalysts Applied to Glycerol Steam Reforming Reaction: Effect of the Preparation Method and Reaction Temperature. <i>Journal of the Brazilian Chemical Society</i> , 2014, . .	0.6	2
63	Oxidative reforming of model biogas over NiO-γ ₂ O ₃ -ZrO ₂ catalysts. <i>Applied Catalysis B: Environmental</i> , 2013, 132-133, 1-12.	20.2	54
64	Ni and Co catalysts supported on alumina applied to steam reforming of acetic acid: Representative compound for the aqueous phase of bio-oil derived from biomass. <i>Catalysis Today</i> , 2013, 213, 2-8.	4.4	54
65	Performance of cobalt catalysts supported on CexZr1-xO ₂ (0< x < 1) solid solutions in oxidative ethanol reforming. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2013, 109, 181-197.	1.7	8
66	Catalytic oxidation of n-hexane promoted by Ce _{1-x} Cu _x O ₂ catalysts prepared by one-step polymeric precursor method. <i>Materials Chemistry and Physics</i> , 2013, 142, 677-681.	4.0	8
67	Dry reforming of methane on Ni-Mg-Al nano-spheroid oxide catalysts prepared by the sol-gel method from hydrotalcite-like precursors. <i>Applied Surface Science</i> , 2013, 280, 876-887.	6.1	112
68	Hydrogen production and purification from the water-gas shift reaction on CuO/CeO ₂ -TiO ₂ catalysts. <i>Applied Energy</i> , 2013, 112, 52-59.	10.1	45
69	Effect of CaO addition on acid properties of Ni-Ca/Al ₂ O ₃ catalysts applied to ethanol steam reforming. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 4407-4417.	7.1	88
70	Enzymatic Esterification of Oleic Acid with Aliphatic Alcohols for the Biodiesel Production by <i>Candida antarctica</i> Lipase. <i>Catalysis Letters</i> , 2013, 143, 863-872.	2.6	51
71	Ni supported on La ₂ O ₃ -SiO ₂ used to catalyze glycerol steam reforming. <i>Fuel</i> , 2013, 105, 358-363.	6.4	64
72	Combination of dry reforming and partial oxidation of methane on NiO-MgO-ZrO ₂ catalyst: Effect of nickel content. <i>Fuel Processing Technology</i> , 2013, 106, 247-252.	7.2	136

#	ARTICLE	IF	CITATIONS
73	Biocatalytic Production of Ethyl Esters (Biodiesel) by Enzymatic Transesterification from Synthetic Triolein. <i>Current Catalysis</i> , 2013, 2, 53-61.	0.5	12
74	Study of CuO/CeO ₂ catalyst with for preferential CO oxidation reaction in hydrogen-rich feed (PROX-CO). <i>Applied Catalysis A: General</i> , 2012, 431-432, 25-32.	4.3	37
75	Efeito da adição de lantânio em catalisadores de Ni/ZrO ₂ aplicados na reação de reforma a vapor de etanol. <i>Química Nova</i> , 2012, 35, 510-516.	0.3	1
76	Partial oxidation of methane on NiO-MgO-ZrO ₂ catalysts. <i>Fuel</i> , 2012, 97, 630-637.	6.4	47
77	Reforming of a model biogas on Ni and Rh-Ni catalysts: Effect of adding La. <i>Fuel Processing Technology</i> , 2012, 102, 124-131.	7.2	56
78	Ni catalyst on mixed support of CeO ₂ -ZrO ₂ and Al ₂ O ₃ : Effect of composition of CeO ₂ -ZrO ₂ solid solution on the methane steam reforming reaction. <i>Fuel Processing Technology</i> , 2012, 102, 140-145.	7.2	53
79	Ethanol steam reforming over rhodium and cobalt-based catalysts: Effect of the support. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 3213-3224.	7.1	54
80	Study of La _{2-x} CaxCuO ₄ perovskites for the low temperature water gas shift reaction. <i>Applied Catalysis A: General</i> , 2012, 413-414, 85-93.	4.3	22
81	Steam reforming of ethanol for hydrogen production on Co/CeO ₂ -ZrO ₂ catalysts prepared by polymerization method. <i>Materials Chemistry and Physics</i> , 2012, 132, 1029-1034.	4.0	17
82	CO preferential oxidation (CO-PROx) on La _{1-x} CexNiO ₃ perovskites. <i>Catalysis Communications</i> , 2011, 12, 703-706.	3.3	18
83	Cobalt catalysts derived from hydrotalcite-type precursors applied to steam reforming of ethanol. <i>Catalysis Communications</i> , 2011, 12, 1286-1290.	3.3	13
84	Study of Water-Gas-Shift Reaction over La _{1-y} Sr _y Ni _x Co _(1-x) O ₃ Perovskite as Precursors. <i>Topics in Catalysis</i> , 2011, 54, 210-218.	2.8	14
85	Hydrogen purification for fuel cell using CuO/CeO ₂ -Al ₂ O ₃ catalyst. <i>Journal of Power Sources</i> , 2011, 196, 747-753.	7.8	31
86	Catalytic ethanolysis of soybean oil with immobilized lipase from <i>Candida antarctica</i> and ¹ H NMR and GC quantification of the ethyl esters (biodiesel) produced. <i>Applied Catalysis A: General</i> , 2011, 392, 136-142.	4.3	48
87	Synthesis of NiO-MgO-ZrO ₂ catalysts and their performance in reforming of model biogas. <i>Applied Catalysis A: General</i> , 2011, 397, 138-144.	4.3	70
88	Co catalysts supported on SiO ₂ and γ-Al ₂ O ₃ applied to ethanol steam reforming: Effect of the solvent used in the catalyst preparation method. <i>Fuel</i> , 2011, 90, 1424-1430.	6.4	48
89	Methane conversion reactions on Ni catalysts promoted with Rh: Influence of support. <i>Applied Catalysis A: General</i> , 2011, 400, 156-165.	4.3	74
90	Effects of the partial replacement of La by M (M=Ce, Ca and Sr) in La _{2-x} M _x CuO ₄ perovskites on catalysis of the water-gas shift reaction. <i>Journal of Natural Gas Chemistry</i> , 2010, 19, 567-574.	1.8	12

#	ARTICLE	IF	CITATIONS
91	Effects of adding La and Ce to hydrotalcite-type Ni/Mg/Al catalyst precursors on ethanol steam reforming reactions. <i>Applied Catalysis A: General</i> , 2010, 388, 77-85.	4.3	66
92	CuO and CuOâ€“ZnO catalysts supported on CeO2 and CeO2â€“LaO3 for low temperature waterâ€“gas shift reaction. <i>Fuel Processing Technology</i> , 2010, 91, 1438-1445.	7.2	25
93	Ã“xidos do tipo perovskita para reaÃ§Ã£o de reduÃ§Ã£o de no com CO. <i>Quimica Nova</i> , 2009, 32, 1129-1133.	0.3	10
94	La2âˆ“xCe _x Cu1âˆ“yZnyO4 perovskites for high temperature water-gas shift reaction. <i>Journal of Natural Gas Chemistry</i> , 2009, 18, 131-138.	1.8	9
95	Ni catalysts with Mo promoter for methane steam reforming. <i>Fuel</i> , 2009, 88, 1547-1553.	6.4	126
96	Reduction of NO by CO on Cu/ZrO2/Al2O3 catalysts: Characterization and catalytic activities. <i>Fuel</i> , 2009, 88, 1673-1679.	6.4	40
97	Production of hydrogen via steam reforming of biofuels on Ni/CeO2â€“Al2O3 catalysts promoted by noble metals. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 5049-5060.	7.1	173
98	Hydrogen production by steam reforming of ethanol over Ni-based catalysts promoted with noble metals. <i>Journal of Power Sources</i> , 2009, 190, 525-533.	7.8	86
99	Ethanol steam reforming for production of hydrogen on magnesium aluminate-supported cobalt catalysts promoted by noble metals. <i>Applied Catalysis A: General</i> , 2009, 360, 17-25.	4.3	53
100	Carbon dioxide reforming of ethanol over Ni/Y2O3â€“ZrO2 catalysts. <i>Applied Catalysis B: Environmental</i> , 2009, 90, 485-488.	20.2	50
101	Effect of the Y2O3â€“ZrO2 support composition on nickel catalyst evaluated in dry reforming of methane. <i>Applied Catalysis A: General</i> , 2009, 352, 179-187.	4.3	121
102	Effect of adding CaO to ZrO2 support on nickel catalyst activity in dry reforming of methane. <i>Applied Catalysis A: General</i> , 2009, 358, 215-223.	4.3	115
103	Co/Mg/Al hydrotalcite-type precursor, promoted with La and Ce, studied by XPS and applied to methane steam reforming reactions. <i>Applied Surface Science</i> , 2009, 255, 5851-5856.	6.1	73
104	Nickel catalysts supported on ZrO2, Y2O3-stabilized ZrO2 and CaO-stabilized ZrO2 for the steam reforming of ethanol: Effect of the support and nickel load. <i>Journal of Power Sources</i> , 2008, 177, 24-32.	7.8	67
105	Production of hydrogen by ethanol steam reforming on Co/Al2O3 catalysts: Effect of addition of small quantities of noble metals. <i>Journal of Power Sources</i> , 2008, 175, 482-489.	7.8	83
106	Cobalt catalysts promoted with cerium and lanthanum applied to partial oxidation of methane reactions. <i>Applied Catalysis B: Environmental</i> , 2008, 84, 106-111.	20.2	29
107	Co/Al2O3 catalysts promoted with noble metals for production of hydrogen by methane steam reforming. <i>Fuel</i> , 2008, 87, 2076-2081.	6.4	58
108	ProduÃ§Ã£o de hidrogÃªnio a partir da reforma a vapor de etanol utilizando catalisadores Cu/Ni/gama-Al2o3. <i>Quimica Nova</i> , 2007, 30, 339-345.	0.3	14

#	ARTICLE	IF	CITATIONS
109	Nickel catalysts promoted with cerium and lanthanum to reduce carbon formation in partial oxidation of methane reactions. <i>Applied Catalysis A: General</i> , 2007, 333, 90-95.	4.3	78
110	Cobalt catalysts prepared from hydrotalcite precursors and tested in methane steam reforming. <i>Journal of Power Sources</i> , 2006, 159, 667-672.	7.8	70
111	Double bed reactor for the simultaneous steam reforming of ethanol and water gas shift reactions. <i>International Journal of Hydrogen Energy</i> , 2006, 31, 1204-1209.	7.1	38
112	Production of the hydrogen by methane steam reforming over nickel catalysts prepared from hydrotalcite precursors. <i>Journal of Power Sources</i> , 2005, 142, 154-159.	7.8	66
113	Evaluation of the water-gas shift and CO methanation processes for purification of reformat gases and the coupling to a PEM fuel cell system. <i>Journal of Power Sources</i> , 2005, 145, 50-54.	7.8	62
114	Efeito do teor metálico em catalisadores Co/Al ₂ O ₃ aplicados à reação de reforma a vapor de etanol. <i>Quimica Nova</i> , 2005, 28, 587-590.	0.3	10
115	High efficiency steam reforming of ethanol by cobalt-based catalysts. <i>Journal of Power Sources</i> , 2004, 134, 27-32.	7.8	224
116	Mechanism of CO Tolerance on Molybdenum-Based Electrocatalysts for PEMFC. <i>Journal of the Electrochemical Society</i> , 2004, 151, A944.	2.9	60
117	Characterization of the activity and stability of supported cobalt catalysts for the steam reforming of ethanol. <i>Journal of Power Sources</i> , 2003, 124, 99-103.	7.8	207
118	Catalisadores Ni/Al ₂ O ₃ promovidos com molibdênio para a reação de reforma a vapor de metano. <i>Quimica Nova</i> , 2003, 26, 181-187.	0.3	5
119	Preparation and characterization of alumina-supported Co and Ag/Co catalysts. <i>Materials Research</i> , 2003, 6, 535-539.	1.3	17
120	MATHEMATICAL MODELLING OF METHANE STEAM REFORMING IN A MEMBRANE REACTOR: AN ISOTHERMIC MODEL. <i>Brazilian Journal of Chemical Engineering</i> , 1998, 15, 160-166.	1.3	12
121	Thermal runaway of ethylene oxidation reactors: Prevision through neuronal networks. <i>Chemical Engineering Science</i> , 1996, 51, 3107-3112.	3.8	12