

Maowen Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7996617/publications.pdf>

Version: 2024-02-01

165
papers

7,904
citations

50276

46
h-index

62596

80
g-index

171
all docs

171
docs citations

171
times ranked

7672
citing authors

#	ARTICLE	IF	CITATIONS
1	A Superior Low-Cost Cathode for a Na-ion Battery. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1964-1967.	13.8	698
2	Nanosized Metal Phosphides Embedded in Nitrogen-Doped Porous Carbon Nanofibers for Enhanced Hydrogen Evolution at All pH Values. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 1963-1967.	13.8	277
3	Exploration of $K_2Ti_8O_{17}$ as an anode material for potassium-ion batteries. <i>Chemical Communications</i> , 2016, 52, 11274-11276.	4.1	240
4	Honeycomb-Like Spherical Cathode Host Constructed from Hollow Metallic and Polar Co_9S_8 Tubules for Advanced Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1704443.	14.9	236
5	Double-Shelled $NiO@NiCo_2O_4$ Heterostructure@Carbon Hollow Nanocages as an Efficient Sulfur Host for Advanced Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1800709.	19.5	236
6	Investigation of $K_3V_2(PO_4)_3/C$ nanocomposites as high-potential cathode materials for potassium-ion batteries. <i>Chemical Communications</i> , 2017, 53, 1805-1808.	4.1	206
7	Nanocubic $KTi_2(PO_4)_3$ electrodes for potassium-ion batteries. <i>Chemical Communications</i> , 2016, 52, 11661-11664.	4.1	189
8	MXenes for Non-Lithium (Na, K, Ca, Mg, and Al) Batteries and Supercapacitors. <i>Advanced Energy Materials</i> , 2021, 11, 2000681.	19.5	183
9	â€¢Circuit board-like CoS/MXene composite with superior performance for sodium storage. <i>Chemical Engineering Journal</i> , 2019, 357, 220-225.	12.7	143
10	$Na_3V_2O_2(PO_4)_2F$ /graphene sandwich structure for high-performance cathode of a sodium-ion battery. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 13032.	2.8	128
11	Synthesis of SnS nanoparticle-modified MXene (Ti_3C_2Tx) composites for enhanced sodium storage. <i>Journal of Alloys and Compounds</i> , 2018, 732, 448-453.	5.5	121
12	A review on pyrophosphate framework cathode materials for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15006-15025.	10.3	117
13	Assembling Hollow Cobalt Sulfide Nanocages Array on Graphene-like Manganese Dioxide Nanosheets for Superior Electrochemical Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 35040-35047.	8.0	107
14	Selenium Embedded in Metal-Organic Framework Derived Hollow Hierarchical Porous Carbon Spheres for Advanced Lithium-Selenium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 16063-16070.	8.0	106
15	Design and Construction of Sodium Polysulfides Defense System for Room-Temperature Na-S Battery. <i>Advanced Science</i> , 2019, 6, 1901557.	11.2	106
16	Metal chalcogenide hollow polar bipyramid prisms as efficient sulfur hosts for Na-S batteries. <i>Nature Communications</i> , 2020, 11, 5242.	12.8	102
17	A Mini-Review: MXene composites for sodium/potassium-ion batteries. <i>Nanoscale</i> , 2020, 12, 15993-16007.	5.6	102
18	A highly efficient double-hierarchical sulfur host for advanced lithium-sulfur batteries. <i>Chemical Science</i> , 2018, 9, 666-675.	7.4	97

#	ARTICLE	IF	CITATIONS
19	Uniform $\text{Ni}(\text{OH})_2$ hollow spheres constructed from ultrathin nanosheets as efficient polysulfide mediator for long-term lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2017, 8, 202-208.	18.0	93
20	Theoretical and Experimental Study of Vanadium-Based Fluorophosphate Cathodes for Rechargeable Batteries. <i>Chemistry of Materials</i> , 2014, 26, 3089-3097.	6.7	90
21	Exploration of NaVOPO_4 as a cathode for a Na-ion battery. <i>Chemical Communications</i> , 2013, 49, 5280.	4.1	85
22	Self-Supported FeCo_2S_4 Nanotube Arrays as Binder-Free Cathodes for Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 43707-43715.	8.0	75
23	MXene-derivative pompon-like $\text{Na}_2\text{Ti}_3\text{O}_7/\text{C}$ anode material for advanced sodium ion batteries. <i>Chemical Engineering Journal</i> , 2019, 378, 122209.	12.7	75
24	$\text{Na}_{3.12}\text{Fe}_{2.44}(\text{P}_2\text{O}_7)_2$ /multi-walled carbon nanotube composite as a cathode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17224-17229.	10.3	74
25	Solvent-mediated directionally self-assembling MoS_2 nanosheets into a novel worm-like structure and its application in sodium batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9932-9937.	10.3	74
26	A Fe_3N /carbon composite electrocatalyst for effective polysulfides regulation in room-temperature Na-S batteries. <i>Nature Communications</i> , 2021, 12, 6347.	12.8	71
27	Nickel Hollow Spheres Concatenated by Nitrogen-Doped Carbon Fibers for Enhancing Electrochemical Kinetics of Sodium-Sulfur Batteries. <i>Advanced Science</i> , 2020, 7, 1902617.	11.2	70
28	Selenium Encapsulated into Metal-Organic Frameworks Derived N-Doped Porous Carbon Polyhedrons as Cathode for Na-Se Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 41339-41346.	8.0	69
29	TiO_xNy nanoparticles/C composites derived from MXene as anode material for potassium-ion batteries. <i>Chemical Engineering Journal</i> , 2019, 369, 828-833.	12.7	68
30	A chemically bonded CoNiO_2 nanoparticles/MXene composite as anode for sodium-ion batteries. <i>Materials Letters</i> , 2018, 230, 173-176.	2.6	65
31	Low-Operating Temperature, High-Rate and Durable Solid-State Sodium-Ion Battery Based on Polymer Electrolyte and Prussian Blue Cathode. <i>Advanced Energy Materials</i> , 2020, 10, 1903351.	19.5	64
32	2D MXene Materials for Sodium Ion Batteries: A review on Energy Storage. <i>Journal of Energy Storage</i> , 2021, 37, 102478.	8.1	62
33	A railway-like network electrode design for room temperature Na-S battery. <i>Journal of Materials Chemistry A</i> , 2019, 7, 150-156.	10.3	60
34	MoP nanoparticles with a P-rich outermost atomic layer embedded in N-doped porous carbon nanofibers: Self-supported electrodes for efficient hydrogen generation. <i>Nano Research</i> , 2018, 11, 4728-4734.	10.4	59
35	Preparation of $\text{MoS}_2/\text{Ti}_3\text{C}_2\text{T}_x$ composite as anode material with enhanced sodium/lithium storage performance. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 117-125.	6.0	59
36	Rational construction of rGO/ VO_2 nanoflowers as sulfur multifunctional hosts for room temperature Na-S batteries. <i>Chemical Engineering Journal</i> , 2020, 379, 122359.	12.7	59

#	ARTICLE	IF	CITATIONS
37	Synthesis and application of ultra-long $\text{Na}_{0.44}\text{MnO}_2$ submicron slabs as a cathode material for Na-ion batteries. <i>RSC Advances</i> , 2014, 4, 38140-38143.	3.6	57
38	Confined selenium within metal-organic frameworks derived porous carbon microcubes as cathode for rechargeable lithium-selenium batteries. <i>Journal of Power Sources</i> , 2017, 341, 53-59.	7.8	56
39	Investigation of Fe_2N @carbon encapsulated in N-doped graphene-like carbon as a catalyst in sustainable zinc-air batteries. <i>Catalysis Science and Technology</i> , 2017, 7, 5670-5676.	4.1	56
40	Engineering the nanostructure of molybdenum nitride nanodot embedded N-doped porous hollow carbon nanochains for rapid all pH hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14734-14741.	10.3	56
41	Highly Puffed Co_9S_8 /Carbon Nanofibers: A Functionalized S Carrier for Superior Li-S Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 26798-26806.	8.0	55
42	One-Dimensional Integrated MnS @Carbon Nanoreactors Hybrid: An Alternative Anode for Full-Cell Li-ion and Na-ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 27911-27919.	8.0	53
43	Maximizing Energy Storage of Flexible Aqueous Batteries through Decoupling Charge Carriers. <i>Advanced Energy Materials</i> , 2021, 11, 2003982.	19.5	53
44	Porous graphene to encapsulate $\text{Na}_{6.24}\text{Fe}_{4.88}(\text{P}_2\text{O}_7)_4$ as composite cathode materials for Na-ion batteries. <i>Chemical Communications</i> , 2015, 51, 13120-13122.	4.1	51
45	MXene-derived three-dimensional carbon nanotube network encapsulate CoS_2 nanoparticles as an anode material for solid-state sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 3018-3026.	10.3	51
46	Yolk-shell porous carbon spheres@ CoSe_2 nanosheets as multilayer defenses system of polysulfide for advanced Li-S batteries. <i>Chemical Engineering Journal</i> , 2021, 413, 127521.	12.7	49
47	Puzzle-inspired carbon dots coupled with cobalt phosphide for constructing a highly-effective overall water splitting interface. <i>Chemical Communications</i> , 2020, 56, 257-260.	4.1	48
48	Fabrication of WS_2 -nanoflowers@rGO composite as an anode material for enhanced electrode performance in lithium-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2017, 488, 20-25.	9.4	47
49	Rechargeable K-Se batteries based on metal-organic-frameworks-derived porous carbon matrix confined selenium as cathode materials. <i>Journal of Colloid and Interface Science</i> , 2019, 539, 326-331.	9.4	47
50	Detailed investigation of a $\text{NaTi}_2(\text{PO}_4)_3$ anode prepared by pyro-synthesis for Na-ion batteries. <i>RSC Advances</i> , 2016, 6, 45605-45611.	3.6	46
51	Putting Nanoarmors on Yolk-Shell Si@C Nanoparticles: A Reliable Engineering Way To Build Better Si-Based Anodes for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 24157-24163.	8.0	46
52	A rough endoplasmic reticulum-like VSe_2 /rGO anode for superior sodium-ion capacitors. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2935-2943.	6.0	46
53	A Se-hollow porous carbon composite for high-performance rechargeable K-Se batteries. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2118-2125.	6.0	46
54	Construction of a bimetallic nickel-cobalt selenide pompon used as a superior anode material for high performance sodium storage. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 1003-1011.	6.0	46

#	ARTICLE	IF	CITATIONS
55	Design and synthesis of Co@N-C porous catalyst derived from metal organic complexes for highly effective ORR. Dalton Transactions, 2017, 46, 15646-15650.	3.3	44
56	Electrospun graphene-wrapped Na _{6.24} Fe _{4.88} (P ₂ O ₇) ₄ nanofibers as a high-performance cathode for sodium-ion batteries. Physical Chemistry Chemical Physics, 2017, 19, 17270-17277.	2.8	42
57	Self-Supported CdP ₂ @CDs@CoP for High-Performance OER Catalysts. ACS Sustainable Chemistry and Engineering, 2021, 9, 1297-1303.	6.7	42
58	Sodium-Rich Ferric Pyrophosphate Cathode for Stationary Room-Temperature Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2018, 10, 502-508.	8.0	41
59	In Situ Engineering Toward Core Regions: A Smart Way to Make Applicable FeF ₃ @Carbon Nanoreactor Cathodes for Li-Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 17992-18000.	8.0	40
60	Muscle-like electrode design for Li-Te batteries. Energy Storage Materials, 2018, 10, 10-15.	18.0	40
61	Double-walled N-doped carbon@NiCo ₂ S ₄ hollow capsules as SeS ₂ hosts for advanced Li@SeS ₂ batteries. Journal of Materials Chemistry A, 2019, 7, 12276-12282.	10.3	40
62	Nanoporous V-Doped Ni ₅ P ₄ Microsphere: A Highly Efficient Electrocatalyst for Hydrogen Evolution Reaction at All pH. ACS Applied Materials & Interfaces, 2020, 12, 37092-37099.	8.0	40
63	A 3D porous interconnected NaVPO ₄ /F/C network: preparation and performance for Na-ion batteries. RSC Advances, 2015, 5, 40065-40069.	3.6	39
64	Efficient Catalytic Conversion of Polysulfides by Biomimetic Design of @Branch-Leaf@ Electrode for High-Energy Sodium@Sulfur Batteries. Nano-Micro Letters, 2021, 13, 50.	27.0	39
65	Improving the Performance of Hard Carbon//Na ₃ V ₂ O ₇ (PO ₄) ₂ F Sodium-Ion Full Cells by Utilizing the Adsorption Process of Hard Carbon. ACS Applied Materials & Interfaces, 2018, 10, 16581-16587.	8.0	37
66	A highly-effective nitrogen-doped porous carbon sponge electrode for advanced K@Se batteries. Inorganic Chemistry Frontiers, 2020, 7, 1182-1189.	6.0	36
67	An N-doped porous carbon/MXene composite as a sulfur host for lithium@Sulfur batteries. Inorganic Chemistry Frontiers, 2019, 6, 2894-2899.	6.0	35
68	Cobalt nanoparticles embedded into free-standing carbon nanofibers as catalyst for room-temperature sodium-sulfur batteries. Journal of Colloid and Interface Science, 2020, 565, 63-69.	9.4	34
69	Highly Efficient Sodium@Ion Storage Enabled by an rGO@Wrapped FeSe ₂ Composite. ChemSusChem, 2021, 14, 1336-1343.	6.8	34
70	An excellent full sodium-ion capacitor derived from a single Ti-based metal@organic framework. Journal of Materials Chemistry A, 2018, 6, 24860-24868.	10.3	33
71	An MXene-based aerogel with cobalt nanoparticles as an efficient sulfur host for room-temperature Na@S batteries. Inorganic Chemistry Frontiers, 2020, 7, 4396-4403.	6.0	33
72	A Prussian blue analogue as a long-life cathode for liquid-state and solid-state sodium-ion batteries. Inorganic Chemistry Frontiers, 2020, 7, 3938-3944.	6.0	33

#	ARTICLE	IF	CITATIONS
73	Manipulating irreversible phase transition of NaCrO ₂ towards an effective sodium compensation additive for superior sodium-ion full cells. <i>Journal of Colloid and Interface Science</i> , 2019, 553, 524-529.	9.4	32
74	Jackfruit-like electrode design for advanced Na-Se batteries. <i>Journal of Power Sources</i> , 2019, 443, 227245.	7.8	32
75	Carbon-wrapped cobalt nanoparticles on graphene aerogel for solid-state room-temperature sodium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2020, 388, 124210.	12.7	32
76	A Strategy for Polysulfides/Polyselenides Protection Based on Co ₉ S ₈ @SiO ₂ /C Host in Na ₂ SeS ₂ Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2001952.	14.9	32
77	Challenges and prospects of nickel-rich layered oxide cathode material. <i>Journal of Alloys and Compounds</i> , 2022, 909, 164727.	5.5	32
78	Efficient Production of Coaxial Core-Shell MnO@Carbon Nanopipes for Sustainable Electrochemical Energy Storage Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 6288-6296.	6.7	31
79	(001) Facet-Dominated Hierarchically Hollow Na ₂ Ti ₃ O ₇ as a High-Rate Anode Material for Sodium-Ion Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 42197-42205.	8.0	31
80	High-Rate and Long-Life Sodium-Ion Batteries Based on Sponge-like Three-Dimensional Porous Na-Rich Ferric Pyrophosphate Cathode Material. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 5107-5113.	8.0	30
81	Exploration of a calcium-organic framework as an anode material for sodium-ion batteries. <i>Chemical Communications</i> , 2016, 52, 9969-9971.	4.1	29
82	FeF ₃ @Thin Nickel Ammine Nitrate Matrix: Smart Configurations and Applications as Superior Cathodes for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 16240-16247.	8.0	29
83	Rib-like hierarchical porous carbon as reservoir for long-life and high-rate Li-Te batteries. <i>Electrochimica Acta</i> , 2017, 250, 10-15.	5.2	29
84	Synthesis of hollow porous carbon microspheres and their application to room-temperature Na-S batteries. <i>Materials Letters</i> , 2018, 221, 66-69.	2.6	29
85	Facile synthesis of mesoporous NH ₄ V ₄ O ₁₀ nanoflowers with high performance as cathode material for lithium battery. <i>Journal of Materials Science</i> , 2018, 53, 2045-2053.	3.7	28
86	Metal-organic complex derived hierarchical porous carbon as host matrix for rechargeable Na-Se batteries. <i>Electrochimica Acta</i> , 2018, 276, 21-27.	5.2	28
87	Curtailling Carbon Usage with Addition of Functionalized NiFe ₂ O ₄ Quantum Dots: Toward More Practical S Cathodes for Li-S Cells. <i>Nano-Micro Letters</i> , 2020, 12, 145.	27.0	27
88	Low-Barrier, Dendrite-Free, and Stable Na Plating/Stripping Enabled by Gradient Sodiophilic Carbon Skeleton. <i>Advanced Energy Materials</i> , 2021, 11, .	19.5	27
89	Enabling fast-charging selenium-based aqueous batteries via conversion reaction with copper ions. <i>Nature Communications</i> , 2022, 13, 1863.	12.8	27
90	Self-Template Synthesis of Prussian Blue Analogue Hollow Polyhedrons as Superior Sodium Storage Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 37187-37193.	8.0	26

#	ARTICLE	IF	CITATIONS
91	Sulfur encapsulation into yolk-shell Fe ₂ N@nitrogen doped carbon for ambient-temperature sodium-sulfur battery cathode. <i>Chemical Engineering Journal</i> , 2022, 429, 132389.	12.7	26
92	Exploration of Na ₇ Fe _{4.5} (P ₂ O ₇) ₄ as a cathode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16531-16535.	10.3	25
93	Flexible electrode constructed by encapsulating ultrafine VSe ₂ in carbon fiber for quasi-solid-state sodium ion batteries. <i>Journal of Power Sources</i> , 2020, 470, 228438.	7.8	25
94	Enhanced electrochemical performance of Na _{0.5} Ni _{0.25} Mn _{0.75} O ₂ micro-sheets at 3.8 V for Na-ion batteries with nanosized-thin AlF ₃ coating. <i>Nanoscale</i> , 2018, 10, 12625-12630.	5.6	24
95	Facile and Scale Synthesis of Co/N/S-Doped Porous Graphene-Like Carbon Architectures as Electrocatalysts for Sustainable Zinc-Air Battery Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7743-7749.	6.7	24
96	Facile synthesis of Cu ₂ S nanoplates as anode for potassium ion batteries. <i>Materials Letters</i> , 2020, 262, 127048.	2.6	24
97	Multi-step Controllable Catalysis Method for the Defense of Sodium Polysulfide Dissolution in Room-Temperature Na-S Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 11852-11860.	8.0	24
98	A new calcium metal organic frameworks (Ca-MOF) for sodium ion batteries. <i>Materials Letters</i> , 2021, 286, 129264.	2.6	24
99	Creating a rechargeable world. <i>CheM</i> , 2022, 8, 312-318.	11.7	24
100	Pyro-synthesis of a nanostructured NaTi ₂ (PO ₄) ₃ /C with a novel lower voltage plateau for rechargeable sodium-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2016, 474, 88-92.	9.4	23
101	Half-cell and full-cell applications of sodium ion batteries based on carbon-coated Na ₃ Fe _{0.5} V _{1.5} (PO ₄) ₃ nanoparticles cathode. <i>Electrochimica Acta</i> , 2018, 283, 1475-1481.	5.2	23
102	Mass Production of Metallic Fe@Carbon Nanoparticles with Plastic and Rusty Wastes for High-Capacity Anodes of Ni-Fe Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10995-11003.	6.7	23
103	In Situ Packaging FeF _x into Sack-like Carbon Nanoreactors: A Smart Way To Make Soluble Fluorides Applicable to Aqueous Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3874-3882.	8.0	22
104	<i>Aspergillus flavus</i> Conidia-derived Carbon/Sulfur Composite as a Cathode Material for High Performance Lithium-Sulfur Battery. <i>Scientific Reports</i> , 2016, 6, 18739.	3.3	22
105	Porous carbon derived from Sunflower as a host matrix for ultra-stable lithium-selenium battery. <i>Journal of Colloid and Interface Science</i> , 2017, 490, 747-753.	9.4	22
106	Highly efficient Fe-N-C oxygen reduction electrocatalyst engineered by sintering atmosphere. <i>Journal of Power Sources</i> , 2020, 449, 227497.	7.8	22
107	Novel CdFe Bimetallic Complex-Derived Ultrasmall Fe- and N-Codoped Carbon as a Highly Efficient Oxygen Reduction Catalyst. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 21481-21488.	8.0	21
108	Cubic KTi ₂ (PO ₄) ₃ as electrode materials for sodium-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2016, 483, 67-72.	9.4	20

#	ARTICLE	IF	CITATIONS
109	Unearth the understanding of interfacial engineering techniques on nano sulfur cathodes for steady Li ⁺ S cell systems. <i>Journal of Materials Chemistry A</i> , 2020, 8, 11976-11985.	10.3	20
110	Low-operating temperature quasi-solid-state potassium-ion battery based on commercial materials. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 932-939.	9.4	20
111	Smart Magnetic Interaction Promotes Efficient and Green Production of High-Quality Fe ₃ O ₄ @Carbon Nanoactives for Sustainable Aqueous Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 757-765.	6.7	19
112	Template method for fabricating Co and Ni nanoparticles/porous channels carbon for solid-state sodium-sulfur battery. <i>Journal of Colloid and Interface Science</i> , 2020, 578, 710-716.	9.4	19
113	Rapid synthesis of Mn ₃ O ₄ by in-situ redox method and its capacitive performances. <i>Rare Metals</i> , 2011, 30, 81-84.	7.1	18
114	Three-dimensional nanotubes composed of carbon-anchored ultrathin MoS ₂ nanosheets with enhanced lithium storage. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 19792-19797.	2.8	18
115	Reduced graphene oxide and Fe ₂ (MoO ₄) ₃ composite for sodium-ion batteries cathode with improved performance. <i>Journal of Alloys and Compounds</i> , 2016, 674, 392-398.	5.5	18
116	Nitrogen-Doped Carbon as a Host for Tellurium for High-Rate Li ⁺ Te and Na ⁺ Te Batteries. <i>ChemSusChem</i> , 2019, 12, 1196-1202.	6.8	18
117	3D carbon framework-supported FeSe for high-performance potassium ion batteries. <i>Sustainable Energy and Fuels</i> , 2020, 4, 4807-4813.	4.9	18
118	Synthesis of novel book-like K _{0.23} V ₂ O ₅ crystals and their electrochemical behavior in lithium batteries. <i>Chemical Communications</i> , 2015, 51, 15290-15293.	4.1	17
119	Exploration of NbSe ₂ Flakes as Reversible Host Materials for Sodium-Ion and Potassium-Ion Batteries. <i>ChemistrySelect</i> , 2018, 3, 9807-9811.	1.5	17
120	Cathode host engineering for non-lithium (Na, K and Mg) sulfur/selenium batteries: A state-of-the-art review. <i>Nano Materials Science</i> , 2023, 5, 119-140.	8.8	16
121	Evaluation of reduced graphene oxide-supported NiSb ₂ O ₆ nanocomposites for reversible lithium storage. <i>Ceramics International</i> , 2016, 42, 14782-14787.	4.8	15
122	Iodine-Doped Graphene with Opportune Interlayer Spacing as Superior Anode Materials for High-Performance Lithium-Ion Batteries. <i>ChemistrySelect</i> , 2017, 2, 5518-5523.	1.5	15
123	An iron hydroxyl phosphate microoctahedron catalyst as an efficient peroxidase mimic for sensitive and colorimetric quantification of H ₂ O ₂ and glucose. <i>New Journal of Chemistry</i> , 2018, 42, 6803-6809.	2.8	15
124	A labyrinth-like network electrode design for lithium-sulfur batteries. <i>Nanoscale</i> , 2019, 11, 14648-14653.	5.6	15
125	Ultrafast kinetics and high capacity for Stable Sodium Storage enabled by Fe ₃ Se ₄ /ZnSe heterostructure engineering. <i>Composites Part B: Engineering</i> , 2021, 224, 109166.	12.0	15
126	Flexible MXene-Ti ₃ C ₂ T _x bond few-layers transition metal dichalcogenides MoS ₂ /C spheres for fast and stable sodium storage. <i>Chemical Engineering Journal</i> , 2022, 427, 130960.	12.7	15

#	ARTICLE	IF	CITATIONS
127	Exploration of Na _{2.65} Ti _{3.35} Fe _{0.65} O ₉ as anode materials for Na-ion batteries. <i>Chemical Communications</i> , 2015, 51, 3227-3230.	4.1	14
128	Suppressed shuttling effect of polysulfides using three-dimensional nickel hydroxide polyhedrons for advanced lithium-sulfur batteries. <i>Journal of Colloid and Interface Science</i> , 2021, 593, 89-95.	9.4	14
129	Heterogeneous interface designing of bimetallic selenides nanocubes for superior sodium storage. <i>Journal of Power Sources</i> , 2021, 506, 230249.	7.8	14
130	MoO ₂ nanosheets embedded in amorphous carbon matrix for sodium-ion batteries. <i>Royal Society Open Science</i> , 2017, 4, 170892.	2.4	13
131	Precise preparation of layered Na _{0.5} Ni _{0.25} Mn _{0.75} O ₂ micro-sheets for 3.8 V Na-ion batteries. <i>Chemical Communications</i> , 2017, 53, 9117-9120.	4.1	13
132	Sheet-to-layer structure of SnSe ₂ /MXene composite materials for advanced sodium ion battery anodes. <i>New Journal of Chemistry</i> , 2021, 45, 1944-1952.	2.8	13
133	Efficient Anchoring of Polysulfides Based on Self-Assembled Ti ₃ C ₂ T _x Nanosheet-Connected Hollow Co(OH) ₂ Nanotubes for Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 57285-57293.	8.0	12
134	Fabrication of MnO@C-CNTs composite by CVD for enhanced performance of lithium ion batteries. <i>Ceramics International</i> , 2016, 42, 18568-18572.	4.8	11
135	CdMn Bimetallic Complex-Derived Manganese-Nitrogen Species as Electrocatalysts for an Oxygen Reduction Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 12618-12625.	6.7	11
136	Na ₃ V ₂ O ₂ (PO ₄) ₂ F Cathode for High-Performance Quasi-Solid-State Sodium-Ion Batteries with a Wide Workable Temperature Range. <i>Energy Technology</i> , 2020, 8, 2000494.	3.8	11
137	Evaluation of O3-type Na _{0.8} Ni _{0.6} Sb _{0.4} O ₂ as cathode materials for sodium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2016, 20, 2331-2335.	2.5	9
138	Uniform implantation of CNTs on total activated carbon surfaces: a smart engineering protocol for commercial supercapacitor applications. <i>Nanotechnology</i> , 2017, 28, 145402.	2.6	9
139	Exploration of Mn _{0.5} Ti ₂ (PO ₄) ₃ @rGO composite as anode electrode for Na-ion battery. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 4250-4255.	2.2	9
140	Facile fabrication of 3D hierarchically honeycomb-like Na ₇ Fe _{4.5} (P ₂ O ₇) ₄ @C nanocomposites with enhanced sodium storage performance. <i>Journal of Alloys and Compounds</i> , 2019, 771, 297-301.	5.5	9
141	Recent Advances of Pore Structure in Disordered Carbons for Sodium Storage: A Mini Review. <i>Chemical Record</i> , 2022, 22, .	5.8	9
142	A nest-like hierarchical porous V ₂ O ₅ as a high-performance cathode material for Li-ion batteries. <i>Ceramics International</i> , 2016, 42, 16956-16960.	4.8	8
143	Na ₃ TiV(PO ₄) ₃ /C nanoparticles for sodium-ion symmetrical and full batteries. <i>Energy Storage</i> , 2019, 1, e74.	4.3	8
144	Na ₃ (TiOPO ₄) ₂ F microspheres as a long-life anode for Na-ion batteries. <i>Chemical Engineering Journal</i> , 2020, 402, 126118.	12.7	8

#	ARTICLE	IF	CITATIONS
145	Can domestic wastes-evolved Fe ₂ N@Carbon hybrids serve as competitive anodes for sustainable Li/Na storage applications?. <i>Materials Research Bulletin</i> , 2021, 134, 111088.	5.2	8
146	Heterogeneous interface design of bimetallic selenide nanoboxes enables stable sodium storage. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 4796-4805.	6.0	8
147	A small molecule organic compound applied as an advanced anode material for lithium-ion batteries. <i>Chemical Communications</i> , 2022, 58, 697-700.	4.1	8
148	NaTi ₃ FeO ₈ : a novel anode material for sodium-ion batteries. <i>RSC Advances</i> , 2015, 5, 44313-44316.	3.6	7
149	Incorporating Fe into Bismuthic Anode Systems: A Smart "Merits Combination/Complementation" Route to Build Better Ni-Bi Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 5876-5884.	8.0	7
150	Anthozoan-like porous nanocages with nano-cobalt-armed CNT multifunctional layers as a cathode material for highly stable Na-S batteries. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 645-651.	6.0	7
151	Na _{0.56} Ti _{1.72} Fe _{0.28} O ₄ : a novel anode material for Na-ion batteries. <i>RSC Advances</i> , 2015, 5, 88556-88559.	3.6	6
152	Phase Transition Triggers Explosion-like Puffing Process to Make Popcorn-Inspired All-Conductive Anodes for Superb Aqueous Rechargeable Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 42365-42374.	8.0	6
153	Towards high performance room temperature sodium-sulfur batteries: Strategies to avoid shuttle effect. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 22-37.	9.4	6
154	Hollow carbon spheres loaded with NiSe ₂ nanoplates as multifunctional SeS ₂ hosts for Li-SeS ₂ batteries. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 2760-2767.	9.4	6
155	Self-sacrificing lithium source with high electrochemical activity and water oxygen stability and its application in Si-C/S battery. <i>Energy Storage Materials</i> , 2022, 45, 687-695.	18.0	6
156	Tessellated N-doped carbon/CoSe ₂ as trap-catalyst sulfur hosts for room-temperature sodium-sulfur batteries. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 1743-1751.	6.0	6
157	Synthesis and comparison of in-situ carbon-decorated sodium manganese vanadium phosphate cathode and sodium-ion full-cell configurations. <i>Nano Select</i> , 2021, 2, 1544-1553.	3.7	5
158	Rational design of 3D hierarchical MOFs-derived hollow porous carbon/Ni(OH) ₂ nanosheet for long-cycle Li/Na-Se batteries. <i>Composites Part B: Engineering</i> , 2022, 239, 109948.	12.0	5
159	$\langle \text{Na}_2\text{TiV}(\text{PO}_4)_3 \rangle_{\text{C}}$ composite with excellent Na-storage performance based on a solid-state polymer electrolyte membrane. <i>International Journal of Energy Research</i> , 2021, 45, 8008-8017.	4.5	4
160	Direct synthesis of metal selenide hybrids as superior sodium storage anodes. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7852-7860.	5.9	4
161	One-step Solvothermal Synthesis of Two-dimensional Ultrathin Na ₃ [Ti ₂ P ₂ O ₁₀ F] Nanosheets for Lithium/Sodium Storage. <i>Electrochimica Acta</i> , 2017, 246, 141-147.	5.2	3
162	High-rate and non-toxic Na ₇ Fe _{4.5} (P ₂ O ₇) ₄ @C for quasi-solid-state sodium-ion batteries. <i>Materials Chemistry Frontiers</i> , 2021, 5, 2783-2790.	5.9	3

#	ARTICLE	IF	CITATIONS
163	A facilely-synthesized polyanionic cathode with impressive long-term cycling stability for sodium-ion batteries. <i>Chemical Communications</i> , 2021, 57, 9566-9569.	4.1	2
164	Electrode engineering starting from live biomass: a "smart" way to construct smart pregnant hybrids for sustainable charge storage devices. <i>Materials Chemistry Frontiers</i> , 2019, 3, 796-805.	5.9	1
165	Bacterial cellulose network based gel polymer electrolyte for quasi-solid-state sodium-ion battery. <i>Journal of Materials Science: Materials in Electronics</i> , 0, , .	2.2	1