

Suzanne Lentzsch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7998857/publications.pdf>

Version: 2024-02-01

129
papers

6,657
citations

117625

34
h-index

64796

79
g-index

131
all docs

131
docs citations

131
times ranked

6230
citing authors

#	ARTICLE	IF	CITATIONS
1	International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. <i>Lancet Oncology, The</i> , 2016, 17, e328-e346.	10.7	1,866
2	Role of 18F-FDG PET/CT in the diagnosis and management of multiple myeloma and other plasma cell disorders: a consensus statement by the International Myeloma Working Group. <i>Lancet Oncology, The</i> , 2017, 18, e206-e217.	10.7	394
3	Daratumumab plus pomalidomide and dexamethasone in relapsed and/or refractory multiple myeloma. <i>Blood</i> , 2017, 130, 974-981.	1.4	391
4	Role of Magnetic Resonance Imaging in the Management of Patients With Multiple Myeloma: A Consensus Statement. <i>Journal of Clinical Oncology</i> , 2015, 33, 657-664.	1.6	330
5	Pomalidomide alone or in combination with low-dose dexamethasone in relapsed and refractory multiple myeloma: a randomized phase 2 study. <i>Blood</i> , 2014, 123, 1826-1832.	1.4	327
6	International myeloma working group consensus recommendations on imaging in monoclonal plasma cell disorders. <i>Lancet Oncology, The</i> , 2019, 20, e302-e312.	10.7	290
7	Daratumumab plus bortezomib and dexamethasone versus bortezomib and dexamethasone in relapsed or refractory multiple myeloma: updated analysis of CASTOR. <i>Haematologica</i> , 2018, 103, 2079-2087.	3.5	225
8	Carfilzomib, pomalidomide, and dexamethasone for relapsed or refractory myeloma. <i>Blood</i> , 2015, 126, 2284-2290.	1.4	201
9	Thalidomide derivative CC-4047 inhibits osteoclast formation by down-regulation of PU.1. <i>Blood</i> , 2006, 107, 3098-3105.	1.4	141
10	Treatment of relapsed and refractory multiple myeloma: recommendations from the International Myeloma Working Group. <i>Lancet Oncology, The</i> , 2021, 22, e105-e118.	10.7	136
11	The histone deacetylase inhibitor, PXD101, potentiates bortezomib-induced anti-multiple myeloma effect by induction of oxidative stress and DNA damage. <i>British Journal of Haematology</i> , 2007, 139, 385-397.	2.5	118
12	In the presence of bone marrow stromal cells human multiple myeloma cells become independent of the IL-6/gp130/STAT3 pathway. <i>Blood</i> , 2002, 100, 3311-3318.	1.4	92
13	Treatment of multiple myeloma-related bone disease: recommendations from the Bone Working Group of the International Myeloma Working Group. <i>Lancet Oncology, The</i> , 2021, 22, e119-e130.	10.7	92
14	IMiD immunomodulatory compounds block C/EBP β translation through eIF4E down-regulation resulting in inhibition of MM. <i>Blood</i> , 2011, 117, 5157-5165.	1.4	89
15	Central nervous system involvement by multiple myeloma: A multi-institutional retrospective study of 172 patients in daily clinical practice. <i>American Journal of Hematology</i> , 2016, 91, 575-580.	4.1	83
16	A Phase 1 First in Human (FIH) Study of AMG 701, an Anti-B-Cell Maturation Antigen (BCMA) Half-Life Extended (HLE) BiTE $\text{\textcircled{R}}$ (bispecific T-cell engager) Molecule, in Relapsed/Refractory (RR) Multiple Myeloma (MM). <i>Blood</i> , 2020, 136, 28-29.	1.4	83
17	Immunomodulatory derivatives induce PU.1 down-regulation, myeloid maturation arrest, and neutropenia. <i>Blood</i> , 2010, 115, 605-614.	1.4	74
18	C/EBP β regulates transcription factors critical for proliferation and survival of multiple myeloma cells. <i>Blood</i> , 2009, 114, 3890-3898.	1.4	73

#	ARTICLE	IF	CITATIONS
19	Phase 1/2 study of cyclin-dependent kinase (CDK)4/6 inhibitor palbociclib (PD-0332991) with bortezomib and dexamethasone in relapsed/refractory multiple myeloma. <i>Leukemia and Lymphoma</i> , 2015, 56, 3320-3328.	1.3	67
20	The application and biology of immunomodulatory drugs (IMiDs) in cancer. , 2012, 136, 56-68.		65
21	Expression of XBP1s in bone marrow stromal cells is critical for myeloma cell growth and osteoclast formation. <i>Blood</i> , 2012, 119, 4205-4214.	1.4	64
22	Whole-Body Low-Dose Computed Tomography and Advanced Imaging Techniques for Multiple Myeloma Bone Disease. <i>Clinical Cancer Research</i> , 2014, 20, 5888-5897.	7.0	64
23	Primary plasma cell leukemia: consensus definition by the International Myeloma Working Group according to peripheral blood plasma cell percentage. <i>Blood Cancer Journal</i> , 2021, 11, 192.	6.2	62
24	Recommendations for acquisition, interpretation and reporting of whole body low dose CT in patients with multiple myeloma and other plasma cell disorders: a report of the IMWG Bone Working Group. <i>Blood Cancer Journal</i> , 2018, 8, 95.	6.2	59
25	Interim analysis of the phase 1a/b study of chimeric fibrin-reactive monoclonal antibody 11-1F4 in patients with AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 58-59.	3.0	55
26	Integrated safety profile of selinexor in multiple myeloma: experience from 437 patients enrolled in clinical trials. <i>Leukemia</i> , 2020, 34, 2430-2440.	7.2	54
27	Immunomodulatory derivative of thalidomide (IMiD CC-4047) induces a shift in lineage commitment by suppressing erythropoiesis and promoting myelopoiesis. <i>Blood</i> , 2005, 105, 3833-3840.	1.4	53
28	Venetoclax induces deep hematologic remissions in t(11;14) relapsed/refractory AL amyloidosis. <i>Blood Cancer Journal</i> , 2021, 11, 10.	6.2	53
29	Open-Label, Multicenter, Phase 1b Study of Daratumumab in Combination with Pomalidomide and Dexamethasone in Patients with at Least 2 Lines of Prior Therapy and Relapsed or Relapsed and Refractory Multiple Myeloma. <i>Blood</i> , 2015, 126, 508-508.	1.4	50
30	Immunomodulatory Drugs (IMiDs) in Multiple Myeloma. <i>Current Cancer Drug Targets</i> , 2017, 17, 1-1.	1.6	50
31	KD5170, a novel mercaptoketone-based histone deacetylase inhibitor, exerts antimyeloma effects by DNA damage and mitochondrial signaling. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1494-1505.	4.1	49
32	Phase 1a/b study of monoclonal antibody CAEL-101 (11-1F4) in patients with AL amyloidosis. <i>Blood</i> , 2021, 138, 2632-2641.	1.4	48
33	REGN5458, a BCMA x CD3 Bispecific Monoclonal Antibody, Induces Deep and Durable Responses in Patients with Relapsed/Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2020, 136, 41-42.	1.4	48
34	COVID-19 Infections and Clinical Outcomes in Patients with Multiple Myeloma in New York City: A Cohort Study from Five Academic Centers. <i>Blood Cancer Discovery</i> , 2020, 1, 234-243.	5.0	46
35	Safety and Efficacy of Carfilzomib (CFZ) in Previously-Treated Systemic Light-Chain (AL) Amyloidosis. <i>Blood</i> , 2016, 128, 645-645.	1.4	46
36	Daratumumab, bortezomib, and dexamethasone in relapsed or refractory multiple myeloma: subgroup analysis of CASTOR based on cytogenetic risk. <i>Journal of Hematology and Oncology</i> , 2020, 13, 115.	17.0	32

#	ARTICLE	IF	CITATIONS
37	Optimizing current and emerging therapies in multiple myeloma: a guide for the hematologist. <i>Therapeutic Advances in Hematology</i> , 2017, 8, 55-70.	2.5	31
38	Bendamustine With Dexamethasone in Relapsed/Refractory Systemic Light-Chain Amyloidosis: Results of a Phase II Study. <i>Journal of Clinical Oncology</i> , 2020, 38, 1455-1462.	1.6	31
39	Safety and Preliminary Clinical Activity of REGN5458, an Anti-Bcma x Anti-CD3 Bispecific Antibody, in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2019, 134, 3176-3176.	1.4	31
40	Recent advances of IMiDs in cancer therapy. <i>Current Opinion in Oncology</i> , 2010, 22, 579-585.	2.4	30
41	Cutaneous involvement in multiple myeloma: a multi-institutional retrospective study of 53 patients. <i>Leukemia and Lymphoma</i> , 2016, 57, 2071-2076.	1.3	30
42	Phase I/II Dose Expansion Of a Multi-Center Trial Of Carfilzomib and Pomalidomide With Dexamethasone (Car-Pom-d) In Patients With Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2013, 122, 690-690.	1.4	30
43	One year follow up analysis of the phase 1a/b study of chimeric fibril-reactive monoclonal antibody 11-1F4 in patients with AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 115-116.	3.0	24
44	Targeting the Microtubular Network as a New Antimyeloma Strategy. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 1886-1896.	4.1	20
45	Beyond NEOD001 for systemic light-chain amyloidosis. <i>Blood</i> , 2018, 132, 1992-1993.	1.4	18
46	Results of Phase I Study of Chimeric Fibril-Reactive Monoclonal Antibody 11-1F4 in Patients with AL Amyloidosis. <i>Blood</i> , 2015, 126, 188-188.	1.4	18
47	Efficacy of daratumumab in combination with lenalidomide plus dexamethasone (DRd) or bortezomib plus dexamethasone (DVd) in relapsed or refractory multiple myeloma (RRMM) based on cytogenetic risk status.. <i>Journal of Clinical Oncology</i> , 2017, 35, 8006-8006.	1.6	18
48	Elevated Translation Initiation Factor eIF4E Is an Attractive Therapeutic Target in Multiple Myeloma. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 711-719.	4.1	16
49	Venetoclax in Immunoglobulin Light Chain Amyloidosis: Is This the Beginning or the End?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 686-688.	0.4	16
50	Case Report: Carfilzomib-induced Thrombotic Microangiopathy With Complement Activation Treated Successfully With Eculizumab. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e155-e157.	0.4	16
51	Gaps and opportunities in the treatment of relapsed-refractory multiple myeloma: Consensus recommendations of the NCI Multiple Myeloma Steering Committee. <i>Blood Cancer Journal</i> , 2022, 12, .	6.2	16
52	IMiD compounds affect CD34+ cell fate and maturation via CRBN-induced IKZF1 degradation. <i>Blood Advances</i> , 2018, 2, 492-504.	5.2	15
53	Use of daratumumab in high risk multiple myeloma: A meta-analysis. <i>EJHaem</i> , 2020, 1, 267-271.	1.0	15
54	Selinexor in Combination with Bortezomib and Dexamethasone (SdB) Demonstrates Significant Activity in Patients with Refractory Multiple Myeloma (MM) Including Proteasome-Inhibitor Refractory Patients: Results of the Phase I Stomp Trial. <i>Blood</i> , 2016, 128, 977-977.	1.4	15

#	ARTICLE	IF	CITATIONS
55	Selinexor, daratumumab, and dexamethasone in patients with relapsed/refractory multiple myeloma (MM).. Journal of Clinical Oncology, 2020, 38, 8510-8510.	1.6	15
56	Immunomodulatory drugs downregulate IKZF1 leading to expansion of hematopoietic progenitors with concomitant block of megakaryocytic maturation. Haematologica, 2018, 103, 1688-1697.	3.5	14
57	Targeting transcription factors in multiple myeloma: evolving therapeutic strategies. Expert Opinion on Investigational Drugs, 2019, 28, 445-462.	4.1	13
58	Low-dose versus High-dose Carfilzomib with Dexamethasone (S1304) in Patients with Relapsed-Refractory Multiple Myeloma. Clinical Cancer Research, 2020, 26, 3969-3978.	7.0	13
59	Improvement in Global Longitudinal Strain (GLS) Correlates with NT-Probnp Response in Patients with Cardiac Amyloidosis Treated on a Phase 1b Study of Anti-Amyloid Mab Cael-101. Blood, 2018, 132, 958-958.	1.4	12
60	Analysis of the Phase 1a/b Study of Chimeric Fibril-Reactive Monoclonal Antibody 11-1F4 in Patients with AL Amyloidosis. Blood, 2016, 128, 643-643.	1.4	12
61	Findings of Whole Body Computed Tomography Compared to Conventional Skeletal Survey in Patients with Monoclonal Plasma Cell Disorders - a Study of the International Myeloma Working Group. Blood, 2016, 128, 4468-4468.	1.4	11
62	The Critical Role of Imaging in the Management of Multiple Myeloma. Current Hematologic Malignancy Reports, 2017, 12, 168-175.	2.3	10
63	Emerging drugs for the treatment of light chain amyloidosis. Expert Opinion on Emerging Drugs, 2020, 25, 299-317.	2.4	10
64	Efficacy of Daratumumab in Combination with Standard of Care Regimens in Lenalidomide-Exposed or -Refractory Patients with Relapsed/Refractory Multiple Myeloma (RRMM): Analysis of the Castor, Pollux, and MMY1001 Studies. Blood, 2018, 132, 3288-3288.	1.4	10
65	Targeting cannabinoid receptorâ€² pathway by phenylacetamide suppresses the proliferation of human myeloma cells through mitotic dysregulation and cytoskeleton disruption. Molecular Carcinogenesis, 2015, 54, 1796-1806.	2.7	9
66	Use and impact of herpes zoster prophylaxis in myeloma patients treated with proteasome inhibitors. Leukemia and Lymphoma, 2018, 59, 2465-2469.	1.3	9
67	Selinexor in Combination with Carfilzomib and Dexamethasone, All Once Weekly (SKd), for Patients with Relapsed/Refractory Multiple Myeloma. Blood, 2020, 136, 14-15.	1.4	9
68	Fibril-directed Therapies in Systemic Light Chain AL Amyloidosis. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, 555-559.	0.4	8
69	Systemic Amyloidosis due to Low-Grade Lymphoma. Hematology/Oncology Clinics of North America, 2020, 34, 1027-1039.	2.2	8
70	How do we manage t(11;14) plasma cell disorders with venetoclax?. British Journal of Haematology, 2022, 199, 31-39.	2.5	8
71	Nonchemotherapy Treatment of Immunoglobulin Light Chain Amyloidosis. Acta Haematologica, 2020, 143, 373-380.	1.4	7
72	Targeting the GCK pathway: a novel and selective therapeutic strategy against RAS-mutated multiple myeloma. Blood, 2021, 137, 1754-1764.	1.4	7

#	ARTICLE	IF	CITATIONS
73	Circulating Tumor Cell Burden as a Component of Staging in Multiple Myeloma: Ready for Prime Time?. <i>Journal of Clinical Oncology</i> , 2022, 40, 3099-3102.	1.6	7
74	High-risk smoldering myeloma: Perspective on watchful monitoring. <i>Seminars in Oncology</i> , 2016, 43, 697-699.	2.2	6
75	Selinexor Shows Synergy in Combination with Pomalidomide and Low Dose Dexamethasone in Patients with Relapsed / Refractory Multiple Myeloma. <i>Blood</i> , 2016, 128, 3330-3330.	1.4	6
76	Bone-Modifying Agents: Complicated to Use. <i>Journal of Oncology Practice</i> , 2018, 14, 469-470.	2.5	5
77	Modern Treatments and Future Directions for Relapsed/Refractory Multiple Myeloma Patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 736-743.	0.4	5
78	Phase I/II study of carfilzomib, bendamustine, and dexamethasone (CBD) in patients with newly diagnosed multiple myeloma. <i>Blood Cancer Journal</i> , 2020, 10, 13.	6.2	5
79	Treatment of Monoclonal Gammopathy-associated C3 Glomerulopathy With Daratumumab-based Therapy. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e674-e677.	0.4	5
80	Daratumumab, Bortezomib and Dexamethasone Versus Bortezomib and Dexamethasone Alone for Relapsed or Refractory Multiple Myeloma Based on Prior Treatment Exposure: Updated Efficacy Analysis of Castor. <i>Blood</i> , 2016, 128, 3313-3313.	1.4	5
81	Prognostic impact of t(11;14) in multiple myeloma: Black and white or shades of gray?. <i>Cancer</i> , 2021, 127, 31-34.	4.1	4
82	OP201: A Phase 1/2 Study of Melflufen and Dexamethasone in Patients with Immunoglobulin Light Chain (AL) Amyloidosis. <i>Blood</i> , 2019, 134, 3163-3163.	1.4	4
83	Selinexor, Lenalidomide and Dexamethasone (SRd) for Patients with Relapsed/Refractory and Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2020, 136, 45-46.	1.4	4
84	Daratumumab, bortezomib and dexamethasone (DvD) vs bortezomib and dexamethasone (Vd) in relapsed or refractory multiple myeloma (RRMM): Efficacy and safety update (CASTOR).. <i>Journal of Clinical Oncology</i> , 2017, 35, 8036-8036.	1.6	4
85	Multiple Myeloma: Defining the High-Risk Patient and Determining the Optimal Treatment Strategy. <i>Current Hematologic Malignancy Reports</i> , 2013, 8, 277-283.	2.3	3
86	The clinical and pathological features of plasma cell myeloma post solid organ transplantation. <i>American Journal of Hematology</i> , 2020, 95, 1531-1541.	4.1	3
87	Diagnosis and management of systemic light chain AL amyloidosis. , 2020, 214, 107612.		3
88	Pathologic and Clinical Features Of CD30+ Post-Transplant Lymphoproliferative Disorders: A Large Retrospective Single Institutional Study. <i>Blood</i> , 2013, 122, 4333-4333.	1.4	3
89	Factors associated with non-adherence to lenalidomide in patients with multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2018, 36, e20031-e20031.	1.6	3
90	Selinexor-Based Regimens in Patients with Multiple Myeloma after Prior Anti-B-Cell Maturation Antigen Treatment. <i>Blood</i> , 2021, 138, 2751-2751.	1.4	3

#	ARTICLE	IF	CITATIONS
91	Updated analysis of phase 2 study of bendamustine and dexamethasone in patients with relapsed/refractory systemic light chain (AL) amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 113-114.	3.0	2
92	Gene expression profiling impacts treatment decision making in newly diagnosed multiple myeloma patients in the prospective PROMMIS trial. <i>EJHaem</i> , 2021, 2, 375-384.	1.0	2
93	Personalizing Amyloidosis Therapy with Real Time PET Imaging of Fibril-Reactive Monoclonal Antibody Cael-101. <i>Blood</i> , 2018, 132, 1003-1003.	1.4	2
94	Single Arm, Prospective, Open-Label Phase II Trial to Evaluate the Efficacy of Isatuximab in Patients with Monoclonal Gammopathy of Renal Significance. <i>Blood</i> , 2019, 134, 3161-3161.	1.4	2
95	Checkpoint Inhibitor PD-1H/VISTA Functions As MMP-13 Receptor on Osteoclasts and Mediates MMP-13 Induced Osteoclast Activation in Multiple Myeloma. <i>Blood</i> , 2019, 134, 3072-3072.	1.4	2
96	Updated Results of a Phase 2 Study of Bendamustine in Combination with Dexamethasone (Ben/Dex) in Patients with Previously-Treated Systemic Light-Chain (AL) Amyloidosis. <i>Blood</i> , 2015, 126, 3041-3041.	1.4	2
97	Prospective study to measure the impact of MMprofiler on treatment intention in newly diagnosed multiple myeloma patients (PROMMIS).. <i>Journal of Clinical Oncology</i> , 2019, 37, 8030-8030.	1.6	2
98	Efficacy and Safety of Selinexor-Containing Regimens in Patients with Multiple Myeloma Previously Treated with Anti-CD38 Monoclonal Antibodies (I±CD38 mAb). <i>Blood</i> , 2021, 138, 1651-1651.	1.4	2
99	Checkpoint Inhibitor PD-1H/VISTA Mediates MMP-13 Induced Osteoclast Activation and Multiple Myeloma Bone Disease. <i>Blood</i> , 2020, 136, 15-16.	1.4	2
100	Lenalidomide and Dexamethasone Alone Is Equivalent To Lenalidomide and Dexamethasone With Autologous Stem Cell Transplant In Newly Diagnosed Multiple Myeloma: Interim Study Results Of a Randomized Trial. <i>Blood</i> , 2013, 122, 3180-3180.	1.4	1
101	Silencing c-Myc Translation As a Therapeutic Strategy through Targeting PI3K Delta and CK1 Epsilon in Hematological Malignancies. <i>Blood</i> , 2016, 128, 291-291.	1.4	1
102	Final Results of a Phase 2 Study of Bendamustine in Combination with Dexamethasone in Patients with Previously Treated Systemic Light-Chain (AL) Amyloidosis. <i>Blood</i> , 2016, 128, 4523-4523.	1.4	1
103	Low vs high dose carfilzomib (Cfz) with dexamethasone (Dex) for relapsed/refractory multiple myeloma (RRMM): Results of SWOG S1304.. <i>Journal of Clinical Oncology</i> , 2018, 36, 8015-8015.	1.6	1
104	Efficacy and safety of daratumumab, bortezomib, and dexamethasone (D-Vd) in relapsed or refractory multiple myeloma (RRMM) based on cytogenetic risk: Updated subgroup analysis of CASTOR.. <i>Journal of Clinical Oncology</i> , 2019, 37, 8040-8040.	1.6	1
105	Changes in Expert Recommendations and Global Practice Patterns from 2012-2015: Results from an Annually Updated Online Decision Aid for Multiple Myeloma (MM). <i>Blood</i> , 2015, 126, 2105-2105.	1.4	1
106	Flexor tenosynovectomy in carpal tunnel syndrome as a screening tool for early diagnosis of amyloidosis. <i>Irish Journal of Medical Science</i> , 2022, 191, 2427-2430.	1.5	1
107	Effects of Cytogenetic Risk on Outcomes in Multiple Myeloma Treated with Selinexor, Bortezomib, and Dexamethasone (XVd). <i>Blood</i> , 2021, 138, 1634-1634.	1.4	1
108	Impact of bone marrow minimal residual disease status on quality of organ response in systemic <sc>AL</sc> amyloidosis. <i>American Journal of Hematology</i> , 2022, 97, .	4.1	1

#	ARTICLE	IF	CITATIONS
109	Effect of matrix metalloproteinase 13 (MMP13) on multiple myeloma (MM) cells, osteoclast (OCL) activity, and bone resorption.. Journal of Clinical Oncology, 2012, 30, 8099-8099.	1.6	0
110	IFN- γ /STAT1-Dependent Regulation Of Antigen Presenting Cell (APC) Function: Role In Graft-Versus-Host Disease (GVHD). Blood, 2013, 122, 3252-3252.	1.4	0
111	Inducible Silencing Of eIF4E Using a Tet-On System Results In Myeloma Growth In Vivo That Correlates With eIF4E Expression. Blood, 2013, 122, 3164-3164.	1.4	0
112	Knockdown Of Matrix Metalloproteinase 13 (MMP13) In 5TGM1 Multiple Myeloma Cells Inhibits Development Of Lytic Bone Lesions In Vivo. Blood, 2013, 122, 879-879.	1.4	0
113	Lenalidomide and low-dose dexamethasone (Ld) is equivalent to Ld plus autologous stem cell transplant (ASCT) in newly diagnosed multiple myeloma (NDMM): Results of a randomized, phase III trial.. Journal of Clinical Oncology, 2015, 33, 8530-8530.	1.6	0
114	Continuous Treatment with Lenalidomide Plus Low-Dose Dexamethasone (Ld) Versus Ld Induction Followed By Autologous Stem Cell Transplant (ASCT) in Patients with Newly Diagnosed Multiple Myeloma (NDMM): A Pooled Analysis of Two Randomized Clinical Trials. Blood, 2015, 126, 1975-1975.	1.4	0
115	IKZF1 Mutation Mediate Resistance to IMiDs in Human Hematopoietic Stem Cells. Blood, 2015, 126, 3003-3003.	1.4	0
116	Disruption of the mTOR-eIF4F Axis By Selectively Targeting PI3Kdelta and Proteasome Potently Inhibits Cap Dependent Translation of c-Myc in Aggressive Lymphomas. Blood, 2015, 126, 593-593.	1.4	0
117	Mechanism Study of Matrix Metalloproteinase 13 Effects on Osteoclast Activation and Lytic Bone Lesions in Multiple Myeloma. Blood, 2015, 126, 3009-3009.	1.4	0
118	Interferon-Gamma Signaling in the Pathogenesis of Idiopathic Pneumonia Syndrome Following Allogeneic Bone Marrow Transplantation. Blood, 2015, 126, 3075-3075.	1.4	0
119	Interferon Gamma (IFN γ)/STAT1 Signaling in Host Antigen Present Cells Suppresses MHC Class II-Dependent Presentation of Self-Antigens and Development of Graft Versus Host Disease (GVHD). Blood, 2016, 128, 2147-2147.	1.4	0
120	SYK-Inhibitor Bay 61-3606 Induces Cell Cycle Arrest and Apoptosis in Multiple Myeloma Cells Independent of SYK Inhibitory Effects but Via Degradation of IKZF1/3. Blood, 2016, 128, 4477-4477.	1.4	0
121	Mini BEAM with Full-Dose of Melphalan (beaM) As a Conditioning Regimen for High Risk Patients with NHL Undergoing Autologous SCT. Blood, 2016, 128, 5834-5834.	1.4	0
122	Areas of Consensus and Differences Among a Panel of Experts on the Optimal Use of Newly Approved Agents to Treat Multiple Myeloma (MM): Results from an Annually Updated Online Decision Support Tool. Blood, 2016, 128, 2379-2379.	1.4	0
123	A phase 1/2 study of carfilzomib, bendamustine, and dexamethasone (CBD) in newly diagnosed multiple myeloma patients.. Journal of Clinical Oncology, 2018, 36, 8029-8029.	1.6	0
124	The Inhibition of Gsk Affect MAPK Cascade in Multiple Myeloma. Blood, 2018, 132, 3202-3202.	1.4	0
125	Gsk Kinase Activity Is Critical for RAS Mutated Myeloma - a Potential Treatment Approach for Targeting Specific Mutations. Blood, 2019, 134, 1813-1813.	1.4	0
126	MAP4K2 Silencing Overcomes IMiDs-Resistance in Multiple Myeloma. Blood, 2021, 138, 2662-2662.	1.4	0

#	ARTICLE	IF	CITATIONS
127	Impact of Light Chain Isotype on Clinical Features and Outcomes in Systemic AL Amyloidosis. Blood, 2021, 138, 4726-4726.	1.4	0
128	Gck Inhibition Is a Novel Therapeutic Strategy for RAS Mutated Multiple Myeloma and Overcomes Resistance to IMiDs. Blood, 2020, 136, 24-24.	1.4	0
129	Impact of light chain isotype on clinical features and outcomes in systemic AL amyloidosis. Leukemia and Lymphoma, 2022, , 1-5.	1.3	0