

Ivo SedlÁjÁek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8002953/publications.pdf>

Version: 2024-02-01

57

papers

1,282

citations

331670

21

h-index

414414

32

g-index

58

all docs

58

docs citations

58

times ranked

1138

citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of soil environment on the degradation of archaeological leather. <i>Archaeometry</i> , 2022, 64, 483-499.	1.3	4
2	The first case of <i>Planococcus glaciei</i> found in blood, a report from the Czech Republic. <i>Folia Microbiologica</i> , 2022, 67, 121-127.	2.3	2
3	Pyocinemediated antagonistic interactions in <i>< i>Pseudomonas</i></i> spp. isolated in James Ross Island, Antarctica. <i>Environmental Microbiology</i> , 2022, 24, 1294-1307.	3.8	1
4	<i>Staphylococcus ratti</i> sp. nov. Isolated from a Lab Rat. <i>Pathogens</i> , 2022, 11, 51.	2.8	7
5	Characterisation of Waterborne Psychrophilic <i>Massilia</i> Isolates with Violacein Production and Description of <i>Massilia antarctica</i> sp. nov.. <i>Microorganisms</i> , 2022, 10, 704.	3.6	19
6	<i>Pedobacter fastidiosus</i> sp. nov., isolated from glacial habitats of maritime Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	6
7	gcType: a high-quality type strain genome database for microbial phylogenetic and functional research. <i>Nucleic Acids Research</i> , 2021, 49, D694-D705.	14.5	53
8	<i>Hymenobacter caeli</i> sp. nov., an airborne bacterium isolated from King George Island, Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	10
9	Classification of a Violacein-Producing Psychrophilic Group of Isolates Associated with Freshwater in Antarctica and Description of <i>< i>Rugamonas violacea</i></i> sp. nov.. <i>Microbiology Spectrum</i> , 2021, 9, e0045221.	3.0	10
10	<i>Flavobacterium flabelliforme</i> sp. nov. and <i>Flavobacterium geliluteum</i> sp. nov., Two Multidrug-Resistant Psychrotrophic Species Isolated From Antarctica. <i>Frontiers in Microbiology</i> , 2021, 12, 729977.	3.5	7
11	INDUSTRIAL MAGNETRON SPUTTERING OF ZrN/Cu NANOSTRUCTURED COATINGS FOR ANTI-BACTERIAL PURPOSES. , 2021, ..	0	
12	Genome sequences of two Antarctic strains of <i>Pseudomonas prosekii</i> : insights into adaptation to extreme conditions. <i>Archives of Microbiology</i> , 2020, 202, 447-454.	2.2	5
13	Description of <i>Massilia rubra</i> sp. nov., <i>Massilia aquatica</i> sp. nov., <i>Massilia mucilaginosa</i> sp. nov., <i>Massilia frigida</i> sp. nov., and one <i>Massilia</i> genomospecies isolated from Antarctic streams, lakes and regoliths. <i>Systematic and Applied Microbiology</i> , 2020, 43, 126112.	2.8	60
14	Characterization of <i>Staphylococcus intermedius</i> Group Isolates Associated with Animals from Antarctica and Emended Description of <i>Staphylococcus delphini</i> . <i>Microorganisms</i> , 2020, 8, 204.	3.6	19
15	<i>Pseudomonas leptonychotis</i> sp. nov., isolated from Weddell seals in Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 302-308.	1.7	15
16	<i>Hymenobacter artigasi</i> sp. nov., isolated from air sampling in maritime Antarctica. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4935-4941.	1.7	14
17	Trebonia kvetii gen. nov., sp. nov., an acidophilic actinobacterium, and proposal of the new actinobacterial family Treboniaceae fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5106-5114.	1.7	9
18	<i>Pseudomonas karstica</i> sp. nov. and <i>Pseudomonas spelaei</i> sp. nov., isolated from calcite moonmilk deposits from caves. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 5131-5140.	1.7	13

#	ARTICLE	IF	CITATIONS
19	Hymenobacter terrestris sp. nov. and Hymenobacter lapidiphilus sp. nov., isolated from regoliths in Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 6364-6372.	1.7	16
20	Staphylococcus petrasii diagnostics and its pathogenic potential enhanced by mobile genetic elements. International Journal of Medical Microbiology, 2019, 309, 151355.	3.6	2
21	Flavobacterium circumlabens sp. nov. and Flavobacterium cupreum sp. nov., two psychrotrophic species isolated from Antarctic environmental samples. Systematic and Applied Microbiology, 2019, 42, 291-301.	2.8	17
22	Hymenobacter amundsenii sp. nov. resistant to ultraviolet radiation, isolated from regoliths in Antarctica. Systematic and Applied Microbiology, 2019, 42, 284-290.	2.8	31
23	Hymenobacter humicola sp. nov., isolated from soils in Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2755-2761.	1.7	15
24	Characterization of a xylanolytic bacterial strain C10 isolated from the rumen of a red deer (<i>Cervus Tj ETQqO 0 0 rgBT /Overlock 10 Tf 5 glycerinitolerans</i> , and <i>A. ruminicola</i> . Folia Microbiologica, 2018, 63, 391-399.	2.3	7
25	Staphylococcus edaphicus sp. nov., Isolated in Antarctica, Harbors the <i>< i>mecC</i></i> Gene and Genomic Islands with a Suspected Role in Adaptation to Extreme Environments. Applied and Environmental Microbiology, 2018, 84, .	3.1	60
26	Description and Comparative Genomics of <i>Macrococcus caseolyticus</i> subsp. <i>hominis</i> subsp. nov., <i>Macrococcus goetzii</i> sp. nov., <i>Macrococcus epidermidis</i> sp. nov., and <i>Macrococcus boemicus</i> sp. nov., Novel <i>Macrococci</i> From Human Clinical Material With Virulence Potential and Suspected Uptake of Foreign DNA by Natural Transformation. Frontiers in Microbiology, 2018, 9, 1178.	3.5	65
27	Characterization of four <i> <i>Escherichia albertii</i> </i> isolates collected from animals living in Antarctica and Patagonia. Journal of Veterinary Medical Science, 2018, 80, 138-146.	0.9	25
28	Flavobacterium chryseum sp. nov. and Flavobacterium psychroterrae sp. nov., novel environmental bacteria isolated from Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3132-3139.	1.7	12
29	First evidence of high-molecular-weight bacteriocin (tailocin) produced by Antarctic <i>Pseudomonas</i> spp.. Czech Polar Reports, 2018, 8, 178-185.	0.6	2
30	Free-Living <i>Enterobacterium < i>Pragia fontium</i></i> 24613: Complete Genome Sequence and Metabolic Profiling. Evolutionary Bioinformatics, 2017, 13, 117693431770086.	1.2	2
31	<i>Pedobacter jamesrossensis</i> sp. nov., <i>Pedobacter lithocola</i> sp. nov., <i>Pedobacter mendelii</i> sp. nov. and <i>Pedobacter petrophilus</i> sp. nov., isolated from the Antarctic environment. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1499-1507.	1.7	32
32	Red-pink pigmented <i>Hymenobacter coccineus</i> sp. nov., <i>Hymenobacter lapidarius</i> sp. nov. and <i>Hymenobacter glacialis</i> sp. nov., isolated from rocks in Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 1975-1983.	1.7	33
33	<i>Pedobacter psychrophilus</i> sp. nov., isolated from fragmentary rock. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 2538-2543.	1.7	18
34	<i>Mucilaginibacter terrae</i> sp. nov., isolated from Antarctic soil. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 4002-4007.	1.7	13
35	Substrate interactions between 4-nitrophenol and 4-nitrotoluene during biodegradation of their mixture. Desalination and Water Treatment, 2016, 57, 2759-2765.	1.0	7
36	Description of <i>Pseudomonas gregormendelii</i> sp. nov., a Novel Psychrotrophic Bacterium from James Ross Island, Antarctica. Current Microbiology, 2016, 73, 84-90.	2.2	19

#	ARTICLE	IF	CITATIONS
37	Aquitalea pelogenes sp. nov., isolated from mineral peloid. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 962-967.	1.7	20
38	Rufibacter ruber sp. nov., isolated from fragmentary rock. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4401-4405.	1.7	17
39	High intraspecies heterogeneity within <i>Staphylococcus sciuri</i> and rejection of its classification into <i>S. sciuri</i> subsp. <i>sciuri</i> , <i>S. sciuri</i> subsp. <i>carnaticus</i> and <i>S. sciuri</i> subsp. <i>rodentium</i> . International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 5181-5186.	1.7	18
40	<i>Staphylococcus petrasii</i> subsp. <i>pragensis</i> subsp. nov., occurring in human clinical material. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 2071-2077.	1.7	17
41	Classification of strain CCM 4446T as <i>Rhodococcus degradans</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4381-4387.	1.7	27
42	Reclassification of <i>Staphylococcus jettensis</i> De Bel et al. 2013 as <i>Staphylococcus petrasii</i> subsp. <i>jettensis</i> subsp. nov. and emended description of <i>Staphylococcus petrasii</i> Pantucek et al. 2013. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 4198-4201.	1.7	15
43	<i>Pseudomonas prosekii</i> sp. nov., a Novel Psychrotrophic Bacterium from Antarctica. Current Microbiology, 2013, 67, 637-646.	2.2	38
44	<i>Staphylococcus petrasii</i> sp. nov. including <i>S. petrasii</i> subsp. <i>petrasii</i> subsp. nov. and <i>S. petrasii</i> subsp. <i>croceilyticus</i> subsp. nov., isolated from human clinical specimens and human ear infections. Systematic and Applied Microbiology, 2013, 36, 90-95.	2.8	45
45	<i>Enterococcus ureilyticus</i> sp. nov. and <i>Enterococcus rotai</i> sp. nov., two urease-producing enterococci from the environment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 502-510.	1.7	28
46	<i>Enterococcus alcedinis</i> sp. nov., isolated from common kingfisher (<i>Alcedo atthis</i>). International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 3069-3074.	1.7	11
47	<i>Enterococcus plantarum</i> sp. nov., isolated from plants. International Journal of Systematic and Evolutionary Microbiology, 2012, 62, 1499-1505.	1.7	29
48	<i>Aeromonas hydrophila</i> subsp. <i>dhakensis</i> --a causative agent of gastroenteritis imported into the Czech Republic. Annals of Agricultural and Environmental Medicine, 2012, 19, 409-13.	1.0	8
49	<i>Achromobacter marplatensis</i> sp. nov., isolated from a pentachlorophenol-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2231-2237.	1.7	47
50	<i>Pandoraea oxalativorans</i> sp. nov., <i>Pandoraea faecigallinarum</i> sp. nov. and <i>Pandoraea vervacti</i> sp. nov., isolated from oxalate-enriched culture. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 2247-2253.	1.7	52
51	Identification of <i>Staphylococcus</i> spp. using (GTG)5-PCR fingerprinting. Systematic and Applied Microbiology, 2010, 33, 451-456.	2.8	45
52	<i>Staphylococcus microti</i> sp. nov., isolated from the common vole (<i>Microtus arvalis</i>). International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 566-573.	1.7	27
53	Ribotyping and biotyping of <i>Lactobacillus helveticus</i> from the koumiss. European Food Research and Technology, 2010, 230, 753-758.	3.3	7
54	Evaluation of (GTG)5-PCR for rapid identification of <i>Streptococcus mutans</i> . Antonie Van Leeuwenhoek, 2008, 94, 573-579.	1.7	35

#	ARTICLE	IF	CITATIONS
55	Pseudomonas moraviensis sp. nov. and Pseudomonas vranovensis sp. nov., soil bacteria isolated on nitroaromatic compounds, and emended description of <i>Pseudomonas asplenii</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2657-2663.	1.7	64
56	Staphylococcus simiae sp. nov., isolated from South American squirrel monkeys. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1953-1958.	1.7	47
57	Macrococcus brunensis sp. nov., <i>Macrococcus hajekii</i> sp. nov. and <i>Macrococcus lamae</i> sp. nov., from the skin of llamas. International Journal of Systematic and Evolutionary Microbiology, 2003, 53, 1647-1654.	1.7	55