

Andrew Toby Prevost

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8005787/publications.pdf>

Version: 2024-02-01

142
papers

6,703
citations

47006

47
h-index

71685

76
g-index

147
all docs

147
docs citations

147
times ranked

9827
citing authors

#	ARTICLE	IF	CITATIONS
1	Developing and validating a multivariable prediction model which predicts progression of intermediate to late age-related macular degeneration—the PINNACLE trial protocol. <i>Eye</i> , 2023, 37, 1275-1283.	2.1	9
2	Mortality of Care Home Residents and Community-Dwelling Controls During the COVID-19 Pandemic in 2020: Matched Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 923-929.e2.	2.5	7
3	Multicenter Evaluation of Diagnostic Circulating Biomarkers to Detect Sight-Threatening Diabetic Retinopathy. <i>JAMA Ophthalmology</i> , 2022, 140, 587.	2.5	10
4	Who will benefit from bariatric surgery for diabetes? A protocol for an observational cohort study. <i>BMJ Open</i> , 2021, 11, e042355.	1.9	1
5	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. <i>BMJ Open</i> , 2021, 11, e048204.	1.9	6
6	Cost Effectiveness of Ranibizumab vs Aflibercept vs Bevacizumab for the Treatment of Macular Oedema Due to Central Retinal Vein Occlusion: The LEAVO Study. <i>Pharmacoeconomics</i> , 2021, 39, 913-927.	3.3	6
7	The feasibility of the ÂPAM intervention to support treatment-adherence in people with hypertension in primary care: a randomised clinical controlled trial. <i>Scientific Reports</i> , 2021, 11, 8897.	3.3	1
8	Intravitreal ranibizumab versus aflibercept versus bevacizumab for macular oedema due to central retinal vein occlusion: the LEAVO non-inferiority three-arm RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-196.	2.8	10
9	Development and validation of resource-driven risk prediction models for incident chronic kidney disease in type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 13654.	3.3	6
10	Ethnic Disparities in the Development of Sight-Threatening Diabetic Retinopathy in a UK Multi-Ethnic Population with Diabetes: An Observational Cohort Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 740.	2.5	9
11	Defining phenotypes and treatment effect heterogeneity to inform acute respiratory distress syndrome and sepsis trials: secondary analyses of three RCTs. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-104.	0.7	11
12	Feasibility of Comparative Health Research Outcome of Novel Surgery in prostate cancer (IP4-CHRONOS): statistical analysis plan for the randomised feasibility phase of the CHRONOS study. <i>Trials</i> , 2021, 22, 547.	1.6	2
13	Improving the Interpretation of Afternoon Cortisol Levels and SSTs to Prevent Misdiagnosis of Adrenal Insufficiency. <i>Journal of the Endocrine Society</i> , 2021, 5, bvab147.	0.2	3
14	Evaluation of a very brief pedometer-based physical activity intervention delivered in NHS Health Checks in England: The VBI randomised controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003046.	8.4	11
15	Comparative Healthcare Research Outcomes of Novel Surgery in prostate cancer (IP4-CHRONOS): A prospective, multi-centre therapeutic phase II parallel Randomised Control Trial. <i>Contemporary Clinical Trials</i> , 2020, 93, 105999.	1.8	20
16	A Highly Tailored Text and Voice Messaging Intervention to Improve Medication Adherence in Patients With Either or Both Hypertension and Type 2 Diabetes in a UK Primary Care Setting: Feasibility Randomized Controlled Trial of Clinical Effectiveness. <i>Journal of Medical Internet Research</i> , 2020, 22, e16629.	4.3	21
17	Assessment of the Effectiveness and Cost-Effectiveness of Tailored Web- and Text-Based Smoking Cessation Support in Primary Care (iQuit in Practice II): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17160.	1.0	3
18	Protocol on a multicentre statistical and economic modelling study of risk-based stratified and personalised screening for diabetes and its complications in India (SMART India). <i>BMJ Open</i> , 2020, 10, e039657.	1.9	12

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 17, e1003046.		0
20	Title is missing!. , 2020, 17, e1003046.		0
21	Title is missing!. , 2020, 17, e1003046.		0
22	Title is missing!. , 2020, 17, e1003046.		0
23	Title is missing!. , 2020, 17, e1003046.		0
24	Arthritis prevention in the pre-clinical phase of RA with abatacept (the APIPPRA study): a multi-centre, randomised, double-blind, parallel-group, placebo-controlled clinical trial protocol. <i>Trials</i> , 2019, 20, 429.	1.6	77
25	Clinical Effectiveness of Intravitreal Therapy With Ranibizumab vs Aflibercept vs Bevacizumab for Macular Edema Secondary to Central Retinal Vein Occlusion. <i>JAMA Ophthalmology</i> , 2019, 137, 1256.	2.5	80
26	Combined GLP-1, Oxyntomodulin, and Peptide YY Improves Body Weight and Glycemia in Obesity and Prediabetes/Type 2 Diabetes: A Randomized, Single-Blinded, Placebo-Controlled Study. <i>Diabetes Care</i> , 2019, 42, 1446-1453.	8.6	84
27	Heterogeneity of treatment effect by baseline risk of mortality in critically ill patients: re-analysis of three recent sepsis and ARDS randomised controlled trials. <i>Critical Care</i> , 2019, 23, 156.	5.8	27
28	Correction of Defective T-Regulatory Cells From Patients With Crohn's Disease by Ex Vivo Ligation of Retinoic Acid Receptor- α . <i>Gastroenterology</i> , 2019, 156, 1775-1787.	1.3	40
29	Effectiveness and safety of electronically delivered prescribing feedback and decision support on antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2019, 364, l236.	2.3	85
30	A systematic review identifying common data items in neonatal trials and assessing their completeness in routinely recorded United Kingdom national neonatal data. <i>Trials</i> , 2019, 20, 731.	1.6	4
31	Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. <i>Health Technology Assessment</i> , 2019, 23, 1-70.	2.8	19
32	Lightmasks that prevent dark adaptation for non-central diabetic macular oedema: the CLEOPATRA RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-78.	0.7	0
33	Clinical efficacy and safety of a light mask for prevention of dark adaptation in treating and preventing progression of early diabetic macular oedema at 24 months (CLEOPATRA): a multicentre, phase 3, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 382-391.	11.4	25
34	Mechanistic Evaluation of Panretinal Photocoagulation Versus Aflibercept in Proliferative Diabetic Retinopathy: CLARITY Substudy. , 2018, 59, 4277.		29
35	Intravitreal aflibercept compared with panretinal photocoagulation for proliferative diabetic retinopathy: the CLARITY non-inferiority RCT. Efficacy and Mechanism Evaluation, 2018, 5, 1-112.	0.7	9
36	Clinical efficacy of intravitreal aflibercept versus panretinal photocoagulation for best corrected visual acuity in patients with proliferative diabetic retinopathy at 52 weeks (CLARITY): a multicentre, single-blinded, randomised, controlled, phase 2b, non-inferiority trial. <i>Lancet</i> , 2017, 389, 2193-2203.	13.7	279

#	ARTICLE	IF	CITATIONS
37	Costs and Outcomes of Increasing Access to Bariatric Surgery: Cohort Study and Cost-Effectiveness Analysis Using Electronic Health Records. <i>Value in Health</i> , 2017, 20, 85-92.	0.3	80
38	Intravitreal aflibercept for proliferative diabetic retinopathy – Authors' reply. <i>Lancet</i> , The, 2017, 390, 2141-2142.	13.7	0
39	The impact of communicating genetic risks of disease on risk-reducing health behaviour: systematic review with meta-analysis. <i>BMJ</i> , The, 2016, 352, i1102.	6.0	362
40	Effectiveness and cost-effectiveness of a very brief physical activity intervention delivered in NHS Health Checks (VBI Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 303.	1.6	4
41	Unbiased estimation in seamless phase II/III trials with unequal treatment effect variances and hypothesis-driven selection rules. <i>Statistics in Medicine</i> , 2016, 35, 3907-3922.	1.6	15
42	Accounting for selection and correlation in the analysis of two-stage genome-wide association studies. <i>Biostatistics</i> , 2016, 17, 634-649.	1.5	12
43	Changing Epidemiology of Bariatric Surgery in the UK: Cohort Study Using Primary Care Electronic Health Records. <i>Obesity Surgery</i> , 2016, 26, 1900-1905.	2.1	38
44	Safety of reduced antibiotic prescribing for self limiting respiratory tract infections in primary care: cohort study using electronic health records. <i>BMJ</i> , The, 2016, 354, i3410.	6.0	103
45	Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records – REDUCE Trial study original protocol. <i>BMJ Open</i> , 2016, 6, e010892.	1.9	11
46	A randomised controlled trial of three very brief interventions for physical activity in primary care. <i>BMC Public Health</i> , 2016, 16, 1033.	2.9	81
47	A systematic review of randomised controlled trials in rheumatoid arthritis: the reporting and handling of missing data in composite outcomes. <i>Trials</i> , 2016, 17, 272.	1.6	22
48	The clinical and cost effectiveness of a Breathlessness Intervention Service for patients with advanced non-malignant disease and their informal carers: mixed findings of a mixed method randomised controlled trial. <i>Trials</i> , 2016, 17, 185.	1.6	94
49	Effect of Contemporary Bariatric Surgical Procedures on Type 2 Diabetes Remission. A Population-Based Matched Cohort Study. <i>Obesity Surgery</i> , 2016, 26, 2308-2315.	2.1	24
50	Objectively measured sedentary time, physical activity and kidney function in people with recently diagnosed Type 2 diabetes: a prospective cohort analysis. <i>Diabetic Medicine</i> , 2016, 33, 1222-1229.	2.3	27
51	Costs and outcomes of increasing access to bariatric surgery for obesity: cohort study and cost-effectiveness analysis using electronic health records. <i>Health Services and Delivery Research</i> , 2016, 4, 1-120.	1.4	16
52	Fildes et al. Respond. <i>American Journal of Public Health</i> , 2015, 105, e3-e4.	2.7	0
53	Probability of an Obese Person Attaining Normal Body Weight: Cohort Study Using Electronic Health Records. <i>American Journal of Public Health</i> , 2015, 105, e54-e59.	2.7	277
54	Impact of Community Based Peer Support in Type 2 Diabetes: A Cluster Randomised Controlled Trial of Individual and/or Group Approaches. <i>PLoS ONE</i> , 2015, 10, e0120277.	2.5	73

#	ARTICLE	IF	CITATIONS
55	Access to weight reduction interventions for overweight and obese patients in UK primary care: population-based cohort study. <i>BMJ Open</i> , 2015, 5, e006642-e006642.	1.9	88
56	Sleep duration and cardiometabolic risk factors among individuals with type 2 diabetes. <i>Sleep Medicine</i> , 2015, 16, 119-125.	1.6	16
57	Correcting for bias in the selection and validation of informative diagnostic tests. <i>Statistics in Medicine</i> , 2015, 34, 1417-1437.	1.6	2
58	Long-Term Effect of Population Screening for Diabetes on Cardiovascular Morbidity, Self-Rated Health, and Health Behavior. <i>Annals of Family Medicine</i> , 2015, 13, 149-157.	1.9	18
59	Impact of bariatric surgery on clinical depression. Interrupted time series study with matched controls. <i>Journal of Affective Disorders</i> , 2015, 174, 644-649.	4.1	59
60	Clinical efficacy and mechanistic evaluation of aflibercept for proliferative diabetic retinopathy (acronym CLARITY): a multicentre phase IIb randomised active-controlled clinical trial. <i>BMJ Open</i> , 2015, 5, e008405.	1.9	23
61	Which Behavior Change Techniques are Associated with Changes in Physical Activity, Diet and Body Mass Index in People with Recently Diagnosed Diabetes?. <i>Annals of Behavioral Medicine</i> , 2015, 49, 7-17.	2.9	103
62	Hospitalisation among patients with diabetes associated with a Diabetes Integrated Care Initiative: a mixed methods case study. <i>Future Hospital Journal</i> , 2015, 2, 92-98.	0.2	8
63	Predicting adverse drug reactions in older adults; a systematic review of the risk prediction models. <i>Clinical Interventions in Aging</i> , 2014, 9, 1581.	2.9	54
64	Adolescent Type 1 Diabetes Cardio-Renal Intervention Trial (AdDIT): Urinary Screening and Baseline Biochemical and Cardiovascular Assessments. <i>Diabetes Care</i> , 2014, 37, 805-813.	8.6	60
65	Development and Validation of a Family History Screening Questionnaire in Australian Primary Care. <i>Annals of Family Medicine</i> , 2014, 12, 241-249.	1.9	23
66	Impact of body mass index on prevalence of multimorbidity in primary care: cohort study. <i>Family Practice</i> , 2014, 31, 38-43.	1.9	117
67	Psychological impact of family history risk assessment in primary care: a mixed methods study. <i>Family Practice</i> , 2014, 31, 409-418.	1.9	7
68	Incidence of type 2 diabetes after bariatric surgery: population-based matched cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 963-968.	11.4	70
69	A multicentre phase III randomised controlled single-masked clinical trial evaluating the clinical efficacy and safety of light-masks at preventing dark-adaptation in the treatment of early diabetic macular oedema (CLEOPATRA): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 458.	1.6	17
70	Is a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. <i>BMC Medicine</i> , 2014, 12, 194.	5.5	155
71	Randomized controlled trial to assess the short-term effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care (iQuit in Practice). <i>Addiction</i> , 2014, 109, 1184-1193.	3.3	80
72	Does Electronic Monitoring Influence Adherence to Medication? Randomized Controlled Trial of Measurement Reactivity. <i>Annals of Behavioral Medicine</i> , 2014, 48, 293-299.	2.9	58

#	ARTICLE	IF	CITATIONS
73	Multiple behaviour change intervention and outcomes in recently diagnosed type 2 diabetes: the ADDITION-Plus randomised controlled trial. <i>Diabetologia</i> , 2014, 57, 1308-1319.	6.3	32
74	Study protocol for iQuit in Practice: a randomised controlled trial to assess the feasibility, acceptability and effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care. <i>BMC Public Health</i> , 2013, 13, 324.	2.9	19
75	The Cost-Effectiveness of a Novel SIAscopic Diagnostic Aid for the Management of Pigmented Skin Lesions in Primary Care: A Decision-Analytic Model. <i>Value in Health</i> , 2013, 16, 356-366.	0.3	22
76	Effectiveness of interventions to promote healthy diet in primary care: systematic review and meta-analysis of randomised controlled trials. <i>BMC Public Health</i> , 2013, 13, 1203.	2.9	55
77	Constructing multiplicative measures of beliefs in the theory of planned behaviour. <i>British Journal of Health Psychology</i> , 2013, 18, 122-138.	3.5	8
78	Testing a peer support intervention for people with type 2 diabetes: a pilot for a randomised controlled trial. <i>BMC Family Practice</i> , 2013, 14, 5.	2.9	34
79	Validation of clinical examination versus magnetic resonance imaging and arthroscopy for the detection of rotator cuff lesions. <i>Clinical Rheumatology</i> , 2013, 32, 1283-1291.	2.2	22
80	Using the 7-point checklist as a diagnostic aid for pigmented skin lesions in general practice: a diagnostic validation study. <i>British Journal of General Practice</i> , 2013, 63, e345-e353.	1.4	58
81	Epidemiology of clinical body mass index recording in an obese population in primary care: a cohort study. <i>Journal of Public Health</i> , 2013, 35, 67-74.	1.8	24
82	Validity of smoking prevalence estimates from primary care electronic health records compared with national population survey data for England, 2007 to 2011. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 1357-1361.	1.9	52
83	Development and evaluation of a brief self-completed family history screening tool for common chronic disease prevention in primary care. <i>British Journal of General Practice</i> , 2013, 63, e393-e400.	1.4	24
84	Phase 2 Study of Sorafenib in Malignant Mesothelioma Previously Treated with Platinum-Containing Chemotherapy. <i>Journal of Thoracic Oncology</i> , 2013, 8, 783-787.	1.1	76
85	VITREOUS ATTACHMENT IN AGE-RELATED MACULAR DEGENERATION, DIABETIC MACULAR EDEMA, AND RETINAL VEIN OCCLUSION. <i>Retina</i> , 2013, 33, 1099-1108.	1.7	65
86	Integration of Lyoplate Based Flow Cytometry and Computational Analysis for Standardized Immunological Biomarker Discovery. <i>PLoS ONE</i> , 2013, 8, e65485.	2.5	16
87	Randomized Controlled Trial Evaluation of a Tailored Leaflet and SMS Text Message Self-help Intervention for Pregnant Smokers (MiQuit). <i>Nicotine and Tobacco Research</i> , 2012, 14, 569-577.	2.6	126
88	Effect of communicating DNA based risk assessments for Crohn's disease on smoking cessation: randomised controlled trial. <i>BMJ</i> , The, 2012, 345, e4708-e4708.	6.0	27
89	Effect of adding a diagnostic aid to best practice to manage suspicious pigmented lesions in primary care: randomised controlled trial. <i>BMJ</i> , The, 2012, 345, e4110-e4110.	6.0	61
90	Screening for type 2 diabetes and population mortality over 10 years (ADDITION-Cambridge): a cluster-randomised controlled trial. <i>Lancet</i> , The, 2012, 380, 1741-1748.	13.7	199

#	ARTICLE	IF	CITATIONS
91	An explanatory randomised controlled trial of a nurse-led, consultation-based intervention to support patients with adherence to taking glucose lowering medication for type 2 diabetes. <i>BMC Family Practice</i> , 2012, 13, 30.	2.9	49
92	Adherence to hypoglycaemic medication among people with type 2 diabetes in primary care. <i>Primary Care Diabetes</i> , 2012, 6, 27-33.	1.8	19
93	Effect on Adherence to Nicotine Replacement Therapy of Informing Smokers Their Dose Is Determined by Their Genotype: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e35249.	2.5	36
94	Bladder Cancer Diagnosis and Identification of Clinically Significant Disease by Combined Urinary Detection of Mcm5 and Nuclear Matrix Protein 22. <i>PLoS ONE</i> , 2012, 7, e40305.	2.5	34
95	Can informed choice invitations lead to inequities in intentions to make lifestyle changes among participants in a primary care diabetes screening programme? Evidence from a randomized trial. <i>Public Health</i> , 2011, 125, 645-652.	2.9	8
96	Study Protocol: Phase III single-blinded fast-track pragmatic randomised controlled trial of a complex intervention for breathlessness in advanced disease. <i>Trials</i> , 2011, 12, 130.	1.6	40
97	Predictors of anxiety and depression among people attending diabetes screening: A prospective cohort study embedded in the ADDITION (Cambridge) randomized control trial. <i>British Journal of Health Psychology</i> , 2011, 16, 213-226.	3.5	23
98	Protocol for the OUTREACH trial: a randomised trial comparing delivery of cancer systemic therapy in three different settings - patient's home, GP surgery and hospital day unit. <i>BMC Cancer</i> , 2011, 11, 467.	2.6	10
99	Protocol for the ADDITION-Plus study: a randomised controlled trial of an individually-tailored behaviour change intervention among people with recently diagnosed type 2 diabetes under intensive UK general practice care. <i>BMC Public Health</i> , 2011, 11, 211.	2.9	21
100	Trial Protocol: Communicating DNA-based risk assessments for Crohn's disease: a randomised controlled trial assessing impact upon stopping smoking. <i>BMC Public Health</i> , 2011, 11, 44.	2.9	4
101	Developmental Changes in Cochlear Orientation-Implications for Cochlear Implantation. <i>Otology and Neurotology</i> , 2010, 31, 902-907.	1.3	41
102	The Influence of Duration of Fluid Abstinence on Hypotension During Propofol Induction. <i>Anesthesia and Analgesia</i> , 2010, 111, 1373-1377.	2.2	17
103	Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. <i>BMC Public Health</i> , 2010, 10, 680.	2.9	20
104	Protocol for the MoleMate, UK Trial: a randomised controlled trial of the MoleMate system in the management of pigmented skin lesions in primary care [ISRCTN 79932379]. <i>BMC Family Practice</i> , 2010, 11, 36.	2.9	12
105	Symmetric dimethylarginine, an endogenous marker of glomerular filtration rate, and the risk for microalbuminuria in young people with type 1 diabetes. <i>Archives of Disease in Childhood</i> , 2010, 95, 119-124.	1.9	24
106	A Randomized Evaluation of Loss and Gain Frames in an Invitation to Screening for Type 2 Diabetes. <i>Journal of Health Psychology</i> , 2010, 15, 196-204.	2.3	13
107	Cochlear Rotation and its Relevance to Cochlear Implantation. <i>Cochlear Implants International</i> , 2010, 11, 57-63.	1.2	3
108	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): randomised trial. <i>BMJ: British Medical Journal</i> , 2010, 340, c2138-c2138.	2.3	44

#	ARTICLE	IF	CITATIONS
109	Targeting DNA Replication before it Starts. American Journal of Pathology, 2010, 177, 2034-2045.	3.8	45
110	Prevalence of Abnormal Lipid Profiles and the Relationship With the Development of Microalbuminuria in Adolescents With Type 1 Diabetes. Diabetes Care, 2009, 32, 658-663.	8.6	89
111	Are people with negative diabetes screening tests falsely reassured? Parallel group cohort study embedded in the ADDITION (Cambridge) randomised controlled trial. BMJ: British Medical Journal, 2009, 339, b4535-b4535.	2.3	35
112	The ADDITION-Cambridge trial protocol: a cluster " randomised controlled trial of screening for type 2 diabetes and intensive treatment for screen-detected patients. BMC Public Health, 2009, 9, 136.	2.9	75
113	Impact of an informed choice invitation on uptake of screening for diabetes in primary care (DICISION): trial protocol. BMC Public Health, 2009, 9, 63.	2.9	10
114	Completing a postal health questionnaire did not affect anxiety or related measures: randomized controlled trial. Journal of Clinical Epidemiology, 2009, 62, 74-80.	5.0	5
115	Evaluation of an informed choice invitation for type 2 diabetes screening. Patient Education and Counseling, 2008, 72, 232-238.	2.2	25
116	Protocol for SAMS (Support and Advice for Medication Study): A randomised controlled trial of an intervention to support patients with type 2 diabetes with adherence to medication. BMC Family Practice, 2008, 9, 20.	2.9	19
117	Self-help smoking cessation interventions in pregnancy: a systematic review and meta-analysis. Addiction, 2008, 103, 566-579.	3.3	57
118	Screening for type 2 diabetes is feasible, acceptable, but associated with increased short-term anxiety: A randomised controlled trial in British general practice. BMC Public Health, 2008, 8, 350.	2.9	58
119	Efficacy of a theory-based behavioural intervention to increase physical activity in an at-risk group in primary care (ProActive UK): a randomised trial. Lancet, The, 2008, 371, 41-48.	13.7	172
120	Explaining Behavior Change after Genetic Testing: The Problem of Collinearity between Test Results and Risk Estimates. Genetic Testing and Molecular Biomarkers, 2008, 12, 381-386.	1.7	20
121	Investigating theoretical explanations for behaviour change: The case study of <i>ProActive</i>. Psychology and Health, 2008, 23, 25-39.	2.2	50
122	Fidelity of delivery of a physical activity intervention: Predictors and consequences. Psychology and Health, 2008, 23, 11-24.	2.2	166
123	Risk of microalbuminuria and progression to macroalbuminuria in a cohort with childhood onset type 1 diabetes: prospective observational study. BMJ: British Medical Journal, 2008, 336, 697-701.	2.3	170
124	Management of Lower Limb Complex Regional Pain Syndrome Type 1: An Evaluation of Percutaneous Radiofrequency Thermal Lumbar Sympathectomy Versus Phenol Lumbar Sympathetic Neurolysis" A Pilot Study. Anesthesia and Analgesia, 2008, 106, 647-649.	2.2	74
125	Perceptions of absolute versus relative differences between personal and comparison health risk.. Health Psychology, 2008, 27, 87-92.	1.6	15
126	Evaluation of the MoleMate™ training program for assessment of suspicious pigmented lesions in primary care. Journal of Innovation in Health Informatics, 2008, 16, 41-50.	0.9	13

#	ARTICLE	IF	CITATIONS
127	Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 486.	2.3	119
128	Allowing for correlations between correlations in random-effects meta-analysis of correlation matrices.. <i>Psychological Methods</i> , 2007, 12, 434-450.	3.5	11
129	Psychological Impact of Genetic Counseling for Familial Cancer: A Systematic Review and Meta-Analysis. <i>Familial Cancer</i> , 2006, 5, 61-75.	1.9	91
130	Repression of DNA replication licensing in quiescence is independent of geminin and may define the cell cycle state of progenitor cells. <i>Experimental Cell Research</i> , 2005, 309, 56-67.	2.6	46
131	DNA replication licensing in somatic and germ cells. <i>Journal of Cell Science</i> , 2004, 117, 5875-5886.	2.0	67
132	Psychological Impact of Genetic Counseling for Familial Cancer: A Systematic Review and Meta-analysis. <i>Journal of the National Cancer Institute</i> , 2004, 96, 122-133.	6.3	168
133	The ProActivetrial protocol â€” a randomised controlled trial of the efficacy of a family-based, domiciliary intervention programme to increase physical activity among individuals at high risk of diabetes [ISRCTN61323766]. <i>BMC Public Health</i> , 2004, 4, 48.	2.9	61
134	Allowing for imprecision of the intracluster correlation coefficient in the design of cluster randomized trials. <i>Statistics in Medicine</i> , 2004, 23, 1195-1214.	1.6	52
135	Derivation and identification of questions that act as predictors of abdominal pain of musculoskeletal origin. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 1021-1027.	1.6	16
136	Diagnosis of Genito-Urinary Tract Cancer by Detection of Minichromosome Maintenance 5 Protein in Urine Sediments. <i>Journal of the National Cancer Institute</i> , 2002, 94, 1071-1079.	6.3	110
137	A cross-sectional study of dietary patterns with glucose intolerance and other features of the metabolic syndrome. <i>British Journal of Nutrition</i> , 2000, 83, 257-266.	2.3	212
138	The Huntingdon Day Hospital Trial: secondary outcome measures. <i>Clinical Rehabilitation</i> , 2000, 14, 447-453.	2.2	7
139	A randomized controlled trial of day hospital and day centre therapy. <i>Clinical Rehabilitation</i> , 1999, 13, 105-112.	2.2	29
140	Longitudinal dietary changes between 1984â€”5 and 1991â€”2 in British adults: associations with socio-demographic, lifestyle and health factors. <i>British Journal of Nutrition</i> , 1997, 78, 873-888.	2.3	34
141	Randomized Trial To Evaluate The Clinical Benefits Of Serum??-Glutathione S-Transferase Concentration Monitoring After Liver Transplantation1. <i>Transplantation</i> , 1997, 64, 1446-1452.	1.0	35
142	Dietary patterns and their associations with demographic, lifestyle and health variables in a random sample of British adults. <i>British Journal of Nutrition</i> , 1996, 76, 17-30.	2.3	104