

Ketul R Chaudhary

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8007077/publications.pdf>

Version: 2024-02-01

26
papers

819
citations

516215

16
h-index

642321

23
g-index

26
all docs

26
docs citations

26
times ranked

1132
citing authors

#	ARTICLE	IF	CITATIONS
1	Penetrance of Severe Pulmonary Arterial Hypertension in Response to Vascular Endothelial Growth Factor Receptor 2 Blockade in a Genetically Prone Rat Model Is Reduced by Female Sex. <i>Journal of the American Heart Association</i> , 2021, 10, e019488.	1.6	11
2	The Adult Sprague-Dawley Sugden-Hypoxia Rat Is Still “the One”: A Model of Group 1 Pulmonary Hypertension: Reply to Le Cras and Abman. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 621-624.	2.5	4
3	Emphysema Is “at the Most” Only a Mild Phenotype in the Sugden/Hypoxia Rat Model of Pulmonary Arterial Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019, 200, 1447-1450.	2.5	8
4	Optimizing imaging of the rat pulmonary microvasculature by micro-computed tomography. <i>Pulmonary Circulation</i> , 2019, 9, 1-9.	0.8	11
5	Medical Therapy for Heart Failure Associated With Pulmonary Hypertension. <i>Circulation Research</i> , 2019, 124, 1551-1567.	2.0	45
6	The Janus Faces of Bone Morphogenetic Protein 9 in Pulmonary Arterial Hypertension. <i>Circulation Research</i> , 2019, 124, 822-824.	2.0	7
7	Fischer rats exhibit maladaptive structural and molecular right ventricular remodelling in severe pulmonary hypertension: a genetically prone model for right heart failure. <i>Cardiovascular Research</i> , 2019, 115, 788-799.	1.8	35
8	Taking the right ventricle to “task” in pulmonary hypertension: role of TASK1/KCNK3 in RV dysfunction. <i>Cardiovascular Research</i> , 2018, 114, 776-778.	1.8	2
9	Go with the (back) flow: what can retrograde perfusion teach us about arterial remodeling in pulmonary arterial hypertension?. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018, 314, L797-L798.	1.3	2
10	Single-cell matrix-supplemented hydrogel cocooning of endothelial progenitor cells improves retention and therapeutic efficacy in pulmonary arterial hypertension. <i>Cytotherapy</i> , 2018, 20, S113.	0.3	0
11	Efficacy of treprostinil in the SU5416-hypoxia model of severe pulmonary arterial hypertension: haemodynamic benefits are not associated with improvements in arterial remodelling. <i>British Journal of Pharmacology</i> , 2018, 175, 3976-3989.	2.7	20
12	Proliferative Versus Degenerative Paradigms in Pulmonary Arterial Hypertension. <i>Circulation Research</i> , 2017, 120, 1237-1239.	2.0	32
13	Marked Strain-Specific Differences in the SU5416 Rat Model of Severe Pulmonary Arterial Hypertension. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2016, 54, 461-468.	1.4	77
14	Fatty Acids and Cardiac Ischemia Reperfusion Injury. , 2016, , 39-83.		1
15	Differential effects of soluble epoxide hydrolase inhibition and CYP2J2 overexpression on postischemic cardiac function in aged mice. <i>Prostaglandins and Other Lipid Mediators</i> , 2013, 104-105, 8-17.	1.0	36
16	Bioactive Compounds in Heart Disease. , 2013, , 431-442.		2
17	Effect of Ischemia Reperfusion Injury and Epoxyeicosatrienoic Acids on Caveolin Expression in Mouse Myocardium. <i>Journal of Cardiovascular Pharmacology</i> , 2013, 61, 258-263.	0.8	22
18	Novel soluble epoxide hydrolase inhibitor protects mitochondrial function following stress. <i>Canadian Journal of Physiology and Pharmacology</i> , 2012, 90, 811-823.	0.7	37

#	ARTICLE	IF	CITATIONS
19	Role of PI3K β and sarcolemmal ATP-sensitive potassium channels in epoxyeicosatrienoic acid mediated cardioprotection. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 53, 43-52.	0.9	35
20	Cardioprotective effect of a dual acting epoxyeicosatrienoic acid analogue towards ischaemia reperfusion injury. <i>British Journal of Pharmacology</i> , 2011, 162, 897-907.	2.7	62
21	Mitochondria and the aging heart. <i>Journal of Geriatric Cardiology</i> , 2011, 8, 159-167.	0.2	53
22	Inhibition of Soluble Epoxide Hydrolase by trans-4- [4-(3-adamantan-1-yl-ureido)-cyclohexyloxy]-benzoic acid Is Protective Against Ischemia \rightarrow Reperfusion Injury. <i>Journal of Cardiovascular Pharmacology</i> , 2010, 55, 67-73.	0.8	50
23	Role of B-type natriuretic peptide in epoxyeicosatrienoic acid-mediated improved post-ischaemic recovery of heart contractile function. <i>Cardiovascular Research</i> , 2009, 83, 362-370.	1.8	39
24	Overexpression of CYP2J2 provides protection against doxorubicin-induced cardiotoxicity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 297, H37-H46.	1.5	84
25	Cytochrome P450 enzymes and the heart. <i>IUBMB Life</i> , 2009, 61, 954-960.	1.5	68
26	Epoxyeicosatrienoic acids limit damage to mitochondrial function following stress in cardiac cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 46, 867-875.	0.9	76