

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/800838/publications.pdf>

Version: 2024-02-01

113
papers

9,969
citations

30070

54
h-index

36028

97
g-index

117
all docs

117
docs citations

117
times ranked

6359
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Influence of metallic, metallic oxide, and organic nanoparticles on plant physiology. <i>Chemosphere</i> , 2022, 290, 133329. | 8.2 | 37 |
| 2 | NO source in higher plants: present and future of an unresolved question. <i>Trends in Plant Science</i> , 2022, 27, 116-119. | 8.8 | 33 |
| 3 | Potassium (K+) Starvation-Induced Oxidative Stress Triggers a General Boost of Antioxidant and NADPH-Generating Systems in the Halophyte <i>Cakile maritima</i> . <i>Antioxidants</i> , 2022, 11, 401. | 5.1 | 12 |
| 4 | Nitric oxide-releasing nanomaterials: from basic research to potential biotechnological applications in agriculture. <i>New Phytologist</i> , 2022, 234, 1119-1125. | 7.3 | 21 |
| 5 | Thiol-based Oxidative Posttranslational Modifications (OxiPTMs) of Plant Proteins. <i>Plant and Cell Physiology</i> , 2022, 63, 889-900. | 3.1 | 29 |
| 6 | Nitric Oxide (NO) Differentially Modulates the Ascorbate Peroxidase (APX) Isozymes of Sweet Pepper (<i>Capsicum annuum</i> L.) Fruits. <i>Antioxidants</i> , 2022, 11, 765. | 5.1 | 18 |
| 7 | H ₂ S in Horticultural Plants: Endogenous Detection by an Electrochemical Sensor, Emission by a Gas Detector, and Its Correlation with L-Cysteine Desulhydrase (LCD) Activity. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5648. | 4.1 | 11 |
| 8 | Multifaceted roles of nitric oxide in tomato fruit ripening: NO-induced metabolic rewiring and consequences for fruit quality traits. <i>Journal of Experimental Botany</i> , 2021, 72, 941-958. | 4.8 | 57 |
| 9 | Nitric oxide and hydrogen sulfide modulate the NADPH-generating enzymatic system in higher plants. <i>Journal of Experimental Botany</i> , 2021, 72, 830-847. | 4.8 | 42 |
| 10 | Nitric Oxide (NO) Scaffolds the Peroxisomal Protein-Protein Interaction Network in Higher Plants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2444. | 4.1 | 14 |
| 11 | Editorial: Subcellular Compartmentalization of Plant Antioxidants and ROS Generating Systems. <i>Frontiers in Plant Science</i> , 2021, 12, 643239. | 3.6 | 4 |
| 12 | Loss of function of the chloroplast membrane K ⁺ /H ⁺ antiporters AtKEA1 and AtKEA2 alters the ROS and NO metabolism but promotes drought stress resilience. <i>Plant Physiology and Biochemistry</i> , 2021, 160, 106-119. | 5.8 | 27 |
| 13 | Identification of Compounds with Potential Therapeutic Uses from Sweet Pepper (<i>Capsicum annuum</i> L.) Fruits and Their Modulation by Nitric Oxide (NO). <i>International Journal of Molecular Sciences</i> , 2021, 22, 4476. | 4.1 | 18 |
| 14 | The Modus Operandi of Hydrogen Sulfide(H ₂ S)-Dependent Protein Persulfidation in Higher Plants. <i>Antioxidants</i> , 2021, 10, 1686. | 5.1 | 19 |
| 15 | Transcriptomic Profiling of Fruits from Pepper (<i>Capsicum annuum</i> L.), Variety Padrão (Mild Hot), at Two Ripening States. <i>Biology and Life Sciences Forum</i> , 2021, 3, 16. | 0.6 | 0 |
| 16 | Inhibition of NADP-malic enzyme activity by H ₂ S and NO in sweet pepper (<i>Capsicum</i>) Tj ETQq0 0,0,rgBT /Overlock 10 | 5.2 | 57 |
| 17 | Recommendations on terminology and experimental best practice associated with plant nitric oxide research. <i>New Phytologist</i> , 2020, 225, 1828-1834. | 7.3 | 56 |
| 18 | Appraisal of H ₂ S metabolism in <i>Arabidopsis thaliana</i> : In silico analysis at the subcellular level. <i>Plant Physiology and Biochemistry</i> , 2020, 155, 579-588. | 5.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Antioxidant Profile of Pepper (<i>Capsicum annuum</i> L.) Fruits Containing Diverse Levels of Capsaicinoids. <i>Antioxidants</i> , 2020, 9, 878. | 5.1 | 21 |
| 20 | Reactive Oxygen Species (ROS) Metabolism and Nitric Oxide (NO) Content in Roots and Shoots of Rice (<i>Oryza sativa</i> L.) Plants under Arsenic-Induced Stress. <i>Agronomy</i> , 2020, 10, 1014. | 3.0 | 26 |
| 21 | NADPH as a quality footprinting in horticultural crops marketability. <i>Trends in Food Science and Technology</i> , 2020, 103, 152-161. | 15.1 | 32 |
| 22 | Nitric oxide: A radical molecule with potential biotechnological applications in fruit ripening. <i>Journal of Biotechnology</i> , 2020, 324, 211-219. | 3.8 | 36 |
| 23 | To Be or Not to Be An Antioxidant? That Is the Question. <i>Antioxidants</i> , 2020, 9, 1234. | 5.1 | 11 |
| 24 | Plant catalases as NO and H ₂ S targets. <i>Redox Biology</i> , 2020, 34, 101525. | 9.0 | 125 |
| 25 | Superoxide Radical Metabolism in Sweet Pepper (<i>Capsicum annuum</i> L.) Fruits Is Regulated by Ripening and by a NO-Enriched Environment. <i>Frontiers in Plant Science</i> , 2020, 11, 485. | 3.6 | 37 |
| 26 | Plant Peroxisomes: A Factory of Reactive Species. <i>Frontiers in Plant Science</i> , 2020, 11, 853. | 3.6 | 73 |
| 27 | Regulating the regulator: nitric oxide control of post-translational modifications. <i>New Phytologist</i> , 2020, 227, 1319-1325. | 7.3 | 91 |
| 28 | H ₂ S signaling in plants and applications in agriculture. <i>Journal of Advanced Research</i> , 2020, 24, 131-137. | 9.5 | 146 |
| 29 | Arsenate disrupts ion balance, sulfur and nitric oxide metabolisms in roots and leaves of pea (<i>Pisum</i>) Tj ETQq1 1 0.784314 rgBT /Over 4.2 72 | 4.2 | 72 |
| 30 | Pomegranate (<i>Punica granatum</i> L.) Fruits: Characterization of the Main Enzymatic Antioxidants (Peroxisomal Catalase and SOD Isozymes) and the NADPH-Regenerating System. <i>Agronomy</i> , 2019, 9, 338. | 3.0 | 6 |
| 31 | Nitric oxide in the physiology and quality of fleshy fruits. <i>Journal of Experimental Botany</i> , 2019, 70, 4405-4417. | 4.8 | 83 |
| 32 | Sweet Pepper (<i>Capsicum annuum</i> L.) Fruits Contain an Atypical Peroxisomal Catalase That Is Modulated by Reactive Oxygen and Nitrogen Species. <i>Antioxidants</i> , 2019, 8, 374. | 5.1 | 51 |
| 33 | A forty year journey: The generation and roles of NO in plants. <i>Nitric Oxide - Biology and Chemistry</i> , 2019, 93, 53-70. | 2.7 | 209 |
| 34 | Hydrogen sulfide: A novel component in <i>Arabidopsis</i> peroxisomes which triggers catalase inhibition. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 871-883. | 8.5 | 108 |
| 35 | Nitric oxide and hydrogen sulfide in plants: which comes first?. <i>Journal of Experimental Botany</i> , 2019, 70, 4391-4404. | 4.8 | 206 |
| 36 | Editorial: Fruit Ripening: From Present Knowledge to Future Development. <i>Frontiers in Plant Science</i> , 2019, 10, 545. | 3.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Nitric oxide-dependent regulation of sweet pepper fruit ripening. <i>Journal of Experimental Botany</i> , 2019, 70, 4557-4570. | 4.8 | 84 |
| 38 | Impact of Nitric Oxide (NO) on the ROS Metabolism of Peroxisomes. <i>Plants</i> , 2019, 8, 37. | 3.5 | 40 |
| 39 | NADPH Oxidase (Rboh) Activity is Up Regulated during Sweet Pepper (<i>Capsicum annuum</i> L.) Fruit Ripening. <i>Antioxidants</i> , 2019, 8, 9. | 5.1 | 61 |
| 40 | Plant peroxisomes at the crossroad of NO and H ₂ O ₂ metabolism. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 803-816. | 8.5 | 71 |
| 41 | A Simple and Useful Method to Apply Exogenous NO Gas to Plant Systems: Bell Pepper Fruits as a Model. <i>Methods in Molecular Biology</i> , 2018, 1747, 3-11. | 0.9 | 11 |
| 42 | Nitro-oxidative metabolism during fruit ripening. <i>Journal of Experimental Botany</i> , 2018, 69, 3449-3463. | 4.8 | 110 |
| 43 | Plant Superoxide Dismutases: Function Under Abiotic Stress Conditions. , 2018, , 1-26. | | 48 |
| 44 | Mechanical wounding promotes local and long distance response in the halophyte <i>Cakile maritima</i> through the involvement of the ROS and RNS metabolism. <i>Nitric Oxide - Biology and Chemistry</i> , 2018, 74, 93-101. | 2.7 | 36 |
| 45 | The Proteome of Fruit Peroxisomes: Sweet Pepper (<i>Capsicum annuum</i> L.) as a Model. <i>Sub-Cellular Biochemistry</i> , 2018, 89, 323-341. | 2.4 | 23 |
| 46 | Endogenous hydrogen sulfide (H ₂ S) is up-regulated during sweet pepper (<i>Capsicum annuum</i> L.) fruit ripening. In vitro analysis shows that NADP-dependent isocitrate dehydrogenase (ICDH) activity is inhibited by H ₂ S and NO. <i>Nitric Oxide - Biology and Chemistry</i> , 2018, 81, 36-45. | 2.7 | 92 |
| 47 | Compost Improves the Ascorbate (Vitamin C) Content in Pepper (<i>Capsicum annuum</i> L.) Fruits and Influences Their Oxidative Metabolism. <i>Agronomy</i> , 2018, 8, 82. | 3.0 | 8 |
| 48 | Assessing Nitric Oxide (NO) in Higher Plants: An Outline. <i>Nitrogen</i> , 2018, 1, 3. | 1.3 | 40 |
| 49 | Nitric oxide on/off in fruit ripening. <i>Plant Biology</i> , 2018, 20, 805-807. | 3.8 | 75 |
| 50 | S-nitrosoglutathione reductase (GSNOR) activity is down-regulated during pepper (<i>Capsicum annuum</i>) | 2.7 | 64 |
| 51 | Arsenic-induced stress activates sulfur metabolism in different organs of garlic (<i>Allium sativum</i> L.) plants accompanied by a general decline of the NADPH-generating systems in roots. <i>Journal of Plant Physiology</i> , 2017, 211, 27-35. | 3.5 | 53 |
| 52 | Characterization of the galactono-1,4-lactone dehydrogenase from pepper fruits and its modulation in the ascorbate biosynthesis. Role of nitric oxide. <i>Redox Biology</i> , 2017, 12, 171-181. | 9.0 | 92 |
| 53 | Immunological evidence for the presence of peroxiredoxin in pea leaf peroxisomes and response to oxidative stress conditions. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1. | 2.1 | 11 |
| 54 | Plant peroxisomes: A nitro-oxidative cocktail. <i>Redox Biology</i> , 2017, 11, 535-542. | 9.0 | 150 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Glyphosate-induced oxidative stress in <i>Arabidopsis thaliana</i> affecting peroxisomal metabolism and triggers activity in the oxidative phase of the pentose phosphate pathway (OxPPP) involved in NADPH generation. <i>Journal of Plant Physiology</i> , 2017, 218, 196-205. | 3.5 | 81 |
| 56 | Separation of Plant 6-Phosphogluconate Dehydrogenase (6PGDH) Isoforms by Non-denaturing Gel Electrophoresis. <i>Bio-protocol</i> , 2017, 7, e2399. | 0.4 | 1 |
| 57 | Detection of Protein S-nitrosothiols (SNOs) in Plant Samples on Diaminofluorescein (DAF) Gels. <i>Bio-protocol</i> , 2017, 7, e2559. | 0.4 | 2 |
| 58 | Redox State as a Central Regulator of Plant-Cell Stress Responses. , 2016, , . | | 26 |
| 59 | Peroxisomal NADP-isocitrate dehydrogenase is required for <i>Arabidopsis</i> stomatal movement. <i>Protoplasma</i> , 2016, 253, 403-415. | 2.1 | 44 |
| 60 | Modulation of superoxide dismutase (SOD) isozymes by organ development and high long-term salinity in the halophyte <i>Cakile maritima</i> . <i>Protoplasma</i> , 2016, 253, 885-894. | 2.1 | 58 |
| 61 | Proteomic identification of mitochondrial carbonylated proteins in two maturation stages of pepper fruits. <i>Proteomics</i> , 2015, 15, 2634-2642. | 2.2 | 26 |
| 62 | Zinc induces distinct changes in the metabolism of reactive oxygen and nitrogen species (ROS and RNS) in the roots of two <i>Brassica</i> species with different sensitivity to zinc stress. <i>Annals of Botany</i> , 2015, 116, 613-625. | 2.9 | 105 |
| 63 | Ripening of pepper (<i>Capsicum annuum</i>) fruit is characterized by an enhancement of protein tyrosine nitration. <i>Annals of Botany</i> , 2015, 116, 637-647. | 2.9 | 141 |
| 64 | Spatial and temporal regulation of the metabolism of reactive oxygen and nitrogen species during the early development of pepper (<i>Capsicum annuum</i>) seedlings. <i>Annals of Botany</i> , 2015, 116, 679-693. | 2.9 | 46 |
| 65 | Production Sites of Reactive Oxygen Species (ROS) in Organelles from Plant Cells. , 2015, , 1-22. | | 33 |
| 66 | Physiology of pepper fruit and the metabolism of antioxidants: chloroplasts, mitochondria and peroxisomes. <i>Annals of Botany</i> , 2015, 116, 627-636. | 2.9 | 66 |
| 67 | Reactive Oxygen Species and Oxidative Damage in Plants Under Stress. , 2015, , . | | 45 |
| 68 | Arbuscular mycorrhizal fungi alleviate oxidative stress induced by ADOR and enhance antioxidant responses of tomato plants. <i>Journal of Plant Physiology</i> , 2014, 171, 421-428. | 3.5 | 32 |
| 69 | Function of Peroxisomes as a Cellular Source of Nitric Oxide and Other Reactive Nitrogen Species. , 2014, , 33-55. | | 5 |
| 70 | Heavy Metal Stress in Plants. , 2013, , . | | 38 |
| 71 | Antioxidant Systems from Pepper (<i>Capsicum annuum</i> L.): Involvement in the Response to Temperature Changes in Ripe Fruits. <i>International Journal of Molecular Sciences</i> , 2013, 14, 9556-9580. | 4.1 | 78 |
| 72 | Inhibition of peroxisomal hydroxypyruvate reductase (HPR1) by tyrosine nitration. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 4981-4989. | 2.4 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Protein tyrosine nitration in pea roots during development and senescence. <i>Journal of Experimental Botany</i> , 2013, 64, 1121-1134. | 4.8 | 171 |
| 74 | Protein tyrosine nitration in higher plants grown under natural and stress conditions. <i>Frontiers in Plant Science</i> , 2013, 4, 29. | 3.6 | 108 |
| 75 | Metalloenzymes Involved in the Metabolism of Reactive Oxygen Species and Heavy Metal Stress. , 2013, , 1-17. | | 8 |
| 76 | Function of Nitric Oxide Under Environmental Stress Conditions. , 2012, , 99-113. | | 19 |
| 77 | NADP-Dependent Isocitrate Dehydrogenase from <i>Arabidopsis</i> Roots Contributes in the Mechanism of Defence against the Nitro-Oxidative Stress Induced by Salinity. <i>Scientific World Journal</i> , The, 2012, 2012, 1-9. | 2.1 | 51 |
| 78 | Cytosolic NADP-isocitrate dehydrogenase in <i>Arabidopsis</i> leaves and roots. <i>Biologia Plantarum</i> , 2012, 56, 705-710. | 1.9 | 26 |
| 79 | Metabolism of reactive oxygen species and reactive nitrogen species in pepper (<i>Capsicum</i>) Tj ETQq1 1 0.784314 rCBT /Overlock 10 T 5.7 304 | | |
| 80 | Arsenic triggers the nitric oxide (NO) and S-nitrosoglutathione (GSNO) metabolism in <i>Arabidopsis</i> . <i>Environmental Pollution</i> , 2012, 166, 136-143. | 7.5 | 186 |
| 81 | Detection and Quantification of S-Nitrosoglutathione (GSNO) in Pepper (<i>Capsicum annuum</i> L.) Plant Organs by LC-ES/MS. <i>Plant and Cell Physiology</i> , 2011, 52, 2006-2015. | 3.1 | 107 |
| 82 | Function of S-nitrosoglutathione reductase (GSNOR) in plant development and under biotic/abiotic stress. <i>Plant Signaling and Behavior</i> , 2011, 6, 789-793. | 2.4 | 144 |
| 83 | Nitric oxide imbalance provokes a nitrosative response in plants under abiotic stress. <i>Plant Science</i> , 2011, 181, 604-611. | 3.6 | 273 |
| 84 | Role of peroxisomes in the oxidative injury induced by 2,4-dichlorophenoxyacetic acid in leaves of pea plants. <i>Biologia Plantarum</i> , 2011, 55, 485-492. | 1.9 | 26 |
| 85 | Influence of Fruit Ripening Stage and Harvest Period on the Antioxidant Content of Sweet Pepper Cultivars. <i>Plant Foods for Human Nutrition</i> , 2011, 66, 416-423. | 3.2 | 51 |
| 86 | Organ-specific effects of the auxin herbicide 2,4-D on the oxidative stress and senescence-related parameters of the stems of pea plants. <i>Acta Physiologiae Plantarum</i> , 2011, 33, 2239-2247. | 2.1 | 9 |
| 87 | Proteomics as an approach to the understanding of the molecular physiology of fruit development and ripening. <i>Journal of Proteomics</i> , 2011, 74, 1230-1243. | 2.4 | 143 |
| 88 | Growth, Yield, and Fruit Quality of Pepper Plants Amended with Two Sanitized Sewage Sludges. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 6951-6959. | 5.2 | 46 |
| 89 | Protein targets of tyrosine nitration in sunflower (<i>Helianthus annuus</i> L.) hypocotyls. <i>Journal of Experimental Botany</i> , 2009, 60, 4221-4234. | 4.8 | 180 |
| 90 | Proteome of plant peroxisomes: new perspectives on the role of these organelles in cell biology. <i>Proteomics</i> , 2009, 9, 2301-2312. | 2.2 | 87 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | NADPâ€dehydrogenases from pepper fruits: effect of maturation. <i>Physiologia Plantarum</i> , 2009, 135, 130-139. | 5.2 | 62 |
| 92 | Evidence supporting the existence of <sc> </sc>â€arginineâ€dependent nitric oxide synthase activity in plants. <i>New Phytologist</i> , 2009, 184, 9-14. | 7.3 | 228 |
| 93 | Blood antioxidant defenses and hematological adjustments in crowded/uncrowded rainbow trout (<i>Oncorhynchus mykiss</i>) fed on diets with different levels of antioxidant vitamins and HUFA. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2009, 149, 440-447. | 2.6 | 57 |
| 94 | Peroxisomal xanthine oxidoreductase: Characterization of the enzyme from pea (<i>Pisum sativum</i> L.) leaves. <i>Journal of Plant Physiology</i> , 2008, 165, 1319-1330. | 3.5 | 111 |
| 95 | Metabolism of Reactive Nitrogen Species in Pea Plants Under Abiotic Stress Conditions. <i>Plant and Cell Physiology</i> , 2008, 49, 1711-1722. | 3.1 | 287 |
| 96 | Peroxisomal membrane manganese superoxide dismutase: characterization of the isozyme from watermelon (<i>Citrullus lanatus</i> Schrad.) cotyledons. <i>Journal of Experimental Botany</i> , 2007, 58, 2417-2427. | 4.8 | 35 |
| 97 | The paper below was published in the <i>Journal of Experimental Botany</i> and was not made open access. The publisher would like to apologise for this error. <i>Journal of Experimental Botany</i> , 2007, 58, 3483-3483. | 4.8 | 0 |
| 98 | Reactive Oxygen Species and Reactive Nitrogen Species in Peroxisomes. Production, Scavenging, and Role in Cell Signaling. <i>Plant Physiology</i> , 2006, 141, 330-335. | 4.8 | 530 |
| 99 | Constitutive arginine-dependent nitric oxide synthase activity in different organs of pea seedlings during plant development. <i>Planta</i> , 2006, 224, 246-254. | 3.2 | 277 |
| 100 | Roles for redox regulation in leaf senescence of pea plants grown on different sources of nitrogen nutrition. <i>Journal of Experimental Botany</i> , 2006, 57, 1735-1745. | 4.8 | 88 |
| 101 | Antioxidative enzymes from chloroplasts, mitochondria, and peroxisomes during leaf senescence of nodulated pea plants. <i>Journal of Experimental Botany</i> , 2006, 57, 1747-1758. | 4.8 | 86 |
| 102 | Glutathione reductase from pea leaves: response to abiotic stress and characterization of the peroxisomal isozyme. <i>New Phytologist</i> , 2006, 170, 43-52. | 7.3 | 157 |
| 103 | Cellular and Subcellular Localization of Endogenous Nitric Oxide in Young and Senescent Pea Plants. <i>Plant Physiology</i> , 2004, 136, 2722-2733. | 4.8 | 360 |
| 104 | Reactive oxygen species-mediated enzymatic systems involved in the oxidative action of 2,4-dichlorophenoxyacetic acid*. <i>Plant, Cell and Environment</i> , 2004, 27, 1135-1148. | 5.7 | 111 |
| 105 | Plant proteases, protein degradation, and oxidative stress: role of peroxisomes. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 521-530. | 5.8 | 371 |
| 106 | Antioxidative enzymes in cultivars of pepper plants with different sensitivity to cadmium. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 813-820. | 5.8 | 157 |
| 107 | Cadmium induces senescence symptoms in leaf peroxisomes of pea plants. <i>Plant, Cell and Environment</i> , 2001, 24, 1065-1073. | 5.7 | 115 |
| 108 | Localization of Nitric-oxide Synthase in Plant Peroxisomes. <i>Journal of Biological Chemistry</i> , 1999, 274, 36729-36733. | 3.4 | 324 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Peroxisomal NADP-Dependent Isocitrate Dehydrogenase. Characterization and Activity Regulation during Natural Senescence. <i>Plant Physiology</i> , 1999, 121, 921-928. | 4.8 | 128 |
| 110 | Peroxisomal manganese superoxide dismutase: Purification and properties of the isozyme from pea leaves. <i>Physiologia Plantarum</i> , 1998, 104, 720-726. | 5.2 | 43 |
| 111 | The Activated Oxygen Role of Peroxisomes in Senescence ¹ . <i>Plant Physiology</i> , 1998, 116, 1195-1200. | 4.8 | 354 |
| 112 | Peroxisomes as a source of superoxide and hydrogen peroxide in stressed plants. <i>Biochemical Society Transactions</i> , 1996, 24, 434-438. | 3.4 | 84 |
| 113 | Metabolism of oxygen radicals in peroxisomes and cellular implications. <i>Free Radical Biology and Medicine</i> , 1992, 13, 557-580. | 2.9 | 250 |