## Ranjit Lall

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8012601/publications.pdf

Version: 2024-02-01

38	1,945	19	39
papers	citations	h-index	g-index
39	39	39	2637
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	A Randomized Trial of Epinephrine in Out-of-Hospital Cardiac Arrest. New England Journal of Medicine, 2018, 379, 711-721.	27.0	495
2	Mechanical versus manual chest compression for out-of-hospital cardiac arrest (PARAMEDIC): a pragmatic, cluster randomised controlled trial. Lancet, The, 2015, 385, 947-955.	13.7	362
3	Effect of Noninvasive Respiratory Strategies on Intubation or Mortality Among Patients With Acute Hypoxemic Respiratory Failure and COVID-19. JAMA - Journal of the American Medical Association, 2022, 327, 546.	7.4	229
4	Close Contact Casting vs Surgery for Initial Treatment of Unstable Ankle Fractures in Older Adults. JAMA - Journal of the American Medical Association, 2016, 316, 1455.	7.4	94
5	Screening and Intervention to Prevent Falls and Fractures in Older People. New England Journal of Medicine, 2020, 383, 1848-1859.	27.0	74
6	The Ankle Injury Management (AIM) trial: a pragmatic, multicentre, equivalence randomised controlled trial and economic evaluation comparing close contact casting with open surgical reduction and internal fixation in the treatment of unstable ankle fractures in patients aged over 60 years. Health Technology Assessment, 2016, 20, 1-158.	2.8	73
7	Prehospital Randomised Assessment of a Mechanical Compression Device In Cardiac Arrest (PaRAMeDIC) Trial Protocol. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2010, 18, 58.	2.6	45
8	Pre-hospital Assessment of the Role of Adrenaline: Measuring the Effectiveness of Drug administration In Cardiac arrest (PARAMEDIC-2): Trial protocol. Resuscitation, 2016, 108, 75-81.	3.0	43
9	Mechanical chest compression devices at in-hospital cardiac arrest: A systematic review and meta-analysis. Resuscitation, 2016, 103, 24-31.	3.0	41
10	Explaining How Cognitive Behavioral Approaches Work for Low Back Pain. Spine, 2017, 42, E1031-E1039.	2.0	37
11	The effects of adrenaline in out of hospital cardiac arrest with shockable and non-shockable rhythms: Findings from the PACA and PARAMEDIC-2 randomised controlled trials. Resuscitation, 2019, 140, 55-63.	3.0	37
12	Aerobic and strength training exercise programme for cognitive impairment in people with mild to moderate dementia: the DAPA RCT. Health Technology Assessment, 2018, 22, 1-202.	2.8	37
13	SARS-CoV-2 environmental contamination from hospitalised patients with COVID-19 receiving aerosol-generating procedures. Thorax, 2022, 77, 259-267.	5.6	34
14	RECOVERY- Respiratory Support: Respiratory Strategies for patients with suspected or proven COVID-19 respiratory failure; Continuous Positive Airway Pressure, High-flow Nasal Oxygen, and standard care: A structured summary of a study protocol for a randomised controlled trial. Trials, 2020, 21, 687.	1.6	28
15	Prehospital randomised assessment of a mechanical compression device in out-of-hospital cardiac arrest (PARAMEDIC): a pragmatic, cluster randomised trial and economic evaluation. Health Technology Assessment, 2017, 21, 1-176.	2.8	28
16	Treatment compliance and effectiveness of a cognitive behavioural intervention for low back pain: a complier average causal effect approach to the BeST data set. BMC Musculoskeletal Disorders, 2014, 15, 17.	1.9	24
17	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). BMJ Open, 2016, 6, e009362.	1.9	24
18	Randomised controlled trial of exercise to prevent shoulder problems in women undergoing breast cancer treatment: study protocol for the prevention of shoulder problems trial (UK PROSPER). BMJ Open, 2018, 8, e019078.	1.9	22

#	Article	IF	Citations
19	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). Journal of Clinical Epidemiology, 2019, 106, 32-40.	<b>5.</b> 0	21
20	Dementia and Physical Activity (DAPA) - an exercise intervention to improve cognition in people with mild to moderate dementia: study protocol for a randomized controlled trial. Trials, 2016, 17, 165.	1.6	19
21	Exercise versus usual care after non-reconstructive breast cancer surgery (UK PROSPER): multicentre randomised controlled trial and economic evaluation. BMJ, The, 2021, 375, e066542.	6.0	18
22	Rehabilitation Exercise and psycholoGical support After covid-19 InfectioN' (REGAIN): a structured summary of a study protocol for a randomised controlled trial. Trials, 2021, 22, 8.	1.6	17
23	Cost-effectiveness of adrenaline for out-of-hospital cardiac arrest. Critical Care, 2020, 24, 579.	5.8	15
24	Telephone interviews can be used to collect follow-up data subsequent to no response to postal questionnaires in clinical trials. Journal of Clinical Epidemiology, 2012, 65, 90-99.	5.0	14
25	Mechanical versus manual chest compressions in the treatment of in-hospital cardiac arrest patients in a non-shockable rhythm: A multi-centre feasibility randomised controlled trial (COMPRESS-RCT). Resuscitation, 2021, 158, 228-235.	3.0	14
26	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. Health Technology Assessment, 2021, 25, 1-114.	2.8	12
27	The importance of different frailty domains in a population based sample in England. BMC Geriatrics, 2020, 20, 16.	2.7	12
28	Does Structured Exercise Improve Cognitive Impairment in People with Mild to Moderate Dementia? A Cost-Effectiveness Analysis from a Confirmatory Randomised Controlled Trial: The Dementia and Physical Activity (DAPA) Trial. PharmacoEconomics - Open, 2019, 3, 215-227.	1.8	11
29	Bayesian group sequential designs for phase III emergency medicine trials: a case study using the PARAMEDIC2 trial. Trials, 2020, 21, 84.	1.6	9
30	Facet joint injections for people with persistent non-specific low back pain (Facet Injection Study): a feasibility study for a randomised controlled trial. Health Technology Assessment, 2017, 21, 1-184.	2.8	9
31	Exercise to prevent shoulder problems after breast cancer surgery: the PROSPER RCT. Health Technology Assessment, 2022, 26, 1-124.	2.8	9
32	Adrenaline to improve survival in out-of-hospital cardiac arrest: the PARAMEDIC2 RCT. Health Technology Assessment, 2021, 25, 1-166.	2.8	6
33	Testing a support programme for opioid reduction for people with chronic non-malignant pain: the I-WOTCH randomised controlled trial protocol. BMJ Open, 2019, 9, e028937.	1.9	6
34	Facet-joint injections for people with persistent non-specific low back pain (FIS): study protocol for a randomised controlled feasibility trial. Trials, 2015, 16, 588.	1.6	5
35	Supervised pulmonary hypertension exercise rehabilitation (SPHERe): study protocol for a multi-centre randomised controlled trial. BMC Pulmonary Medicine, 2020, 20, 143.	2.0	4
36	Protocolised non-invasive compared with invasive weaning from mechanical ventilation for adults in intensive care: the Breathe RCT. Health Technology Assessment, 2019, 23, 1-114.	2.8	4

## Ranjit Lall

#	Article	IF	CITATIONS
37	Mechanical versus manual chest compressions in the treatment of in-hospital cardiac arrest patients in a non-shockable rhythm: a randomised controlled feasibility trial (COMPRESS-RCT). Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 70.	2.6	2
38	"Sugar or Salt―(SOS) trial protocol summary. Journal of the Intensive Care Society, 2022, 23, 492-492.	2.2	1