Ping-Chung Kuo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/801670/publications.pdf

Version: 2024-02-01

142 papers

3,177 citations

33 h-index 206112 48 g-index

143 all docs

143
docs citations

143 times ranked 4040 citing authors

#	Article	IF	Citations
1	Characterisation of teaghrelin-like principles from Assam tea cultivated in Thailand. Natural Product Research, 2022, 36, 305-311.	1.8	1
2	Chemical Composition Analysis and Antioxidant Activity of Coffea robusta Monofloral Honeys from Vietnam. Foods, 2022, 11, 388.	4.3	6
3	Inhibition of α-Glucosidase, Acetylcholinesterase, and Nitric Oxide Production by Phytochemicals Isolated from Millettia speciosa—In Vitro and Molecular Docking Studies. Plants, 2022, 11, 388.	3.5	5
4	Chemical Constituents of Hedyotis diffusa and Their Anti-Inflammatory Bioactivities. Antioxidants, 2022, 11, 335.	5.1	12
5	A new dimeric protoberberine alkaloid and other compounds from the tubers of <i>Tinospora dentata</i> . Natural Product Research, 2021, 35, 17-24.	1.8	0
6	Triterpenoids and steroids from the fruiting bodies of Hexagonia tenuis and their cytotoxicity. Natural Product Research, 2021, 35, 251-256.	1.8	2
7	Characterization of teaghrelin-like compounds from tea cultivars. Natural Product Research, 2021, 35, 57-62.	1.8	2
8	Revision of structures of acridone alkaloids from natural sources. Journal of the Chinese Chemical Society, 2021, 68, 669-677.	1.4	3
9	Antiinflammatory triterpenoids from the fruiting bodies of Fomitopsis pinicola. Bioorganic Chemistry, 2021, 108, 104562.	4.1	7
10	A new triterpenoid and other compounds from lichens Cryptothecia faveomaculata Makhija & Patw. Natural Product Research, 2021, 35, 1349-1356.	1.8	3
11	Effects of morphology and pore size of mesoporous silicas on the efficiency of an immobilized enzyme. RSC Advances, 2021, 11, 10010-10017.	3.6	15
12	A Rapid and Feasible 1H-NMR Quantification Method of Ephedrine Alkaloids in Ephedra Herbal Preparations. Molecules, 2021, 26, 1599.	3.8	9
13	Anti-Inflammatory Principles from the Needles of Pinus taiwanensis Hayata and In Silico Studies of Their Potential Anti-Aging Effects. Antioxidants, 2021, 10, 598.	5.1	7
14	Topical application of sebacoyl dinalbuphine ester-loaded nanostructured lipid carriers alleviate pruritus in scratching mouse model. International Journal of Pharmaceutics, 2021, 600, 120400.	5.2	2
15	Bioactive naphthoquinones and triterpenoids from the fruiting bodies of Taiwanofungus salmoneus. Bioorganic Chemistry, 2021, 112, 104939.	4.1	2
16	Chemoreversal Agents from Taiwanofungus Genus and Their More Potent Methyl Derivatives Targeting Signal Transducer and Activator of Transcription 3 (STAT3) Phosphorylation. Pharmaceuticals, 2021, 14, 916.	3.8	0
17	Secondary Metabolites from the Fruiting Bodies of Coriolopsis aspera in Vietnam and their Bioactivities. Chemistry of Natural Compounds, 2021, 57, 1104-1106.	0.8	1
18	Constituents from the Fruiting Bodies of Trametes cubensis and Trametes suaveolens in Vietnam and Their Anti-Inflammatory Bioactivity. Molecules, 2021, 26, 7311.	3.8	3

#	Article	IF	CITATIONS
19	Effects of Sesamin, the Major Furofuran Lignan of Sesame Oil, on the Amplitude and Gating of Voltage-Gated Na+ and K+ Currents. Molecules, 2020, 25, 3062.	3.8	10
20	Application of Lanthanide Shift Reagent to the 1H-NMR Assignments of Acridone Alkaloids. Molecules, 2020, 25, 5383.	3.8	2
21	Quercetin 3― <i>O</i> â€malonylglucoside in the leaves of mulberry (<i>Morus alba</i>) is a functional analog of ghrelin. Journal of Food Biochemistry, 2020, 44, e13379.	2.9	14
22	Theacrine and strictinin, two major ingredients for the anti-influenza activity of Yunnan Kucha tea. Journal of Ethnopharmacology, 2020, 262, 113190.	4.1	14
23	Anti-inflammatory principles from Lindera aggregata. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 127224.	2.2	14
24	Food and Drug Analysis. Molecules, 2020, 25, 2403.	3.8	1
25	Characterization of Inhibitory Effectiveness in Hyperpolarization-Activated Cation Currents by a Group of ent-Kaurane-Type Diterpenoids from Croton tonkinensis. International Journal of Molecular Sciences, 2020, 21, 1268.	4.1	5
26	A feasible UHPLCâ€MS/MS method for concurrent quantification of 10 bioactive principles in <i>Aquilaria</i> leaf tea by the multiple reaction monitoring analytical mode. Phytochemical Analysis, 2020, 31, 583-593.	2.4	12
27	Chemical constituents from the stems of Machilus philippinensis Merr. and the neuroprotective activity of cinnamophilin. RSC Advances, 2019, 9, 21616-21625.	3.6	4
28	Characterization of Cytochalasins and Steroids From the Ascomycete Daldinia concentrica and Their Cytotoxicity. Natural Product Communications, 2019, 14, 1934578X1984632.	0.5	1
29	Constituents and Anti-Multidrug Resistance Activity of Taiwanofungus camphoratus on Human Cervical Cancer Cells. Molecules, 2019, 24, 3730.	3.8	6
30	Chemical Constituents of the Leaves of Peltophorum pterocarpum and Their Bioactivity. Molecules, 2019, 24, 240.	3.8	14
31	Chemical Constituents From <i>Phalaenopsis</i> Hybrids and Their Bioactivities. Natural Product Communications, 2019, 14, 1934578X1985068.	0.5	3
32	Differential suppression of delayed-rectifier and inwardly rectifier K+ currents by a group of ent-kaurane-type diterpenoids from Croton tonkinensis, in microglial cells. European Journal of Pharmacology, 2019, 856, 172414.	3.5	2
33	Composition of Fatty Acids, Tocopherols, Sterols, Total Phenolics, and Antioxidant Activity of Seed Oils of Afzelia xylocarpa and Cassia fistula. Chemistry of Natural Compounds, 2019, 55, 242-246.	0.8	5
34	Chemical Constituents of Vigna luteola and Their Anti-inflammatory Bioactivity. Molecules, 2019, 24, 1371.	3.8	12
35	Identification of two teaghrelins in Shyâ€jihâ€chuen oolong tea. Journal of Food Biochemistry, 2019, 43, e12810.	2.9	8
36	High resolution/accurate mass tandem MS of isotopically complex cluster ions from the artists' pigment lead white. International Journal of Mass Spectrometry, 2019, 439, 19-26.	1.5	2

#	Article	IF	Citations
37	Bioassay-guided purification of sesquiterpenoids from the fruiting bodies of Fomitopsis pinicola and their anti-inflammatory activity. RSC Advances, 2019, 9, 34184-34195.	3.6	5
38	A feasible and practical 1 H NMR analytical method for the quality control and quantification of bioactive principles in Lycii Fructus. Journal of Food and Drug Analysis, 2018, 26, 1105-1112.	1.9	22
39	The comprehensive electrophysiological study of curcuminoids on delayed-rectifier K + currents in insulin-secreting cells. European Journal of Pharmacology, 2018, 819, 233-241.	3.5	16
40	Effect of teapot materials on the chemical composition of oolong tea infusions. Journal of the Science of Food and Agriculture, 2018, 98, 751-757.	3.5	11
41	Detection of lithospermate B in rat plasma at theÂnanogram level by LC/MS in multi reaction monitoring mode. Journal of Food and Drug Analysis, 2018, 26, 353-361.	1.9	2
42	Chemical constituents from the fruiting bodies of <i>Phellinus igniarius</i> . Natural Product Research, 2018, 32, 2392-2397.	1.8	14
43	Chemical Constituents from the Stems of Tinospora sinensis and Their Bioactivity. Molecules, 2018, 23, 2541.	3.8	20
44	The Constituents of the Stems of Cissus assamica and Their Bioactivities. Molecules, 2018, 23, 2799.	3.8	7
45	Hepatoprotective Principles and Other Chemical Constituents from the Mycelium of Phellinus linteus. Molecules, 2018, 23, 1705.	3.8	24
46	Characterization of Vasorelaxant Principles from the Needles of Pinus morrisonicola Hayata. Molecules, 2018, 23, 86.	3.8	13
47	Fatty Acid, Tocopherol, Sterol Compositions and Antioxidant Activity of Three Garcinia Seed Oils. Records of Natural Products, 2018, 12, 323-331.	1.3	11
48	Synthesis and biological evaluation of chalcone, dihydrochalcone, and 1,3-diarylpropane analogs as anti-inflammatory agents. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1547-1550.	2,2	36
49	Chemical Constituents and Anti-inflammatory Principles from the Fruits of <i>Forsythia suspensa</i> Journal of Natural Products, 2017, 80, 1055-1064.	3.0	44
50	Anti-inflammatory Flavan-3-ol-dihydroretrochalcones from <i>Daemonorops draco</i> . Journal of Natural Products, 2017, 80, 783-789.	3.0	20
51	Tandem mass spectrometry of laser-reduced anthraquinones for painted works and dyed cultural artifacts. International Journal of Mass Spectrometry, 2017, 421, 14-24.	1.5	5
52	Constituents from the leaves of Clausena lansium and their anti-inflammatory activity. Journal of Natural Medicines, 2017, 71, 96-104.	2.3	21
53	Bioactive chemical constituents from the root bark of Morus australis. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 309-313.	2.2	19
54	Anti-Inflammatory and Neuroprotective Constituents from the Peels of Citrus grandis. Molecules, 2017, 22, 967.	3.8	43

#	Article	IF	CITATIONS
55	Constituents of the Fruits of Citrus medica L. var. sarcodactylis and the Effect of 6,7-Dimethoxy-coumarin on Superoxide Anion Formation and Elastase Release. Molecules, 2017, 22, 1454.	3.8	8
56	The functional property of royal jelly 10-hydroxy-2-decenoic acid as a melanogenesis inhibitor. BMC Complementary and Alternative Medicine, 2017, 17, 392.	3.7	35
57	Characterization of Cyclodepsipeptides from the Mycelium of <i>Isaria Japonica</i> from Vietnam. Natural Product Communications, 2017, 12, 1934578X1701200.	0.5	1
58	lonone Derivatives from the Mycelium of Phellinus linteus and the Inhibitory Effect on Activated Rat Hepatic Stellate Cells. International Journal of Molecular Sciences, 2016, 17, 681.	4.1	12
59	A rapid quantitative 1H NMR analysis of kinsenoside and other bioactive principles from Anoectochilus formosanus. Analytical Methods, 2016, 8, 5645-5650.	2.7	5
60	Mechanistic Study of Tetrahydrofuran- acetogenins In Triggering Endoplasmic Reticulum Stress Response-apotoposis in Human Nasopharyngeal Carcinoma. Scientific Reports, 2016, 6, 39251.	3.3	14
61	The effect of temperature and nitrogen deprivation on cell morphology and physiology of Symbiodinium. Oceanologia, 2016, 58, 272-278.	2.2	18
62	Four new compounds from edible algae Cladosiphon okamuranus and Chlorella sorokiniana and their bioactivities. Phytochemistry Letters, 2016, 18, 113-116.	1.2	7
63	Antibacterial and laxative activities of strictinin isolated from Pu'er tea (Camellia sinensis). Journal of Food and Drug Analysis, 2016, 24, 722-729.	1.9	24
64	Ginkgoghrelins, unique acylated flavonoid diglycosides in Folium Ginkgo, stimulate growth hormone secretion via activation of the ghrelin receptor. Journal of Ethnopharmacology, 2016, 193, 237-247.	4.1	13
65	Chemical Constituents of Ganoderma pfeifferi and their Inhibitory Effect on Nitric Oxide Production. Chemistry of Natural Compounds, 2016, 52, 948-950.	0.8	1
66	Anti-inflammatory neolignans from the roots of Magnolia officinalis. Bioorganic and Medicinal Chemistry, 2016, 24, 1439-1445.	3.0	17
67	Analysis of Antifungal Components in the Galls of <i>Melaphis chinensis </i> and Their Effects on Control of Anthracnose Disease of Chinese Cabbage Caused by <i>Colletotrichum higginsianum </i> Journal of Chemistry, 2015, 2015, 1-12.	1.9	1
68	Chemical Constituents from the Fruiting Bodies of <i>Hexagonia apiaria </i> and Their Anti-inflammatory Activity. Journal of Natural Products, 2015, 78, 2552-2558.	3.0	9
69	Analysis of lipophilic compounds of tea coated on the surface of clay teapots. Journal of Food and Drug Analysis, 2015, 23, 71-81.	1.9	14
70	Flavonoids from the Fruits of Desmos cochinchinesis var. fulvecens and Their Inhibitory Effects on No Production. Chemistry of Natural Compounds, 2015, 51, 152-155.	0.8	4
71	\hat{I}^3 - and \hat{I} -Lactams from the Leaves of <i>Clausena lansium</i> . Journal of Natural Products, 2015, 78, 2521-2530.	3.0	24
72	Synthesis and Antibacterial Activity of Analogs of 5-Arylidene-3-(4-methylcoumarin-7-yloxyacetylamino)-2-thioxo-1,3-thiazoli-din-4-one. Molecules, 2014, 19, 13577-13586.	3.8	10

#	Article	IF	Citations
73	Chemical Constituents from the Fruits of <i>Forsythia suspensa </i> BioMed Research International, 2014, 2014, 1-7.	1.9	28
74	Synthesis of Analogues of Gingerol and Shogaol, the Active Pungent Principles from the Rhizomes of Zingiber officinale and Evaluation of Their Anti-Platelet Aggregation Effects. International Journal of Molecular Sciences, 2014, 15, 3926-3951.	4.1	40
75	Enhanced Antifungal Bioactivity of Coptis Rhizome Prepared by Ultrafining Technology. Journal of Nanomaterials, 2014, 2014, 1-6.	2.7	o
76	The Constituents of Roots and Stems of Illigera luzonensis and Their Anti-Platelet Aggregation Effects. International Journal of Molecular Sciences, 2014, 15, 13424-13436.	4.1	16
77	Constituents of the Roots of <i>Clausena lansium</i> and Their Potential Anti-inflammatory Activity. Journal of Natural Products, 2014, 77, 1215-1223.	3.0	80
78	Chemical Constituents of Moringa oleifera and Their Cytotoxicity Against Doxorubicin-Resistant Human Breast Cancer Cell Lines (Mcf-7/Adr). Chemistry of Natural Compounds, 2014, 50, 175-178.	0.8	6
79	Synthesis and structural characterization of an anti-inflammatory principle purified from Lindera aggregata. Tetrahedron Letters, 2014, 55, 108-110.	1.4	8
80	Effects of baking and aging on the changes of phenolic and volatile compounds in the preparation of old Tieguanyin oolong teas. Food Research International, 2013, 53, 732-743.	6.2	64
81	Biopreparation of an anti-inflammatory agent, diarctigenin, from arctiin isolated from Arctium lappa by Rhizoctonia solani AG-4. Tetrahedron Letters, 2013, 54, 6955-6958.	1.4	2
82	Anti-inflammatory Diterpenoids from <i>Croton tonkinensis</i> . Journal of Natural Products, 2013, 76, 230-236.	3.0	54
83	Three novel sesquiterpenes from the mycelium of Phellinus linteus. Tetrahedron Letters, 2013, 54, 3332-3335.	1.4	14
84	Honokiol Dimers and Magnolol Derivatives with New Carbon Skeletons from the Roots of Magnolia officinalis and Their Inhibitory Effects on Superoxide Anion Generation and Elastase Release. PLoS ONE, 2013, 8, e59502.	2.5	20
85	Chemical Constituents from Andrographis echioides and Their Anti-Inflammatory Activity. International Journal of Molecular Sciences, 2013, 14, 496-514.	4.1	15
86	Isolation and Synthesis of Melodamide A, a New Anti-inflammatory Phenolic Amide from the Leaves of Melodorum fruticosum. Planta Medica, 2013, 79, 288-294.	1.3	12
87	Triterpenoids and Steroids from Ganoderma mastoporum and Their Inhibitory Effects on Superoxide Anion Generation and Elastase Release. Molecules, 2013, 18, 14285-14292.	3.8	10
88	Chemical Constituents from the Leaves of Annona reticulata and Their Inhibitory Effects on NO Production. Molecules, 2013, 18, 4477-4486.	3.8	20
89	Constituents from Vigna vexillata and Their Anti-Inflammatory Activity. International Journal of Molecular Sciences, 2012, 13, 9754-9768.	4.1	21
90	An Efficient Total Synthesis of a Potent Anti-Inflammatory Agent, Benzocamphorin F, and Its Anti-Inflammatory Activity. International Journal of Molecular Sciences, 2012, 13, 10432-10440.	4.1	7

#	Article	lF	Citations
91	Drimane-type Sesquiterpenes with a Dioxabicyclooctane Skeleton from the Fruiting Bodies of <i>Nigrofomes melanoporus </i>	1.3	5
92	Physalin F Induces Cell Apoptosis in Human Renal Carcinoma Cells by Targeting NF-kappaB and Generating Reactive Oxygen Species. PLoS ONE, 2012, 7, e40727.	2.5	47
93	Chemical Constituents and Pharmacology of the Aristolochia (馬åœé~ mădÅu ling) species. Journal of Traditional and Complementary Medicine, 2012, 2, 249-266.	2.7	53
94	An Efficient Synthesis of a Potent Anti-inflammatory Agent, Viscolin, and Its Inducible Nitric Oxide Synthase Inhibitory Activity. Chemical and Pharmaceutical Bulletin, 2012, 60, 557-561.	1.3	4
95	An efficient total synthesis of Benzocamphorin H and its anti-inflammatory activity. Tetrahedron Letters, 2012, 53, 6202-6204.	1.4	14
96	Anti-Platelet Aggregation and Vasorelaxing Effects of the Constituents of the Rhizomes of Zingiber officinale. Molecules, 2012, 17, 8928-8937.	3.8	55
97	A concise synthesis of viscolin, and its anti-inflammatory effects through the suppression of iNOS, COX-2, ERK phosphorylation and proinflammatory cytokines expressions. European Journal of Medicinal Chemistry, 2012, 48, 371-378.	5.5	33
98	Identification of Methanol-Soluble Compounds in Sesame and Evaluation of Antioxidant Potential of Its Lignans. Journal of Agricultural and Food Chemistry, 2011, 59, 3214-3219.	5.2	47
99	Anti-inflammatory Principles from <i>Cordyceps sinensis</i> . Journal of Natural Products, 2011, 74, 1996-2000.	3.0	104
100	Constituents from Senecio scandens and their antioxidant bioactivity. Archives of Pharmacal Research, 2011, 34, 377-382.	6.3	9
101	Qualitative and Quantitative Analysis of Pigments in Phalaenopsis Species. , 2011, , 117-128.		0
102	Biosynthetic Pathway of Pigments in Phalaenopsis Species. , 2011, , 129-144.		2
103	Preparation of a Series of Novel Bichalcones Linked with a 1,4-Dimethylenepiperazine Moiety and Examination of Their Cytotoxicity. Chemical and Pharmaceutical Bulletin, 2011, 59, 1549-1554.	1.3	12
104	Chemical constituents of the leaves of Glochidion obliquum and their bioactivity. Archives of Pharmacal Research, 2011, 34, 383-389.	6.3	19
105	Chemical constituents from Lobelia chinensis and their anti-virus and anti-inflammatory bioactivities. Archives of Pharmacal Research, 2011, 34, 715-722.	6.3	40
106	Changes in volatile compounds upon aging and drying in oolong tea production. Journal of the Science of Food and Agriculture, 2011, 91, 293-301.	3.5	36
107	Synthesis, in vitro anti-inflammatory and cytotoxic evaluation, and mechanism of action studies of 1-benzoyl- \hat{l}^2 -carboline and 1-benzoyl-3-carboxy- \hat{l}^2 -carboline derivatives. Bioorganic and Medicinal Chemistry, 2011, 19, 1674-1682.	3.0	41
108	Î ² -Carboline Alkaloids from <i>Stellaria dichotoma</i> var. <i>lanceolata</i> and Their Anti-inflammatory Activity. Journal of Natural Products, 2010, 73, 1993-1998.	3.0	64

#	Article	IF	CITATIONS
109	Cardiac Glycosides from <i>Antiaris toxicaria</i> with Potent Cardiotonic Activity. Journal of Natural Products, 2010, 73, 1214-1222.	3.0	41
110	Bioactive Saponin from Tea Seed Pomace with Inhibitory Effects against Rhizoctonia solani. Journal of Agricultural and Food Chemistry, 2010, 58, 8618-8622.	5.2	45
111	Chemical Constituents from the Leaves of Xylopia poilanei and Their Bioactivity. Heterocycles, 2009, 78, 763.	0.7	8
112	Cytotoxic Phenanthroindolizidine Alkaloids from the Roots of <i>Ficus septica </i> . Planta Medica, 2009, 75, 1152-1156.	1.3	26
113	Cytotoxic principles and α-pyrone ring-opening derivatives of bufadienolides from Kalanchoe hybrida. Tetrahedron, 2008, 64, 3392-3396.	1.9	34
114	Enhanced antioxidant bioactivity of Salvia miltiorrhiza (Danshen) products prepared using nanotechnology. Phytomedicine, 2008, 15, 23-30.	5.3	49
115	Chemical constituents from <i> Abutilon indicum </i> > . Journal of Asian Natural Products Research, 2008, 10, 689-693.	1.4	29
116	Flavonoids andent-labdane diterpenoids fromAndrographis paniculataand their antiplatelet aggregatory and vasorelaxing effects. Journal of Asian Natural Products Research, 2008, 10, 17-24.	1.4	45
117	Crotonkinins A and B and Related Diterpenoids from <i>Croton tonkinensis</i> as Anti-inflammatory and Antitumor Agents. Journal of Natural Products, 2007, 70, 1906-1909.	3.0	35
118	Isolation, Structures, and Structureâ "Cytotoxic Activity Relationships of Withanolides and Physalins from Physalis angulata. Journal of Natural Products, 2007, 70, 1146-1152.	3.0	107
119	Physanolide A, a Novel Skeleton Steroid, and Other Cytotoxic Principles fromPhysalisangulata. Organic Letters, 2006, 8, 2953-2956.	4.6	59
120	Total synthesis and biological evaluation of viscolin, a 1,3-diphenylpropane as a novel potent anti-inflammatory agent. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 6155-6160.	2.2	24
121	Properties and biodegradability of chitosan/nylon 11 blending films. Polymer Degradation and Stability, 2006, 91, 3097-3102.	5.8	32
122	A versatile route to the synthesis of 1-substituted β-carbolines by a single step Pictet–Spengler cyclization. Tetrahedron, 2006, 62, 10900-10906.	1.9	35
123	Two Isoquinolones from the Roots of Phellodendron amurense var. wilsonii. Heterocycles, 2006, 68, 339.	0.7	3
124	Isolation of a Natural Antioxidant, Dehydrozingerone from Zingiber officinale and Synthesis of Its Analogues for Recognition of Effective Antioxidant and Antityrosinase Agents. Archives of Pharmacal Research, 2005, 28, 518-528.	6.3	72
125	Phenanthroindolizidine Alkaloids from the Stems ofFicus septica. Journal of Natural Products, 2005, 68, 1071-1075.	3.0	79
126	Flavonoids and Coumarins from Leaves of Phellodendron chinense. Planta Medica, 2004, 70, 183-185.	1.3	12

#	Article	IF	CITATIONS
127	The alkaloids and other constituents from the root and stem of Aristolochia elegans. Bioorganic and Medicinal Chemistry, 2004, 12, 439-446.	3.0	43
128	Cytotoxic and antimalarial constituents from the roots of Eurycoma longifolia. Bioorganic and Medicinal Chemistry, 2004, 12, 537-544.	3.0	145
129	Terpenoids of Aristolochia and their biological activities. Natural Product Reports, 2004, 21, 594.	10.3	71
130	New Neolignans from Spiraea formosana. Chemical and Pharmaceutical Bulletin, 2004, 52, 1227-1230.	1.3	14
131	Eurycomalin A, a New Dimeric Dihydrobenzofuran from Eurycoma longifolia. Heterocycles, 2004, 63, 2123.	0.7	8
132	Cytotoxic and Antimalarial \hat{I}^2 -Carboline Alkaloids from the Roots of Eurycoma longifolia. Journal of Natural Products, 2003, 66, 1324-1327.	3.0	151
133	Acetophenone Derivatives fromAcronychiapedunculata. Journal of Natural Products, 2003, 66, 990-993.	3.0	52
134	Constituents from the Leaves of Phellodendronamurensevar. wilsoniand Their Bioactivity. Journal of Natural Products, 2003, 66, 1207-1211.	3.0	45
135	Chemical Constituents of the Stem of Sargentodoxa cuneata. Heterocycles, 2003, 60, 1645.	0.7	13
136	Flavonoids from <i>Andrographis viscosula</i> . Chemical and Pharmaceutical Bulletin, 2003, 51, 1374-1376.	1.3	11
137	Cytotoxic Anthraquinones from the Stems of Rubia wallichiana DECNE. Chemical and Pharmaceutical Bulletin, 2003, 51, 948-950.	1.3	24
138	Constituents of Leaves of Phellodendron chinense var. glabriusculum. Heterocycles, 2003, 60, 397.	0.7	18
139	Nonâ€Alkaloidal Constituents from the Stem of <i>Ficus Septica</i> . Journal of the Chinese Chemical Society, 2002, 49, 113-116.	1.4	17
140	Constituents from the Root and Stem of Aristolochia elegans. Journal of Natural Products, 2002, 65, 1522-1525.	3.0	41
141	New Diterpenoid Alkaloid from Spiraea formosana. Heterocycles, 2002, 57, 1495.	0.7	6
142	A New Sesquiterpene, αâ€Santalaneâ€11,12,13â€Triol from the Root Bark of <i>Severinia Buxifolia</i> in Hainan Journal of the Chinese Chemical Society, 2001, 48, 933-936.	1.4	7