Carolyn A Young

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8016778/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Flexibility to manage and enhance quality of life among people with motor neurone disease. Disability and Rehabilitation, 2022, 44, 2752-2762.	1.8	3
2	Medical therapies for amyotrophic lateral sclerosis-related respiratory decline: an appraisal of needs, opportunities and obstacles. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2022, 23, 66-75.	1.7	1
3	Fatigue and anxiety mediate the effect of dyspnea on quality of life in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2022, 23, 390-398.	1.7	4
4	The four self-efficacy trajectories among people with multiple sclerosis: Clinical associations and implications. Journal of the Neurological Sciences, 2022, 436, 120188.	0.6	3
5	Experience of telehealth in people with motor neurone disease using noninvasive ventilation. Disability and Rehabilitation: Assistive Technology, 2021, 16, 490-496.	2.2	20
6	Measuring coping in people with amyotrophic lateral sclerosis using the Coping Index-ALS: A patient derived, Rasch compliant scale. Journal of the Neurological Sciences, 2021, 421, 117285.	0.6	0
7	Quality of life in multiple sclerosis is dominated by fatigue, disability and self-efficacy. Journal of the Neurological Sciences, 2021, 426, 117437.	0.6	19
8	Letter to the editor re: the effect ofÂpelvic floor exercise program onÂincontinence andÂsexual dysfunction inÂmultiple sclerosis patients Altunan et al., IJUN, (2021) 53:1059. International Urology and Nephrology, 2021, 53, 2297-2298.	1.4	0
9	Understanding quality of life across different clinical subtypes of multiple sclerosis: a thematic analysis. Quality of Life Research, 2021, , 1.	3.1	4
10	Do pain, anxiety and depression influence quality of life for people with amyotrophic lateral sclerosis/motor neuron disease? A national study reconciling previous conflicting literature. Journal of Neurology, 2020, 267, 607-615.	3.6	25
11	The Edinburgh Cognitive and Behavioral ALS Screen (ECAS) in frontotemporal dementia. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2020, 21, 606-613.	1.7	7
12	Effect of Short-term Integrated Palliative Care on Patient-Reported Outcomes Among Patients Severely Affected With Long-term Neurological Conditions. JAMA Network Open, 2020, 3, e2015061.	5.9	26
13	Pharmacological treatment for chronic central neuropathic pain in people with multiple sclerosis. The Cochrane Library, 2020, , .	2.8	1
14	ls NIPA1-associated hereditary spastic paraplegia always â€~pure'? Further evidence of motor neurone disease and epilepsy as rare manifestations. Neurogenetics, 2020, 21, 305-308.	1.4	7
15	The WHOQOL-BREF: a modern psychometric evaluation of its internal construct validity in people with multiple sclerosis. Quality of Life Research, 2020, 29, 1961-1972.	3.1	15
16	Measuring quality of life in ALS/MND: validation of the WHOQOL-BREF. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2020, 21, 364-372.	1.7	5
17	Letter to the editor re: Worsening disability status in multiple sclerosis predicts urologic complications. Int Urol Nephrol. May; 52(5):859–863. doi: 10.1007/s11255-020-02381-6. Epub 2020 Jan 25 by Abello et al. International Urology and Nephrology, 2020, 52, 2307-2308.	1.4	0
18	Immediate versus delayed short-term integrated palliative care for advanced long-term neurological conditions: the OPTCARE Neuro RCT. Health Services and Delivery Research. 2020, 8, 1-80.	1.4	4

#	Article	IF	CITATIONS
19	Health Utilities and Costs for Motor Neurone Disease. Value in Health, 2019, 22, 1257-1265.	0.3	17
20	Exploring and Addressing †Concerns' for Significant Others to Extend the Understanding of Quality of Life With Amyotrophic Lateral Sclerosis: A Qualitative Study. Journal of Central Nervous System Disease, 2019, 11, 117957351985936.	1.9	9
21	The relationships between symptoms, disability, perceived health and quality of life in amyotrophic lateral sclerosis/motor neuron disease. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2019, 20, 317-327.	1.7	27
22	Use of coping strategies in MND/ALS: Association with demographic and diseaseâ€related characteristics. Acta Neurologica Scandinavica, 2019, 140, 131-139.	2.1	1
23	Incorporating self-reported questions for telemonitoring to optimize care of patients with MND on noninvasive ventilation (MND OptNIVent). Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2019, 20, 336-347.	1.7	11
24	Development and validation of Spasticity Index-Amyotrophic Lateral Sclerosis. Acta Neurologica Scandinavica, 2018, 138, 47-54.	2.1	7
25	Treatment of fatigue in amyotrophic lateral sclerosis/motor neuron disease. The Cochrane Library, 2018, 2018, CD011005.	2.8	22
26	Quality of life for post-polio syndrome: a patient derived, Rasch standard scale. Disability and Rehabilitation, 2018, 40, 597-602.	1.8	4
27	Risk factors for social withdrawal in amyotrophic lateral sclerosis/motor neurone disease. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2018, 19, 591-598.	1.7	11
28	Mapping ALSFRS-R and ALSUI to EQ-5D in Patients with Motor Neuron Disease. Value in Health, 2018, 21, 1322-1329.	0.3	9
29	Symptomatic treatments for amyotrophic lateral sclerosis/motor neuron disease. The Cochrane Library, 2017, 2017, CD011776.	2.8	39
30	Comparison of the King's and MiToS staging systems for ALS. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 227-232.	1.7	58
31	Sexual functioning in multiple sclerosis: Relationships with depression, fatigue and physical function. Multiple Sclerosis Journal, 2017, 23, 1268-1275.	3.0	24
32	Economic Studies in Motor Neurone Disease: A Systematic Methodological Review. Pharmacoeconomics, 2017, 35, 397-413.	3.3	5
33	Meta-analysis of pharmacogenetic interactions in amyotrophic lateral sclerosis clinical trials. Neurology, 2017, 89, 1915-1922.	1.1	82
34	Rasch analysis of SFâ€Qualiveen in multiple sclerosis. Neurourology and Urodynamics, 2017, 36, 1161-1166.	1.5	14
35	A multicentre evaluation of oropharyngeal secretion management practices in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 1-9.	1.7	20
36	The Neurological Sleep Index: A suite of new sleep scales for multiple sclerosis. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2016, 2, 205521731664226.	1.0	3

#	Article	IF	CITATIONS
37	How integrated are neurology and palliative care services? Results of a multicentre mapping exercise. BMC Neurology, 2016, 16, 63.	1.8	41
38	Systematic review of the influence of spasticity on quality of life in adults with chronic neurological conditions. Disability and Rehabilitation, 2016, 38, 1431-1441.	1.8	44
39	Spasticity in multiple sclerosis: Associations with impairments and overall quality of life. Multiple Sclerosis and Related Disorders, 2016, 5, 34-39.	2.0	46
40	The effect of oral immunomodulatory therapy on treatment uptake and persistence in multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 520-532.	3.0	34
41	Why don't they accept nonâ€invasive ventilation?: Insight into the interpersonal perspectives of patients with motor neurone disease. British Journal of Health Psychology, 2015, 20, 341-359.	3.5	31
42	Regionality of disease progression predicts prognosis in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2015, 16, 442-447.	1.7	3
43	Association of British Neurologists: revised (2015) guidelines for prescribing disease-modifying treatments in multiple sclerosis. Practical Neurology, 2015, 15, 273-279.	1.1	169
44	Use of clinical staging in amyotrophic lateral sclerosis for phase 3 clinical trials. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, 45-49.	1.9	75
45	Experience of long-term use of non-invasive ventilation in motor neuron disease: an interpretative phenomenological analysis. BMJ Supportive and Palliative Care, 2014, 4, 50-56.	1.6	19
46	Treatment for fatigue in amyotrophic lateral sclerosis/motor neuron disease (ALS/MND). The Cochrane Library, 2014, , .	2.8	2
47	Health utility decreases with increasing clinical stage in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2014, 15, 285-291.	1.7	26
48	Achieving Saturation in Thematic Analysis: Development and Refinement of a Codebook. Comprehensive Psychology, 2014, 3, 03.CP.3.4.	0.3	275
49	Assessing social isolation in motor neurone disease: A Rasch analysis of the MND Social Withdrawal Scale. Journal of the Neurological Sciences, 2013, 334, 112-118.	0.6	8
50	Management of sialorrhoea in motor neuron disease: A survey of current UK practice. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 521-527.	1.7	28
51	Effects of early treatment with glatiramer acetate in patients with clinically isolated syndrome. Multiple Sclerosis Journal, 2013, 19, 1074-1083.	3.0	87
52	Lithium in patients with amyotrophic lateral sclerosis (LiCALS): a phase 3 multicentre, randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2013, 12, 339-345.	10.2	118
53	Perceived changes and minimum clinically important difference of the Neurological Fatigue Index for multiple sclerosis (NFI-MS). Multiple Sclerosis Journal, 2013, 19, 502-505.	3.0	19
54	Poststroke Fatigue: The Patient Perspective. Topics in Stroke Rehabilitation, 2013, 20, 478-484.	1.9	23

#	Article	IF	CITATIONS
55	Determinants of accepting non-invasive ventilation treatment in motor neurone disease: a quantitative analysis at point of need. Health Psychology and Behavioral Medicine, 2013, 1, 47-58.	1.8	16
56	The impact of fatigue and psychosocial variables on quality of life for patients with motor neuron disease. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 537-545.	1.7	31
57	Is the Epworth Sleepiness Scale Suitable for Use in Stroke?. Topics in Stroke Rehabilitation, 2013, 20, 493-499.	1.9	13
58	Rasch analysis of the WHOQOL-BREF in post polio syndrome. Journal of Rehabilitation Medicine, 2013, 45, 873-880.	1.1	14
59	The patient experience of fatigue in motor neurone disease. Frontiers in Psychology, 2013, 4, 788.	2.1	29
60	Tumefactive demyelination: an unusual cause of a spontaneously resolving homonymous hemianopia. BMJ Case Reports, 2013, 2013, bcr2013009363-bcr2013009363.	0.5	3
61	The unidimensional self-efficacy scale for MS (USE-MS): developing a patient based and patient reported outcome. Multiple Sclerosis Journal, 2012, 18, 1326-1333.	3.0	25
62	Assessing and managing depression and fatigue in motor neuron disease. Neurodegenerative Disease Management, 2012, 2, 401-409.	2.2	3
63	Validation of the Neurological Fatigue Index for stroke (NFI-Stroke). Health and Quality of Life Outcomes, 2012, 10, 51.	2.4	24
64	Country, Sex, EDSS Change and Therapy Choice Independently Predict Treatment Discontinuation in Multiple Sclerosis and Clinically Isolated Syndrome. PLoS ONE, 2012, 7, e38661.	2.5	35
65	Adverse cognitive effects of phenytoin in severe brain injury: A case report. Brain Injury, 2011, 25, 634-637.	1.2	5
66	Treatment for sialorrhea (excessive saliva) in people with motor neuron disease/amyotrophic lateral sclerosis. The Cochrane Library, 2011, , CD006981.	2.8	32
67	Development of a patient reported outcome measure for fatigue in motor neurone disease: the Neurological Fatigue Index (NFI-MND). Health and Quality of Life Outcomes, 2011, 9, 101.	2.4	31
68	Protocol for a double-blind randomised placebo-controlled trial of lithium carbonate in patients with amyotrophic Lateral Sclerosis (LiCALS) [Eudract number: 2008-006891-31]. BMC Neurology, 2011, 11, 111.	1.8	16
69	Rasch analysis of the hospital anxiety and depression scale (hads) for use in motor neurone disease. Health and Quality of Life Outcomes, 2011, 9, 82.	2.4	96
70	The relationship between fatigue and other clinical features of multiple sclerosis. Multiple Sclerosis Journal, 2011, 17, 604-612.	3.0	83
71	Factors predisposing to the development of multiple sclerosis. QJM - Monthly Journal of the Association of Physicians, 2011, 104, 383-386.	0.5	19
72	Development of a patient reported outcome scale for fatigue in multiple sclerosis: The Neurological Fatigue Index (NFI-MS). Health and Quality of Life Outcomes, 2010, 8, 22.	2.4	88

#	Article	IF	CITATIONS
73	Rasch analysis of the Modified Fatigue Impact Scale (MFIS) in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 1049-1051.	1.9	76
74	Central trigeminal involvement in multiple sclerosis using high-resolution MRI at 3 T. British Journal of Radiology, 2010, 83, 493-498.	2.2	53
75	Disability after encephalitis: development and validation of a new outcome score. Bulletin of the World Health Organization, 2010, 88, 584-592.	3.3	50
76	P156 Does analysis of patient-ventilator interaction offer benefits in addition to overnight pulse oximetry in patients with motor neurone disease being followed on non-invasive ventilation?. Thorax, 2010, 65, A144-A144.	5.6	0
77	Bladder symptoms in multiple sclerosis: a review of pathophysiology and management. Expert Opinion on Drug Safety, 2010, 9, 905-915.	2.4	18
78	Identifying poor adaptation to a new diagnosis of motor neuron disease: A pilot study into the value of an early patient-led interview. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2010, 11, 104-109.	2.1	13
79	The effects of an 'exercise and education' programme on exercise self-efficacy and levels of independent activity in adults with acquired neurological pathologies: an exploratory, randomized study. Clinical Rehabilitation, 2009, 23, 371-383.	2.2	25
80	Rasch analysis of the Fatigue Severity Scale in multiple sclerosis. Multiple Sclerosis Journal, 2009, 15, 81-87.	3.0	95
81	Effect of glatiramer acetate on conversion to clinically definite multiple sclerosis in patients with clinically isolated syndrome (PreCISe study): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2009, 374, 1503-1511.	13.7	551
82	Anticholinergics for urinary symptoms in multiple sclerosis. , 2009, , CD004193.		50
83	A randomized group intervention trial to enhance mood and selfâ€efficacy in people with multiple sclerosis. British Journal of Health Psychology, 2008, 13, 619-631.	3.5	45
84	Vitamin D receptor gene polymorphism is associated with reduced disability in multiple sclerosis. Multiple Sclerosis Journal, 2008, 14, 1280-1283.	3.0	34
85	Sporadic Creutzfeldt Jakob disease in two adolescents. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 14-18.	1.9	16
86	Perceptions of goal setting in a neurological rehabilitation unit: A qualitative study of patients, carers and staff. Acta Dermato-Venereologica, 2008, 40, 190-194.	1.3	45
87	A medical definition of fatigue in multiple sclerosis. QJM - Monthly Journal of the Association of Physicians, 2007, 101, 49-60.	0.5	132
88	Studies of associations between disability in multiple sclerosis, skin type, gender and ultraviolet radiation. Multiple Sclerosis Journal, 2007, 13, 369-375.	3.0	27
89	Perceptions of self-efficacy and rehabilitation among neurologically disabled adults. Clinical Rehabilitation, 2007, 21, 230-240.	2.2	76
90	Minocycline for amyotrophic lateral sclerosis or motor neuron disease. The Cochrane Library, 2007, ,	2.8	1

#	Article	IF	CITATIONS
91	Validation and Reliability of the Neuropathic Pain Scale (NPS) in Multiple Sclerosis. Clinical Journal of Pain, 2007, 23, 473-481.	1.9	40
92	Oromucosal Δ9-tetrahydrocannabinol/cannabidiol for neuropathic pain associated with multiple sclerosis: An uncontrolled, open-label, 2-year extension trial. Clinical Therapeutics, 2007, 29, 2068-2079.	2.5	173
93	Detection of hearing impairment and handicap in Paget's disease of bone using a simple scoring system: A case control study. Bone, 2007, 40, 189-193.	2.9	10
94	Long-term follow-up of patients treated with glatiramer acetate: a multicentre, multinational extension of the European/Canadian double-blind, placebo-controlled, MRI-monitored trial. Multiple Sclerosis Journal, 2007, 13, 502-508.	3.0	53
95	Treatment for ataxia in multiple sclerosis. The Cochrane Library, 2007, , CD005029.	2.8	77
96	3D MRI in multiple sclerosis: a study of three sequences at 3 T. British Journal of Radiology, 2007, 80, 307-320.	2.2	16
97	How does current care practice influence the experience of a new diagnosis of motor neuron disease? A qualitative study of current guidelinesâ€based practice. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2006, 7, 161-166.	2.1	32
98	Circle of Willis variation in a complex stroke presentation: a case report. BMC Neurology, 2006, 6, 13.	1.8	0
99	Worries and concerns of patients with multiple sclerosis: development of an assessment scale. Multiple Sclerosis Journal, 2006, 12, 196-203.	3.0	30
100	A randomized controlled trial of a health promotion education programme for people with multiple sclerosis. Clinical Rehabilitation, 2006, 20, 783-792.	2.2	72
101	Randomized, controlled trial of cannabis-based medicine in central pain in multiple sclerosis. Neurology, 2005, 65, 812-819.	1.1	583
102	Assessment of health needs in multidisciplinary care. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 5-5.	1.9	1
103	Development and validation of a self-efficacy measure for people with multiple sclerosis: the Multiple Sclerosis Self-efficacy Scale. Multiple Sclerosis Journal, 2003, 9, 73-81.	3.0	85
104	A randomised controlled trial comparing rehabilitation against standard therapy in multiple sclerosis patients receiving intravenous steroid treatment. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 1225-1230.	1.9	121
105	A randomised placebo controlled exploratory study of vitamin B-12, lofepramine, and L-phenylalanine (the "Cari Loder regime") in the treatment of multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 246-249.	1.9	61
106	Quality of life issues in motor neurone disease: the development and validation of a coping strategies questionnaire, the MND Coping Scale. Journal of the Neurological Sciences, 2001, 191, 79-85.	0.6	35
107	HLA-DRB1 and disease outcome in multiple sclerosis. Journal of Neurology, 2001, 248, 304-310.	3.6	56
108	Measuring the impact of multiple sclerosis on psychosocial functioning: the development of a new self-efficacy scale. Clinical Rehabilitation, 2001, 15, 259-265.	2.2	53

#	Article	IF	CITATIONS
109	Multiple sclerosis: Care needs for 2000 and beyond. Journal of the Royal Society of Medicine, 2000, 93, 219-224.	2.0	14
110	The role of affect on the perception of disability in multiple sclerosis. Clinical Rehabilitation, 2000, 14, 50-54.	2.2	61
111	Development of a patient-specific dyspnoea questionnaire in motor neurone disease (MND): the MND dyspnoea rating scale (MDRS). Journal of the Neurological Sciences, 2000, 180, 86-93.	0.6	19
112	Quality of life assessment in MND: development of a Social Withdrawal Scale. Journal of the Neurological Sciences, 1999, 169, 26-34.	0.6	24
113	Building a care and research team. Journal of the Neurological Sciences, 1998, 160, S137-S140.	0.6	23
114	Assessment of depression in patients with motor neuron disease and other neurologically disabling illness. Journal of the Neurological Sciences, 1997, 152, s75-s79.	0.6	66
115	Obstructive sleep apnoea with Arnold-Chiari malformation Thorax, 1995, 50, 690-697.	5.6	33
116	Disease progression and perceptions of health in patients with motor neurone disease. Journal of the Neurological Sciences, 1995, 129, 50-53.	0.6	21
117	Opsoclonus-myoclonus syndrome: an autopsy study of three cases. The European Journal of Medicine, 1993, 2, 239-41.	0.1	3