

# Emily R Kline

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8017251/publications.pdf>

Version: 2024-02-01

41  
papers

837  
citations

471509

17  
h-index

501196

28  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1150  
citing authors

#	ARTICLE	IF	CITATIONS
1	The School of Hard Talks: A telehealth parent training group for caregivers of adolescents and young adults. <i>Microbial Biotechnology</i> , 2023, 17, 244-251.	1.7	4
2	“Real-world” first episode psychosis care in Massachusetts: Lessons learned from a pilot implementation of harmonized data collection. <i>Microbial Biotechnology</i> , 2022, 16, 678-682.	1.7	3
3	Timing of cannabis exposure relative to prodrome and psychosis onset in a community-based first episode psychosis sample. <i>Journal of Psychiatric Research</i> , 2022, 147, 248-253.	3.1	4
4	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program. <i>Psychological Medicine</i> , 2021, 51, 653-660.	4.5	24
5	Early intervention in psychosis: Building a strategic roadmap for Massachusetts. <i>Schizophrenia Research</i> , 2021, 229, 43-45.	2.0	4
6	Motivational Interviewing for Loved Ones in Early Psychosis: Development and Pilot Feasibility Trial of a Brief Psychoeducational Intervention for Caregivers. <i>Frontiers in Psychiatry</i> , 2021, 12, 659568.	2.6	8
7	First help-seeking attempt before and after psychosis onset: measures of delay and aversive pathways to care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1359-1369.	3.1	18
8	Changes in community providers' screening behaviours, referral practices, and clinical confidence following participation in an early psychosis educational campaign. <i>Microbial Biotechnology</i> , 2021, , .	1.7	0
9	Clinical subtypes that predict conversion to psychosis: A canonical correlation analysis study from the ShangHai At Risk for Psychosis program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 482-495.	2.3	21
10	Implementation case study: Multifamily group intervention in first episode psychosis programs. <i>Microbial Biotechnology</i> , 2020, 15, 1362-1368.	1.7	2
11	Commentary: Expressed emotion as a mechanistic target in psychosis early intervention. <i>Schizophrenia Research</i> , 2020, 222, 8-9.	2.0	4
12	Psychosis screening practices in schools: A survey of school-based mental health providers. <i>Microbial Biotechnology</i> , 2019, 13, 818-822.	1.7	11
13	S61. CLINICAL SUBTYPES THAT PREDICT CONVERSION TO PSYCHOSIS: A CANONICAL CORRELATION ANALYSIS STUDY FROM THE SHANGHAI AT RISK FOR PSYCHOSIS (SHARP) PROGRAM. <i>Schizophrenia Bulletin</i> , 2019, 45, S329-S330.	4.3	0
14	Commentary: Unmet need for mental health services among people screened but not admitted to an early psychosis intervention program. <i>Schizophrenia Research</i> , 2019, 204, 2-3.	2.0	1
15	Family functioning moderates the impact of psychosis-risk symptoms on social and role functioning. <i>Schizophrenia Research</i> , 2019, 204, 337-342.	2.0	17
16	A comparison of neurocognition and functioning in first episode psychosis populations: do research samples reflect the real world?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 291-301.	3.1	12
17	Association between sleep, childhood trauma and psychosis-like experiences. <i>Schizophrenia Research</i> , 2018, 199, 333-340.	2.0	24
18	Perceived social stress and symptom severity among help-seeking adolescents with versus without clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2018, 192, 364-370.	2.0	23

#	ARTICLE	IF	CITATIONS
19	Depression and clinical high-risk states: Baseline presentation of depressed vs. non-depressed participants in the NAPLS-2 cohort. <i>Schizophrenia Research</i> , 2018, 192, 357-363.	2.0	45
20	Cultural factors in first episode psychosis treatment engagement. <i>Schizophrenia Research</i> , 2018, 195, 74-75.	2.0	4
21	Development and validation of the client engagement and service use scale: A pilot study. <i>Schizophrenia Research</i> , 2018, 201, 343-346.	2.0	2
22	Longitudinal determinants of client treatment satisfaction in an intensive first-episode psychosis treatment programme. <i>Microbial Biotechnology</i> , 2017, 11, 354-362.	1.7	7
23	Innovations in first episode psychosis interventions: The case for a "RAISE-Plus" approach. <i>Schizophrenia Research</i> , 2017, 182, 2-3.	2.0	26
24	Glutamatergic metabolites among adolescents at risk for psychosis. <i>Psychiatry Research</i> , 2017, 257, 179-185.	3.3	19
25	The Common Elements of treatment engagement for clinically high-risk youth and youth with first-episode psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 455-467.	1.7	16
26	Self-Report Instruments for Clinical Monitoring of Psychosis Risk States. <i>Psychiatric Services</i> , 2016, 67, 456-459.	2.0	12
27	High-risk diagnosis, social stress, and parent-child relationships: A moderation model. <i>Schizophrenia Research</i> , 2016, 174, 65-70.	2.0	17
28	Comparison of measures of functioning for use with treatment-seeking adolescents experiencing attenuated symptoms of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 81-87.	1.7	5
29	Trauma and psychosis symptoms in a sample of help-seeking youth. <i>Schizophrenia Research</i> , 2016, 175, 174-179.	2.0	34
30	Context matters: The impact of neighborhood crime and paranoid symptoms on psychosis risk assessment. <i>Schizophrenia Research</i> , 2016, 171, 56-61.	2.0	27
31	Outcomes of a Family Peer Education Program for Families of Youth and Adults with Mental Illness. <i>International Journal of Mental Health</i> , 2015, 44, 303-315.	1.3	15
32	Emotional and behavioral symptomatology reported by help-seeking youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 79-85.	2.0	38
33	Longitudinal validation of psychosis risk screening tools. <i>Schizophrenia Research</i> , 2015, 165, 116-122.	2.0	38
34	Premorbid multivariate prediction of adult psychosis-spectrum disorder: A high-risk prospective investigation. <i>Schizophrenia Research</i> , 2015, 168, 74-78.	2.0	1
35	Psychotherapy for adolescents and young adults at high risk for psychosis: a systematic review. <i>Microbial Biotechnology</i> , 2014, 8, 307-322.	1.7	37
36	Psychosis-like experiences and distress among adolescents using mental health services. <i>Schizophrenia Research</i> , 2014, 152, 498-502.	2.0	51

#	ARTICLE	IF	CITATIONS
37	Psychosis risk screening: A systematic review. <i>Schizophrenia Research</i> , 2014, 158, 11-18.	2.0	107
38	Using parent and youth reports from the Behavior Assessment System for Children, Second Edition to identify individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2014, 154, 107-112.	2.0	19
39	Parent-adolescent agreement on psychosis risk symptoms. <i>Schizophrenia Research</i> , 2013, 147, 147-152.	2.0	20
40	Schizotypy, psychotic-like experiences and distress: An interaction model. <i>Psychiatry Research</i> , 2012, 200, 647-651.	3.3	28
41	Psychosis risk screening in youth: A validation study of three self-report measures of attenuated psychosis symptoms. <i>Schizophrenia Research</i> , 2012, 141, 72-77.	2.0	89